

HEAVY DUTY MAINTENANCE

FALL
2019

ToolWEB
SPECIAL EDITION



BOSCH
Invented for life

NEW!



BOS3824A \$10,498.95
**ESI [Truck] HD Diagnostic Solution
with HDS 1000 Tablet**

- Enhanced bidirectional controls, including diesel particulate filter (DPF) regeneration, cylinder cut-out, injector coding, component actuation, special tests, and more
- Intel Celeron N3160 Processor - 64-Bit Quad Core
- Ultra-crisp high-resolution display

Milwaukee

M18 FUEL
DRIVEN TO OUTPERFORM.

NEW!



MLW2867-22 \$1,228.56
M18™ FUEL 1" High Torque Impact Wrench Kit

- Delivers up to 1,800 ft.-lbs. Nut-Busting Torque
- 4-Mode DRIVE CONTROL™ provides greater control over output speed and power
- ONE-KEY™ Compatible: Ability to Customize, Track and Manage tools

NEW!

ATECOMBO-801-ST-FPD \$30,590.00
**Atlas Edge 801 HD Truck Alignment
Machine Combo with 3-Point Fast Clamps**

- Customizable for 2, 3, 4, and 5 axle configurations
- Includes: 6 Long Adapters (2-5/8"), 6 Short Adapters (14-1/4"), Trailer fixture, turntables, and calibration bar




SEE PAGE 93!



HEAVYDUTY

Pricing good through December 31, 2019

THE HEAT WITHOUT THE FLAME



LUG NUTS



GRAPHICS

O2 SENSORS



Mini-Ductor® Venom®

The Mini-Ductor Venom generates Invisible Heat® to release metals from corrosion and thread lock compounds without the dangers of open flame and up to 90% faster.

Applications:

- > Bearings
- > Exhaust Manifold Bolts
- > Clevis Pins
- > Inline Connectors
- > Seatbelt Bolts
- > Brake Anchor Pins
- > Fuel Tank Straps
- > Suspension
- > Brakes
- > and 100's more!

SAFETY
CERTIFIED

IDIMDV-777



**INDUCTION
INNOVATIONS**
www.theinductor.com

follow us on:



TIRE SERVICE **EQUIPMENT** & ACCESSORIES



Why pay more for less...
When you can get the best...



ESC92003

- Over 50-Years of Production
- Vacuum Valve System keeps cylinder clean
- Italian Designed Brass Air Motor
- Available in Capacity Range: 10 - 88 Tons
- 3-Stackable Extensions Included

AIR tools

3/4" drive impact wrenches



IRT2145QIMAX \$730.59

3/4" Drive Composite Impact Wrench

- 1350 ft-lb maximum reverse torque from a tool that weighs just 7.4 lbs and is compact enough to access tight spaces

IRT259 \$494.99

3/4" Drive Air Impact Wrench

- Delivers 1,050 ft-lb of maximum torque in both forward and reverse
- New Ergonomic design for easy two-handed operation
- Two power settings in forward and reverse
- Silenced exhaust reduces tool noise to only 91.6 dbA while in use

IRT261 \$652.39

3/4" Drive Super Duty Air Impact Wrench

- Jumbo hammer mechanism
- Up to 1,100 ft./lbs. of torque
- Trouble-free, longer performance aided by the Pressure-Feed Lube System
- Compact and only 8.8" long
- Handle exhaust

IRT261-6 \$756.99

3/4" Drive Super Duty Air Impact Wrench with 6" Anvil

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



ACA1778-VXL \$524.29

3/4" Vibrotherm Drive Impact

- 1700 FT LBS. Maximum Torque
- AIRCAT VIBROTHERM DRIVE features a new "Patent Pending" impact mechanism
- The patented AIRCAT muffler produces AIRCAT'S characteristic low noise levels of between 82 d(B)A-85 d(B)A
- The patented AIRCAT Grip and VIBROTHERM DRIVE design deliver unmatched operator comfort and cosmetic styling
- 3-year warranty on material and workmanship

ACA1600-TH-A \$448.29

3/4" Composite Impact

- Upgrade to the 1600-TH
- Increased power from 1400 to 1600 Max Torque
- Patented Exhaust Technology - only 86 dbA
- Patented Ergonomic Handle grip
- Patented Forward/Reverse Switch
- 2 year warranty

ACA1770-XL \$462.99

3/4" Super Duty Composite Impact Wrench

- 1400 ft-lbs maximum torque
- Ergonomically designed grip and handle provides ultimate user comfort
- 2 year warranty on material and workmanship with POP
- 2 year warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



CPT7763 \$587.99

Heavy Duty High Power 3/4" Drive Air Impact Wrench

- 1200 ft./lbs. of torque • Weighs less than 12 lbs.
- 6 vane motor for speed - power with any 1/2" hose air supply



CPT7763-6 \$653.79
3/4" Drive Heavy Duty Impact Wrench with 6" Anvil



CPT7762 \$624.99

3/4" Stubby Impact Wrench

- Powerful with 1050 ft.lbs. of torque for high productivity
- Ultra Compact at 6.2 inches in length for restricted working areas
- Lightweight at 6.6 lbs. for less operator fatigue
- Durable with a Twin Hammer mechanism
- Highly durable with a steel motor, and Aluminum housing



CPT772H \$565.89

3/4" Drive Super Duty Air Impact Wrench

- Smoothest operating 3/4" impact on the market with unmatched durability
- 4 position power settings in forward and ultimate power in reverse
- Handle exhaust with 360 degree air inlet swivel keeps air hose from being twisted and kinked

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



MTN7245 \$151.75

3/4" Drive Composite Impact Wrench

- Maximum Torque is 1150 ft./lbs. in forward, 1200 ft./lbs. in reverse
- Lightweight at only 7.65 lbs
- 1 year warranty on material & workmanship

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



SUNSX4355 \$544.99

3/4" Drive Impact Wrench

- 1400 ft./lbs. of quiet power • One hand forward/reverse
- Quiet Tech™ exhaust system delivers 90 dbA
- Weighs only 7.3 lbs.
- Covered under a 2 year limited warranty



1" drive impact wrenches



IRT2850MAX \$899.99

1" D-Handle Impact Wrench

- High power design delivers 2,100 ft.-lbs of torque.
- Our most powerful tool in the vehicle repair lineup
- Designed and tested for durability, which is backed by a 2-Year Warranty
- The steel core and chemical resistant housing is made to last even in the harshest working conditions
- At only 21 lbs., the lighter weight design reduces user fatigue



\$867.79

IRT2850MAX-6

1" D-Handle Impact Wrench with 6" Anvil

- 6" anvil extension: Increases accessibility in hard to reach places



IRT285B \$899.59

1" Drive Heavy Duty Impact Wrench

- High efficiency, 6 vane air motor
- 1,450 ft./lbs of maximum torque with a 5,000 rpm free speed
- 3 position power regulator
- Includes protective boot kit



The IRT285B model combines exceptional power, durability and operator convenience. The integral 460 degrees swivel inlet makes kinked hoses a thing of the past. Side handle provides excellent maneuverability.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IRT285B-6 \$671.29

1" Drive Heavy Duty Impact Wrench with 6" Anvil

- Maximum torque: 1,770 ft./lbs.
- New Fast-Torque feature delivers 1,000 ft./lbs. in 2 seconds
- New increased pressure rating can withstand 120 PSI for better durability
- Improved feather-touch trigger
- Free chemical resistant protective boot helps prevent damage

If you want exceptional power, durability, and ease-of-use from an impact wrench, the Ingersoll-Rand 285b delivers. Not only will the IRT285B-6 easily handle whatever task you put it to, the impact will also help you maneuver more comfortably thanks to its professional touch trigger, swept-back side handle for superior balance, and "angle-down" exhaust. The 6" anvil helps with leverage and getting into hard to reach places.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

IRT2155QIMAX \$798.99

1" Drive Air Impact Wrench

- 1350 ft.-lb (1830Nm) maximum reverse torque from a tool that weighs just 7.4lbs (3.36kg) and is compact enough to access tight places
- Built to last and designed to withstand tough use in rugged environments; a two-year limited warranty is standard
- An air motor that's 16% more efficient than its predecessor and an easy-to-clean inlet screen means less downtime, better tool performance, and less money spent on compressed air



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IRT2175MAX \$885.69

1" Drive Pistol Grip Impact Wrench

- Solid steel impact mechanism: Delivers 2,000 ft lbs of reverse torque
- Highly engineered design: Delivers the power you need over the life of the tool
- Chemical resistant housing & steel core: Stands up to drops and harsh work environments
- Lightweight: Weighs in under 20 lbs
- 360 Degree adjustable handle: Keeps hoses from getting tangled so you can move freely around the garage



IRT2175MAX-6 \$895.69

1" Drive Pistol Grip Impact Wrench

- 6" anvil extension: Increases accessibility in hard to reach places



IRT271 \$811.99

1" Drive Super Duty Air Impact Wrench

- Impressive power-to-size ratio
- Up to 1,100 ft./lbs. of torque
- Pressure-feed lube system for longer service life
- Dead handle improves operator control
- Free-speed 5,500 RPM



The shortest 1" drive air impact wrench is also one of the most powerful. It combines a very compact size with high power output, making it ideal for tire changing, spring work, pinion nut and tractor pad removal, and shock work.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

IRT295A \$788.69

1" Drive Heavy Duty Air Impactool™

- Delivers 1,770 ft./lbs. maximum torque at 120 PSI with 5,250 rpm free speed and a high efficiency 6 vane motor
- Fast torque delivers 1,000 ft./lbs. in 2 seconds
- Handle exhaust directs air away from the work
- Top mounted dead handle provides great leverage for difficult underbody work
- 3 position power regulator provides torque management



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



CPT7773 \$635.99

1" Drive Heavy Duty Impact Wrench

- 1,200 ft./lbs of ultimate torque providing power to loosen the toughest fastener
- Twin Hammer high performance clutch for longer life under tough conditions
- Efficient 6 Vane Motor - power with any 1/2" hose air supply
- 3 Position regulator and directional control - one lever for all controls with three positions in forward and full power reverse



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



CPT797 \$1,253.09

1" Drive Super Duty Impact Wrench

- Applications: high volume tire work on trucks, buses and heavy equipment.
- Working torque: 150-900 ft./lbs.; maximum torque: 1400 ft./lbs.; free speed: 4,200 RPM; average air consumption: 10 cfm; air inlet thread: 1/2" NPTF; minimum hose size: 1/2"; sound dBA: 110; length: 15.5"; weight: 27 lbs

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



CPT797-6 \$1,162.41

1" Drive Super Duty Impact Wrench with 6" Anvil

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



CPT7783-6 \$842.89

1" Lightweight Impact Wrench with 6" Anvil

- 1770 ft.lbs maximum torque in reverse for high productivity
- Lightweight at 20.9 lbs
- Pinless closed reinforced rocking dog mechanism in oil bath
- Features an adjustable top or down exhaust
- Ergonomic D handle with full teasing trigger

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



CPT7778-6 \$809.27

1" Drive Impact Wrench with 6" Anvil

- 1,450 ft.-lbs. torque provides power to loosen rusted bolts
- High performance clutch provides longer life under tough conditions
- High efficiency 6 vane motor for maximum performance
- Bottom exhaust directs exhaust away from the operator
- Three position power regulator with directional control

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



CPT7782-6 \$696.69

1" Drive Heavy Duty Impact Wrench with Extended Anvil

- 2,140 ft.lbs - of maximum torque in reverse
- Regulator with integrated forward/reverse with 3-position power settings in both directions

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



CPT7782-SP6 \$857.19

1" Drive Heavy Duty Impact Wrench with 6" Extension and #5 Spline

- 2,140 ft.lbs - of maximum torque in reverse
- Pinless closed reinforced rocking dog impact mechanism
- Socket retainer ring combined with hole retainer
- Regulator with integrated forward/reverse

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



ACA1890-P \$1,128.99

Aircat 1" Pistol Impact Wrench

- 2000 ft-lb Maximum torque
- Molded hammer case protective cover and rear gasket/protective band unique design
- Two Jaw Clutch design provides unparalleled torque and increases the life of the hammer beyond other impact mechanisms.
- Two Jaw Clutch design is very efficient and reduces air consumption from 24.5 CFM to 6.1 CFM on average
- Rugged bolt on side assist handle
- Combined reverse power management switch provide added control
- 2 year warranty



ACA1992 \$407.69

1" Impact Wrench with 8" Extended Anvil

- 1800 ft.-lbs of torque at 5000 RPM producing 1600 impacts per minute
- Pinless Hammer Mechanism
- Triple heat treated Ni-Cr-Mo Alloy Steel for durability
- Enlarged D handle can be located on either side of tool
- Combined F/R and Power Management Switch
- The anvil has both Friction Ring and Through Hole Socket Retainer
- Designed for semi-truck wheels and other large wheels
- 2 Year AIRCAT Warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





POWERED UP. NOT WEIGHED DOWN.

The IRT2850MAX 1" Impact Wrench

High power design delivers 2,100 ft-lbs. of torque. At only 21 lbs., this lightweight design reduces user fatigue and is easy to maneuver. No matter how tough the job, you can power through with the IRT2850MAX and IRT2850MAX-6!

REAL TOOLS FOR REAL WORK.™



For a limited time receive a free IRT327LSP*
Tire Buffer with each IRT2850MAX-6.
October 1 thru December 31, 2019 *while supplies last



FOLLOW US. #IRTOOLS

LEARN MORE AT
IRTOOLS.COM/2850MAX

AIR tools

1" drive impact wrenches



ACA1991 \$727.99

1" Low Weight Extended Impact

- 2,100 ft-lbs Maximum Torque • 20.7 lbs.
- Exhaust can be located at the top or bottom of the tool
- Features rubber handle grips and rubberized trigger inserts for ultimate comfort
- Features combined friction ring and through hole socket retainers
- 2-year warranty on material and workmanship



ACA1991-1 \$742.89

1" Low Weight Short Anvil Impact

- 2,100 ft-lbs Maximum Torque • 16.9 lbs.
- 2-year warranty on material and workmanship



ACA1870-P \$617.69

1" Low Weight Pistol Grip Impact

- 2,100 ft-lbs Maximum Torque • 12.98 lbs
- Twin hammer impact mechanism
- Low weight impact resistant housing
- Features combined friction ring and through hole socket retainers
- 2-year warranty on material and workmanship



KTI81795 \$898.26

1" Drive Air Impact Wrench with 13 Piece SAE Socket Set

- 1500 ft./lb. ultimate torque
- 3500 rpm • 8 cfm air consumption
- 90 PSI air pressure (recommended)
- 1-year limited warranty



KTI's air tools are designed for reliability and superior performance.

Includes 13-piece 1" drive short fractional impact socket set including sizes 3/4" to 3" (KTI-35113).



KTI81798S \$461.09

1" Spline Drive Impact Wrench

- 1" Impact Wrench • # 5 Spline Drive Anvil
- 1600 ft/lbs. of torque • 6" Extended anvil for extra access
- 3 forward and 3 reverse power settings
- D Side handle for ease of use
- 1-year limited warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KTI81798A \$426.69

1" Impact Wrench Drive with 6" Extension Anvil

- 4,000 RPMs • 10 CFMs
- 100-1,200 ft/lbs working torque
- 6" extended anvil for extra access
- 3 forward and 3 reverse power settings
- D Side handle for ease of use
- Side exhaust directs air away from the job
- 1-year limited warranty. Repairable under warranty up to a year.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

specialty



IRT118MAXK \$209.09

Long Barrel Air Hammer Kit - Low Vibration

- MAX Comfort: Anti-vibration feature reduces vibration by 30% over standard air hammers
- MAX Power: 15% increase in impact force over standard air hammer product offering
- MAX Productivity: Quick-change retainer allows for faster chisel changeovers
- Quick change retainer, (5) chisels and carry case included
- 2,500 blows per minute

IRT125 \$223.79

Standard Duty Needle Scaler

- 19 needles
- Each needle: 1/8" (3.2mm)
- 4,600 blows per minute at free speed



For surface preparation work involving the cleaning or removal of paint, rust, dirt, or weld slag, the IRT125 is a durable, dependable, economical solution.



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



MLW2767-22 \$669.19

M18™ FUEL™ High Torque 1/2" Impact Wrench with Friction Ring Kit

- REDLINK PLUS™ intelligence
- REDLITHIUM™ batteries
- POWERSTATE™ brushless motor delivers up to 1000 ft-lbs of fastening torque and 1400 ft-lbs of nut-busting torque
- Industry leading 4-mode drive control with bolt removal mode, allowing for ultimate control
- Bolt removal mode provides maximum nut-busting torque to break fastener free, then slows to 750rpm for more control when removing fasteners
- Features a friction ring design to ensure quick and easy socket changes
- Reduced user fatigue at only 7.5 lbs with battery

Includes (1) 2767-20 M18 FUEL GEN II 1/2" High Torque Impact Wrench,
(2) M18 5.0 XC Batteries & (1) 48-59-1812 M18 & M12 Dual-Voltage Charger.



MLW2993-22 \$823.19

2 Piece M18™ FUEL™ Auto Kit - 1/2" Impact Wrench and 3/8" Impact Wrench

- Most powerful 1/2" impact wrench - 1,000ft-lbs fastening & 1,400ft-lbs nut busting torque
- Most powerful 3/8" impact wrench - 600ft-lbs nut-busting torque
- Most compact high torque in the Industry - up to 0.7" shorter length than the competition
- Over 60% longer 3/8" anvil life than cordless competitor
- Redlink Plus intelligence prevents damage to the tool and battery due to overloading or overheating

Kit Includes:

(1) 2852-20 3/8" Mid-Torque Impact Wrench, (1) 2767-20 1/2" High-Torque Impact Wrench
(2) M18 5.0 XC Batteries, (1) M18/M12 Multi-Voltage Charger, (1) Tool Bag



MLW2861-22CX \$470.59

M18™ FUEL 1/2" Mid-Torque Impact Wrench Auto Kit

- Impact wrench delivers up to 450 ft-lbs of Fastening Torque and up to 600 ft-lbs of Nut-Busting Torque
- 3-Mode DRIVE CONTROL™ provides greater control over output speed and power with a max RPM of 2,400
- M18™ REDLITHIUM™ XC 5.0 Extended Capacity Battery Pack delivers up to 2.5X more run-time
- M18™ REDLITHIUM™ 2.0 Compact Battery Pack delivers up to 2X more runtime, 20% more power and 2X more recharges than standard lithium-ion batteries
- M18/M12 Multi-Voltage Charger accepts all M18 and M12 Batteries (XC and Compact)

Kit Includes: (1) M18 FUEL™ 1/2" Mid-Torque Impact Wrench (2861-20),

(1) M18™ REDLITHIUM™ 5.0 XC Battery (48-11-1850), (1) M18™ REDLITHIUM™ 2.0 Compact Battery (48-11-1820) and (1)M18™ & M12™ Dual-Voltage Charger (48-59-1812) & Bag



MLW2864-22 \$727.29

M18™ FUEL™ ONE-KEY High Torque 3/4" Impact Kit

- Powerstate™ brushless motor delivers up to 1200ft-lbs of fastening torque and 1500ft-lbs of nut-busting torque
- Redlink Plus™ intelligence prevents damage to the tool and battery due to overloading or overheating
- Most compact cordless high torque impact wrench in its class at 8.59" in length
- One-Key™ compatible: customize, track and manage tool's performance and location.
- M18 Fuel with One-Key™ technology provides the most repeatable impact wrench in the industry



CORDLESS



M18 FUEL
DRIVEN TO OUTPERFORM.™



MLW2867-22 \$1,228.56

M18™ FUEL 1" High Torque Impact Wrench Kit

- POWERSTATE™ Brushless Motor delivers up to 1,800 ft.-lbs. Nut-Busting Torque
- Up to 7 lbs. Lighter Weight allowing for less user fatigue
- Eliminates Compressors and Generators, providing greater portability and lower cost
- 4-Mode DRIVE CONTROL™ provides greater control over output speed and power.
- ONE-KEY™ Compatible: Ability to Customize, Track and Manage tools for increased productivity and investment protection. Includes the ability to set a repeatable torque output for maximum control.



MLW2996-22 \$602.99

M18™ FUEL Hammer Drill/Impact One Key Combo Kit

- M18 FUEL™ 1/2" Hammer Drill/Driver w/ ONE-KEY™: POWERSTATE™ Brushless Motor delivers up to 60% more power, is the most compact in its class at 6.9" in length, and provides up to 2X faster speed under heavy load. At 1,200 in.-lbs of torque and only 6.9" in length, it has the power for demanding applications and ability to access tight spaces
- M18 FUEL™ 1/4" Impact Driver w/ONE-KEY™: POWERSTATE™ brushless motor delivers up to 30% faster driving speeds and up to 2000 in.-lbs of torque
- ONE-KEY™ Compatible: Ability to track, manage and customize tools for increased productivity and protection of users investment
- M18 REDLITHIUM™ XC5.0 Battery Pack



\$414.69

MLW2550-22

M12™ Rivet Tool Kit

- Pulls 3/32", 1/8", 5/32", 3/16" rivets
- Aluminum, steel, stainless steel - capacity
- 450 1/8" steel rivets per charge • 0.8" stroke length • 2,000 lbs. pulls force
- 5-Year Warranty on material and workmanship
- Kit Includes: M12™ Rivet Tool, (2) 2.0 Batteries, Charger & Bag



M18 FUEL
DRIVEN TO OUTPERFORM.™



MLW2805-22 \$441.19

M18™ FUEL 1/2" Drill with One Key Kit

- POWERSTATE™ Brushless Motor produces 1,200 in.-lbs torque and 2,000 RPMs
- 6.9" length for access into tight spaces and reduced fatigue
- REDLINK PLUS™ Intelligence protects from overloads, heating and over-discharge
- M18 REDLITHIUM™ XC5.0 Battery Pack
- ONE-KEY™ Compatible: Ability to customize, track, and manage tools for increased productivity and protection

MLW2806-22 \$515.51

M18™ FUEL 1/2" Hammer Drill with One Key Kit

- POWERSTATE™ Brushless Motor: Purposely built for the M18 FUEL™ 1/2" Hammer Drill to provide Up To 60% More Power than the competitive set
- Anti-Kickback technology: Increases control in bind-up situations and reduces nuisance shut downs



Ingersoll Rand.

IQv20 Series



IRTW7150-K2 \$609.99

IQv20 Li-Ion 1/2" Drive Impact Wrench Kit with Charger and Two Batteries

- Industry leading 1,100 ft/lbs of Nut Busting Torque from a tool weighing only 6.8 lbs
- High ww Lithium-Ion battery with all-metal drive train and reinforced housing
- Includes (2) 20v Lithium-Ion batteries and battery charger featuring an auxiliary USB port and carry case
- Backed up by Ingersoll Rand's industry leading 1-2-3 Warranty
- The W7150 delivers 1,100 ft/lbs. of Nut Busting Torque

IRTW7150-K1 \$524.19

IQv20 Li-Ion 1/2" Drive Impact Wrench Kit with Charger and One Battery



WARNING: Cancer and Reproductive Harm
- www.P65Warnings.ca.gov

IMPACT sockets



- Manufactured from chrome-moly steel
- Heat treated for additional strength and durability
- Sockets are laser engraved for easy identification
- Readily handles larger applications, such as removal of truck wheels and lug nuts
- Designed to perform consistently and withstand even the most heavy duty applications
- Lifetime Warranty
- Packaged in a molded case



KTI34100 \$132.14
8 Piece 3/4" Drive 6 Point
Standard Impact Socket Set
 Set includes sizes: 1" thru 1-1/2"

KTI34200 \$179.68
8 Piece 3/4" Drive 6 Point
Deep Impact Socket Set
 Set includes sizes 1" to 1-1/2"



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KTI34132 \$14.78
3/4" Drive Standard 6 Point Impact Socket 1"
 Set includes sizes: 1" thru 1-1/2"
 • KTI sockets are designed and crafted to take on the toughest jobs with solid performance
 • Marked with size and part number for easy identification
 • 6-point standard socket design for use with 3/4" drive tools



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KTI39100 \$298.21
15 Piece 3/4" Drive
Thin-Wall Short Metric Impact Socket Set
 • Capable of handling larger applications
 • Manufactured from heat-treated chrome-moly steel
 • All sockets are laser engraved for quick identification
 • Packaged in a convenient blow-molded case
 • Lifetime warranty



KTI's 15 piece 3/4" drive impact socket set includes metric sockets sized 17mm to 46mm and replacement o-rings and pins. This set is capable of handling larger applications, such as removal of truck wheels and lug nuts. All sockets are laser engraved for quick identification.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

SUNEX®
TOOLS



- Forged from the finest chrome molybdenum alloy steel – the best choice for strength and durability
- Radius corner design - to extend the life of fasteners
- Lifetime Warranty
- Packaged in a molded case

SUN4683 \$433.41
17-Piece 3/4" Drive 6 Point SAE
Heavy Duty Impact Socket Set
 Set contains: 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-9/16", 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 1-15/16" and 2"

SUN4684 - Metric \$344.99
 Set contains: 26mm, 27mm, 28mm, 29mm, 30mm, 32mm, 33mm, 35mm, 35mm, 38mm, 40mm, 41mm, 42mm, 43mm, 44mm, 45mm and 46mm

SUN4685 \$524.99
17-Piece 3/4" Drive 6 Point
SAE Deep Impact Socket Set
 Set contains: 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-9/16", 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 1-15/16" and 2"



29 Piece 3/4" Drive 6 Point
SAE Impact Socket Sets
 Includes wheel kit and grip handle for easy maneuvering
 Set contains: 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-9/16", 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 1-15/16", 2", 2-1/16", 2-1/8", 2-3/16", 2-1/4", 2-5/16", 2-3/8", 2-7/16" and 2-1/2"

SUN4696 - Standard \$721.99
SUN4695 - Deep (Freight Delivery) \$799.99



SUN4507 \$121.49
5-Piece 3/4" Drive
Metric Hex
Impact Socket Set
 • Cr-Mo alloy steel for long life
 Set contains: 14mm, 17mm, 19mm, 22mm and 24mm



IMPACT sockets

3/4" drive



- Made of high quality steel (chrome-molybdenum)
- Engineered specifically for use with impact tools, using the most up to date industrial specifications
- Made to transfer the pressure from the thinnest part of the socket wall toward the thicker section, resulting in increased strength
- Lifetime Warranty • Packaged in a molded case

8 Piece 3/4" Drive Metric Deep Impact Socket Set

Set contains: 26mm, 27mm, 29mm, 30mm, 32mm, 35mm, 36mm and 38mm

GRE8134MD - Deep \$155.99

GRE8134M - Standard \$98.23



26 Piece 3/4" Drive Metric Impact Socket Set -

Set contains: 19mm, 20mm, 21mm, 22mm, 23mm, 24mm, 25mm, 26mm, 27mm, 28mm, 29mm, 30mm, 31mm, 32mm, 33mm, 34mm, 35mm, 36mm, 38mm, 40mm, 41mm, 42mm, 43mm, 44mm, 46mm, 50mm

- Packaged in a metal case

GRE8026MD - Deep \$610.99


GRE8026M - Standard \$404.19

14 Piece 3/4" Drive SAE Impact Socket Set

Set contains: 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2 and 1-5/8"

GRE8038D - Deep \$223.39

GRE8038 - Standard \$157.51



29 Piece 3/4" Drive SAE Impact Socket Set

Set contains: 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-9/16", 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 1-15/16", 2", 2-1/16", 2-1/8", 2-3/16", 2-1/4", 2-5/16", 2-3/8", 2-7/16", and 2-1/2"

GRE8029D - Deep \$913.99

GRE8029 - Standard \$683.49

GRE8096H \$230.22

3/4" Drive 6 Piece Hex Driver Sets

- Made of high quality steel (chrome-molybdenum)
- Engineered specifically for use with impact tools, using the most up to date industrial specifications
- One piece impact hex driver • Lifetime Warranty

Set includes sizes: 1/2", 9/16", 5/8", 3/4", 7/8" and 1". Comes in a molded plastic case



GRE8196MH \$230.22

3/4" Drive 6 Piece Hex Driver Metric Set

- Black oxide coated for resistance against rust and corrosion

Set contains one piece impact hex drivers 12mm to 24mm

GRE8034D \$144.18

3/4" Drive 8-Piece Deep Set

This features our "high torque" drive. This limits the amount of wear on the corners of the fastener and the socket. It also improves the strength of the socket, transfers increased torque to the fastener and allows easier access to tight areas.

Set includes the following sizes: 1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16", and 1-1/2".



SUNEX
TOOLS



- Forged from the finest chrome molybdenum alloy steel – the best choice for strength and durability
- Radius corners on hex and square drive reduces wear on socket and impact tool over time

SUN4680 \$107.58 8 Piece 3/4" Drive Standard SAE 6 Point Impact Socket Set

- Radius corner design - to extend the life of fasteners
- Standard SAE 6 point impact socket set

This set includes the following sizes: 1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16" and 1-1/2"



SUN4681 \$133.71 8 Piece 3/4" Drive 6 Point Deep SAE Impact Socket Set

This set includes the following sizes: 1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16" and 1-1/2"



SUN4638 \$211.56 14-Piece 3/4" Drive Deep Impact Socket Set

- Includes commonly used deep sockets in heavy duty and industrial applications
- All Sunex® impact sockets meet or exceed ASME specifications



SUN4686 \$595.29 17 Piece 3/4" Drive 6 Point Metric Deep Impact Socket Set

This 3/4" deep drive impact socket set is designed to tackle the toughest jobs with solid durability and keeps them pounding job after job. Also each socket features a radius corner design, causing the socket to grab the sturdy wall of the fastener instead of grabbing the corners, resulting in less wear on the fastener

This set includes: 26mm-44mm



IMPACT sockets

3/4" drive wheel service



- Manufactured from heat-treated chrome-moly steel for wear in professional, rugged environments



KT135005 \$162.88

5 Piece 1" Drive Budd Wheel Service Kit

- Use with 1" square drive impact wrench
- Metric sizes for Isuzu, Hino, Mitsubishi, Fuso, White Volvo, Mack Midliner and other imports
- Fractional size for all U.S.A. made trucks
- Fits both front and rear axle wheel, single and dual
- Packaged in a blow molded case for easy transport
- Removes both nut and stud with just one socket

Set includes 33mm, 36mm, 38mm, 41mm and 1-1/2" hex

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

SUNEX
TOOLS



SUN4682 \$118.99 11 Piece 3/4" Drive Truck Service Impact Socket Set

- Comes in an industrial strength, double latch blow molded case

Set contains: 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-1/2" standard sockets and a 13/16" square socket

- Forged from the finest chrome molybdenum alloy steel – the best choice for strength and durability
- Radius corner design - to extend the life of fasteners



SUN4667 \$433.99 7 Piece 3/4" Drive Truck Pinion Locknut Impact Socket Set

- For removing or installing transmission and differential end yoke lock nuts on most trucks

Set includes: 2", 2-1/8", 2-1/4", 2-3/8", 2-1/2", 2-5/8" and 2-3/4"



3/4" drive budd wheel service



Manufactured from heat-treated chrome-moly steel for wear in professional, rugged environments. Lifetime warranty

KT139233 \$24.43

3/4" Drive 6 Point Deep Impact Budd Wheel Socket, 33mm

- Designed for outer cap nuts on Budd style truck wheels
- Manufactured from heat-treated chrome-moly steel for wear in professional, rugged environments
- Size and part number are hard stamped on the socket for easy identification



KT134026 \$23.75

3/4" Drive Deep Budd Wheel Impact Socket, 13/16" Square

- Designed for outer cap nuts on Budd style truck wheels



KT134027 \$41.55

3/4" Drive Deep Budd Wheel Impact Socket, 13/16" Square x 1-1/2" Hex

- Designed for outer cap nuts on Budd style truck wheels for most American-made trucks with dual rear wheels



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

3/4" impact sockets accessories

SUNEX
TOOLS



- Forged from the finest chrome molybdenum alloy steel – the best choice for strength and durability
- Radius corner design - to extend the life of fasteners
- The design drives the side of the fastener instead of the corner
- Provides increased strength, but also avoids rounding of rusted or damaged fasteners

SUN4305 \$30.72
3/4" Drive
3/4" Female x 1/2" Male Adapter



SUN4300 \$25.72
3/4" Female to 1" Male Impact Socket Adapter



KT134050 \$50.66

3/4" Drive Impact Universal Joint

- Ball/swivel action give sockets access to tight areas



KT134016 \$16.95

3/4" Female 1/2" Male Impact Socket Adapter



KT134032 \$19.85

3/4" Female 1" Male Impact Socket Adapter



KT124085 \$68.99

3/4" Ratcheting Adapter Drive



Lifetime warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

IMPACT sockets

1" drive



- Capable of handling larger applications, such as removal of truck wheels and lug nuts
- KTI sockets are designed to perform consistently and withstand even the most heavy-duty applications
- Manufactured from heat-treated chrome-moly steel for wear in professional, rugged environments
- All sockets are laser engraved for quick identification

KTI35100 \$624.16

18-piece 1" Drive Short Fractional Impact Socket Set

- Capable of handling larger applications
- Manufactured from heat-treated chrome-moly steel
- All sockets are laser engraved for quick identification
- Packaged in a convenient blow-molded case
- Includes: fractional sockets sized 3/4" to 2" and replacement O-rings and pins.
- Lifetime warranty

Set includes:

3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-7/16", 1-1/2", 1-5/8", 1-11/16", 1-13/16", 1-7/8", 2", 7" Extension, 13" Extension, O-rings 1.75"/45mm, O-rings 2"/51mm, Pins 1.75"/45mm, Pins 2"/51mm,

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



SUNEX
TOOLS



No doubt, Sunex Tools offer one of the most complete and toughest Impact Socket lines around. These 1" drive impact socket sets are designed to tackle the toughest jobs with solid durability and keeps them pounding job after job. Also each socket features a radius corner design, causing the socket to grab the sturdy wall of the fastener instead of grabbing the corners, resulting in less wear on the fastener.



21 Piece 1" Drive 6 Point SAE Impact Socket Sets

- Forged from the finest chrome molybdenum alloy steel for strength and durability
- Included in a heavy-duty blow mold case - over 30" tall
- Includes wheel kit and grip handle for easy maneuvering

Set contains: 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-9/16", 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 1-15/16" and 2"

SUN5692 - Standard \$484.84

SUN5693- Deep \$654.99

SUN5699 \$164.99

9 Piece 1" Drive Standard SAE Jumbo Impact Socket Set

- Chrome molybdenum alloy steel for long life
- Designed with radius corners, this allows it to grab the sturdy wall of the fastener instead of grabbing the corners

Kit includes: 1", 1-1/8", 1-1/4", 1-3/8", 1-1/2", 1-5/8", 1-3/4", 1-7/8", and 2"



SUN5681 \$155.99

8 Piece 1" Drive 6 Point Deep SAE Impact Socket Set

Kit includes: 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4" and 1-1/2".



KTI35113 \$504.03

Impact Socket Set, 1 " Drive, Short

- All sockets are manufactured from chrome-moly steel for strength and durability. KTI impact sockets are backed by a lifetime warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IRTSK8C5TN \$143.99

5 Piece 1" Drive SAE Deep Truck Service Socket Set

- Manufactured for the harshest work environments.
- Forged from Chromoly steel for strength and durability
- Laser-etched and all sockets over 1 1/2" are roll-stamped for ease of identification

Includes: 13/16", 33MM & 1-1/2" Deep Hex, 1-1/8" & 1-1/4" Deep Thin Wall Hex

IMPACT sockets

1" drive



GRE9096H \$305.96

1" Drive 6 Piece Hex Driver Set

- Set contains one piece impact hex drivers
- Includes 6 pieces in sizes 3/4" to 1-3/8"
- Made from high quality chrome-molybdenum steel
- Heat treated for strength and durability
- Size markings are hard stamped into the socket for easy identification

Our impact sockets grip the fastener across a broader contact area, reducing chance of rounding off fasteners. They also allow up to 20% more torque to be applied than on other impact sockets. The shift in pressure allows us to reduce the socket wall thickness, increasing access to tight areas.

Set includes: 1" Drive, 6 Piece, 3/4" to 1-3/8" Hex Bits, 4" Long



GRE9151 \$278.69

1" Drive 10 Piece Heavy Duty Truck Set

- Designed for servicing medium and heavy duty truck wheels
- Made of high quality alloy steel (chrome-molybdenum)
- Tested to the highest specifications to deliver outstanding performance at the competitive cost
- Packaged in a metal case

Grey Pneumatic sockets are designed for professional tool users. They are engineered specifically for use with impact tools using the most up to date industrial specifications. This features our "high torque" drive. This limits the amount of wear on the corners of the fastener and the socket. It also improves the strength of the socket, transfers increased torque to the fastener and allows easier access to tight areas.

Set contains the following 6 point sizes: Thin Wall Deep: 1-1/16", 1-1/8", 1-1/4"; Fractional Deep: 1", 1-3/16", 1-1/2", 1-3/4"; Metric Deep 33mm and 4-point Fractional Standard Square: 13/16" and 15/16".



GRE9152 \$341.99

1" Drive 10 Piece Wheel Service Set

- A complete 1" drive set designed for servicing truck wheels
- Made of high quality alloy steel (chrome-molybdenum)
- Tested to the highest specifications to deliver outstanding performance at the competitive cost
- Packaged in a molded storage case

Grey Pneumatic sockets are designed for professional tool users. They are engineered specifically for use with impact tools using the most up to date industrial specifications. This features our "high torque" drive. This limits the amount of wear on the corners of the fastener and the socket. It also improves the strength of the socket, transfers increased torque to the fastener and allows easier access to tight areas.

Set contains the following 6 point sizes: 7/8", 15/16", 1" and 1-3/16" standard length; 33mm deep; 1-1/16", 1-1/8" and 1-1/4" Thin Wall Deep; 1-1/2" Deep Budd. 4-Point : 13/16" square.



- Made of high quality steel (chrome-molybdenum); thorough and exact heat treatment insures the correct balance of strength and durability
- Engineered specifically for use with impact tools, using the most up to date industrial specifications
- Made to transfer the pressure from the thinnest part of the socket wall toward the thicker section, resulting in increased strength
- Lifetime Warranty • Packaged in a metal case



16 Piece 1" Drive SAE Impact Socket Set

Set contains: 2-1/16", 2-1/8", 2-3/16", 2-1/4", 2-5/16, 2-3/8", 2-7/16", 2-1/2", 2-9/16", 2-5/8", 2-11/16", 2-3/4", 2-13/16", 2-7/8", 2-15/16" and 3"

GRE9016D - Deep (Freight Delivery) \$1,371.99
GRE9016 - Standard \$1,000.56



GRE9020MD \$1,400.69

20 Piece 1" Drive Deep Metric Set

- Transfers the pressure from the thinnest part of the socket wall toward the thicker section, resulting in increased strength
 - Allows up to 20% more torque to be applied than on standard impact sockets
 - The shift in pressure allows us to reduce the socket wall thickness, increasing access to tight areas
 - Engineered specifically for use with impact tools, using the most up to date industrial specifications.
- Includes sizes from 45mm-75mm.

IMPACT sockets

1" drive



- Made of high quality steel (chrome-molybdenum); thorough and exact heat treatment insures the correct balance of strength and durability
- Engineered specifically for use with impact tools, using the most up to date industrial specifications
- Made to transfer the pressure from the thinnest part of the socket wall toward the thicker section, resulting in increased strength
- Lifetime Warranty • Packaged in a metal case



GRE9021 \$514.99

21 Piece 1" Drive SAE Impact Socket Set

- Made of high quality steel (chrome-molybdenum); thorough and exact heat treatment insures the correct balance of strength and durability
- Packaged in a metal case

This standard length fractional impact socket set features our high torque drive. This limits the amount of wear on the corners of the fastener and the socket. It also improves the strength of the socket, transfers increased torque to the fastener and allows easier access to tight areas. Each socket is thoroughly made with the correct balance of strength and durability and is tested to the highest specifications to deliver outstanding performance at the most competitive cost. Set contains the following sizes: 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-9/16", 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 1-15/16" and 2".



GRE9021D \$735.99

21 Piece 1" Drive Deep Fractional Set

- Made to transfer the pressure from the thinnest part of the socket wall toward the thicker section, resulting in increased strength
- Packaged in a metal case

The impact deep length fractional socket set features high torque drives. This feature limits the amount of wear on the corners of the fastener and the socket. It also improves the strength of the socket, transfers increased torque to the fastener and allows easier access to tight areas. Tested to the highest specifications to deliver outstanding performance at the most competitive cost. Includes: 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-9/16", 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 1-15/16" and 2"

1" drive wheel service

**SUNEX
TOOLS**



- Forged from the finest chrome molybdenum alloy steel – the best choice for strength and durability
- Radius corner design - to extend the life of fasteners

SUN5685 \$124.99

5 Piece 1" Drive 6 Point SAE/ Metric Wheel Service Impact Socket Set

- Included in an industrial strength, double latch blow mold case

Set contains: 2 deep sockets 1-1/2" and 33mm; 2 deep thin wall sockets 1-1/8" and 1-1/4"; 1 square socket 13/16".



SUN5690A \$279.15

10 Piece 1" Drive SAE/Metric Heavy Duty Wheel Impact Socket Set

- Comes standard with blow molded case

Set contains: Deep-33mm, 1", 1-3/16", 1-3/4"; Thin wall deep-1-1/16", 1-1/8", 1-1/4"; Square-13/16", 15/16"; Controlled depth-1-1/2".



- Made of high quality alloy steel (chrome-molybdenum)
- Tested to the highest specifications to deliver outstanding performance at the competitive cost
- Lifetime Warranty

GRE9007 \$196.90

7 Piece 1" Drive Truck Wheel Set

- Packaged in a molded storage case

Set contains: Standard 4 Point Square: 13/16"; Standard: 1-3/16"; Thin Wall Deep: 1-1/16", 1-1/8", 1-1/4"; Metric Deep: 33mm



\$282.99

GRE9153 10 Piece 1" Drive Wheel Service Set

- Packaged in a molded storage case

Set contains: 6-Point sizes include: 1-1/16", 1-1/8" and 1-1/4" Thin Wall Deep; 1-1/2" Deep Budd; 33mm, 35mm and 41mm Deep. 4-Point sizes include: 13/16", 17mm and 21mm square



IMPACT sockets

1" budd wheel service



- Manufactured from heat-treated chrome-moly steel for wear in professional, rugged environments
- Fits front and rear axle wheels • Lifetime Warranty

KTI35235 \$29.04

1" Drive x 35mm Budd Wheel Impact Socket

- Designed for Isuzu, Hino, Mitsubishi Fuso and other imported trucks

KTI35238 \$37.16

1" Drive x 38mm Budd Wheel Impact Socket

- Designed for imported trucks

KTI35241 \$37.41

1" Drive x 41mm Budd Wheel Impact Socket

- Designed for Hino, Mitsubishi Fuso and other imported trucks



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

SUNEX[®]
TOOLS



SUN5826C \$38.08

1" Drive Budd Wheel Impact Socket 1-1/2" x 13/16"

- Forged from the finest chrome molybdenum alloy steel
- Radius corner design - to extend the life of fasteners
- The design drives the side of the fastener instead of the corner
- Provides increased strength, but also avoids rounding of rusted or damaged fasteners



OTC

OTC1948A \$51.99

1" Drive Budd Wheel Socket 33mm

- 33 millimeter hex Budd wheel socket
- Works on import truck Budd wheels
- Usable with 1 inch square drive impact wrench
- For Mack Midliners, White Volvo, and other import trucks with dual rear wheels
- Extra deep design lets you remove both nut & stud w/ just the one socket.



- Manufactured from heat-treated chrome-moly steel for wear in professional, rugged environments.
- Lifetime Warranty

KTI35005 \$162.88

5 Piece 1" Drive Budd Wheel Service Kit

- Metric sizes for Isuzu, Hino, Mitsubishi, Fuso, White Volvo, Mack Midliner and other imports
- Fractional size for all U.S.A. made trucks
- Fits both front and rear axle wheel, single and dual

Set includes 33mm, 36mm, 38mm, 41mm and 1-1/2" hex



1" Drive 6 Point Impact Budd Wheel Sockets

KTI35233 - 33mm Deep	\$31.56
KTI35026 - 13/16" Shallow	\$26.37
KTI35027 - 13/16" Square and 1-1/2" Hex Limited	\$49.22
KTI35028 - 13/16" Square and 1-1/2" Hex	\$38.35



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

1" drive impact sockets accessories



Lifetime Warranty

KTI35007 \$57.91

1" Drive Impact Extension 7"

- Forged from chrome vanadium alloy steel, nickel-chrome plated for corrosion resistance and durability
- Designed with chamfered and recessed leading edges to provide the most positive fit possible
- All sockets feature the Dyna-Drive Torque System which allows the application up to 20% more driving torque, with no slippage or fastener damage

KTI35013 \$84.92

1" Drive Impact Extension 13"

KTI35024 \$25.64

1" Female 3/4" Male Impact Socket Adapter



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

SUNEX[®]
TOOLS



SUN5304 \$69.99

1" Drive Universal Joint

SUN5305

1" Drive \$42.26

1" Female x 3/4"

Male Adapter



- Forged from the finest chrome molybdenum alloy steel - the best choice for strength and durability
- Radius corner design - to extend the life of fasteners
- The design drives the side of the fastener instead of the corner
- Provides increased strength, but also avoids rounding of rusted or damaged fasteners

SUN5303 \$35.34

1" Drive 1" Female x 3/4" Male Impact Socket Adapter



HAND tools

wrenches



Raised Panel Jumbo Combination Wrench Sets

- Made of drop forged steel, chrome plated and heat-treated to achieve maximum wear
- Raised panel provides additional strength and durability
- Jumbo wrenches are designed specifically to meet the needs of the professional who services heavy duty trucks and commercial equipment
- Lifetime Warranty



KT141006 - 6 Piece \$246.49

Includes sizes: 1-3/8", 1-1/2", 1-5/8", 1-3/4", 1-7/8" and 2"

KT141004 - 4 Piece \$224.95

Includes sizes: 2-1/8", 2-1/4", 2-3/8" and 2-1/2"

Metric Combination Wrench Sets

- High polish, smooth finish
- Heat treated chrome vanadium steel
- Length allows access to hard to reach places
- Laser engraved for easy identification
- Packaged in a kit bag



KT141801 - 9 Piece \$153.09

Sizes include: 20mm, 21mm, 22mm, 23mm, 24mm, 25mm, 26mm, 27mm and 28mm

KT141802 - 8 Piece \$353.38

Sizes include: 29mm, 30mm, 31mm, 32mm, 33mm, 34mm, 35mm and 36mm

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



CRSCW24 \$90.99 Crescent 24" Chain Wrench

- Double action allows use in either direction
- Designed for confined areas when ordinary pipe wrenches will not fit
- Excellent for pipe fittings • Chrome plated to resist rust
- Concave cut teeth for improved gripping; easily resharpened if needed



OTC7402 \$124.59 Universal Outside Thread Chaser

- The die cast alloy V-pad will not damage the threads
- V-pads and dies can be replaced when worn out
- Capacity: from 1 1/4" to 5" O.D.
- Thread chaser, complete with 6 dies: threads per inch - 4, 5, 6, 7, 7 1/2, 8, 9, 10, 11, 11 1/2, 12, 14, 16, 18, 20, 24



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Ratcheting Chain Wrenches

- Head design permits turning in either direction
- Ratcheting action also makes it possible to re-grip without removal
- Handles parts of most any shape, round, square, hexagon, octagon

OTC7401 \$115.39

• 19" handle with capacity from 3" to 6-3/4" O.D.

OTC7400 \$51.99

• 13" handle with capacity from 1/2" to 4-3/4" O.D.



SUN9604 \$288.99 4 Piece Raised Panel SAE Combination Wrench Set

- High density, dropped forged steel
 - Wrenches guaranteed
 - Available individually
- Set includes: 2-1/8", 2-1/4", 2-3/8", and 2-1/2"



SUN9916 \$148.99 6 Piece Jumbo Angle Head Wrench Set

- High density drop forged alloy steel for strength
 - 15 degree and 60 degree angled ends for easy access
 - Wrenches guaranteed and available as set or individually
- Set includes: 1-3/8", 1-1/2", 1-5/8", 1-3/4", 1-7/8" and 2"



Metric Jumbo Angle Head Wrench Sets

- Fully polished drop forged alloy steel
- 15 degree and 60 degree angled ends for easy access
- Wrenches are fully guaranteed

SUN9926 - 6 Piece \$59.99

Set includes: 20mm, 21mm, 22mm, 23mm, 24mm and 25mm

SUN9927 - 7 Piece \$103.99

Set includes: 26mm, 27mm, 28mm, 29mm, 30mm, 31mm, and 32mm



SUN9937 \$373.09 6 Piece Super Jumbo Ratcheting Wrench Set

- 72 tooth design for a 5° swing per tooth vs. standard 30° for standard ratchet wrenches
- Includes durable canvas pouch for convenient storage and easy travel
- Jumbo Ratcheting Wrenches are also available to purchase separately



Fractional Service Wrench Sets

- Thin jaws with a short handles
- Fully polished • Drop forged alloy steel



V8T9212 - 12 Piece Jumbo, 1-11/16 to 2-5/8" \$199.99

V8T9215 - 15 Piece, 3/4" to 1-5/8" (Freight Delivery) \$169.99

V8T819 \$138.39 9 Piece Jumbo Angle Head Open End Wrench Set

- 30° and 60° angles allow use of wrenches in 4 different positions
- Made of drop-forged alloy-steel, and comes in a canvas pouch.
- Includes sizes: 24mm to 32mm.



V8T629 \$44.58

2" Super Thin Adjustable Wrench

- Opens from 9/16 to 2-1/16"
- Only a quarter of an inch thick
- Quick change interchangeable jaws
- Short 9" length for maneuverability
- Super strong drop forged alloy steel



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

HAND tools

wrenches

SUNEX®
TOOLS

SUNEX Crowfoot Wrench Sets

- Fully polished drop forged alloy steel
- Reusable blow molded storage tray

SUN9720 - 7 Piece \$76.19

- Set includes: 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-3/8, 1-1/2"

SUN9722 - 6 Piece \$113.89

- Set includes: 1-5/8, 1-3/4, 1-7/8, 2, 2-1/8, 2-1/4"



SUNEX®
TOOLS

SUN9740 \$90.99

7 Piece Jumbo Metric Straight Crowfoot Wrench Set

- Fully polished drop forged alloy steel
- Mounted on storage rail for convenience
- Also available individually
- Set includes: 34mm, 35mm, 36mm, 38mm, 41mm, 42mm and 46mm



pliers

Lisle®

LIS67970 \$63.99 Internal Snap-Ring Ratchet Pliers

- Heavy duty pliers feature spring ratchet locking mechanism
- Several different locking positions from 7/8" to 3-3/4" to provide a secure lock on multiple ring sizes
- Includes four replaceable 0.12" (3mm) tip sets: straight, 15°, 45° and 90°

LIS67980 \$63.99 External Snap-Ring Ratchet Pliers

- Different locking positions from 1/4" to 2-3/4" to provide a secure lock on multiple ring sizes



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CHAN NEL LOCK



CHA480 \$69.29 20-1/4" Tongue and Groove Pliers

- SAFE-T-STOP prevents finger pinch
- Permalock® fastener eliminates nut and bolt failure
- Reinforcing edge minimizes stress breakage

sockets sets & accessories

K TOOL®
INTERNATIONAL

KTI24121 \$301.95 20 Piece 3/4" Drive 6 Point SAE Socket Set

- 6-point high polished chrome vanadium steel
- Packaged in blow-molded case
- Lifetime warranty

Includes: 16 sockets from 3/4" to 2", ratchet, T-handle and 4" and 8" extensions

Set includes (also available individually):

KTI24124 - 3/4"	KTI24140 - 1-1/4"	KTI24160 - 1-7/8"
KTI24128 - 7/8"	KTI24142 - 1-5/16"	KTI24164 - 2"
KTI24130 - 15/16"	KTI24144 - 1-3/8"	KTI24090 - Ratchet
KTI24132 - 1"	KTI24146 - 1-7/16"	KTI24004 - 4" Extension
KTI24134 - 1-1/16"	KTI24148 - 1-1/2"	KTI24008 - 8" Extension
KTI24136 - 1-1/8"	KTI24152 - 1-5/8"	KTI24070 - T-handle
KTI24138 - 1-13/16"	KTI24156 - 1-3/4"	

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



K TOOL®
INTERNATIONAL



KTI25128 \$1,177.56 27 Piece 1" Drive 12 point Socket Set with Accessories

- Set contains: 1-1/2", 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 1-15/16", 2", 2-1/8", 2-3/16", 2-1/4", 2-5/16", 2-3/8", 2-7/16", 2-1/2", 2-9/16", 2-5/8", 2-3/4", 2-13/16", 2-15/16", 3", 3-1/8", 8" extension, 16" extension, 26" flex handle, 22" sliding T-handle, 26" ratchet with 24 teeth all come in a 31.10" x 11.93" x 4.37" metal box weighing 114.64lbs. All tools covered by a Lifetime Warranty.


WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



EZRED

EZRMR34 \$132.49 3/4" Drive Extendable Ratchet

- Telescopes from 24" to 39-3/4"
- Quick-release drive head
- Lifetime Warranty



HAND tools

socket sets & accessories



KTI24090 \$78.01

3/4" Drive Ratchet - Chrome

- Push button release • Premium gears
- 19-7/8" in length



KTI24004 \$16.46

3/4" Drive Socket Extension 4" - Chrome

- 4" extension attaches to ratchet or other drive tool allowing easier access to tight spaces
- High polished chrome and ball detent to fasten the socket to the handle without slippage



KTI24008 \$21.85

3/4" Drive Socket Extension 8" - Chrome

- Features high polish chrome finish and ball detent to fasten the socket to the handle without slippage



KTI24016 \$33.57

3/4" Drive Standard Extension 16" - Chrome

- Laser engraved
- Gets into hard to reach places
- Built for professional environments



3/4" Drive Socket Extensions

- Extension attaches to ratchet or other drive tool allowing easier access to tight spaces
- Features high polish chrome finish and ball detent to fasten the socket to the handle without slippage
- Manufactured with heat-treated chrome vanadium steel • Lifetime Warranty

KTI24050 \$9.95

3/4" Female to 1/2" Male Socket Adapter - Chrome

- Laser engraved • Rugged style • Economically priced
- Lifetime Warranty



KTI24092 \$121.60

3/4" Drive Professional Series Chrome - 19-5/8"

- New design push button socket release
- Thumb lever directional switch
- Fine tooth thin design • Knurled handle



KTI24070 \$33.95

3/4" Drive Sliding T-Handle Socket - Chrome

- Made with high polish, chrome vanadium steel
- Allows you accessibility to hard to reach areas
- Heat treated for extra strength and durability
- Chrome finish provides resistance against rust and corrosion



KTI24080 \$55.09

3/4" Drive Breaker Bar - Chrome

- Extra leverage for breaking loose rusted or high torque fasteners
- Allows the same amount of applied force to generate more torque than a standard length ratchet wrench
- Knurled handle for grip and ball detent to fasten socket to handle without slippage



hammers



KDT82303 \$105.99

5 Piece Hammer Set

- Highest quality forged alloy heads
- Ergonomic comfort grip
- Packaged in a durable storage tray
- Lifetime warranty

Set includes:

16 oz. ball pein, 3 lb. drilling, 12 oz. soft face,
16 oz. dead blow, and 16 oz. rubber mallet



BASH Sledge Hammers

- Unbreakable Handle Technology and steel core design
- Safety plate locks head firmly to handle eliminating head dislodging
- Non-slip grip textured handle and Lanyard hole to safely secure sledge to your wrist

WIL20836 - 8 lb. Head, 36" \$139.12

WIL21236 - 12 lb. Head, 36" \$163.59



WARNING: Cancer and Reproductive Harm
- www.P65Warnings.ca.gov



KTI71760 \$152.34

3 Piece Hammer Kit

- Forged from special steel the hammer head is induction case hardened 50-58 HRC
- Steel reinforced lanyard hole conforms to ANSI standard, allowing to safely secure hammer to wrist or any other surface
- Each hammer is covered by a 1-Year warranty



WARNING: Cancer and Reproductive Harm
- www.P65Warnings.ca.gov

Kit includes: Club hammer 2-1/2 lb x 12" long (KTI71767);
Ball Pein hammer 24 oz x 14" long (KTI71761);
Cross Pein hammer 2-1/2 lbs x 16" long (KTI71768)



pry bars



TIT12048 \$92.29

3/4" Drive 40" Non-Ratcheting Breaker Bar

- Maximum torque: 1000 ft./lbs. (138kg/m)
- Lifetime Warranty



MAY40139 \$84.99

42" Dominator® Pry Bar with Curved End

- 5/8 square steel, the largest yet for the Dominators, hardened and tempered entire length
- Patented capped-end handle
- Two-composite handle

MAY40160 \$115.99

48" Dominator® Pry Bar

- The Blade is heat-treated the entire length
- Curved blade style gives extra leverage



MAY40162 \$123.99

58" Dominator® Pry Bar

pry bars



Bent End Pry Bars with Square Handle

- Also available as part of KT119240 4-Piece Pry Bar Set
- Angled tip creates extra leverage point
- High quality, bent-end pry bar
- Lifetime Warranty
- Smooth, comfortable square handle

KT119209 - 9" \$5.97

KT119212 - 12" \$9.81

KT119218 - 18" \$16.21

KT119224 - 24" \$19.21

KT171600 \$61.09

4-Piece Pry Bar Set

- Lady Slipper Style

- Superior quality
- Heat treated
- Packaged in a foam display carton
- 6", 12", 16" and 20"



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Jimmy Bars

- Forged from chrome alloy steel and heat-treated to resist bending and breaking

OTC7168 7/8" dia. 30" long \$35.19

OTC7420 7/8" dia. 46" long \$97.99



Made in America

KT119240 \$51.28 4-Piece Bent End Pry Bar Set with Screwdriver Handles

- Feature smooth, comfortable square handles
- High quality, bent-end pry bars
- Angled tip creates extra leverage point
- Set includes sizes: 9", 12", 18", 24"

KT171612 \$16.26

12" Bent End Pry Bar

- Superior quality, heat treated pry bar
- Rolling head hook provides maximum leverage
- Ensures better leverage in small areas
- Ideal for prying, lifting and aligning applications
- Long tapered body is perfect for accurate alignment

KT171616 \$18.26

16" Bent End Pry Bar

KT119235 \$33.63

32" (800mm) Handled Pry Bar w/ Steel Cap

- 32" (800mm) Handled Pry Bar w/ Steel Cap
- Forged construction, chrome steel, heat treated, hardness 38-43 HRC
- Metal striking cap
- Blade is connected to the end cap

KT119236 \$50.74

36" (900mm) Handled Pry Bar w/ Steel Cap

torque tools



Made in America

\$515.09

PREC4D600F

3/4" Dr. "Split Beam" Torque Wrench with Detachable Head (200-600 Ft/Lbs)

- This tool does not have to be "turned down" after use
- Innovative torque mechanism requires only fingertip force to adjust
- All steel construction resists industrial fluids and abuse
- 4% accuracy clockwise
- 1 year warranty, with dated calibration compliance certificate



PREC4D600F36H \$571.19

3/4" Torque Wrench and Breaker Bar Combo Pack

- Combo pack includes Split Beam Torque Wrench (PREC4D600F) and Breaker Bar Handle (PREXT36H)
- Push button allows the user to select desired length up to 41"



PREC5D600F \$585.89

1" Drive, 600ft./lb. Click Wrench (200-600 ft./lb.)

- Innovative torque measuring mechanism requires only fingertip force to adjust the reading
- Resist industrial fluids and counters abuse
- 4% accurate clockwise and counterclockwise direction



Made in America



\$644.69

PREC5D600F36H

1" Drive Torque Wrench and Breaker Bar Combo Pack

- Combo pack includes C5D600F and Breaker Bar Handle
- Heavy duty knurl grip (always wear appropriate work gloves)
- Push button allows the user to select desired length up to 41"
- Strong enough to break free even the most stubborn fasteners
- Completely manufactured at Precision Instruments from American-made steel

HAND tools

torque tools




KT172175 \$457.95

3/4" Drive Ratcheting-style Torque Wrench, 100-600 ft/lbs

- Torque wrench "clicks" when proper torque is achieved
- Works only in clockwise direction
- Packaged in blow molded case

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KT172145 \$548.69

3/4" Drive Micrometer-style Adjustable Torque Wrenches, 100-600 ft/lb

- Achieve proper torque every time!
- EZ-turn torque adjustment
- Push-button release for quick socket changes
- Manufactured for accuracy, strength and reliability
- Works in clockwise and counter-clockwise directions



Made in America

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KT172176A \$620.23

3/4" Drive Adjustable Ratcheting Torque Wrench - 100-600 ft/lbs

- Dual scale, calibrated dual direction
- Positive lock with spring loaded pull down lock ring
- Individually serialized with matching certificate of calibration traceable to N.I.S.T.
- Meets or exceeds ASME B107.14M-1994, ISO 6789 Standards
- Covered by a 1-Year limited warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



MTN16600 \$248.74

3/4" Drive Torque Wrench - 100-600 ft/lbs

- Click style torque wrench with PRO Ratchet Head
- Micrometer style clicks and/or releases when preset torque is reached
- Metric and english settings
- 1 year warranty on material & workmanship

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Chicago Pneumatic



Chicago Pneumatic™ Torque Wrenches

- 54 tooth fixed pear-shaped head ratchet with quick socket release
- Simple torque adjustment with manual locking in front of the handle
- Individually numbered and provided with Calibration certificate
- Reliability of the mechanism up to 25,000 cycles
- Includes a blow molded case for additional protection

CPT8920 - 3/4" - 100-550 ft-lbs \$639.39

CPTCP8920E - 3/4" - 150-750 Nm \$800.09

CPTCP8925 - 1" - 100-750 ft-lbs \$846.24

CPTCP8925E - 1" - 200-1000 Nm \$984.89



KT172190 \$450.85

Torque Multiplier

- Input Square: 3/4" drive and Output Square: 1" drive
- Input: 730 ft-lbs. (1000 NM) and Output: 2200 ft-lbs. (3000 NM)
- Increases range of torque 3:1
- Tool length: 19.500", body length 6.500"

Comes in a convenient plastic, blow-molded carrying/storage case. 1-year warranty.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



CEN6380 \$522.10

Torque Multiplier

- Input Square: 3/4" drive and Output Square: 1" drive
- Input: 730 ft-lbs. (1000 NM) and Output: 2200 ft-lbs. (3000 NM)
- Increases range of torque 3:1
- Tool length: 19.500", body length 6.500", reaction bar length: 15.625", head width: 3.750", female depth: .750", male depth: 1.125", head depth from female to male: 4.500"
- 1-year warranty



CEN6387 \$720.99

Torque Multiplier Max Output 2000 ft/lbs.

- Increases the range of your torque wrench as much as 4 to 1
- Designed with four pinion gears in a compact housing
- Frictional losses in the gear train may cause a torque loss of 10% to 20%
- Reaction bar length: 18"



ESC10007 \$831.99

3/4" Drive Break-Back Style Torque Wrench [200-750 ft/lbs]

- Extremely accurate
- Consistent torque values +/- 4%
- Use on single and dual wheels
- Break type model reversible
- Includes molded high impact plastic case



Made in America

BATTERY service

jump starters



**START-ALL
JUMP-PACK**
4000A • 12V

GDLJP-12-4000 \$854.29 Start All® Jump Pack 12V 4000 AMP

- Featuring Protect All™
- Engine: Jump-starts engines up to 16L diesel
- Battery Chemistry: High-output premium lithium ion
- Operating Temp: -40 F to +1400 F: -200 C to +600 C
- MOSFET switches controls the lithium-ion cells for maximum safety
- Capacity: 236.8 Watt-hours (236,800mWh)
- Peak Cranking Amps: 4000 Amps (<2 secs)
- Lifetime Performance: Up to 5000 Starts

GDLJP-24-3000 \$1,098.99 Start All Jump Pack Pro 16L 24V Engine Systems

- 24V 3000 Amps Peak Performance
- Internal Safety Circuitry works with jumper cables for maximum safety and protection
- Rapidly recharge smart phone, tablets, cameras
- Includes: Carrying case, AC wall adapter and 12V auto charger for recharging the unit, 8-in-1 laptop adapters, 3-in-1 electronics adapter, safety strap and clip

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

SOLAR TRUCK PAC
BY BOOSTER PAC

SOLES1224 \$507.89 Truck Pac 3000 Peak Amp 12/24 Volt Jump Starter

- Automatic recharging
- Integrated voltage selection switch
- LED battery status indicator
- 60" #2 AWG cables
- Industrial Grade Hot Jaw™ clamps
- AWS Advanced Warning System™
- DC outlet to power 12 Volt accessories
- 1 year limited warranty

NOCO

NOCGB150 \$361.39 Noco Genius Boost Pro 4000A 12V Lithium Jump Starter

- Compact, yet powerful lithium jump starter rated at 4,000 Amps (22,500 Joules) with spark-proof technology and reverse polarity protection - up to 80 jump starts on a single charge
- Enjoy portable 12-volt power from anywhere for tire pumps, inverters, lights and more; plus rapid recharging in just over 3 hours
- An ultra-bright 500 lumen LED flashlight with 7 light modes, including SOS and Emergency Strobe

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

K TOOL
INTERNATIONAL



KTI74394 \$235.28 Industrial Power Bank & Jump Starter Kit 30,000 mAh

- 800 amps cranking power and 1800 peak amps
- Intelligent cables feature built-in overcharge and reverse polarity protection
- Includes 8 computer recharging tips and a 3-in-1 pigtail phone charging cord
- 2 USB charging ports, 19V, 16V, & 12V outputs and an OBDII memory saver cable
- Covered by a 1-year warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

DSR
POWERED BY SCHUMACHER

SCUDSR119 \$199.95 Jump Starter, Professional

- 280 Cranking Amps
- 225 Cold Cranking Amps
- 18 Ah professional grade battery
- 4 Gauge, 28 inch cables
- LED Charging Indicators

SCUDSR115 \$640.59 Jump Starter, ProSeries Double Battery

- (2) High-output AGM battery - for 12V / 24V systems
- 44000 Peak Amps / 500 Cranking Amps / 415 Cold Cranking Amps
- 2 AWG, 60" cables
- 2A automatic external charger
- Smart Eco Energy - meets the highest industry standards for energy efficiency

SCUDSR109 \$368.49 DSR PRO Booster, 12V, 800CCA

- For Gasoline and Diesel Engines
- 100% Maintenance-Free
- No battery inside
- Microprocessor controlled
- Built-in voltmeter
- Override mode to start engine without any battery mounted
- Glow Mode for cold start of diesel engine
- Short circuit and reverse polarity protection
- 10,000 cycle/10-year lifespan

3 ways to use:

- 1) Connect clamps to vehicle battery; Recharge time: 150 seconds
- 2) Connect to vehicle's 12V DC port; Recharge time: 400 seconds
- 3) Connect to a power bank via Micro-USB port; Recharge time: 40-60 minutes

Schumacher
ELECTRIC

DSR
POWERED BY SCHUMACHER

SCUDSR114MSC \$313.49 Pro Series Jump Starter with Memory Saver

- 2200 peak amps
- 330 cranking amps
- 275 cold cranking amps
- High output AGM battery
- Free OBD-L Memory Saver included

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



BATTERY service

jump starters



RFD6104 \$409.29 12/24V Lithium-ion Intelligent Jump Starter

- Jump starts trucks, buses, cars, boats, RV's – even commercial panel trucks and semi's
- Starts 12V vehicles up to 30 times without a recharge; Starts 24V vehicles up to 20 times without a recharge
- Automatically detects vehicle battery voltage. Works on both 12V or 24V electric systems.
- Multiple outputs charge smart phones, tablets, cameras and laptops, 12V devices

⚠ **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov



JUMP n Carry Clore Automotive

SOLJNC1224 \$598.19 Jump-N-Carry 3400 Peak Amp 12/24 Volt Jump Starter

- 1700 Peak Amps and 425 Cranking Amps - 24V
- Clore PROFORMER battery technology
- 46" #2 AWG welding cable leads
- Industrial-grade Hot Jaw clamps
- Voltmeter provides charge status of onboard battery
- 12VDC outlet to power accessories
- 1 year limited warranty

SOLJNC950 \$526.09 Jump-N-Carry 2000 Peak Amp 12 Volt Jump Starter

- 700 Cranking Amps
- 1 year limited warranty



SOLHT1224AGM \$2,799.67 Heavy Truck Jump Starter 12/24V (with AGM Batteries)

- 1400 cold cranking amps in 12 Volt mode
- 800 cold cranking amp in 24 Volt mode
- Automatic 7 Amp x 2 Channel Battery Charging System
- 10' Jumper Cable Leads
- Ships with (2) Group 31 AGM Batteries installed

Features installed AGM batteries to increase unit longevity and eliminate spill hazards. Specifically designed for over-the-road transportation and heavy-duty implements starting applications. 1400 cold cranking amps in 12 Volt mode and 800 cold cranking amps in 24 Volt mode.



SOL4001 \$717.99 The Smart Starter Commercial Jump Starter, 12/24 Volt

- 12/24 Volt Operation
- Accommodates 2 batteries up to Group 31 size
- Supports Flooded or AGM batteries
- LED Status display plus 7-segment voltmeter
- 10' 1/0 output cable gauge



start-alls



- Volt and amp meter to monitor boosting output



12v
450 AMP

GDL11-605 \$8,920.76 12 Volt, Start-All®

- Voltage regulated to protect on-board electronics
- Antizap® voltage surge protection for safer boosting
- 30 ft., 1/0 gauge welding cable allows convenient access to vehicles



12/24v
700/400 AMP

GDL11-621 \$11,514.79 12/24 Volt, Start All® with AC Generator

- Cables and Clamps: 30ft., 1/0 ga. welding cables; 1000 amp full-power clamps
- AC Generator: 2000 watt, 1 duplex 120 volt, 20 amp outlet
- Surge protection with Antizap provides safer boosting
- Engine: Electric start, air cooled Briggs and Stratton Vanguard OHV V-Twin gasoline engine with 2-1/4 gallon fuel tank



12/24v
700/350 AMP



GDL11-620 \$10,811.99 12/24 Volt, Start All®

- Surge protected with AntiZap provides safer boosting
- 30' 1/0 gauge. cable allows flexibility and ease of use
- 1000 amp full power clamps allow higher amperage flow



12v
700 AMP



GDL11-610 \$10,205.39 12 Volt, Start-All®

- 12 Volt jump starting • 700 Amp output
- Full voltage regulation
- Single cable, single switch for easy operation



BATTERY service


battery chargers

ASSOCIATED

AS06001A \$889.19 Heavy Duty Commercial 6-12V Battery Charger

- 375 cold crank amps
- 16 rates of charge 75 Amp continuous charge with 375 Amps crank assist at 12 volts
- UL and CSA listed for indoor and outdoor use, "Safe in any Weather."
- UL continuous ratings-100/75 Amp; UL cranking assist rating-375 Amp
- 500 amp, fully insulated, "Flexi-Spring" clamps

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



AS06002B \$1,057.19 6/12/18/24V Battery Charger

- Comes with our best manufacturer's boost rating of 600 AMP
- 400 cold crank amps
- Charges 6, 12, 18, and 24 volt batteries
- Heavy-duty transformer, patented "Sub-Sil" multidiode rectifiers, longer AC cord and DC leads are standard features for higher performance
- UL listed for indoor and outdoor use, "Safe in any weather."

Heavy-duty chrome plated handle with clamp-holder/bar. Hinged steel cover to protect meters and knobs. Rugged 7" tires.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



AS06009 \$661.99 6/12V 70/60/2 Amp Battery Charger

- A charger with the highest performance crank assist of any 60-AMP charger on the market
- Listed for indoor and outdoor use by both UL and cUL, "SAFE IN ANY WEATHER."
- This fast starter has more features and higher ratings for the price than any competitive charger in its class
- Commercial quality features make it a great buy

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



ASSOCIATED



AS06006 \$712.95 6/12/24V Battery Charger

- Fleet charging power with a cranking assist rating higher than any other charger in its classification
- This heavy-duty fleet charger rejuvenates all standard and maintenance-free, 6, 12, and 24 Volt batteries with five charging positions
- UL continuous rating- 70/65/30 Amp; UL cranking assist rating - 280 Amp
- UL rating indoor and outdoor - safety

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



ASSOCIATED



AS0ESS6011 \$899.99 12/24V, 70/35A, 200A Boost Wheel Charger/Analyzer

- 70A Stable Power Supply - Nominal 13.7V DC Output
- AGM, GEL Cell, Sealed and STD Flooded Batteries
- Dead Battery Override Control
- 3 Year Limited Warranty - "Safe in Any Weather"

Electrical Stability System (ESS™) Technology turns ESS6011 into a stable power supply for extended service procedures or Re-flashes. Nominal 13.7V DC output. Program for deep discharge recovery of flooded batteries. Patented diagnostics indicate weak or defective battery. Charges all types of 12/24 Volt batteries. Designed for AGM, Gel Cell, Sealed and standard flooded batteries including Spiral Cell, Orbital™ or Optima™ Batteries. Dead battery override control. "Safe In Any Weather" operation. CSA Listed.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



BATTERY service

battery chargers

PRO-LOGIX

SOLPL5100 \$1,091.27 12/24V Solar Pro-Logix HD Wheel Charger

- Automatic Operation
- 12 or 24 Volt modes
- 100A max 12V charge rate
- 425A engine starting assistance
- Power supply mode (12 or 24 Volt)

Features a power supply mode that allows the operator to select a target voltage level for the vehicle's system and the charger will supply current as needed to hold system voltage at the target level. This mode is supported for both 12V and 24V operation and allows the operator to select the desired voltage in 0.1V increments (13.3-14.9V, 100A in 12V mode; 27.2-29.9V, 30A, 24V mode).



battery testers

MIDTRONICS

Advancing Battery Management

MIDMDX-700HD \$941.70 Heavy Duty Battery/Electrical System Analyzer

- Patented "Battery Pack" Test (up to 6 batteries in parallel)
- 15' field-replaceable cable/clamp set allows testing from the cab
- Custom algorithms for industry-leading accuracy testing Group 31 and 4D/8D batteries
- Tests 6/12V batteries, 12/24V starting & charging systems
- Accurately tests batteries in seconds, even discharged batteries
- Use on auto & light-truck apps too -complete fleet coverage
- Print capable with optional IR printer part # A087

MIDMDX-700P-HD \$1,235.99 HD Battery/System Analyzer (above with integrated thermal printer)

- Built in integrated printer

WARNING: Cancer and Reproductive Harm -
www.P65Warnings.ca.gov



MIDEXP-1000HDAMPKIT \$2,545.69 Heavy-Duty Expandable Electrical Diagnostic Platform

- All the features of MIDMDX-700 models plus...
- Keypad & hot-keys for easier menu navigation
- 70/700-amp inductive amp-clamp for "deep-dive" component/system testing
- Dynamic Conductance Technology combines direct temp measurement with Deep Scan Technology to improve accuracy & decisiveness (fewer Charge & Retest)
- Digital Signal Processing creates a digitized picture of the measured alternator output voltage to analyze the amplitude level & frequency of the diode-ripple pattern
- QC mode - set minimum CCA & Voltage requirements to quickly assess a large quantity of batteries with the same rating, just connect the clamps and unit will automatically test to your pre-set parameters
- Includes tester, cables, amp-clamp, DMM cable & probe sets, printer w/charger, manual, case, and lead battery adapters



MIDEXP-1000-HD-AMP \$1,914.06 Digital Battery and Electrical System Analyzer w/Inductive Amp-Clamp (above without printer)



BOSCH

Invented for life

BOS1699200244 \$459.89 BAT 135 Battery Tester with Integrated Printer

- Tests 6V, 12V batteries and 12V, 24V charging systems
- Tests battery capacities from 40-2,000 CCA
- Presents State of Health and State of Charge percentage
- Integrated printer to capture test results and customer records
- Test all automotive, light-duty and commercial batteries including: AGM, Gel Cell, Flooded lead-acid, Start/Stop EFB, Commercial, SLI
- 1-year warranty on material and workmanship



SOLAR

SOLBA427 \$607.59 40-3000 CCA Electronic Battery & System Tester

- 6 and 12 Volt battery testing; 12 and 24 Volt system testing
- 40-3000 CCA testing range • Integrated printer
- USB port with battery management software for PC computers
- Enables connection of volt probe, and amp clamp (optional accessories)



BATTERY service

battery chargers

MIDTRONICS

Advancing Battery Management

MIDGR8-1200AMPKIT \$3,712.99 Multi-Tasking Battery Diagnostic Station

- Tests and charges AGM, GEL and Flooded Batteries
- ECM - Power Supply Mode
- Advanced Electrical System
- Multi-tasking allows for charging battery or using power supply and diagnosing a battery or electrical system in another area of the shop at the same time
- Includes integrated printer LTL shipping

The GR8-1200 features the innovative Multi-tasking Bridge, which allows the user to perform battery and electrical diagnostics on other vehicles while the charger is in use. That means you can now effectively multi-task in the garage and get more value out of one complete diagnostic station.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

booster cables

KTOOL[®]
INTERNATIONAL

KT174530 \$105.37 25' Extra Heavy Duty 2 Gauge Cables with 500 Amp Parrot Jaw Clamps

- Booster cables have a tangle-free design
- Flexible to -40° Fahrenheit
- For side and top battery post

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KT174523 \$66.12 20' Heavy Duty 4 Gauge 500 Amp Clamps

- Booster cables have a tangle-free design
- Flexible to -40° Fahrenheit
- For side and top battery post
- Wires are made of copper clad

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KT174524 \$52.83 20' Heavy Duty 4 Gauge 400 Amp Clamps

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

SOLAR[®]

SOL401252 \$86.99 25' Heavy Duty 1 Gauge Cable

- Cables remain flexible in all weather, down to -40C
- Heavy-duty 800A industrial grade clamps penetrate battery corrosion for effective connection
- Tangle-free single cable design is easy to use, transport and store
- 1 Year limited warranty

SOL422252 \$152.99 25' Heavy Duty 2/0 Gauge Cable

SOL402252 \$59.99 25' Medium Duty 2 Gauge Cable



FJC
Air Conditioning Products
Tools and Equipment

FJC45265 \$223.39 2/0 Gauge 25' Booster Cables with 800 Amp Commercial Grade Clamps

FJC45255 \$99.99 1 Gauge 25' 800 AMP HD Clamp Booster Cables

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



ASSOCIATED

\$508.99

AS06139 Plug-In Starting System Cable

- Stainless steel receptacle mounts onto a truck bumper and battery
- Includes 25' tangle free starting cables, side terminal adapters, and polarized LEXAN plug, 500 Amp clamp

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



BATTERY service

battery service tools



OTC4631 \$87.69

8 Piece Battery Terminal Service Kit

- Includes: OTC4611 – Battery terminal puller, OTC4612 – 3-way battery post cleaner, OTC4613 – Battery pliers, OTC4614 – Side terminal battery wrench, OTC4615 – Long-side terminal wrench, OTC4616 – Battery terminal wrench - 10mm, OTC4617 – Side terminal battery brush, OTC4622 – Battery Cable Cutter and a blow molded case.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



OTC4639 \$64.59

7 Piece Battery Terminal Service Kit

- Heavy-duty battery terminal puller
- 4-way battery post cleaner & reamer and angled battery nut pliers
- GM 5/16" battery terminal ratchet wrench & extra long 5/16" terminal ratchet wrench
- 10 mm battery terminal ratchet wrench and side terminal battery brush

OTC4614 \$8.74

Side Terminal Battery Wrench

- 5/16" six point ratcheting box wrench
- 5-1/2" long




KT170220 \$6.39
Battery Terminal Brush

- Metal brush bristles
- Cleans corrosion build up
- Rounded top design



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov




KT170212 \$8.54

6-12-24 Volt Battery Tester

- Tests battery life whether hot or cold
- Help extend battery life and detect overcharge
- Assists in preventing dead batteries

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



SGT18840 \$153.89

Terminal Crimper for 8-4/0 AWF Uninsulated

- Crimps 8-4/0 AWG copper electrical & battery terminals using stranded wire
- Rotating die set
- Sturdy 26" overall length
- 1-year warranty on material and workmanship

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



PLW75-030 \$16.71

Auto Shut-Off 2 Quart Capacity Plastic Battery Filler

- Shuts off automatically when battery cell is at proper level; no over filling
- Double action fast flow valve tip that prevents after-drip
- Stops surface discharge caused by wet battery



LIS11120 \$8.86
Battery Brush

- Removes dirt and corrosion from battery terminals and cable clamps
- The external brush cleans cable clamps and internal brush cleans terminal posts
- Case is made of high impact plastic that will not weaken in cleaning solutions

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

ELECTRONICS/ diagnostics

scan tools & software



Perform simultaneous assessment of the ENTIRE truck (including all engine, ABS, body, and chassis controllers) in less than one minute, without prior knowledge of the vehicle's configuration



NRS263025-NS \$5,065.39

JPRO® Professional™ Diagnostic Toolbox w/ NextStep*

- Provides bi-directional features and tests for GM, Mack, Volvo, Detroit Diesel, Cummins, International, PACCAR, Isuzu, Wabco, and Bendix.
- Proprietary heavy-duty coverage for all makes and models
- Proprietary medium-duty coverage for Ford, GM, Sprinter, and Isuzu
- Reads, displays, and clears over 100,000 faults with OEM-level fault descriptions
- Hardware includes Panasonic Semi-Rugged Toughbook computer, DLA+ 2.0 adapter, all cables
- Includes Free access to NextStep NET online portal (internet access required)

Includes: JPRO® Professional Diagnostic Software (Annual Subscription), Next Step™ Service Information, Panasonic Toughbook CF-53, DLA+ 2.0 Adapter, Type-2 Vehicle Cables (6-Pin, 9-Pin), Type-B OBDII Cables (Ford, GM, Sprinter, Mack & Volvo, and Isuzu) and USB Cable.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



NRS263025 \$3,998.69

JPRO® Professional™ Diagnostic Toolbox*

- Provides bi-directional features and tests for GM, Mack, Volvo, Detroit Diesel, Cummins, International, PACCAR, Isuzu, Wabco, and Bendix.
- Proprietary heavy-duty coverage for all makes and models
- Proprietary medium-duty coverage for Ford, GM, Sprinter, and Isuzu
- Reads, displays, and clears over 100,000 faults with OEM-level fault descriptions
- Hardware includes Panasonic Semi-Rugged Toughbook computer, DLA+ 2.0 adapter, all cables

Includes: JPRO Professional Diagnostic Software (Annual Subscription), Panasonic Semi-rugged Toughbook, DLA+ 2.0 Adapter, Type 2 Vehicle Cables (6-Pin & 9-Pin), Type-B OBDII Cables (Ford, GM, Sprinter, Mack & Volvo, and Isuzu) and USB computer cable and Service kit carry case.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



NRS212100 \$1,864.79

JPRO® Professional™ Diagnostic Software*

- Perform simultaneous assessment of the ENTIRE truck (including all engine, ABS, body, and chassis controllers) in less than one minute, without prior knowledge of the vehicle's configuration
- Provides bi-directional controls and tests for GM, Mack, Volvo, Detroit Diesel, Cummins, and International, PACCAR, Isuzu, Wabco, and Bendix
- Proprietary heavy-duty coverage for all makes and models
- Proprietary medium-duty coverage for Ford, GM, Sprinter, and Isuzu
- Reads, displays, and clears over 100,000 faults with OEM-level fault descriptions
- Includes: Software only, no hardware included.



NRS212100-NS \$2,874.95

JPRO® Professional™ Diagnostic Software w/ NextStep*

- Provides bi-directional features and tests for GM, Mack, Volvo, Detroit Diesel, Cummins, International, PACCAR, Isuzu, Wabco, and Bendix.
- Proprietary heavy-duty coverage for all makes and models
- Proprietary medium-duty coverage for Ford, GM, Sprinter, and Isuzu
- Reads, displays, and clears over 100,000 faults with OEM-level fault descriptions
- NextStep service information delivers component-based, technician-friendly all makes, all models troubleshooting and repair. Includes Free access to NextStep NET online portal (internet access required)
- JPRO Professional Diagnostic Software and NextStep Service Information (Annual Subscriptions) only, no hardware included.

ELECTRONICS/ diagnostics

scan tools and software



NOREGON®

VEHICLE DATA EXPERTS



JPRO®

PROFESSIONAL



NRS232125 \$2,374.00

JPRO® Professional™ Diagnostic Software & Adapter Kit*

- Provides bi-directional controls and tests for GM, Mack, Volvo, Detroit w, Cummins, and International, PACCAR, Isuzu, Wabco, and Bendix
- Proprietary heavy-duty coverage for all makes and models
- Proprietary medium-duty coverage for Ford, GM, Sprinter, and Isuzu
- Reads, displays, and clears over 100,000 faults with OEM-level fault descriptions
- Hardware includes DLA+ 2.0 adapter, all cables
- Shortens repair time, increases uptime, and lowers maintenance costs

Includes: JPRO® Professional Diagnostic Software (Annual Subscription), DLA+ 2.0 Adapter, Type-2 Vehicle Cables (6-Pin, 9-Pin) and Type-B OBDII Cables (Ford, GM, Sprinter, Mack & Volvo, and Isuzu), USB computer cable and Adapter carrying case.



NRS232125-NS \$3,563.95

JPRO® Professional™ Diagnostic Software & Adapter Kit w/ NextStep*

- Provides bi-directional features and tests for GM, Mack, Volvo, Detroit Diesel, Cummins, International, PACCAR, Isuzu, Wabco, and Bendix.
- Proprietary heavy-duty coverage for all makes and models
- Proprietary medium-duty coverage for Ford, GM, Sprinter, and Isuzu
- Reads, displays, and clears over 100,000 faults with OEM-level fault descriptions
- NextStep service information delivers component-based, technician-friendly all makes, all models troubleshooting and repair. Includes Free access to NextStep NET online portal (internet access required)
- Hardware includes DLA+ 2.0 adapter, all cables
- Shortens repair time, increases uptime, and lowers maintenance costs

Includes: JPRO® Professional Diagnostic Software (Annual Subscription), Next Step Service Information, DLA+ 2.0 Adapter, Type-2 Vehicle Cables (6-Pin, 9-Pin) and Type-B OBDII Cables (Ford, GM, Sprinter, Mack & Volvo, and Isuzu), USB computer cable and adapter carrying case.

Perform simultaneous assessment of the ENTIRE truck (including all engine, ABS, body, and chassis controllers) in less than one minute, without prior knowledge of the vehicle's configuration



\$806.19

NRS122061

Noregon DLA+ 2.0 Adapter Kit

- Noregon DLA+ 2.0 adapter kits have been updated to comply with the 2016 CARB and EPA mandates as well as provide 3 CAN support.
- DLA+ 2.0 adapters work with all TMC R01210 compliant heavy-duty OEM diagnostic software applications and will work with vehicles manufactured before 2017
- All DLA+ 2.0 adapters come with a 1-year warranty
- Compatible with both current & pre-existing vehicle protocols
- Diagnostic cables for medium-duty applications: Ford, GM, Sprinter, and Isuzu

Includes: DLA+ 2.0 Adapter, Vehicle cables (9-pin and 6-pin cables for 3 CAN support), Type-B OBDII Cables (Ford, GM, Sprinter, Isuzu, Hino, Mack & Volvo), USB Computer Cable and Adapter Kit Carry Case.



NRS122511 \$828.99

Noregon Trailer Diagnostic Adapter Kit w/ Power Supply Cable

- Contains everything you need to diagnose, test, and initiate the repair of heavy duty trailer anti-lock braking systems

Includes: Noregon Trailer Diagnostic Adapter, 7-Pin J560 T-Connector Cable, J-560 Power Supply Cable, 15' USB Computer Cable and Adapter Carrying case

HD **AUTEL** MAXISYS

ENHANCED SOFTWARE

NEW BI-DIRECTIONAL CONTROLS

MORE THAN 1,000 NEW DIAGNOSTIC UPDATES / OVER 20 MAKES / 80+ MODELS



ALL MAKES / ALL MODELS
CLASS 1 (0-6,000LBS) - CLASS 9 (33,000LBS)

EASY INTERFACE

TROUBLE CODE ASSIST

DETAILED AUTO-SCAN

MAXIMIZE TECHNICIAN RESOURCES

2019 MODELS / ADAS, TPMS & TRAILER SYSTEMS / FREIGHTLINER, KENWORTH, PETERBILT & INTERNATIONAL



Phone: (855) 288-3587 • USSUPPORT@AUTEL.COM
AUTEL.COM • MAXITPMS.COM • MAXISYSADAS.COM
©2019 Autel Intelligent Technology Corp., Ltd., All Rights Reserved



Follow Us @AutelTools
[f](#) [t](#) [i](#) [y](#)

AUTEL

ELECTRONICS/ diagnostics

scan tools and software



BOSCH

Invented for life



BOS3824A \$10,498.95

ESI [Truck] HD Diagnostic Solution with HDS 1000 Tablet

- Enhanced bidirectional controls, including diesel particulate filter (DPF) regeneration, cylinder cut-out, injector coding, component actuation, special tests, and more
- Useful technical information to aid in diagnosis, maintenance, and repair
- Intel Celeron N3160 Processor - 64-Bit Quad Core
- Ultra-crisp high-resolution display for optimum viewing in all lighting conditions
- Upgrade to perform off-highway vehicle diagnostics - including agricultural and construction vehicles - using 3824CBL-UPG Upgrade Kit



BOS3824BSC \$7,910.90

Multi-Brand HD Truck Diagnostics for PC

- PC Version of ESI Truck
- Multi-Brand HD Truck Diagnostics
- All major HD OEM's covered
- Read and clear fault codes
- Key special tests, bi-directional tests
- Provides electrical wiring diagrams
- Full parameter access



BOS3824-08 \$1,956.19

ESI Truck Renewal License

- 12 Month Renewal License
- 3824-08 maintains the existing ESI Truck full features
- One renewal covers the multiple makes and systems on the 3824



BOS3824-08R \$1,238.34

Troubleshooting and Repair Subscription For ESI Truck Scan Tool

- Active 3824-08R subscription allows access to a troubleshooting and repair information database with more than 13,000 DTC fixes
- Provides step by step troubleshooting information for DTCs and symptoms
- Information is integrated into the diagnostic session - No additional login or website connection is needed



BOSCH

Invented for life

BOS382408-OHW \$1,654.11

ESI Truck Off Highway

1-Year Software License

- 1-year (12 month) subscription for adding or renewing Off-Highway software to Bosch ESI [truck] models* 3824 and 3824BSC
- Enables users to diagnose Off Highway Vehicles, including Agricultural, Construction, Street Sweepers, Stationary Engines, and more.
- Enables advanced diagnosis and bi-directional controls of Off Highway Vehicles, such as Agricultural, Construction, Street Sweepers, Stationary Engines, and more.
- Note, this product is not compatible with the 3823 and 3823BSC ESI[truck] Pro Kits.



BOS3824CBL-UPG \$2,114.99

ESI Truck Off-Highway Upgrade Cable Kit w/Software

- 10 different cables for connecting to major North American off-highway vehicles and machinery
- Extensive coverage for popular North American construction vehicles, agricultural equipment, stationary engines, street sweepers, and more
- Advanced diagnostics and bi-directional controls for off-highway vehicles
- Useful technical information to aid in diagnosis, maintenance, and repair
- Handy carry case for easy transport between vehicles and sites

LAUNCH



\$3,730.19

LAU301190246

X-431 HD add on Module

- This add-on module works with the Launch X-431 HD scan tool as well as Launch Pro tools like the X431 Pad II A and AE
- This is a great tool at a great price and perfect for a shop that works on both heavy duty (Class 4 through 8) and medium duty trucks
- The unit communicates via Bluetooth or it can be hard wired to a vehicle with 12 volt or 24 volt systems.
- The tool supports the following special functions, Component Replacement, Cylinder Compression Tests, Injector Cut Out Tests and DPF Regeneration.
- The new add on module works on various systems, including Engine, Transmissions, ABS, and Auxiliary from manufacturers such as Wabco, Bendix

ELECTRONICS/ diagnostics

scan tools and software

AUTEL MaxiSys CV

AULMS908CV \$3,607.79

Heavy Duty Diagnostic Scan Tool

- Perform comprehensive vehicle diagnostics and services on all major brands and OE-specific system components
- Provides the special functions that complete repairs including Injector Quantity Adjustment, DPF Regeneration, Adaptations, Calibrations, Maintenance Resets
- Get more than twice the coverage at almost half the price
 - * *Google search "Diesel Scan Tools"
- Bluetooth enabled & wireless connection to vehicles and internet
- 9.7" LED touch screen and an Android 4.0-based platform
- Vehicle Coverage: Mack, Peterbilt, Kenworth, Freightline, Paccar, Isuzu and more
- Service type: Detroit Diesel, Allison, Cummins, Hino, Wabco, Bendix and more
- 1 Year Warranty • 4.5 hour battery life
- 1 Year free software updates (constant updates providing the user additions / improvements to vehicle coverage)



AULMS906CV \$2,227.49

Android Diagnostic Tablet for Commercial Vehicles

- Read/Erase Codes on Heavy Duty Vehicles
- Advanced Service Menu, Shop Manager App
- View Freeze Frame and Live Data
- Includes cables and adapters inc. Deutsch 6 - and 9-pin



CDOHDPROTAB \$5,299.99

Android Tablet for Heavy Duty

- True IP65 Rated Android Tablet with Wireless Bluetooth VCI
- Class 4-8, Light-Medium Duty and Agricultural Coverage
- Read/Clear Codes, View/Graph Live Data and full Bi-directional controls
- Perform OEM Level Resets & Regeneration
- Change and Set Parameters



CDOHDMOBILE \$507.39

VCI & Application for Heavy Duty Class 4-8

- Works with iOS and Android
- Class 4-8 Coverage along with OBDII
- Light-Medium Duty Coverage
- Read & Clear Codes
- DPF Resets and Regens

LAUNCH

LAU301180411 \$2,848.99

Pad II AE

- IP65 (Protected from dust and low water pressure from any direction), drop-tested Android based scan tool tablet with a 10.1" high resolution capacitive touch screen
- Featuring an open Android™ operating system
- Tech To Tech Live Remote diagnostic Support capability
- Optional free based Identifix repair Hotline service with live remote access
- OE-Level access to Asian, European and Domestic applications for module coding, resets, relearns & bi-directional capabilities
- New Bluetooth VCI with high-performance data refresh
- Auto-ID all available vehicle systems and modules
- Graphs Live Data Stream for 15 PIDs at once—all in color
- 1-year warranty



LAU301180524 \$5,481.53

X-431 Pad II HD III

- Launch X-431 Pad II AE scan tool programmed to work only on Heavy Duty Trucks
- Component Replacement, Cylinder Compression Test, Injector Cut Out Test, DPF Regeneration
- CAT, Cummins, Detroit, Freightliner, Fuso, Hino, International, Isuzu, KW, Peterbilt, Sterling, Volvo
- Communicates with ABS & Transmissions from, Bendix, Wabco, Eaton and Allison
- Communicates via Bluetooth or hard wired to the vehicle



DRWDREWLIHQ \$700.00

HD / Commercial Passthru Tool

- Industry's most capable Heavy Duty / Commercial passthru tool
- Works with today's OEM passthru diagnostic and reprogramming applications
- Supports RP1210 applications such as Pocketflet Diagnostics and DTC Solutions
- Supports 4 simultaneous CAN channels
- Rugged design and comes with a 2-Year warranty



MPS124032 \$1,014.29

USB Link 2: Bluetooth Edition

- Class 1 Bluetooth provides up to 100 feet of wireless freedom
- Flexible configuration supports wired or wireless connectivity
- Compatible with applications that diagnose engines, transmissions, ABS, instrument panels and more
- Reduce programming times with direct USB connection
- Quick access to vehicle data for maintenance or management reports



ELECTRONICS/ diagnostics

scan tools and software



COMMERCIAL

COJ29366CVKIT \$6,718.59

Commercial Vehicle Diagnostics Kit

- Provides end-users with state-of-the-art diagnostics for trucks, buses, and trailers, as well as access to light commercial vehicles
- Read and clear trouble codes • View live data PIDs
- Perform functional tests and special functions such as calibrations that complete repairs
- Includes one year of info online, the latest in repair and diagnostic procedures support, including wiring diagrams

Kit includes: COJ29366 Jaltest Link Kit, COJ29300 Software Activation for Commercial Vehicles, COJ29053 Software One-Year License of Use and COJ29428 Jaltest Info Online One-Year of Use



MARINE

COJ29981MAKIT \$4,421.95

Complete Marine Diagnostics Kit

- Provides end-users with state-of-the-art diagnostics for inboard, outboard, and jet ski engines
- Perform functional tests and special functions that complete repairs

Kit includes: COJ29981 Marine Link Kit, COJ29990 Software Activation Full Kit, COJ29982 Boat Cable Set and COJ29982 Jet Ski Cable Set



AGRICULTURE

COJ29750AGKIT \$3,767.09

Complete Agriculture Diagnostic Kit

- Provides end-users with state-of-the-art diagnostics for the computerized systems repair technicians encounter day in and day out
- Includes the cable set required for proper computer connections

Kit includes: COJ29750 AGV Kit, COJ29762 Software Activation AGV, COJ29761 Software One-Year License and COJ29758 Jaltest AGV Cable Set



code readers



BOSCH

Invented for life



BOS1699200240 \$639.69

HDS 250 Scan Tool and Code Reader for Heavy Truck

- Read, diagnose and clear HD standard trouble codes
- Works on 12V and 24V systems to cover most medium and heavy-duty vehicles in North America.
- Quick Test pulls Global OBD II codes for data analysis and diagnosis. Meets SAE standards for HD J1587 / J1708 and J1939 CAN and includes engine, transmission and ABS coverage.
- Includes 16-pin J1962, 9-pin Deutsch and 6-pin Deutsch cables



CDOHDCODEII \$411.79 Heavy Duty Codereader with Caterpillar and DPF

- Class 4-8 Heavy Duty Truck Full Coverage Code Scanner
- CAT Industrial, Construction and Power Equipment Coverage
- Now with DPF Regens for Fuso, Cummins and Detroit - more to come!
- Free Internet Updates



LAUNCH

LAU301050367 \$671.69

Millennium HD PRO-Heavy Duty Code Scanner with DPF

- Read DTCs, Clear DTCs and Data Stream for Heavy Duty OBD(J1780 AND J1939)
- Support DPF reset for most makes and models in the market, especially engineering vehicles like CAT
- Support 6pin, 9pin, 16pin and CAT 9 adapters
- For gasoline vehicles, supporting Read DTCs, Clear DTCs, Read Freeze Frame Data and Vehicle Information, Graphic Display
- 1-year warranty on material and workmanship



ELECTRONICS/ diagnostics

trailer testers



IPA9004A \$889.29

Smart MUTT® (7 Spade Pin) Trailer Tester

- Powers lights individually or all at once via auto scan or by remote control
- Ground failure detection: differentiates between wire and chassis ground
- Identifies open circuits and cross-wired circuits
- Pulses power to shorted and overloaded circuits (patented Pulsar® technology)
- Operates electric brakes by remote control

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IPA9007A \$803.59

Smart MUTT® (7 Round Pin) Trailer Tester

- ABS fault codes via Aux and brake circuit activation (i.e. Wabco/Bendix Tab-6 systems)

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IPA5700A \$5,295.95

Alpha MUTT® Trailer Tester

- Capture detailed pass/fail inspection results
- Remote and tablet-controlled light and air brake testing
- Advanced diagnostics with 5mA resolution
- Also Available: IPA5700A with ABS Plugin

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IPA9200 \$874.09

Tactical Trailer Tester Field Kit

- Test all trailers • Test all vehicle tow circuits
- Clean all truck and trailer electrical connections • Lifetime Warranty

Includes

1. #9102 Heavy Ranger MUTT®
2. #7900K-1 5 ft. 7 Round Cable
3. #7900A-5 7 Round to 7 Flat Adapter
4. #8000 3-Way Trailer Adapter
5. #8044 Master Trailer Cleaner Set
6. #8040 Diamond-Grip Terminal Cleaners
7. #7865L 7 Round Pin Tractor Trailer Circuit Tester
8. #7893 7 Flat (Spade) Pin Trailer Circuit Tester
9. #7897 6 Round Pin Tractor Trailer Circuit Tester
10. #7866 4/5 Pin Trailer Circuit Harness Checker
11. #CHR0001 500mA Battery Charger

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

JUST LIKE FINE WINE, OUR TOOLS GET BETTER WITH TIME.



**2 YEARS
FREE
UPDATES!!**

**PN# CDOHDPROTAB
HD PRO TAB ANDROID
SCAN TOOL**

NOW WITH:

- VOITH TRANSMISSION
- WABASH TRAILER BRAKES
- THERMO KING HVAC
- CNH INDUSTRIAL EQUIPMENT



**LIFETIME
FREE
UPDATES
& FREE APP!**

**PN# CDOHDMOBILE
HD MOBILE VCI & APP**

NOW WITH:

- UPDATED J1939/J1708/OBDII CODE LIBRARIES
- ISUZU DPF COVERAGE
- VOLVO DPF COVERAGE
- INTERNATIONAL DPF COVERAGE
- CATERPILLAR ON & OFF-HIGHWAY, INCLUDING INJECTOR CUTOFF



**LIFETIME
FREE
UPDATES!**

**PN# CDOHDCODEII
HD MOBILE VCI & APP**

NOW WITH:

- UPDATED J1939/J1708/OBDII CODE LIBRARIES
- ISUZU DPF COVERAGE
- VOLVO DPF COVERAGE
- INTERNATIONAL DPF COVERAGE
- CATERPILLAR ON & OFF-HIGHWAY, INCLUDING INJECTOR CUTOFF



• WWW.CANDOINTL.COM • 909-CANDO-11 (226-3611)

ELECTRONICS/ diagnostics

trailer testers



IPA9008-DL \$2,505.15 Super MUTT® Pro Edition Trailer Tester

The DL Model Kit includes the 7-way pig tail, glad hand hoses, 4 remote controls, steel face shield and rain cover. The Super MUTT® Deluxe DL Model places a load on the trailer's electrical circuits to identify wiring problems while providing remote control operation over both Air Brakes and Lights.



IPA9008-SE \$2,225.06 Super MUTT® Standard

The Standard Equipment model includes 1 Remote, 1 Chassis Ground Cable, 1 7-way Pig tail and Glad Hand Hose attachments. The Super MUTT® SE places a load on the trailer's electrical circuits to identify wiring problems while providing remote control operation over both Air Brakes and Lights. Built to facilitate a one-man testing operation, the Super MUTT® reduces guesswork and inspection time to prevent failures that lead to expensive road calls and citations. The remote control allows for repetitive air brake actuation at each axle to reveal developing problems often missed by normal testing procedures.



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov




SGT18580 \$10.28

Release Tool for Weather Pack Terminals

- Use with three sizes of Weather Pack Terminals: 10-12 AWG, 14-16 AWG and 18-22 AWG
- Can also be used to restore the tabs to their original position
- Comfortable handle grip

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



SGT18910 \$33.89

Terminal Crimper for Weather Pack & Metri Pack

- Easily crimps 14-22 gage open barrel Weather Pack and 150 and 280 Series Metri Pack terminals and seals in two operations
- Has three wire crimping and two seal crimping positions
- Steel construction • Display Packaging

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



LIS27430 \$18.84

24V Heavy-Duty Circuit Tester

- Works on any circuit up to 28 volts including many heavy duty applications on large trucks and farm implements: heavy duty probe, cord and clamp



LIS28830 \$82.99

Heavy Duty Digital Circuit Tester 3-48V

- Operating range of 3-49 volts DC to work on most vehicle electrical systems
- 360° visibility of polarity

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IPA9102 \$196.79

Heavy Ranger MUTT® Trailer Tester

- Test 7-way Round pin • Short circuit protection
- Turn signal simulation and Power verification LED
- Internal battery compartment
- Water resistant • 5000m
- Battery Charger included

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IPA9101 \$196.79

Light Duty Ranger MUTT® Trailer Tester

- Tests 7-spade, 6-round and 4/5-flat pin type trailer harnesses
- Short circuit protection Turn signal simulation and power verification LED
- Water resistant Tests lights and electric brakes

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IPA8044 \$104.09

Truck and Trailer Connector Cleaner Master Set

- For use on 4, 5, 6, 7 (spade), and 7 (round) truck and trailer male and female terminals
- Includes: (6) Terminal Cleaners, (6) 8mm Swabs, (12) 5mm Swabs and (1) tube of DeoxIT® electrical contact cleaner/enhancer
- Replacement/individual part numbers listed inside package

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IPA8048 \$140.19

HD Fleet Technician's Electrical Terminal Maintenance Set

- Clean and restore male and female terminals on fleet connections
- For Deutsch, Cannon, 7-way round, bullet, weather pack, trailer light connectors and more



IPA8025 \$62.99

Trailer Plug and Terminal Cleaner Kit

- Cleans 4, 5, 6 and 7 spade trailer terminals
- For Male and Female Connections
- Maintain continuity and prevent circuit failure
- Great for use on many standard bullet and butt connectors



IPA7865 \$41.89

7 Round Pin Tractor Trailer Circuit Tester

- Troubleshoots tractor trailer circuits
- Allows you to bypass troubled circuits while on the road
- Comes with an extra jumper connector



IPA8029 \$78.99

7 Round Pin Towing Maintenance Kit

- Quickly tests light circuits; cleans and repairs truck and trailer connectors
- Connector cleaner can be used as a pin-wear gauges



IPATSTPK1 \$144.35

Vehicle-Side Trailer Circuit Tester Pack

- Contains a vehicle side tester for 7 spade, 7-round, 6-Round, 4/5 Pin and the 3 way trailer adapter

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



**BOSCH**

Invented for life

Diagnose and Repair Off-Highway Vehicles



BOS3824CBL-UPG off-highway cable and software upgrade kit for your BOS3824A and BOS3824BSC ESI[truck]

Bosch ESI[truck] Diagnostics for Off-Highway vehicles helps you navigate the complex world of construction and agricultural vehicle coverage. The software is easy to use, and its broad diagnostic capabilities covers vehicle makes, models, and individual systems.



Scan the code with your smartphone camera or compatible QR reader to learn more
bit.ly/esi-kit

ELECTRONICS/ diagnostics

specialty testers



BOSCH

Invented for life

BOS1699500001 \$2,263.59

HPK 200 Accessory Kit for HD and Medium Duty Apps

- Enables testing of exhaust and cooling systems
- Adapter kit built for long shop life and compatibility with HPT 500 smoke machine
- PowerSmoke Adaptors • Halogen inspection light • Vapor Producing fluid
- Accessory Storage kit • Quick start guide

Includes:

Power intake adapter 3.9" (2 included), Accessory storage case, Exhaust stack retention hoop, SmokeMeister wands, Halogen Inspection Light, Vapor Producing Fluid (2), Hex Point L Key, Cooling system adapter, O2 Sensor Port Adapter, Temperature Sensor Port Adapter, Pressure Sensor Port Adapter, Block Off Coupler, 12V DC Power Cable (Detachable) Quick Start Guide



BOS1699500000 \$3,399.38

HPT 500 High Pressure Leak Tester

- Produce leak detection "smoke" at higher pressure than standard machines (up to 30psi) for higher pressure systems
- Produce a higher volume of smoke for larger volume systems
- Ideal for finding leaks in exhaust after-treatment systems
- Test entire system in 15 minutes
- High-pressure and large volume systems found in heavy-duty truck and turbocharged passenger vehicles



REDLINE
DETECTION.COM
THE WORLD'S BEST SELLING DIAGNOSTIC LEAK DETECTION

RDL95-0121 \$3,850.00

AirBrake Nano Leak Finder

- Foolproof 1 minute test
- Clear green/red, pass/fail light indicates leaks. Easy-read digital panel walks you through pinpointing the leak in under 10 minutes
- The patent pending technology pinpoints the precise location of all leaks in air brake, air suspension, and air powered systems
- No smoke, no contaminates, no residue, our "signature air" insures all systems are leak tested without any possibility of contamination
- Able to determine whether a tractor or trailer meets US DOT Standards or risks being taken out of service

NEW!



OTC

OTC4200 1,456.70

Nozlrater Diesel Injector Nozzle Tester

- Features a rugged, lightweight reservoir that holds 7/10 of a gallon of fuel
- Large, dual-scale, high-pressure gauge is protected by a guard and includes an indicator needle to record maximum pressure reached
- Not designed for Cummins or Detroit injectors • Replaceable 2-micron filter



Power Probe Tek

PPRPPKIT04 \$404.99

Power Probe IV Master Kit with PPRPECT3000

- Supplies Power and Ground for Functional Component Testing
- Fuel Injector tester for easy circuit diagnosis
- Signal Distance indicator bar • 10 minute auto shut off
- Large Color LCD Screen with easy to navigate User Menu



PPRPPIV \$222.95

Power Probe IV Diagnostic Circuit Tester

- Large multi-line color LCD screen • Includes carrying case
- Water and dust resistant with loud indicator tones
- Measure DC, AC, and frequency (HZ) • Test resistance on live and unloaded circuits
- Fuel injector tester mode • 90-day warranty on material and workmanship



PPRPECT3000 \$164.99

Intelligent Circuit Tracer for Shorts and Opens

- Automatic and manual sensitivity locking
- Arrow indicates direction to short
- Signal Distance indicator bar
- 10 minute auto shut off
- Ergonomic housing

PPRPP3EZCARBAS \$191.21

Power Probe 3EZ with Case & Accessories -CARB

- Test voltages and power up components on and off the vehicle
- EZ Learning software, teaches the user how to operate the tool
- EZ Diagnostics software, teaches the user how to perform common diagnostic applications on a vehicle
- Menu driven navigation

Packaged in a case with a cigarette adapter and a 20' extension cord



PPRPP3EZCAMOAS - CAMO \$177.29

PPRPP3EZGRNAS - GREEN \$191.21

PPRPP3EZREDAS - RED \$191.21



PPIPHT1 \$20.14

Penetrator High Performance Tip

- Corrosion & Oxidation Penetrating Tip
- Perfect use with all testers, meters and diagnostic equipment
- Provides highly stabilized readings • Long lasting Tungsten Tip
- Long lasting & easily visible in the dark



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



BE A REPAIR HERO.

Quickly diagnose and repair with pinpoint accuracy regardless of vehicle make or model. Pair JPRO® Professional, the #1 in-shop diagnostic and repair tool, with NextStep's integrated troubleshooting information for the best all-in-one solution. JPRO prioritizes vehicle issues and NextStep™ guides users to address the root cause of the problem. Go from fault to fix faster than ever and be the hero your shop needs.



Panasonic
TOUGHBOOK

Proudly offering NEW Panasonic Semi-Rugged Toughbooks in JPRO® Professional Diagnostic Toolbox Service Kits



JPRO®
PROFESSIONAL



NEXTSTEP™
SERVICE INFORMATION

#1 DIAGNOSTIC & REPAIR SOLUTION

INDUSTRY-LEADING BI-DIRECTIONAL TESTS | COMPREHENSIVE VEHICLE COVERAGE | US-BASED SUPPORT



NOREGON.
VEHICLE DATA EXPERTS

VEHICLE specialty

fuel management



OTC5021 \$221.99

Universal Diesel Engine Compression Gauge

- Up to 1000 PSI and 7000 kPa
- Include check valve, push button compression release, and a quick disconnect fitting
- Straight and 45 degree hose connectors also included

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov




WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Professional Diesel Injector-Seal Cleaning Kits

- 17-piece kit includes helix brushes, two-stage brushes, bore brushes, and SWAB-EEZ®
- SWAB-EEZ® for cleaning and polishing injector bores and cups

IPA8090B (Brass) \$182.99

IPA8090S (Stainless Steel) \$155.99



oil change tools



LIS61060 \$26.59

Diesel Filter Wrench for Paccar

- All metal wrench to remove and install bowls on newer Paccar Chassis Mounted Fuel Filter Assemblies
- Half-moon design allows easier access to the fuel filter found on Kenworth, Peterbilt, and Cummins diesels
- Laser-cut steel provides strength to loosen even the toughest bowls



OTC6914 \$32.48

Davco Diesel Filter Wrench

- Fits Davco Diesel filter models, 232-233-234
- Durable, stainless steel construction
- Opens vent cap also



OTC6915 \$32.48

Davco Diesel Filter Wrench

- Fits Davco Fuel filters 382 and 384



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LIS61090 \$28.45

Diesel Filter Wrench for 5" Davco

- 5" wrench works on any diesel engine with fuel flow rates up to 60 gph, Class 4, 5, & 6 trucks, pickup trucks, refrigeration units and some Biodiesel applications

LIS61110 \$30.39


Diesel Filter Wrench for 6" Davco

- 6" wrench works on any diesel engines found in Caterpillar CT660, CT11, CT13, CT15, Cummins, Detroit Diesel, International, Mercedes Bens, Paccar, Daimler Trucks North America, Kenworth, Mac, Navistar, Peterbilt, Thomas built Buses, Volvo

LIS61130 \$37.45

Diesel Filter Wrench for 8" Davco

- 8" wrench works Detroit Diesel DD13, DD15 and DD16 engines found in Paccar, Daimler Trucks North America, and Volvo



Oil Filter Pliers

Part #	Size	
CHA212	4-1/4" - 108mm	\$27.39
CHA215	5-1/2" - 140mm	\$32.69
CAL291	3-1/4" - 7"	\$41.59
CAL302	2-1/4" - 5-3/4"	\$33.49
IPA7899	1.5" - 12"	\$84.59



CHA0F1 \$59.99
2 Piece Oil Filter Plier Set

- CHA212 - Oil Filter Pliers: Capacity 2-3/4" - 4-1/4"
- CHA215 - Oil Filter Pliers: Capacity 2-1/2" - 5-1/2"
- Channellock blue comfort grips

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov




OTC6492 \$327.79
Engine Preluber Kit

- Required to prime the oil pump and fill the oil galleries and internal engine components with clean, new oil
- Connects to engine oil system at the oil pressure sensor on a variety of domestic and import engines
- Oil pressure sensor adapters included



CHA212



CAL291



IPA7899

Swivel Style Oil Filter Wrenches

Part #	Size	Style	
LIS53250	4-1/8" - 4-1/2"	Swivel	\$12.29
LIS54200	4-5/16" - 4-3/4"	Cummins & Detroit Diesel	\$15.19
LIS54300	5-1/4" - 5-3/4"	Caterpillar	\$16.09
LIS57050	4-5/16" - 4-3/4"	4-5/8" Truck Swivel Gripper	\$21.89
LIS57060	4-3/4" - 5-3/16"	5" Tractor Swivel Gripper	\$21.89
LIS57070	5-1/4" - 5-3/4"	5" Tractor Swivel Gripper	\$22.85



LIS53250



LIS57050

LIS50950 \$53.09

3-5/8" to 6" Truck and Tractor Oil Filter Pliers

- Two-position
- Overall range 3-5/8" to 6"
- Sure grip teeth prevent slipping
- Cushioned handles add comfort



LIS50720 \$49.29

Mega Gripper Filter Pliers

- Dual durometer non-slip grip
- Two-position, slip-joint handle easily adjusts to fit different size filters
- 11" / 14" overall length. The jaws open from 3" to 5.5" wide



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

VEHICLE specialty


cooling system tools

\$418.89

OTC5039

Charged Air Cooler Tester

- Features a large 2-1/2", 0-60 PSI pressure gauge, regulator and relief valve, and two safety cables
- Also has quick disconnect air fittings that attach to a 3", 3-1/2", or 4" cooler hose

 **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov

OTC



LANG
TOOLS
Professional Tools For 4 Generations



Made in U.S.A.

KAS1500 \$79.99

3 Piece Hose Pinch Off Pliers Set

- Small, medium & large
- Comes in a plastic pouch
- Each plier is available separately
- 1 Year Warranty

 **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov



mityvac

MITMV4534 \$134.99

Universal Cooling System Test Kit

- Universal cooling system adapter replaces more than 20 individual adapters for cars, vans, light- and heavy-duty trucks



VIEW

UVU550500HD \$174.69

Heavy Duty Airlift Cooling Tester

- Eliminates airlocks in vehicle cooling systems
- Refills vehicle coolant system in seconds
- Equipped with a 90° angled gauge
- OEM Approved by International Truck
- Checks for coolant system leaks while under vacuum



steering and suspension


OTC

OTC4247 \$1,879.06

Hendrickson Suspension Bushing Master Kit with Pump

- Reduces service time to remove and install HD rear suspension bushings substantially
- Works on Hendrickson Primaax EX, Comfort Air and FCCC V-Ride (TM) Pivot and D-Pin suspension bushings

Includes a high force 25-ton cylinder for hard-to-remove bushings. Also includes the OTC Stinger Series 2510A Air/Hydraulic Pump, with a Hose and Coupler


 **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov



OTC5079 \$912.27

Heavy Duty Power Steering Pump Analyzer

- Troubleshoots problem components in a heavy-duty power steering system
- Flow and pressure reading meter measures both 1 to 10 gallons oil flow and up to 3,000 PSI of pressure
- When connected in line, this universal analyzer will isolate the failed components in just minutes

 **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov



TOOLS
SCHLEY PRODUCTS INC.

SCH14900 \$371.99

Sheppard Steering Box Pitman Arm Popper

- Fits short & long sector shafts with bolt or nut arm attachment
- Forged and heat treated alloy steel "C" frame puller
- Fine threaded pressure bolt reduces effort
- Ball bearing tip pressure bolt protects sector shaft end
- 1-year warranty on material and workmanship

 **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov



PBT70867 \$157.69

Heavy Duty 3/4" Power Bar

- Heavy duty 3/4" square drive
- Bidirectional for loosening or tensioning fasteners
- Provides high impact force for breaking loose fasteners used in many industrial applications
- Ideal for use in onsite heavy equipment service and repair
- Ideal for crankshaft bolt removal on troublesome DuraMax applications
- No compressed air required

 **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov



TIGER TOOL
International Incorporated

TIG20175 \$1,042.99

Pullers 10102, 10803 and Case

- Kit includes: (1) 10102 Heavy Duty Universal Joint Puller;
- (1) 10803 Heavy Duty Yoke Puller
- Both tools have been engineered for use with up to a 1" impact wrench



TIG90150 \$2,027.59

Heavy Duty King Pin Press

- Three different forcing screw options are included to service from 3/4 ton pickups to Class 8 trucks. Shortened 1-1/4" screw allows access to king pins in the tightest wheel wells
- Tie rod end removers included: 10301, 10302 and 10304
- For use on straight and tapered king pins from 7/8" to 2 5/32"
- Isuzu NPR and GMC/Chevrolet W-series trucks require a custom adapter: 90150-15. Not compatible with FL981 axles where the tie rod is cast to the spindle.



TIG10385 \$240.99

Sheppard M100 Pitman Arm Puller

- Easily remove even the most stubborn pitman arms on Sheppard M100 gear boxes



TIG10389 \$279.99

Pitman Arm Puller - Sheppard M110 Style

- Easily remove even the most stubborn pitman arms on Sheppard M110 gear boxes
- May be used with up to a 3/4" impact wrench
- High strength steel casting designed for high-capacity pulling



electrical service

OTC

OTC6005A \$67.99

Diesel Glow Plug Removal Tool

- Services diesels in popular 3/4 and 1/2 ton pickups
- Removes damaged, stuck-in glow plugs on diesel engines without having to remove cylinder head
- When glow plug tip is melted and plug cannot be removed without breaking it off, this tool is the only answer
- Comes in plastic storage case



VEHICLE specialty

pullers



MUELLER KUEPS
Specialty Automotive Tool Division



MLK609390 \$568.49 Universal XS Press and Pull Sleeve Kit

- Includes 10 sleeves, 3 spindles, and 4 discs
- Can be used in combination with Press and Pull Sleeve Kit (609400)



OTC7071 \$581.99 Differential Housing Spreader

- Works on Dana axle models 30 through 70



OTC1200 \$711.90 9 Piece Manual Sleeve Puller Set

- Manually operated, screw-powered device removes cylinder sleeves from most truck, bus and tractor engines
- Handles wet and dry sleeves, you won't need to remove head studs
- The puller enables one technician to handle sleeve pulling tasks
- Not recommended for MACK engines

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

MUELLER KUEPS
Specialty Automotive Tool Division

MLK609420 \$1,377.09 36 Piece Universal Press and Pull Sleeve Kit

- Includes sleeves are large enough to fit most heavy duty applications
- Universally suitable for mainly SUV, vans and commercial vehicles



MLK609400-460 \$898.20 35 Piece Universal Press and Pull Sleeve Kit with XL C-Clamp with Vibro Impact Spindle

- Sleeves inner diameter from 34 - 72 mm
- Can also be used with 12 ton hydraulic spindle and baseframe or Impact wrench
- Includes Vibro impact spindle TR20K with ball bearing. To be used with Mueller Press and Pull Kit 609 400

brake service tools



TIG16002 \$455.99 1/2" Square Dr. Brake Anchor Pin Press

- Safely and easily remove brake anchor pins and bushings on virtually all 16-1/2" S-Cam trailer and tractor "Q" brake systems in minutes
- Service brake anchor pins and bushings while hub and dust shield remain on vehicle
- 10-ton capacity, rigid C-frame manufactured from high-grade steel
- Includes a bushing removal adapter for added capability and versatility




TIG10410 \$294.99 Slack Adjuster Puller

- Multi-adjustable slack adjuster puller for Haldex slack adjusters
- New design accommodates the removal of virtually all Haldex self adjusting slack adjusters including left-offset, right offset, & standard arms



LTi890 \$59.99 Truck Brake Spring Tool

- Easily connects rear drum brake return springs
- Slotted ends on tool always hold spring at correct work angle
- No need to leverage tool against a solid surface during spring installation. Fast, easy, and safe



OTC5054 \$473.99 Air Brake Service Kit

- Works on manual or automatic slack adjusters
- This kit has the tools needed to remove slack adjusters and push-rod clevis pins used in the S-cam brake systems of class 7 and 8 vehicles
- Includes: OTC5055 and OTC5056 slack adjuster pullers, OTC5057 brake clevis pin press, and a plastic storage case.



OTC5038 \$374.79 Brake Anchor Pin and Bushing Service Set

- No need to remove the bearing hub assembly to replace pins and bushings on 16-1/2" S-cam trailer and tractor "Q" brake systems
- Special tooling and C-frame press get you past the hub assembly. Quick and professional without damaging other parts
- Includes everything for removal and replacement




WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KAS4651 \$59.09 Automatic Slack Adjuster Release Tool and Wrench

- Used for adjusting Rockwell Automatic Slack Adjusters
- The 5/16" double square offset reversible wrench features an E-Z grip handle
- Release the anti-reverse mechanism without prying and apply more turning power with less fatigue



KAS7578 \$32.69 7/16" Automatic Slack Adjuster Wrench

- Used for brake adjustment on heavy-duty trucks equipped with Haldex slack adjusters
- 7/16" single hex wheel fits the drive on Haldex slack adjusters
- Extra long handle makes the wrench comfortable when doing the job of overcoming the anti-reverse mechanism (22-25 lbs./ft.)



KAS8569 \$44.35 Extra Long 9/16" Wrench for Bendix® Slack Adjuster


- Used for brake adjustment on heavy-duty trucks equipped with Bendix slack adjusters
- Extra deep 9/16" hex allows greater reach to recessed adjusters

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



FOW74-150-050-0 \$244.99 EZ-Drum Reach Electronic Brake Drum Gage

- Dust, water and oil resistant • Inch/metric/fraction conversion
- 4" drum preset (101.60mm)
- Resolution: 0.0005"/.01mm/fractions in 1/64th increments
- RS232 output for direct computer connection



CEN3B531 \$210.99 Electronic Digital Drum Gauge

- 4"-20" measuring range plus oversize
- Pointed anvils for measuring in grooves
- Large, easy to read display
- Long arms for measuring bell mouth or taper



VEHICLE specialty

brake service tools



OTC4241 \$1,290.99
Kingpin and Brake Anchor Pin Pusher
 without Hydraulics

OTC5055 \$158.99
Slack Adjuster Puller
 • Puller fits many manual types

OTC5056 \$158.79
Slack Adjuster Puller
 • Works on Rockwell, Haldex, Gunite, and Bendix automatic adjusters

OTC5052 \$55.99
Brake Slack Checker

- Quickly check the brake adjustment on class 7 and 8 trucks and trailers having S-cam brakes
- Works on manual or automatic slack adjusters
- Sturdy four position handle to provide the leverage you need at the proper angle

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



OTC7069A \$126.99
Heavy Duty Brake Spring Pliers

- Specially designed pliers works for hydraulic wedge-type and "S" cam air brakes
- Its 26-1/4" length gives the leverage easily, and the huge jaw opening accommodates even the widest brake shoes

OTC5081 \$92.99
Air Brake Spring Tool


- Eliminates unsafe methods, grip wrenches, pry bars, or screwdrivers to unhook and reconnect the two "Q" brake shoe retaining springs

OTC5057 \$182.99
Brake Clevis Pin Press

- Removing corroded clevis pins from a brake air-chamber pushrod can be a maddening and time consuming task
- Easily removes pin from its hole without damaging nearby components

OTC5089 \$81.59
Air Brake Line Release Tool

- Also works on connectors on other liquid and air lines
- Each tool has two sizes: 3/8" and 5/8"; 1/2" and 3/4"
- Applications: 2003-later Medium Duty trucks
- Lifetime warranty does not include abuse



transmission tools

Truck Clutch Alignment Shaft O.D. Pilots

- Designed for use on heavy duty single, two-plate, push/pull, manual, and self-adjust clutches
- Shaft is constructed of lightweight fiberglass-reinforced nylon that won't hang up in clutch disc splines
- Rugged and will easily support the weight of heavy pressure plates

OTC7073A - 1-3/4" \$58.99
OTC7074A - 2" \$58.99

OTC7075 \$169.63
Transmission Output Shaft End Yoke Remover

- Will remove end yokes from 600/1610-1810 series transmissions
- Works on Fuller twin-countershaft transmissions
- Lifetime limited warranty




OTC5044 \$57.82
Self-Adjusting Clutch Rotating Tool

- This handy tool replaces the self-adjuster mechanism on Spicer self-adjusting clutches, allowing you to manually adjust them with a wrench or socket
- 3/4" hex drive

OTC7028 \$50.99
Clutch Adjusting Wrench for Spicer Clutches

- Adjusting wrench
- For internal adjustment of multiple lever and angle-spring clutches



engine tools



SCH16400 \$195.99
GM 6.6L Duramax LML Diesel Injector Puller

- Fits Injectors found on 2011 - 2016 6.6L Duramax Diesel Engines
- Pulls Injector Straight reducing damage to the Injector and or Head
- Pulls & Lifts the Injector Completely out of the head
- 1-year warranty on material and workmanship

SCH16300 \$165.79
Ford 6.7L Power Stroke Diesel Injector Puller

- Injector Puller fits 2011 to current 6.7L Power Stroke diesel engines
- Pulls the Injector Straight reducing damage to the head & injector
- Pulls Diesel Injectors in the vehicle without removing the head
- Lifts the injector completely out of the head
- 1-year warranty on material and workmanship




CEN6431 \$136.26
Straight Edge 35" x 1/4"

- Precision ground to positive .001"
- Tough epoxy coating • Convenient hang-up hole
- 35" long • Repair only up to 90 days

CEN6434 \$232.29
Sleeve Height and Counterbore Gauge

- Cylinder sleeve height using pointed contact;
- Counterbore depth using flat end contact;
- Top dead center; Piston-to-deck height; Valve protrusion
- Easy readings around entire bore.
- Fits all diesel engines • Range: 1.00"
- Graduations: .001" • Reading: 0-100
- Repair only up to 90 days



OTC4853 \$19.39
Piston Ring Compressor

- Universal piston ring compressor to compress piston rings during piston installation
- Adjustable handle provides an effective size range for rings from 2.125" - 5.0" diameter
- For use on most engines



wheel sockets



GRE8370 \$573.99
7 Piece 3/4" Drive Truck Pinion Locknut Set

- Use caution and follow the manufacturer's recommendations when servicing these parts
- Lifetime Warranty
- Set contains: 2", 2-1/8", 2-1/4", 2-3/8", 2-1/2", 2-5/8" and 2-3/4"



vehicle SPECIALTY

wheel sockets and socket sets



OTC9850 \$728.19 Bearing Locknut Socket Display



Contains	Description
1901	Locknut Socket (2- 3/32")
1902	Locknut Socket (2- 3/8")
1904	Locknut Socket (2- 9/16")
1906	Locknut Socket (3")
1908	Locknut Socket (3-1/4")
1910	Locknut Socket (3-1/2")
1912	Locknut Socket (3-7/8")
1914	Locknut Socket (4")
1915	Locknut Socket (4-1/8")
1916	Locknut Socket (4-3/8")
1918	Locknut Socket (4-7/8")

Contains	Description
1920	Locknut Socket (2-1/4")
1921	Locknut Socket (2-1/2")
1922	Locknut Socket (2-5/8")
1923	Locknut Socket (2-3/4")
1926	Locknut Socket (3-3/4")
1928	Locknut Socket (2-9/16")
1932	Locknut Socket (2-7/8")
1934	Locknut Socket (3-1/8")
1936	Locknut Socket (2-3/8")
1939	Locknut Socket (5-1/4")

OTC9852 \$483.99 Bearing Locknut Socket Display

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Contains	Description
1904	Locknut Socket (2- 9/16" hex)
1908	Locknut Socket (3-1/4" hex)
1909	Locknut Socket (3-1/4" 8pt.)
1910	Locknut Socket (3-1/2" hex)
1913	Locknut Socket (3-7/8" 8 pt.)
1914	Locknut Socket (4" hex)
1915	Locknut Socket (4-1/8" hex)
1921	Locknut Socket (2-1/2" hex)
1922	Locknut Socket (2-5/8" hex)
1923	Locknut Socket (2-3/4" hex)
1928	Locknut Socket (2-9/16" hex rounded)
1932	Locknut Socket (2-7/8" hex)



OTC9851 \$720.29 8 Point Wheel Bearing Locknut Socket Display

Contains	Description
1903	Locknut Socket (2-3/8")
1905	Locknut Socket (2-9/16")
1907	Locknut Socket (3")
1909	Locknut Socket (3-1/4")
1911	Locknut Socket (3-1/2")
1913	Locknut Socket (3-7/8")
1917	Locknut Socket (4-3/8")
1919	Locknut Socket (4-7/8")
1924	Locknut Socket (3-3/8")
1925	Locknut Socket (3-3/4")
1927	Locknut Socket (3-13/16")
1929	Locknut Socket (2-5/8")
1930	Locknut Socket (2-7/8")



Contains	Description
1931	Locknut Socket (3-1/8")
1933	Locknut Socket (2-7/8")
1935	Locknut Socket (3-1/8")
1937	Locknut Socket 2-3/4")
1938	Locknut Socket (4-1/2")

\$957.14 OTC9814 Display Board Truck Pinion Sockets 6 Piece



Contains	Description
1975	2" (6pt.)
1976	2-1/8" (6pt.)
1977	2-1/4" (6 pt.)
1978	2-3/8" (6 pt.)
1979	2-5/8" (6 pt.)
1980	2-3/4" (6pt.)

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

wheel stud tools



TIG10611 \$1,170.89 Manual Wheel Stud Service Kit

- Provides fast and effective removal and installation of even the most seized wheel studs without the use of hydraulics
- Application: For use on inboard hubs
- Increased safety from accurate installations; eliminates risk of damage to hubs, seals, wheel bearings and wheel studs.
- For drum brakes only



TIG20150 \$675.99 Heavy Duty U-Joint Service Kit

- Dismantle and assemble virtually any heavy duty truck U-Joint
- 10102 U-Joint Puller
- 10201 Bearing cup Installer
- 10217 Bearing Cup Installer
- 29150 Case



drive shaft and axle tools



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

OTC5085 \$181.75 Hub Oil Seal Puller

- Eliminates bearing and hub damage that can occur when a punch and hammer is used to remove the seal
- Extra long 28" handle provides leverage, unique pulling head design quickly and easily removes the seal in one piece
- Built from the highest quality heat treated steel



OTC7180 \$346.89 Universal Bearing Cup Installer

- Works on axles from 11,000 to 50,000 lb. capacity
- Adjust to fit 3-5/8" to 6-1/2" O.D. bearing cups, which adds up to as many as 30 individual drivers



SHOP TOOLS & equipment

drive shaft and axle tools



OTC5192 \$107.42
Heavy Duty Bearing Cup Installer
 • Fits Driveline Series 1610 to 1880



OTC7490 \$236.28
1/2" Drive U-Joint Remover Tool
 • For use with 1/2" drive impact wrench
 • Easily removes stubborn heavy duty U-joints on Dana and Rockwell® driveshaft assemblies



OTC7057 \$561.07
U-Joint Remover Tool Set
 • Works on 16N, 17N, 18N and 1710 series U-joints and Spicer 1600-1610 to 1180 series U-joints
 • Includes plastic storage box, No 1036 2-jaw puller and instructions



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov


OTC5190A \$343.99
Heavy Duty Universal Joint Puller
 • Designed to fit all Class 7 and 8 trucks including a wide variety of drive-lines from Spicer and Meritor
 • Larger diameter threaded shaft
 • Compatible with: Spicer 1610, 1710, 1760, 1810, 1880, SPL 140, 170, 250. Meritor 16, 17, 18N, 1710, RPL20, 25



OTC5191 \$354.35
Heavy Duty Bearing Cup Installer
 • Adapters fit Spicer SPL 140, 170, and 250 series drivelines
 • Pre-determined "installed heights" specified by the manufacturer are engineered into the components to ensure correct installation
 • For use on quick-disconnect universal joints only
 • Installs bearing cups quickly and accurately into the Dana/Spicer SPL "Life Series" quick-disconnect universal joints, one at a time



TIG10102 \$308.69
Heavy Duty U-Joint Puller
 • Can be used with up to a 1" impact wrench
 • Fits spacer drive lines 1610, 1710, 1760, 1810, 1880, Meritor (Rockwell) 16N, 17N, 18N, 1710, Spicer SPL140, 170, 250, "Lifeseries" (virtually all class 7 and 8 trucks & machinery)



TIG10903 \$771.09
Heavy Duty Universal Hub Puller
 • For use on front steer, drive axle and trailer hubs
 • Safely and effectively removes even the most seized hubs.
 • Includes the two most common 22mm (10630) stud adapters
 • Five additional adapter sets available separately
 • With six unique adapter sets to choose from, Tiger Tool's Heavy Duty Universal Hub Puller is as dynamic as you need it to be.



TIG10803 \$574.99
Heavy Duty Yoke Puller Kit
 • Simplifies and expedites removal of heavy duty yokes on drive shafts, transmissions & rear-end differentials without damage to components
 • Works with 1/2" impact wrench
 • Services Rockwell, Spicer & Meritor



OTC7077 \$51.99
Axle Stud Cone Pliers
 • Now you can easily remove the tapered cone from studs used on medium- and heavy- duty truck rear axles



OTC4295 \$374.79
Wheel Stud Service Kit
 • Remove and install 10 studs in only 10-15 minutes (compare to 20-30 minutes for more expensive competitive products)
 • Can be powered with an impact wrench
 • No need to remove hub from vehicle



Includes: large C-frame with forcing screw, one set of installation adapters, two separate adapters for removal, extension adapter for increasing the range of travel, blow-molded storage case, and power thread lubrication.



\$717.29
KEN7326
New Super HubShark System
 • Updated HubShark has greater capacity to handle larger bearings
 • Kit now includes a 3/4" Center Screw to accommodate smaller import axles
 • Now includes a thrust bearing to reduce friction



KEN34549 \$249.29
Dual Wheel Separator
 • Innovative "One-piece" Pusher won't fall apart during use
 • Powerful 1-1/8" diameter x 11 threads for years of reliable service
 • Includes two pullers to cover large and small dual wheel applications



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



LIS61850 \$258.99
5 Piece Truck Hub Seal Installer Kit
 • Fits the Most Popular Size Seals for Class 7 and Class 8 Trucks
 • Includes five drivers and handle extension for extra reach
 • For driving seals on hubs with deep brake drums without removing the drums
 • Fits trailers and some medium duty trucks



LIS61900 \$238.19
Heavy Duty Bearing and Seal Driver
 • Fits most class 8 over the road trucks and trailers and some medium duty trucks
 • Driver sizes: 3-43/64", 4-7/8", 4-13/16", 5-1/2", 5-25/32", and 6"



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

SHOP TOOLS & equipment

fluid & grease drains

MAHLE

Service Solutions



MSS4858007900 \$1,830.59

15 gallon Fluid Handler - Antifreeze

- Air pressurized system, no pump to wear out, uses shop air
- 3 swivel casters to provide easy portability
- Welded body construction
- Factory set air regulator and "pop-off" valve
- Regulator 12 psi (0.8 bar)



MSS4858007800 \$1,700.24

15 gallon Capacity Fluid Handler - Oil

- 3 swivel casters to provide easy portability
- Welded body construction
- Air pressurized system, no pump to wear out, uses shop air
- Factory set air regulator and "pop-off" valve
- Regulator 12 psi (0.8 bar)



Lisle

LIS19202 \$334.99

60 Quart Low Profile Truck Drain with Lid

- For large capacity crank cases or radiator systems
- The drain holds 60 quarts and is equipped with four rollers and a handle for transport and easy positioning under trucks
- Cover and curved side design help keep oil from spilling during movement
- Convenient handles and pour spout facilitate oil evacuation • Supersedes 19122

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

JD JohnDow Industries



DOWJDI-17PLP \$441.39

17-Gallon Poly Low-Profile Oil Drain

- T-Handle folds for handy storage

- (4) 5" heavy-duty casters

- Expanded metal shield
- Gravity drain valve
- Lightweight and dent resistant

DOWJDI-17PK \$291.69

Pump Kit for the DOWJDI-17PLP

- 110v Electric Pump • 8' Evacuation Hose
- All necessary fittings to assemble to DOWJDI-17PLP
- Allows for easier evacuation of fluid



DOWJDI-LP4 \$591.59

Low Boy Oil Drain 17 Gallon Capacity

- 48" long x 25" wide x 9" high
- 9" low profile
- 6" casters
- Gravity or pressure drain



DOWJDI-EK \$204.69

Evacuation Kit for DOWJDI-LP4

- Includes all parts necessary to empty DOWJDI-LP4 with Air Pressure
- Includes air regulator and safety valve, 10' hose, drain plug and mounting hardware
- Drain not included



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Lisle

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LIS17922 \$54.39

30 Quart, Heavy-Duty, All-Purpose Plastic Drain Tub

- For draining radiators, crankcases, transmissions, differentials, etc.
- Designed for easy pouring and disposal
- The apron facilitates washing and sorting parts



LIS17432 \$269.99

18 Gallon Oil Lift Drain

- Translucent jug will not warp with hot oil
- Rolls easily with (4) 2-1/2" heavy-duty wheels
- Metal tubes extend working area from 36-1/2" to 77"
- Brass drain valve drains from the bottom
- Large 15" funnel has a built in strainer to catch drain plugs
- Quick release and height adjustment allow for oil changes without making a mess on the floor



LINCOLN



LIN3626 \$771.49

Black Polyethylene Used Fluid Drain, 26-Gallon

- Durable, lightweight, corrosion resistant polyethylene
- Durable 4" swivel casters and 10" fixed-axle wheels
- Large 17" diameter offset funnel rotates to catch streaming oil and includes a removable filter screen
- Funnel height adjusts from 50 to 75 inches and a 3/4" male camlock style connector extends from the top of the tank



LIN3627 \$733.49

Used Antifreeze Drain Green Polyethylene, 26-Gallon

LIN3635 \$728.59

25 Gallon Used Fluid Drain

- 15" (380 mm) diameter drain bowl with removable filter screen and 24" (610 mm) wide-mouth funnel extension
- Welded steel tank supported by heavy-duty 4" (100 mm) swivel casters and 6" (150 mm) fixed-axle wheels
- Funnel height adjusts from 51" to 76" (130 to 195 cm)
- 7' long nylon-reinforced discharge hose with steel J-hook and tethered drip plug
- LTL Shipping Only



LIN3669 \$609.99

Low Profile Truck Drain with Electric Pump

- Includes 120v electric discharge pump for fluid evacuation
- Low profile design can be easily positioned under high-clearance vehicles
- Large 17 gallon (65 liter) capacity reservoir
- Reservoir molded of high-impact polypropylene and four large 4" (100 mm) diameter swivel casters
- 6' (1.8 m) long discharge hose with 3/4" male camlock connector for external pump
- Collection of used fluids including motor oil, transmission fluid, and coolant from under high clearance vehicles

LIN3665 \$385.79

Low Profile Truck Drain

LIN3667 \$558.59

Low Profile Truck Drain with Manual Pump



SHOP TOOLS & equipment

fluid & grease drains



New Pig

\$305.99

NPGKIT622

PIG® Truck Spill Kit in Stowaway Bag

- Space-saving, suitcase-style spill kit stashes behind or underneath your truck seat



Kit Includes:

- (40) 15" W x 20" PIG® Absorbent Mat Pads
- (3) 3" x 48" PIG® Blue Absorbent Socks
- (2) 3.25" x 1.75" PIG® Plug-N-Seal®
- (5) 18" W x 30" H Polyethylene Disposal Bags
- (1) Apron • (1) No-Freeze Patching Paste
- (1) Lightstick • (1) 13" Showa-Best Chem Master™
- (1) Instructions Neoprene Gloves • (1) Collapsible Container

\$249.99

NPGKIT626

PIG® Truck Spill Kit in Duffel Bag

- Compact duffel bag design fits in the cab or inside a long, narrow external compartment of a truck or other vehicles



Kit Includes:

- (15) 15" W x 20" L PIG® Absorbent Mat Pads
- (3) 3" x 48" L PIG® Blue Absorbent Socks
- (5) 18" W x 30" H Polyethylene Disposal Bags
- (1) Collapsible Container • (1) Economy Goggles
- (1) 3.25" x 1.75" H PIG® Plug-N-Seal®
- (1) Apron No-Freeze Patching Paste • (1) Lightstick
- (1) 13" Showa-Best Chem Master™
- (1) Instructions Neoprene Gloves

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KT174640 \$31.49
Axle Drain Pan

- Durable and lightweight HDPE plastic with built-in drop proof spouts that help to recycle oil
- Works for most dual and super single wheels, sizes 22.5 and 24.5



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

fluid & grease pumps



KT173993 \$56.95

Lever Action Bucket Pump 5 Gallon Pail

- Lever action bucket pump fits 5 gallon pails
- Comes complete with 12" drum cover and 4' PVC hose with steel spout
- Designed for transferring transmission differentials and heavier oils
- Delivers 2.14 oz (60 ml) per stroke
- Lifetime Warranty



KT172200 \$84.67

Hand Rotary Style Barrel Pump

- Easy to operate crank handle rotary pumps are used as a siphon
- Rotary hand pumps fit 15, 30 and 55 gallon drums
- 2" bung adapter is perfect for drum openings
- 90 Day Warranty



KT172250 \$17.95
Deluxe Siphon Pump

- Multi-use pump, transfers most liquids, pumps air for inflatables, siphon gas, oil and more
- Limited lifetime warranty



KT172205 \$48.95
Barrel Pump

- Fits 30 to 55 gallon drums



KT172204 \$113.95
Plastic Rotary Transfer Pump

- Glass filled, Polypropylene (PP) body with Rytan Rotor & Vanes and Viton seals
- 1 year warranty on material & workmanship



KT172215 \$397.22
Electric Rechargeable Drum Pump 19.2V

- Telescopic pump tube for use with 55 gal. (205 Litre) drums as well as 275-330 gal. (1000 to 1250 Litre) IBC's
- Delivers up to 28 lpm (7.4 gpm) or up to 410 litre (110 gal.) on a single battery charge
- 1 year warranty on material & workmanship



KT172202 \$59.95
Vertical Lift Chemical Pump

- For use with 55 gallon drums
- For use with Antifreeze, Detergent, DEF, Lacquer Thinners, Acetone, etc.
- Not for use with gasoline, diesel, fuel oil, kerosene, etc.
- 1 year warranty on material & workmanship

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



LIN4417 \$1,142.29
Grease Pump Assembly - #120 Drum

- 40:1 ratio professional quality pump assembly for the automotive repair shop
- Includes 7' hose, control valve, universal swivel for easy operation, drum cover
- Flexible follower plate for positive prime
- 4 caster band-dolly for easy mobility around the shop



LIN6917 \$1,027.99
Air-Operated Portable Grease Pump Package

- Lincoln's time tested 50:1 double acting grease pump is at the heart of the package
- High volume and pressure to handle additional hose length and/or adapt to hose reel
- Smooth, easy to use and quiet for improved environment, ergonomics



LIN9917 \$1,599.99
Heavy Duty PMV Grease Pump with Caster Base for 50:1 - 120 lb. Drums

- Twice the output of standard pumps, for longer life on the same job
- Smooth and quiet, improves the environment for the shop as well as customers



LIN2424 \$1,399.29
3:1 55 Gallon Drum Series 25 Pump

- Motor oil, ATF, gear lube and other fluid lubricants
- Balanced double-acting pump design provides uniform output and stroke for less pulsation
- Lightweight, corrosion-resistant zinc head casting design incorporates uniform wall thickness

SHOP TOOLS & equipment

fluid & grease pumps



LINCOLN

LIN4489 \$970.99
Value Series 40:1 Single Acting Grease Pump for 25-50 lb. Pail
 • Includes 40:1 value series pump, pail cover, handle, high-pressure control valve, universal swivel, coupler, 7 foot connecting hose, follower plate

LIN1550 \$499.99
Heavy Duty 12V DC Fuel Transfer Pump, 15 GPM
 • Safely transfers Diesel, Kerosene and Mineral spirits
 • Three-piece telescoping pick-up tube supports a very wide range of tank depths
 • Pre-wired electrical box allows for easy set-up.
 Fully serviceable. 18' (5,5 m) cable for operator convenience



LIN1385 \$214.99
Premium 3-Vane Rotary Pump without Hose
 • Graphite Three-Vane Design for exceptionally smooth fluid flow for no-splash fills
 • High-tolerance micro-finished bore and vanes provide outstanding pump life



LIN1385H \$255.99
Premium 3-Vane Rotary Pump with Hose

LIN1387 \$314.99
Premium 3-Vane Rotary Fuel Pump with Hose
 • FM APPROVED
 • Fluid Types: Gasoline, Diesel, Kerosene, Coolant, Non-Corrosive materials, Medium viscosity petroleum based fluids, hydraulic oils, ATF



LIN1390 \$155.99
Lubrication Stainless Steel Lift-Action Multi-Fluid Pump
 • DEF Compatible
 • Premium Stainless Steel 316 Alloy
 • 20 oz. stroke
 • 2" Dual-thread adjustable Bung
 • Fits most 15, 30, & 55 gallon drums (plastic & steel)
 • Drum pictured is for reference only and not included



LIN9989 \$1,327.89
Heavy Duty PMV Grease Pump for 50:1, 25 - 50 lb.
 • Twice the output of standard pumps, for longer life on the same job
 • Smooth and quiet, improves the environment for the shop as well as customers
 • Reduced cost of ownership for the life of the pump



LIN917 \$1,510.99
Air Operated Grease Pump
 • Will dispense 45 ounces or 80 cubic inches of NLGI 0-2 grease per minute at 150 PSI.
 • Assures positive prime at lowest temperature
 • Drum cover 46007 finished in Lincoln red; roll-a-round base 80895 base in black; air motor cover in white
 • Height 43-1/8" • Base 17" square

K TOOL INTERNATIONAL

KTI72210 \$113.69
Lever Transfer Pump 15-55 Gal. Drums

- For use with DEF, antifreeze, detergents, windshield fluids, heavy oils, etc. • 1 Year Warranty
- ⚠ **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov



LINCOLN

LIN1340 \$67.69
Lever Action Barrel Pump
 • Telescoping tube fits 16 - 55 gallon drums
 • Delivers 14 oz. per pump
 • Transfer non-corrosive automotive fluids



FILL-RITE

FILSD1202 \$397.00
12 Volt Cast Iron DC Fuel Transfer Pump
 • Cast iron and the portability of DC power
 • Delivers up to 13 GPM
 • Designed for tank or barrel mounting
 • Diesel/Gasoline/Kerosene/Mineral Spirits



FILFR4210G \$587.99
12 Volt Pump Kit, 20 GPM
 • UL Approved Motor
 • Diesel/Gasoline/Kerosene/E15/BD up to BD20
 • 2" threaded base for tank mounting
 • Heavy duty cast iron construction
 • Built-in strainer • 1" x 12' hose with static wire



FILSD602G \$455.99
115V AC Pump with Manual Nozzle
 • 13 GPM (49 LPM) • 1/4 HP Motor
 • Heavy duty cast iron construction
 • Diesel/Gasoline/Kerosene/E15/BD up to BD20



FILFR610G \$544.19
115 Volt Heavy Duty Pump with Hose and Manual Nozzle
 • 15 GPM • 1/4 HP motor
 • Heavy duty cast iron construction
 • 2" Threaded base for tank mounting
 • UL/cUL Listed Pump and Motor



FILRD812NP \$457.29
12 Volt Bung Mounted Fuel Transfer Pump with Hose and Nozzle
 • 8 GPM • Gas, Diesel, Kerosene and E15
 • Kit includes suction pipe and 8' discharge hose, 23-41 telescoping suction tube, nozzle boot, bung tank mount adapter and 10' quick connect power cord with alligator clips



FILFR1614 \$223.99
DC Power Cast Iron Rotary Vane Pump
 • Includes battery cable with clips • 10 GPM
 • 8' of 3/4" hose - Pick up tube strainer and plastic 3/4" nozzle
 • Compatible with Diesel and Antifreeze



SHOP TOOLS & equipment

fluid & grease pumps

FILL-RITE

FILFR1210G \$480.49 12 Volt DC Pump with Manual Nozzle

- Up to 15 GPM • 1/4 HP motor
- Diesel/Gasoline/Kerosene/ E15/BD up to B20
- 2" Threaded base for tank mounting
- Heavy duty cast iron construction



FILSD62 \$74.59 Rotary Vane Hand Pump

- 2" NPT threaded bung adapter
- 1" polymer suction pipe adjusts for 15 to 55 gallon drums
- Smoothly pumps medium-viscosity oils, diesel fuel and non-corrosive fluids



FILFR1612 \$191.09 DC Power Cast Iron Rotary Vane Pump

- Includes battery cable with clips and 30 amp fuse • Self Priming
- Inlet and outlet size 3/4" NPT
- Compatible with Diesel and Antifreeze



FILFRH07520 \$53.09

3/4" X 20' Fuel Transfer Replacement Hose

- For transfer pump that uses a 3/4" fitting. The extended length adds a great benefit. With the 20' reach the user has the ability to get to the hard to reach locations for refueling.



FILL-RITE



FILFR112 \$255.99 Complete Hand Rotary Pump

- 10 gallons per 100 revolutions • UL approved
- Cast iron rotor • Can be used to pump in reverse



FILFR152 \$255.99 Piston Style Hand Pump

- Stainless steel inner liner
- "Easy mount" 2" tank adapter
- Pump flow can be reversed by rotating piston 180°
- Anti-siphoning device

FILNX3210B \$1,527.79 Fuel Transfer Pump 25 GPM

- Functions on either 12 or 24 volt DC
- Auto power shutdown • Removable power cord
- Intelligent tone technology



FILN100DAU12G \$149.99 High Flow Diesel Nozzle

- Gasoline, diesel, E15, biodiesel up to B20, and kerosene
- Integral hook and spout spring • 3 locking flow-rate positions
- Heavy duty aluminum body



fluid & grease accessories



KTI73952 \$3.22

Professional 4 Jaw Grease Gun Coupler

- 6,000 PSI • 1-Year Warranty
- For hand operated grease guns only



KTI73957 \$3.78

Grease Injector Needle

- For universal joints and sealed bearings
- Length: 1-1/2" • Diameter: 18G • 1-Year Warranty



KTI73959 \$7.52

Right Angle Grease Gun Coupler

- 1,000 PSI • 1-Year Warranty • For use with hand grease guns only



KTI73912 \$5.71 Grease Gun Hose 12"

- 12" grease gun hose • Working pressure: 3,500 PSI
- Burst pressure: 11,600 PSI
- For hand operated grease guns only
- 1-Year Warranty

KTI73918 \$6.68 Grease Gun Hose 18"



KTI73903 \$6.02 Needle Nose Dispenser 1-1/2" Narrow

- Narrow needle nose dispenser • For use with hand grease guns only
- 1-1/2" x 0.156" needle • 1-Year Warranty



⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



LIN5805 \$50.79

Impact Fitting Cleaner

- Eliminates the need to disassemble joints or replace fittings
- Hardened piston, steel drive cylinder, spare drive seals and safety shield for hand
- Includes optional high pressure flex hose and Lincoln's 5852 coupler



LIN740 \$147.99

Heavy Duty High Pressure Control Valve

- 7500 psi maximum operating pressure
- Precision-machined, all steel handle, body and guard bracket provides durability and longevity
- Unique, precision control inlet check valve provides ease of handle operation • Knurled handle



LIN877 \$474.99

Metered Control Handle for Oil and ATF

- For oils, ATF and antifreeze • 3-1/2" diameter
- 1/2" NPT (f) inlet/outlet • Totalizing • Includes 10" hose



⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

SUR1000 \$64.39 32 oz. Sure Shot® Pressurized Sprayer

- Uses compressed air, instead of flammable or dangerous propellants, and it's reusable
- Use with oil & solvent based materials
- No water based materials



IPA7862H \$57.19 Grease Joint Rejuvenator® Professional Model

- Opens clogged grease fittings • 5" flex hose
- Limited Lifetime Warranty



⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

SHOP TOOLS & equipment

fluid & grease guns

LINCOLN



LIN1244 \$339.89
12 Volt Cordless PowerLuber® Grease Gun with Battery Kit

- Powerful 12 volt motor
- Planetary gear drive
- High capacity 12 volt NiCad battery
- Machined and hardened piston

Kit includes: 110 volt fast charger, (2) 12 volt Ni-Cad rechargeable batteries, 30" flex hose with spring guard and custom carrying case.



LIN1844 \$375.79
18 Volt Cordless Grease Gun with 2 Batteries

- New 18-volt high-capacity battery delivers up to 10 grease cartridges
- 2-speed transmission provides high-volume or high-pressure output
- High-strength composite body and casting provide outstanding durability without weight penalty
- Dual overload protection



LIN1884 \$406.19
20-Volt Lithium Ion PowerLuber Kit (Dual Battery)

- LCD identifies: Empty Cartridge, Loss of Prime, Grease Output and Blocked fitting
- Lithium Technology, Powerful, Efficient and Long -Lasting
- Built-in LED light illuminates dimly lit areas
- Electronically controlled two-speed motor
- Stable 3-point stance keeps the tool upright and within reach
- Balanced, lightweight design

LINCOLN

LIN1134 \$58.99
Extra Heavy Duty Pistol Grip Grease Gun

- Same features as LIN1133 except with Extra Heavy Duty Pistol Grip and 6" tube



LIN1142 \$33.39
Heavy Duty Lever Gun

- Rugged cast iron pump head
- Jam proof toggle mechanism
- Capacity: 16 oz. bulk or 14.5 oz cartridge



LIN1147 \$44.08
Heavy Duty Lever Gun

- Same features as LIN1142 but with 18" whip hose

LIN1162 \$114.99
Fully Automatic Pneumatic Grease Gun

- 30" high-pressure hose with coupler and attachment clip
- Pump ratio: 40:1 at 150 psi
- Maximum Grease Pressure: 6,000 psi (414 bar)
- Air Pressure Range: 40- 150 psi (2.8 - 10.3 bar)



Milwaukee

M12



MLW2446-21XC \$284.39
M12™ Grease Gun Kit

- Delivers over 8,000 PSI for heavy duty applications
- Superior run-time - up to 7 grease cartridges per battery charge
- M12™ XC LITHIUM-ION Battery Pack - 20+ Tools in the M12™ Cordless System
- M12™ Grease Gun Kit Includes: grease gun, (1) XC Battery, charger and carrying case.

M18



\$368.39
MLW2646-21CT
M18™ Cordless 2-Speed Grease Gun Kit with 1 Battery

- Industry leading 10,000 PSI max operating pressure

Kit includes: (1) M18 battery and the new multi-voltage charger, so you can charge all M12 and M18 lithium-ion batteries with one charger.

SHOP TOOLS & equipment

fluid & grease guns



KT173942 \$29.49

Heavy Duty Lever Grease Gun 14 oz

- 3-way loading: 14 oz cartridge, bulk and suction fill
- Grease gun handle fitted with rubber grip
- Develops up to 10,000 PSI with built-in variable stroke
- Supplied complete with 6" steel extension & coupler
- 1 year warranty on material & workmanship



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KT173933 \$31.95

Heavy Duty Pistol Grip Grease Gun 14 oz

- 5,000 PSI
- Die cast aluminum head fitted with steel block nut
- Complete with 18" flexible hose extension & coupler
- 3-way loading: 14 oz cartridge, bulk and suction fill
- 1 year warranty on material & workmanship



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



fluid and grease evacuators



KT174923 \$125.95
Heavy Duty Drum Dolly for 55 gallon Drums

- Heavy Duty drum dolly for 55 gallon drums
- Load capacity 1200 pounds
- Four welded cast iron wheels
- 1-Year Warranty



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



DOW125HDC \$647.19
25 Gallon Self Evacuating Oil Drain

- Uses air pressure to empty tank
- Removeable 6 ft. Quick-Disconnect discharge hose
- 16" deep drawn offset funnel with expanded metal screen
- Swivel base on funnel makes positioning easy

Height adjusts from 50" to 70". Heavy-duty 4" casters provide stability and mobility. 25 gallon steel tank. All metal funnel. Built-in sight glass shows fluid level in the tank.

Freight Delivery Only



KT173962 \$79.69

Continuous Flow Grease Gun, Air Operated

- Air operated continuous flow grease gun, 14 oz / minute
- 3-way loading: 14 oz cartridge, bulk and suction fill
- Develops up to 4,800 PSI • Air inlet: 40 - 120 PSI
- Supplied complete with 6" steel extension & coupler
- 1 year warranty on material & workmanship



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KT173956 \$31.95

Quick Locking Grease Coupler

- Quick locking grease gun coupler with 1/8" NPT
- Coupler body is heat-treated to withstand high pressures without deformation and is 1-1/2 times stronger than regular couplers
- Case hardened rollers hold the coupler in position at 6 points
- Allows hands free operation, once coupler is engaged
- Designed for quick & convenient disengagement of coupler from grease fittings under pressure
- 1-year warranty on material & workmanship



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



fuel hoses



Oil Shield® Farm Fuel Hose For use with Diesel, Gasoline, Kerosene, Biodiesel B10 and B20

- 8" Internal strain relief springs on each end to prevent kinking at the coupling
- 2x kink resistant than other fuel hoses • Ozone and abrasion resistant cover
- Factory crimped 3/4" NPT ends fits most fuel nozzles
- RMA Class A oil-resistant tube & cover
- Static wire allows use with electric pumps
- For use where UL approval is not required
- Covered by a 1 year warranty

Part #	Description	NPT	
BLBOSFHONE10	Oil Shield® Farm Fuel Hose Assembly 1" x 10'	1"	\$52.98
BLBOSFHONE12	Oil Shield® Farm Fuel Hose Assembly 1" x 12'	1"	\$62.03
BLBOSFHONE15	Oil Shield® Farm Fuel Hose Assembly 1" x 15'	1"	\$76.49
BLBOSFHONE20	Oil Shield® Farm Fuel Hose Assembly 1" x 20'	1"	\$99.09

Part #	Description	NPT	
BLBOSFH3410	Oil Shield® Farm Fuel Hose Assembly 3/4" x 10'	3/4"	\$37.23
BLBOSFH3412	Oil Shield® Farm Fuel Hose Assembly 3/4" x 12'	3/4"	\$43.49
BLBOSFH3415	Oil Shield® Farm Fuel Hose Assembly 3/4" x 15'	3/4"	\$53.49
BLBOSFH3420	Oil Shield® Farm Fuel Hose Assembly 3/4" x 20'	3/4"	\$68.69



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

SHOP TOOLS & equipment

gas caddies

LINCOLN



LIN3675 \$734.99 25 Gallon Fuel Caddy

- Large capacity 25-gallon heavy-duty welded steel tank
- 2-way rotary pump dispenses or extracts fuel at a rate of 1 gallon per 12 revolutions
- Easy-to-read sight gauge clearly indicates fuel volume in tank
- 7' (2.1 m) wire-reinforced fluid transfer hose with anti-spark tip and internal ground wire



JD JohnDow Industries

DOWFC-25PFC \$492.99 25-Gallon Poly Fuel Cart

- UN/DOT and Transport Canada Approved
- 25 gallon high density polyethylene tank
- Easy-to-use molded handle
- Fills in horizontal position

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



DOWFC-25GC \$832.49 25-Gallon UL Listed Gas Caddy

- UL Listed; complies with OSHA guidelines
- Fill level gauge
- Combination vent and fill cap
- Heavy duty steel wheels

This 25-gallon UL listed gas caddy is designed for the professional automotive service facility. It is tested and approved to UL requirements for leakage, rupture, stability, abuse and endurance.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

IPA
FUTURE NOW.



IPA9046F \$4,455.69 Pneumatic Fuel Oil Tank Sweeper

- Removes standing and emulsified water from diesel oil systems
- Cleans, polishes and transfers diesel oil, kerosene, hydraulic oil, and motor oil
- 30-Micron Particulate and 10-Micron Water Blocking Filters with clear sight glass for polishing - filters can be bypassed for bulk transfer
- Works with small, portable air compressors as low as 4 cfm @ 22-102 psi - Dual diaphragm pump rated up to 26 gpm
- 5' Fiberglass Rigid Tube and 5' Flex Extension Wand included for accessing equipment tanks
- 1-year warranty on material and workmanship



JD JohnDow Industries

DIESEL



DOWFC-P30A-UL \$4,452.79 30-Gallon UL Listed Steel Gas Caddy - Air Operated

- 30-Gallon capacity steel tank
- 4-way directional valve
- UL Listed and complies with OSHA guidelines
- For use with gasoline, diesel, kerosene, bio-diesel and transmission fluid

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



oil filter crushers

OTC

OTC1877 \$4,662.99 25 Ton Capacity Heavy Duty Oil Filter Crusher

- Handles the big filters (up to 6" diameter and 12-1/2" long) found in trucks, construction equipment, farm implements
- Crushes filters to 1/4 of original size, removing up to 95 percent of filter's oil capacity
- Automatic cycle feature: load the filter, push a button, and walk away
- Air/hydraulic pump works on standard shop air (requires 9 CFM at 100 psi)
- Built-in floor stand (completely assembled)

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



OTC

OTC1896 \$7,623.80 25 Ton Capacity Air/Hydraulic Automotive Oil Filter Crusher

- Crushes automotive and heavy-duty filters up to 15-1/4" long and 6" diameter
- Filters are reduced to 20 percent of original size, with 95 percent of residual oil removed
- Automatic cycle feature lets you load the filter, push a button, and walk away
- Powered by 2 hp electric/hydraulic pump, 230 volt, 20 amp, 60 cycle, single phase, 3,450 rpm
- Has 2-gallon reservoir

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



SHOP TOOLS & equipment

oil filter crushers



OTC1821 \$3,796.79 10 Ton Capacity Air Operated Oil Filter Crusher

- Crushes up to four automotive filters (3-7/8" diameter x 9" high) at one time, in approximately 20 seconds
- Engineered and built for dependable operation
- 100 percent air operation eliminates electrical connections
- Generous size of crushing chamber easily accommodates the largest automotive spin-on filters
- Includes mounting stand, No wall mounting or time consuming installation required



DOWHDC150PROMO \$3,693.35 HD Oil Filter Crusher with Floor Stand and Filter/Regulator/Lubricator

Consist of part numbers:

DOWHDC150 - Heavy-Duty Truck Filter Crusher:

- Heavy-duty aluminum frame cabinet surrounds the high pressure hydraulic hose for added safety and shields components from damage
- Handles filters 13" in height; 6" in diameter
- Unitized construction allows for easy maintenance
- Specially designed door channel prevents drips and leakage, keeping oil in the chamber and not on the floor
- Filter Regulator/Lubricator:

DOWFRL1 - Filter Regulator/Lubricator

- Required with use of filter crusher
- Easily attaches to air-fitting on wall of either filter crusher



DOWFS400 - Deluxe Floor Stand:

- All steel construction
- Includes separate counter top drain
- Includes an area to drain used filters before crushing
- For AFC-100-94 and HDC-150-94
- Accommodates a 16-gallon drum (not included)
- Measures 28"W x 23"D x 38"H.



abrasive blasting



ALC41500 \$2,011.40 Triple Door, Foot Pedal Cabinet with Dust Collector

- Top door and 2 side doors
- Dust collector mounted on the rear of the cabinet
- Foot pedal operated • Heavy duty blast gun • Easy assembly

This cabinet has a full width top door and two side doors for easy access. It has a 90 cfm dust collector mounted on the back of the cabinet. It is foot pedal operated for more control. It has a heavy duty blast gun with long lasting nozzles. It can be assembled easily with nut and bolt assembly. No holes to drill, just use a screwdriver to assemble. Includes a fluorescent light.



- ### ALC40411 \$2,850.39 48" x 24" Steel Floor Model Cabinet Blaster with Foot Pedal
- 100 cfm dust collector included with all steel cabinets
 - Heavy duty 14 gauge steel - welded seams
 - Full width top drawer
 - High quality lined 24" gloves



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



- ### ALC40403 \$2,614.70 36" x 24" Top and Side Door Foot Pedal Abrasive Blasting Cabinet
- 100 cfm dust collector included with all steel cabinets
 - Heavy duty 14 gauge steel - welded seams
 - Full width top drawer • Rubber gloves included

Work area: 36"W x 24"H x 24"D. Height: 60".
Cushioned foam armholes.



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



SHOP TOOLS & equipment

shop presses

**HEIN-WERNER
AUTOMOTIVE**

OMEHW93300C \$4,332.05 25 Ton Press with Accessory Kit

- Excellent for bending, bonding or straightening applications
- Multi-position bed for work height adjustment
- Includes hand winch for easy bed adjustments
- Includes 25 ton press accessory kit and arbor plates



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



**HEIN-WERNER
AUTOMOTIVE**

OMEHW93401 \$6,145.07 55 Ton Shop Press with PA2000 Air Pump

- Excellent for bending, bonding, or straightening applications
- Includes hand winch for easy bed adjustments
- Industrial grade rams and hydraulic pumps

The Hein-Werner HW93401 is an American Made 55 ton shop press with a powerful air motor. It is made from heavy gauge steel with all welded construction for years of dependable service in even the highest volume applications.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



OTC


OTC1834 \$3,863.39 25 Ton Capacity Shop Press

- Ideal for pressing rear axle bearings, piston pins
- Large 30" x 46" work area under ram
- Press bed is easily raised and lowered by a dependable lifting mechanism
- Press complete with air-driven No. 4020 hydraulic pump; No. 9652 gauge; No. 21815 tee; No. 9768 hose and hydraulic ram with 6-1/4" stroke

OTC1833 \$3,730.19 25 Ton Capacity Floor Press with Hand Pump

- 4002 hydraulic hand pump, 9652 gauge, 24815 tee, 9767 hose (1/4" I.D. x 6'), ram with 6-1/4" stroke, and 42733-WH2 ump mounting bracket. Floor space: 41-1/2" x 28"

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov




OTC

OTC1851 \$6,128.99 55 Ton Capacity Economy Shop Press with Air/Hydraulic Pump

- Hand-operated winch and cable mechanism adjusts lower press bolster
- Includes hydraulic ram with 6-1/4" stroke, gauge, hose, and pump mounting bracket
- Durable steel frame resists buckling and bending

OTC1845 \$8,182.19 55-Ton Capacity Heavy Duty Press with Electric / Hydraulic Pump

- OTC Lifetime Marathon Warranty®
- Hydraulic ram features 13" of stroke.
- Includes single-acting ram No. 52380 with 13" stroke; No. 4044 electric/hydraulic pump; No. 9651 gauge; No. 303563 hose (3/8" ID x 8'); and pump mounting bracket.



OTC

OTC1872 \$9,530.08 55-Ton Heavy-Duty Press

- Includes double-acting ram with 13" stroke, electric/hydraulic hand pump, gauge, hoses, and pump mounting bracket
- Covered by OTC Lifetime Marathon Warranty
- Side-to-side positioning of ram allows full capacity pressing along entire bolster length without buckling or bending.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



OTC1847 \$7,307.59 55-Ton Capacity Heavy Duty Press with Air / Hydraulic Pump

- Includes single-acting ram No. 52380 with 13" stroke; No. 4022 air/hydraulic pump; No. 9651 gauge; No. 9781 hose (3/8" ID x 10')

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



OTC1854 \$13,242.19 100-Ton Capacity Economy Shop Press with Electric/Hydraulic Pump

- Includes hydraulic ram with 10" stroke
- Includes electric/hydraulic pump, gauge, hose, and pump mounting bracket
- Covered by OTC Lifetime Marathon Warranty

SHOP TOOLS & equipment

shop presses

SUNEX®
TOOLS

SUN5720 \$1,014.99 20 Ton Manual Hydraulic Shop Press

- Fully welded design for superior durability and strength
- Includes 3 piece punch kit, bed plates, bearing shield
- Ideal for straightening, bending, removing/installing gears, bearings and bushings

SUN5720AH \$1,128.99 20 Ton Air/Hydraulic Shop Press



K TOOL®
INTERNATIONAL

KT163619 \$961.19 20 Ton Shop Press

- Pump, 7.28" stroke self-retracting ram and hose with glycerine filled gauge
- Vertical throat opening between 0" to 38", 21.25" throat width
- 4.25" opening between movable bolster channels
- 59" frame height, 25.25" width, and 27.5" base leg length
- Complies with ASME PASE/2014 safety standards
- 2 Year Warranty on material and workmanship

KT163611 \$622.49 12 Ton Shop Press

- Pump, 7.1" stroke self-retracting ram and hose with glycerine filled gauge
- 53" frame height, 21.5" width, and 27.5" base leg length
- Complies with ASME PASE/2014 safety standards
- 2 Year Warranty on material and workmanship


WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



**AMERICAN
FORGE & FOUNDRY™**

INT850ASD \$1,442.89 20 Ton Super Duty press

- 20 Ton super duty pressing force
- Welded frame for added stability
- Shatter resistant polycarbonate guard for added safety
- Large liquid filled gauge to accurately show pressing force
- Air pressure 110-120 psi



INT852ASD \$2,437.69 30 Ton Super Duty Shop Press

- Includes two press plate set and 10 piece pin and bearing press adapter set
- Air pressure 110-120 PSI
- Welded construction for exceptional strength and durability
- Dual air motor operation for faster pressing process
- Lateral head adjuster provides smooth side to side movement of the press head



**MUELLER
KUEPS**

MLK432650 \$560.59 Universal Press Support Set

- For mounting and demounting jobs
- Safety alignment for workshop press



SUNEX®
TOOLS

SUN5740 \$2,765.59 40 Ton Hydraulic Shop Press

- Fully welded design for superior durability and strength
- Versatile sliding head adapts to project needs
- Includes bed plates and bearing shield
- Ideal for straightening, bending, and removing/installing gears, bearings and bushings



SUN5740AH \$2,785.99 40 Ton Air/Hydraulic Shop Press

- Sliding head allows for offset pressing providing more room on one side if needed when pressing irregular objects
- Air motor design eliminates need for pumping
- Proudly made in the USA
- Capacity (tons) 40 @ 100 PSI; Overall Height: 76.25"; Base Width: 32"; Vertical Throat Opening: 1 to 40"; Throat Width: 32"; Ram Stroke: 6.75"; Ram Diameter: 2"; Cylinder Bore: 3.5"



SHOP TOOLS & equipment

drill presses/bench grinders



NOT AVAILABLE FOR SALE
IN CANADA

- JET354402 \$1,796.19**
JET J-2550 20" Floor Model Drill Press
- Cast iron head
 - Large quill
 - Head casting features a permanently lubricated ball bearing spindle assembly, using four heavy duty ball bearings in an enclosed quill for longer life
 - Massive T-slotted production work table (Model J-2550 only)
 - Table tilts 45 degrees

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



- KT160060 \$130.95**
6" Heavy Duty Bench Grinder
- 1/3 HP, 115 volt with 3450 RPM no load speed
 - Cast iron motor housing for heavy duty applications and long life
 - Includes: 1 course 36-grit grinding wheel and 1 wire wheel
 - Two adjustable tool rests to accommodate a variety of uses and provide additional stability for precision grinding
 - UL listed
 - 1 Year Warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

bench grinders



NOT AVAILABLE FOR SALE
IN CANADA

- JET577101 \$367.99**
JET JBG-6A 6" Bench Grinder

- Totally enclosed pre-lubricated ball bearings
- Heavy-duty guarded toggle switch on 8" and 10"
- Rubber mounts prevent movement
- UL listed

- JET577102 \$448.99**
JET JBG-8A 8" Industrial Bench Grinder

- Sharpens, shapes, deburrs and removes material fast
- Totally enclosed, pre-lubricated ball bearings
- Heavy-duty guarded toggle switch on 8"
- One-piece quick adjusting spark guards
- Cast iron wheel guards and dust vents

- JET577172 \$249.99**
JET JPS-2A Pedestal Stand for JET Bench Grinders

- Heavy-duty cast iron construction provides strength and durability
- Wide stance base gives you a stable grinder workstation
- Coolant tank and tool tray are on an adjustable platform for your convenience
- Compatible with all JET Bench Grinders
- 30.6"L x 20.5"W x 5.1"H. Weight: 51.81 lbs

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



- SUN5002A \$232.99**
8" Bench Grinder with Light

- Bright, flexible work light
- Cast iron base for durability
- Has two 8" grit wheels: coarse 36 and medium 60
- Each wheel has protective spark guard and adjustable eye shield
- Mounting holes and rubber feet make grinder easy to mount on a stand or use on an approved worktable or workbench



- DWTDW758 \$208.79**
8" Bench Grinder

- Powerful 3/4 HP induction motor provides superior power for industrial grinding applications
- Rugged cast iron base and motor housing provide durability and prolong life
- Motor runs at 3,600 RPM for high speed material removal
- Precision-machined aluminum tool rests allow the user to accurately position work
- Rear exhaust ports in wheel guards for smoother operation



vices



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Steel Bench Vises

Rugged all-steel vise is stronger than its cast iron counterpart. Vise features swivel base and large anvil space for hammering. 10-year limited warranty.

- KT164105** - 5" vise 5-1/4" usable jaw opening 27 lbs. **\$179.16**
KT164106 - 6" vise 6-1/2" usable jaw opening 35 lbs. **\$222.69**
KT164108 - 8" vise 8-1/2" usable jaw opening 50 lbs. **\$291.69**



KT164106



- WIL28807 \$794.56**

Wilton Tradesman 1765 Vise, 6-1/2" Jaw Width

- Keeps lubrication in and contaminants out for a lifetime of smooth operation
- Redesigned spindle assembly improves overall product life and durability
- Precision slide bar eliminates movement in the front jaw
- Machined steel serrated jaws with phosphate coating
- Reversible jaw inserts are serrated on one side for extra grip and smooth on the other to prevent marring on softer surfaces



- WIL28808 \$1,107.99**

Wilton Tradesman 1780A Vise, 8" Jaw Width

Tradesman Vises

- Wider Jaws provide greater clamping surface
- Large anvil work surface
- Precision turned sidebar
- 360° swivel base with double lockdowns

- WIL1755** - 5-1/2" **\$726.99**
WIL1765 - 6-1/2" **\$926.29**

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



- WIL745 \$402.19**
5" Mechanic's Vise

- Swivel base rotates 360° and has double lockdowns ensuring maximum stability
- Replaceable hardened steel top and pipe jaws

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



SHOP TOOLS & equipment

material handling



JET140175 \$695.99

JET PTW-2748

27" x 48" 6000 lb. Pallet Jack

- 200 degree turning radius
- Solid steel push rods never need adjustment
- Articulating 7" poly-over-aluminum steer wheels ensure continual contact with uneven floors
- One-piece cast pump features high quality seals, hardened and chroma plated ram and piston, top-of-stroke and overload safety bypass valves

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

NOT AVAILABLE FOR SALE
IN CANADA



AMG3400-1 \$89.19

600 lb. Capacity Hand Truck

- 10" ball bearing wheels
- Vertical or horizontal loading
- Easy storage, standing up or hung from handle
- 5 year warranty



welding / heating / rivets



**High Performance
18 Volt System**



FSIPT-4500HTCK \$5,730.17

18 Volt Cordless Blind Rivet & Lock Bolt Installation Truck Cab Kit

- Powerful and light weight cordless riveter combines speed, performance and ergonomic features
- Powered by a slide on 18 V Li-Ion Battery Pack with fuel gauge
- Uses industry standard Huck style nose assemblies
- Will install most industrial quality blind rivets and lockbolts (Huck MG and C6LB styles) thru 1/4" (6.4mm) diameter
- Rapid stroke capability

PT-4500H's brushless motor drives a mechanical ball screw gear system that provides pull forces up to 5000 lbs. Providing nearly a 1" stroke capability with speed comparable to most shorter stroke air operated riveters, the PT-4500H reduces cycle times even when using extended grip rivets, and an easily removeable rivet stem collector is provided to eliminate potential foreign object damage from spent mandrels in the work area. Kit includes: 2 batteries, charger and all the pulling heads necessary to install 3/16" and 1/4" Magna-lok®/Interlock® blind rivets and 3/16" and 1/4" Magna-grip®/Maxlok® and C6LB style lockbolts. All in a convenient carrying case.



FSI2025TCFK \$442.63

Truck Cab Fastener Kit, Blind Rivets & Lockbolts

- All The Fasteners Required To Repair Your Truck
- 3/16" & 1/4" Magna-Grip Lockbolts • 3/16" C98It Stainless Lockbolts, Brite Finish
- 3/16" & 1/4" Magna-Lok Rivets • Carrying Case



**INDUCTION
INNOVATIONS**

**Operates on
120 volts**



IDIMD-700 \$491.39

Mini-Ductor™ II

- Uses high frequency magnetic fields to instantly heat metal objects: Nuts/Bolts, Bearings, Gears, Pulleys, O2 Sensors and more. Also remove: Hail dents, Vinyl Graphics, Side Moldings, and Emblems. Operates on 120 Volts, 1000 Watts
- Complete with Nut-Z-off coil, Bearing Buddy rope coil, 23" U-form coil, manual and case
- Heat metal objects near plastic components without need to shield them

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

IDIMDV-777 \$598.09

Mini-Ductor Venom®

- Coil Twist Lock: coils now lock down with one simple turn (no more thumb screws) and Venom works with all Mini-Ductor coils
- Venom's lightweight, ergonomic design allows for induction heat to access hard to reach places
- A Red LED will light under fault conditions and Green LED lights while the trigger is active and the tool is heating properly
- User Controlled LED Switch: as long as the tool is powered and the internal power supply is operating, the LED will remain lit when the switch is on
- 2-Year Limited Warranty: Venom has a two year parts and labor warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



**LINCOLN®
ELECTRIC**



LEWK1297 \$842.49

AC/DC 225/125 60HZ Arc Welder

- AC welding output range of 40-225 amps and a DC welding output range of 30-125 amps
- Easy to install. Comes with attached input power cable and plug.
- Easy to operate with front mounted AC/DC polarity switch and full range amperage selector switch for accurate and dependable procedure setting
- Traditional design provides long-life and low cost operation
- Compact size allows for easy storage and handling

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



SHOP TOOLS & equipment

creepers & seats



Adjustable 30" Work Table

- Total weight capacity of 200 pounds
- Rubber bumper corners for protection and top work surface with liner included
- Work table dimensions: 29.3" x 20.2" x 34.5"; Tray size: 28.9" x 19.8" x 1.0"; Drawer size: 15" x 18.5" x 2.5"
- Four 2" x 1.25" swivel casters for easy moving
- 16 gauge steel tray, 22 gauge steel drawer and 13 gauge steel adjustable tube
- 1 Year Warranty on Material and Workmanship

KT179700 - Red

KT179701 - Green

KT179702 - Black

Your Choice \$192.69

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



NEW!

KT174982 \$108.00

Creeper Seat Storage Under Seat

- Padded creeper seat (14" x 10") with storage under the seat; two side drawers, storage compartment and screwdriver bracket on front side and 1" spacing pegboard on back side
- (2) Drawer size: 6.496" (165mm) x 10.039" (255mm) x 3.661" (93mm) - one on each side of seat
- Ball-bearing slider drawers • Four 2-1/2" casters
- Creeper dimensions: 14.1" x 19.291" x 18.898"
- Weight capacity: 300 lbs. • Covered by a 1-Year Warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



OME92450 \$185.12

450 Lbs. Creeper Seat Tool Box

- 450 lbs rated capacity
- 4 full bearing 3" casters with polyurethane wheels
- (3) 12-3/4" x 7-1/2" x 2-1/4" drawers

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



OTC1734A \$136.89

Heavy-Duty Wheel Step

- Fits heavy duty vehicles (Class 7/8)
- 300 lb. capacity
- Non-skid platform surface
- Installs in seconds, adjusts to fit 22-1/2" to 24" wheel sizes



TRAXION
engineered products



TRX3-700 \$544.89
ProGear TopSide Creeper

- Easy 15 minute assembly
- New and improved design, safe and productive engine access for 3/4 ton, 1 ton and up trucks
- Takes up 54% less space than the original design
- Fully padded ergonomic sling deck, forms to your body
- 17% higher reach, 18% wider steps, I frame design give 20% more access under the hood




TRX3-100 \$347.39
Foldable TopSide Creeper

- Adjustable from 48" to 64"
- Slip resistant steps
- Durable powder coated steel frame construction



TRX3-102 \$39.99
Traxion TopSide Bolt-On Swiveling Tool Tray

- Companion accessory to the Model 3-100
- Keeps tools close to you while you work
- Swivels out of your way



TRX1-100 \$194.69
ProGear Wide Body Creeper

- Wide Body Deck for increased comfort and productivity
- Low profile, with 5" rubber casters that roll over most common shop items
- Contoured deck provides extra padding and lumbar support



ESC60203 \$112.29
Tire Step

- Heavy duty portable safety step
- Easy way to service truck engine compartments
- Holds up to 400 lbs.
- Folds for compact storage (less than 4")
- Use on standard size truck tire
- Simply hangs onto the top of the truck tire allowing the technician to work under the hood without bulky stepladders or stools



STC20350 \$189.99
The Pro Step

- Heavy Duty (500 lb. cap.)
- Platform (32" x 16")
- Foam bumpers protect vehicle finish
- Spring loaded retractable wheels, you can push it with your foot
- Extra-wide (23") base rails for stability
- Height adjustable from 6-1/2" to 22-1/2"
- Made of heavy duty construction.
- Weight-45 lbs.



SHOP TOOLS & equipment

air compressors



\$3,398.69

IRT2475F13GH Two-Stage Gas Powered Air Compressor

- Precisioned engineered components for over 15,000 hours of trouble free use
- Tank (Gal.): 30
- Max PSI: 175



\$3,066.69

IRT2475F14G 14 HP Gas Drive Air Compressor - Kohler Engine

- Horse Power: 14
- Tank (Gal.): 30
- Max PSI: 175
- ACFM@100/175 PSI: 25



IMC216V \$1,522.59 Single-Stage Vertical Electric Compressor

- Horse Power: 5
- Pump: T29S
- Motor Volt/Phase: 208-230/1
- Tank (Gal.): 60
- CFM Disp: 18.6
- ACFM@100/175 PSI: 15.33
- Max PSI: 165



IMC218V \$1,941.29 Two-Stage Vertical Electric Compressor

- Horse Power: 5
- Pump: T29S
- Motor Volt/Phase: 208-230/1
- Tank (Gal.): 80
- CFM Disp: 18.59
- ACFM@100/175 PSI: 15.33/13.75
- Max PSI: 175

IMC318VL \$2,953.59 Two-Stage Vertical Electric Compressor

- Horse Power: 7.5
- Pump: T39
- Motor Volt/Phase: 208-230/1
- Tank (Gal.): 80
- CFM Disp: 32.52
- ACFM@100/175 PSI: 25.25/22.28
- Max PSI: 175

NOTE ON ALL AIR COMPRESSORS

FOR FREIGHT TERMS SEE BACK OF BOOK

Ask your Sales Associate about attractive Lease Options.



2 Stage Vertical Air Compressors

Part Number	HP	CFM	Voltage	Tank	Start-Up Kit	
Value Packages						
IRTC2340L5	5	14.7	230/1/60	60	32305880	\$1,697.19
IRTC2475N7.5	7.5	24	230/1/60	80	32305880	\$2,988.09
Premium Packages						
IRT45465523	7.5	24	230/1/60	80	32305880	\$3,778.95

\$1,004.95

IRTCSS3L3 Single-Stage Vertical Electric Compressor

- Horse Power: 3
- Pump: Single Stage Cast-iron
- Motor Volt/Phase: 230-1
- Tank (Gal.): 60
- Max PSI: 135
- ACFM@100/175 PSI: 11.3/10.3 (90/135 PSIG)

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



LECFXS10V080V1 \$4,499.00 Air Compressor 10HP 80 Gallon 1 Phase, Vertical

- Flexzilla Pro Air Quiet Vertical Air Compressor
- 10 Horse Power
- 2 Stage



LECFXS10V120V1 \$5,149.00 Air Compressor 10HP, 120 Gallon 1 Phase, Vertical

- Flexzilla Pro Air Quiet Vertical Air Compressor
- 10 Horse Power
- 2 Stage

SHOP TOOLS & equipment

air compressors kits

BluBird®

13 Piece BluBird® Air Compressor Kits

- Hose: 40% lighter than traditional rubber hoses, resists kinks and extreme weather, 4 finger grip bend restrictors, 300 PSI 1200 PSI, flexible in -50°F
- Heavy duty industrial type couplers & plugs in brass
- Covered by a 10 year warranty on hose and 2 year warranty on accessories
- Perfect for DIY & contractors



BLBBB1425KIT \$49.15

13 Piece BluBird 1/4" x 25' Air Compressor Kit

Kit Includes: 1/4" x 25' BluBird® air hose, safety blow gun (1), tire gauge(1), air chuck (1), male plugs industrial style 1/4" NPT (3), female plugs industrial style 1/4" NPT (2), male coupler industrial style 1/4" NPT (1), female coupler industrial style 1/4" NPT (1), Teflon tape (1), storage bag (1)

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



on Hoses



on Accessories



4:1
Safety
Factor



Flexibility in
extreme
conditions from
-50°F to 190°F



\$55.95

BLBBB3825KIT

13 Piece BluBird 3/8" x 25' Air Compressor Kit

Kit Includes: 3/8" x 25' BluBird® air hose, safety blow gun (1), tire gauge(1), air chuck (1), male plugs Industrial style 1/4" NPT (3), female plugs

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

blow guns



\$24.39
ACMA680CS
1/4" NPT Blowgun
with High Flow Tip

- Delivers up to 51 CFM at 125PSI
- Meets or exceeds OSHA regulations

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Blackstar 020 Fixed Bent Blow Guns

- Maximum working pressure of 232 psi
- Available in different tube styles and lengths

VAC72-020-1050 - 4" \$22.79

VAC72-020-1260 - 20" \$44.91

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Air Blow Guns

- Exclusive Venturi mechanism boosts output by 15%
- Inlet threaded 1/4" NPT (F)
- 1 year warranty

Part #	Description	
KT171010	Air Blow Gun Rubber Tip 1/2"	\$12.09
KT171011	Air Blow Gun Standard	\$10.69
KT171012	Air Blow Gun High Flow Safety	\$12.09
KT171013	Air Blow Gun Soft Rubber Star Tip	\$14.09
KT171015	Air Blow Gun Kit - 4 Tips	\$20.49
KT171016	Air Blow Gun Kit - 7 Tips	\$31.69

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

couplers



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LEGA53458FZ \$68.59

14 Piece Flexzilla Pro High Flow Coupler and Plug Kit - 1/4" NPT

- Kit includes: (2) FNPT Coupler, (2) MNPT Coupler, (4) FNPT Plug and (6) MNPT Plug

LEGA53457FZ \$31.59

7 Piece Flexzilla Pro High Flow Coupler and Plug Kit - 1/4" NPT

- Kit includes: (1) FNPT Coupler, (1) MNPT Coupler, (2) FNPT Plug and (3) MNPT Plug

MILTON INDUSTRIES, INC.



Part Number	Style / Type	Thread Type	NPT	Basic Size	Pkg.	
MILS715	"M Style" Plug	Female	1/4"	1/4"	1/Pk	\$6.19
MILS716	"M Style" Plug	Male	1/4"	1/4"	1/Pk	\$6.39
MILS727	"M Style" Plug	Male	1/4"	1/4"	2/Pk	\$2.69
MILS728	"M Style" Plug	Female	1/4"	1/4"	2/Pk	\$2.99

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Part Number	Style / Type	Thread Type	NPT Size	Basic Size	Pkg.	
MILS1803	"P Style" Coupler	Female	1/4"	3/8"	1/Pk	\$13.95
MILS1805	"P Style" Coupler	Female	3/8"	3/8"	1/Pk	\$12.29
MILS1809	"P Style" Plug	Male	1/4"	3/8"	2/Pk	\$5.49
MILS785	"T Style" Coupler	Female	1/4"	1/4"	1/Pk	\$7.19
MILS783	"T Style" Plug	Male	1/4"	1/4"	2/Pk	\$2.95
MILS1815	"G Style" Coupler	Female	1/2"	1/2"	1/Pk	\$16.99
MILS1816	"G Style" Coupler	Male	1/2"	1/2"	1/Pk	\$15.99
MILS1817	"G Style" Plug	Male	1/2"	1/2"	1/Pk	\$4.69
MILS1818	"G Style" Plug	Female	1/2"	1/2"	1/Pk	\$4.69
MILS1835	"H Style" Coupler	Female	3/8"	3/8"	1/Pk	\$13.29
MILS1839	"H Style" Plug	Male	1/4"	3/8"	2/Pk	\$5.09

SHOP TOOLS & equipment

air hoses

BluBird



Flexibility in extreme conditions from -50°F to 190°F



BluBird Rubber Air Hoses

- Ultra-light & Super-strong rubber
- Ozone resistant cover provides protection from extreme weather, abrasions & kink
- Factory crimped Stainless Steel Universal Claw Couplings for better durability
- Flexibility in extreme conditions from -50° F to 190° F
- Wrapped finish gives better flexibility and abrasion resistance
- 4 Finger Grip Bend Restrictors

Part #	Size	NPT	
BLBBB1225	1/2" x 25'	1/2" to 3/8" NPT Reducer	\$35.95
BLBBB1250	1/2" x 50'	1/2" to 3/8" NPT Reducer	\$53.97
BLBBB12100	1/2" x 100'	1/2" to 3/8" NPT Reducer	\$139.93
BLBBB3425	3/4" x 25'		\$73.42

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

AVAGARD



Avagard® Professional Rubber Air Hoses

- 80% the weight of traditional rubber hoses
- Ozone resistant cover provides protection from extreme weather, abrasions & kinks
- Resists mild grease, oil & diesel
- Constructed with high strength polyester braided reinforcement
- 4 finger grip bend restrictor for better ergonomics
- Available hose inner diameters: 1/4", 3/8" and 1/2"
- Max. working pressure: 300 PSI • Safety factor: 4:1

Flexibility in extreme conditions from -40°F to 180°F

Part #	Size	NPT	
BLBAVG3850	3/8" x 50'	1/4"	\$45.51
BLBAVG1225	1/2" x 25'	1/2"	\$34.48
BLBAVG1250	1/2" x 50'	1/2"	\$62.97

OIL SHIELD

Oil Shield® Whip Hoses

- Professional air tool lead in / snubber hose, 300 PSI
- Core tube and cover meets RMA Class A oil resistance
- Absorbs shock to air couplers from pneumatic tools
- Reduces twisting and kinking. Extends coupler service life & improves maneuverability
- Flexible rubber construction, with 4 finger-grip bend restrictor
- Covered by a 90 day material and workmanship warranty



OIL SHIELD



Oil Shield Air Hose

- Ultra lightweight, extreme durability resists abrasion and ultra high strength
- Stays flexible in extreme conditions from -30 To 190° F
- Oil Resistance Core Tube and Cover Meets RMA Class A Oil Resistance
- Four Finger Grip Bend Restrictor for easy use and better durability



Flexibility in extreme conditions from -30°F to 190°F

Part #	Size	NPT	
BLBOS1225	1/2" x 25'	1/2"	\$46.69
BLBOS1250	1/2" x 50'	1/2"	\$91.25
BLBOS12100	1/2" x 100'	1/2"	\$175.04
BLBOSPR03425	3/4" x 25'	3/4"	\$112.09
BLBOSPR03450	3/4" x 50'	3/4"	\$204.04

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

BluBird



Flexibility in extreme conditions from -50°F to 200°F



BluBird Patriot Pro Air Hose

- Ultra-Light & Super-Strong
- Ease of use: Lays flat, does not kink under pressure
- Unmatched cold-weather flexibility: Remains as flexible at -50F as the best hybrids do at 0F. Perfectly usable. Doesn't become a noodle up till 200F either.
- Braided, not just spiraled, polyester gives 300PSI Working Pressure from -50F to 200F with a burst pressure of 1200PSI
- Comes with 1/4" Brass M-NPT end fittings & 1/2" to 3/8" adaptor
- 4 Finger Grip Bend Restrictors

Part #	Size	M-NPT	
BLBPP1225	1/2" x 25'	1/4"	\$37.20
BLBPP1250	1/2" x 50'	1/4"	\$75.00
BLBPP12100	1/2" x 100'	1/4"	\$152.09

Part #	Description	NPT	
BLBOSLD1203	1/2" x 2' Whip Hose	1/2"	\$14.43
BLBOSSR1205	1/2" x 5' Whip Hose	1/2"	\$23.95

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

SHOP TOOLS & equipment

air hose reels

BluBird®



on Hoses



on Hose Reels



4:1
Safety
Factor

BLBBBRHD1250 \$236.13 BluBird Air Hose on 18 Gauge Heavy Duty Reel 1/2" x 50'

- Retractable Hose Reel with BluBird 1/2" X 50' Air Hose
- Powder Coated Steel - Corrosion Resistant, Heavy Duty 18 Gauge Steel
- 12 Point Ratchet for locking at shorter intervals
- 4-way Roller Guides
- 3' Whip Hose Included & 1/2" to 3/8" NPT connector

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



**HEAVY
DUTY**

AVAGARD®



on Hoses



on Hose Reels



Flexibility in extreme
conditions from -40°F
to 190°F

BLBAVGR3850 \$164.46 AVAGARD® Black Steel Hose Reel with 3/8" x 50' Rubber Air Hose

- All steel constructed black reel with 300 PSI red Avagard 50' rubber hose
- Slotted mounting base for easy installation
- Automatic spring powered recoil
- 12 position ratchet gear
- 3/8" NPT inlet and 1/4" outlet

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



**4:1
Safety
Factor**

Oil Shield®



on Hoses



on Hose Reels

BLBOSRHD1250 \$252.34 Oil Shield® Air Hose on 18 Gauge Heavy Duty Reel 1/2" x 50'

- Retractable Hose Reel with Oil Shield 1/2" X 50' Air Hose
- Powder Coated Steel - Corrosion Resistant, Heavy Duty 18 Gauge Steel
- 12 Point Ratchet for locking at shorter intervals
- 4-way Roller Guides
- 3' Whip Hose included & 1/2" to 3/8" NPT connector

BLBOSRHD1265 \$436.97

Oil Shield® Air Hose on 18 Gauge Heavy Duty Reel 1/2" x 65'

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



**4:1
Safety
Factor**

Oil Shield®

Oil Shield® Air Hose Reels

- Retractable air hose reel with BluBird® Oil Shield® air hose
- Powder coated steel - corrosion resistant, heavy duty 18 gauge steel
- 12 point ratchet for locking at shorter intervals
- 4-way roller guides
- Covered by a 2 year warranty on reel with 3-Year warranty on the included yellow Oil Shield® hose



on Hoses



on Hose Reels



Flexibility in extreme
conditions from -30°F
to 190°F



**4:1
Safety
Factor**

Part #	Size	NPT	
BLBOSR1225	1/2" x 25'	3/8" NPT inlet and 1/2" NPT	\$179.95
BLBOSR1250	1/2" x 50'	with 1/2" to 3/8" Reducer outlet	\$211.56

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



on Hoses



on Hose Reels



**4:1
Safety
Factor**



Flexibility in extreme
conditions from -30°F
to 190°F

BLBOSRDA1250 \$325.10 Oil Shield Heavy Duty Dual-Arm Retractable Air Hose Reel 1/2" x 50'

- Powder Coated Steel - Corrosion Resistant, DUAL ARM Heavy Duty 18 Gauge Steel
- Perfect for mounting on mobile applications
- Meets RMA Class A Oil Resistance
- 12 Point Ratchet for locking at shorter intervals
- 50% Wider Spring with Rubber Gasket for extreme durability
- 3' whip hose include along with a 1/2" to 3/8" reducer

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



BluBird®



on Hoses



on Hose Reels

BLBBBRDA1250 \$305.20 BluBird Heavy Duty Dual-Arm Retractable Air Hose Reel 1/2" x 50'

- ULTIMATE SOLUTION FOR A PRO!
Powder Coated Steel - Corrosion Resistant, Dual Arm Heavy Duty 18 Gauge
- 12 Point Ratchet for locking at shorter intervals
- 50% Wider Spring with Rubber Gasket for extreme durability
- 3' Whip hose included along with a 3/8" to 1/4" reducer
- Perfect for mounting on mobile applications
- Reel is covered by a 2 year warranty and hose is covered by a 10 year warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



SHOP TOOLS & equipment

air hose reels

BluBird®



BLBHRS3812 \$26.69 Swivel Mount for Hose Reels - 1/4" 3/8" & 1/2" Reels

- Mounting bracket allows hose reels to be mounted to the wall and swung sideways for easy use while reducing pressure on the rollers
- All steel powder coated construction
- Heavy duty swivel joints • Suitable with most reels
- Covered by a 2 year warranty



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Rubber Molded Stopper for Hose Reels

- Covered by a 2 year warranty



Part #	Description	
BLBRBRSTP12	Rubber Molded Stopper for 1/2" Hose Reels	\$3.95
BLBRBRSTP38	Rubber Molded Stopper for 3/8" Hose Reels	\$3.93

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

FLEXZILLA™
THE MONSTER HOSE

Levelwind™ Retractable Air Hose Reel with Flexzilla Hose Included

- Levelwind™ Technology for Flexzilla hose
- Seven position locking bracket
- Adjustable hose stopper
- Durable construction
- Latching mode switch



LEGL8335FZ \$329.39 1/2" I.D. x 50' Flexzilla Hose

LEGL8306FZ \$323.59 3/8" I.D. x 75' Flexzilla Hose

Legacy™

Levelwind™ Retractable Air Hose Reel

LEGL8305 \$251.39 • 3/8" ID x 50' Hose Reel

LEGL8310 \$282.49 • 3/8" ID x 100' Hose Reel



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LINCOLN®

Air Reel Rubber Hoses

- Spring powered automatic recoil
- 8 position ratchet system
- 5 position adjustable outlet arm

LIN83753 (50' x 3/8" Hose) \$231.19

LIN83754 (50' x 1/2" Hose) \$259.89

LIN83753



LIN94354 \$735.49 Medium Pressure Oil Reel Assembly 50' x 1/2"

LIN94552 \$757.19 High Pressure Grease Reel Assembly 50' x 1/4"

LIN94354



TEKTON®

GYM4685 \$56.79 50' Manual Air Hose Reel

- 1/4" NPT air inlet • 300 PSI max working pressure
- 50' air hose capacity (hose NOT included)
- Heavy gauge all steel construction with corrosion-resistant powder coat finish



shop cleaning

IPA®
FUTURE NOW.

IPA9049M \$1,906.79 Fleet Tank Sweeper

- Removes water, rust, dirt and sludge from fuel
- 18 GPM pump (120V AC)
- Inline water blocking 10 micron filter
- Special wands included for accessing bottom of fuel tank
- Includes input and output hoses



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



BLBRMXSPR001 \$35.47 9 Mode Metal Spray Gun

- 3/4" GHT female inlet includes universal quick connect plug
- Heavy duty, metal construction with chrome finish
- Rubberized ergonomic grip makes work and fun and comfortable
- Covered by a 90 day warranty

RMX



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

SHOP TOOLS & equipment

shop cleaning

AG LITE



4:1
Safety
Factor



Handles hot water
up to 212° F



Flexibility in
extreme conditions
from -50°F to
190°F



AG Lite® All-Rubber Farm & Ranch Water Hose

- Lightweight & ultra durable
- Ozone resistant cover provides protection from extreme weather, abrasions & kinks
- Constructed with high strength polyester braided reinforcement
- Flexibility in extreme conditions from -50°F to 190°F
- 4 finger grip bend restrictor for better ergonomics
- Handles hot water up to 212°F
- All hoses have 3/4" GHT brass fittings
- 1" ID hoses have 3/4" GHT brass fittings to fit conventional water outlets
- Available hose inner diameters: 1", 3/4" and 5/8"
- Minimum burst pressure: 500 PSI

Part #	Description	
BLBBSAL5825	AG-Lite 5/8" x 25' Rubber Water Hose	\$40.48
BLBBSAL5850	AG-Lite 5/8" x 50' Rubber Water Hose	\$56.31
BLBBSAL5875	AG-Lite 5/8" x 75' Rubber Water Hose	\$84.48
BLBBSAL58100	AG-Lite 5/8" x 100' Rubber Water Hose	\$102.93

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



4:1
Safety
Factor



Flexibility in extreme
conditions from -50°F
to 190°F



Handles hot water
up to 212° F



BluSeal Pressure Washer In-Let Hose

- BluSeal pressure washer in-let hose with 3/4" standard fittings
- Lightweight & ultra durable
- Ozone resistant cover provides protection from extreme weather
- Constructed with high strength polyester braided reinforcement
- Flexibility in extreme conditions from -50°F to 190°F
- 4 finger grip bend restrictor for better ergonomics
- Handles hot water up to 212°F
- Minimum burst pressure: 500 PSI

Part #	Description	
BLBBSIL5815	BluSeal 5/8" x 15' Pressure Washer In-Let Hose	\$28.95
BLBBSIL5825	BluSeal 5/8" x 25' Pressure Washer In-Let Hose	\$47.83
BLBBSIL5850	BluSeal 5/8" x 50' Pressure Washer In-Let Hose	\$85.49

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



on Hoses



on Hose
Reels

BLBBSWR5850 \$259.51

BluSeal Water Hose Reel 5/8" x 50'

- 18 gauge heavy-duty powder coated steel reel
- Comes with lightest, strongest, most flexible rubber water hose
- Includes 6' lead-in hose for easy installation
- 3/4" GHT inlet and outlet
- Wall, ceiling, floor mountable
- Adjustable guide arm
- Water hose reel 5/8" x 50'
- Retractable hose reel with Ag-Lite water hose and nine mode spray gun
- Class leading 12 point ratchet for locking at shorter intervals
- 4-way roller guides
- Covered by a 2 year warranty on hose reel and 10 year warranty on attached hose to any manufacturing defects



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



on Hoses



on Hose Reels

\$264.94

BLBBSWR1250HRS BluSeal Water Hose Reel Retractable 1/2" x 50'

- Retractable Hose Reel with BlueSeal 1/2" X 50' water hose
- Powder Coated Steel - Corrosion Resistant, Heavy Duty 20 Gauge Steel
- 4-way Roller Guides
- 12 Point Ratchet for locking at shorter intervals
- 3' Whip Hose + Swivel Mount included
- 2 year warranty on hose reel and 10 year warranty on attached hose to any manufacturing defects



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



BLBBSWRSS1250 \$1,066.58


BluSeal Heavy Duty Stainless Steel Retractable Water Hose Reel 1/2" x 50' with HD 9 Pattern Metal Spray Nozzle

- 18 gauge stainless steel 304 construction
- 3/4" GHT inlet & outlet; includes 6' inlet hose
- 12 point ratchet for precise resolution, adjustable outlet arm, 4 way roller guides, ceiling floor, wall mounting options
- Lightest, strongest, most flexible rubber water hose
- 30% lighter, cold weather flex up to -50°F
- Covered by a 1 year warranty



SHOP TOOLS & equipment

shop cleaning & parts washers



CRD63050 \$28.65

Truckers Air Seat Blow Gun Kit

- Nylon 12 ft hose, coiled, burst pressure up to 120 PSI
- Zinc alloy blow gun, includes 2 replacement nozzle/heads with brass fittings
- 1/4" NTA air line tee
- Meets DOT Standards
- SAE approved



IPA8052 \$46.19

36" Air Comb® Filter and Radiator Cleaner

- Flush 90° air flow • 5x the air volume
- Accesses hard-to-reach areas • Extends filter life
- Great for all air filters, radiators, and condensers

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IPA8053 \$52.50

48" Air Comb® Filter & Radiator Cleaner

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



ATESL-STD-750 \$4,390.00

1250 LB / 53 GAL Capacity

Spray Wash Cabinet

- Includes parts basket and tree
 - 1,250 lb. load capacity
 - 1 year warranty on material and workmanship
- The SWC-750's 1,250 LB capacity turntable is designed to handle light diesel engines and engine parts for the truck repair and maintenance trade.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

ATESL-STD-500 \$4,095.00

550 LB / 50 GAL Capacity

Spray Wash Cabinet

- Automatic cleaning • 1,000 lb. load capacity
- Includes parts basket and tree
- 1 year warranty on material and workmanship

The SWC-500's 1000 LB capacity turntable is strong enough for any size auto or light truck engine.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



The cut-away sides under the door allow you to wheel your engine crane right over the table for easy loading and unloading. 19 high pressure spray jets quickly clean the greasiest engine components. Each cabinet includes a 60 minute timer and requires no harmful solvents — using only hot water and biodegradable detergents for an environmentally safe operation.



exhaust venting



CRUACT500 \$338.09

5" X 11 RUBBER EXHAUST HOSE

- ACT, for Larger Gas or Diesel Vehicles,
- 11' Long, 5" Diameter



CRU17ARA300 \$44.67

Tailpipe/Stack Adapters

- Tailpipe adapter for exhaust hose
- Bell shaped with snaps • Use with 2" or 3" hose



CRUDSR600 \$99.99

6" Diesel Stack for 4"-5" Hose

- 5-1/2" O. D. • Use with 4" or 5" Exhaust Hose



CRUACT600-W11 \$561.64

6" x 11' Garage Exhaust with Wire

- With wire for diesel trucks



SHOP TOOLS & equipment

DEF



IPA9070A \$1,597.95 120V AC DEF Transfer System with Automatic Shut-Off Nozzle

- The #9070 DEF Transfer System is a professional and complete turnkey solution, powered by an innovative and durable 9 GPM 120V AC pump
- Conveniently mounts to DEF tote containers
- 3 year warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IPA9072 \$895.95 12V DC DEF Transfer System (Manual Nozzle)

- A complete, DEF-rated, turnkey solution for transferring DEF (Diesel Exhaust Fluid)
- High-flow manual transfer nozzle • Corrosion-resistant fittings
- Battery-powered by an innovative and durable 9 GPM 12V DC pump

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



IPA9072A \$1,199.39 12V DC DEF Transfer System (Automatic Shut-Off)

- Battery-powered by 6 GPM 12V DC pump

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



THX108 \$19.98 DEF-CHEK Professional Tester

- If mixture is 0.7% off, mfg suggest replacing the DEF and identifying the problem
- Temperature compensating discs test DEF hot or cold
- Tester is a cost effective tool to test DEF
- If DEF is not tested, it will cause harm to the vehicle

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



FILFRHP32V \$118.99 DEF Hand Pump

- Hand action lever
- 11 oz. per stroke
- Polypropylene construction
- 2" NPT bung adapter




CEN3R401 \$82.99 Refractometer for Coolant Battery and DEF

- Easily check status of coolant, battery and DEF
- No power needed, uses ambient light
- Combines 2 tools in one by combining coolant and DEF scales
- Use ambient light to verify fluid condition
- 1-year warranty on material and workmanship



PLW55-155 \$178.99 DEF Rotary Barrel Pump

- Fits all 5-55 gallon pails/ drums with standard bung
- Ryton® construction - Teflon® and Viton® Seals
- Delivers 7 gallons per 100 revolutions



OTC5025 \$119.99 OTC UREA DEF Refractometer

- DEF-unique calibrated scale with 32.5%
- Enables operators to clearly determine if the DEF in their vehicle consists of a 32.5% Urea / Water solution
- 15-40% variance on scale
- 0.5% line graduations
- Complete kit provides operators everything they need to calibrate and use DEF Refractometer



\$2,248.89 DOWDEF-1A Diesel Emission Fluid (DEF) 55 Gallon Drum Dispensing System

- The Fuel Chief System is one of the industry's first "all inclusive" service systems for refilling a vehicle's onboard Urea system tank
- Maximum head 12' Pumping DEF @ 5.7psi
- 120 Volts, 60 Hz, 2 full load amps

The Fuel Chief line has been specifically designed for the convenient and safe service of the new SCR (Selective Catalyst Reduction) systems that require filling during normal service operations. The Fuel Chief Systems were the first in the industry to receive any domestic vehicle OE approval, and in many circles are considered the leader in Urea dispensing today!



SHOP TOOLS & equipment

DPF



OTC5281 \$14,179.19 DPF Thermal Processing Unit

- The 5281 DPF Thermal Processing Unit is a device which will thermally regenerate a DPF unit at a controlled, pre-programmed rate
 - Pre-programmed thermal profile controls temperature 'ramp up' and 'cool down' to protect DPF from thermal shock, reducing the risk of DPF cracking.
- Holds temperature constant for two hours to ensure complete regeneration of filter.
- Built-in safety door lock and electronic door switch prevent unauthorized opening of the door when temperatures exceed 200 degrees F.
- Large chamber accommodates various DPF sizes and shapes. Front access door allows for easy access to the thermal chamber.
- Includes both standard cycle and "pre heat" cycle for oil-soaked filters.
- Internal chamber dimension: 24" (L) x 24" (W) x 26" (H).



OTC5280 \$21,577.45 (DPF) Cleaner

- OE tested and Dealer recommended by many major diesel engine manufacturers
- Robust design for long shop life
- Can be used as part of a preventative maintenance program
- High Pressure cleaning process for thorough cleaning of ash from DPF
- Produces 10 times the burst energy of competitive low pressure units
- Initial Burst Quick check – To identify filters too plugged for proper cleaning
- Movable with locking wheels – For placement throughout the shop
- Computer Controlled Process Based on OE Requirements
 - for "Start to End" cleaning without constant technician monitoring
- Containment of hazardous ash – For easy disposal
- HEPA Filter Air Exhaust System – To exceed environmental air standards for shop
- Operates on standard 115V outlet
 - Proven to clean to over 92% efficiency
- (3) Third-party OEM test results using pin gauge measurement with approved SPX adapters and burst cycles. Actual results may vary.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

shop heating



MTNG10F \$84.08

120V 600/900/1500W Electric Space Heater

- Operates on 120 volts at three wattage settings (LOW: 600W, MED: 900W, or HIGH 1500W).
- Includes the following features: Tip-Over Switch, Over-Temperature Safety Cutoff, Pilot Light, and Thermostat Control
- Complete metal structure
 - Front guards for added protection
- Exterior and handle stay cool when being used
- Covered by a 1 year warranty on material and workmanship

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



MTNG11F \$72.33

120V 1300/1500W Electric Space Heater

- Operates on 120 volts at two wattage settings (LOW: 1300W or HIGH: 1500W)
- Includes the following features: Tip-Over Switch, Over-Temperature Safety Cutoff, Pilot Light, Fan-Only Operation, and Thermostat Control
- Covered by a 1 year warranty on material and workmanship



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



MRHF232000 \$143.09

MH9BX Portable Buddy Heater

- 4,000 and 9,000 BTU/Hr.
- For Emergency Indoor and outdoor use
- Automatic Low Oxygen shutoff system
- Accidental tip-over safety shutoff
- Heats up to 200 square feet



MRHF242200 \$57.49

MH15 Tank Top Heater

- Variable BTU's - 8, 12 and 14,00 BTU/HR
- Adjustable heat control - Hi, Med, Low Regulator
- Heater shuts off automatically with loss of flame
- Operates on a 1lb disposable propane cylinder (not included)
- Operating Time - Hi up to 1.5 hours



HETF170375 \$565.19

Heavy Duty Kerosene Forced Air Heater, 175K BTU/HR

- Heavy construction
- Illuminated on/off switch
- Flame safety/overheat safety shutoff
- Large heavy-duty handles with cord wrap
- 10" pneumatic tires
- CSA Certified



A Heavy Duty kerosene heater built for the jobsite, professional quality. CSA certified. This kerosene heater has all the versatility and safety features the jobsite requires.

A/C TOOLS & equipment

ROBINAIR

ROB34888HD \$6,623.75

**R134A Heavy Duty
RRR AC Machine**

- Fully-Automatic Function: Program to recover, vacuum, leak test and charge without operating panel valves
- Automatic Oil Drain: A display reminds you to empty the graduated container to show the amount of oil to replace
- Oil Inject: Automatically inject oil back into the vehicle's A/C systems
- Removable 50 Lb. External Tank: The ability to switch tanks when performing multiple recoveries on large mobile A/C systems
- Optional Printer



ROB34788NI \$4,465.33

R134A Refrigerant Machine

- SAE requirements
- Expandable - capable of additional feature and function add-ons (printer, wireless, refrigerant ID)
- Automatic Internal tank fill
- 98.5% Recovery • LCD Multi-language display
- **PLUS FREE Protective Cover** - While Supplies Last



WARNING: Cancer and Reproductive Harm
- www.P65Warnings.ca.gov

ROB17800C \$7,462.19

**Multi-refrigerant recover,
recycle, recharge machine**

- Automatically controls machine functions, leading the user through operations and also notifying when it's time to change the filter drier, and vacuum pump oil
- Automatically adjusts from liquid to vapor for fast and efficient recovery
- Vacuum leak test function allows user to monitor the system for vacuum decay to determine if a leak exists in the A/C system
- 5 CFM vacuum pump is large enough to thoroughly evacuate almost any system; making it ready for recharging.
- Compatible with R12, R22, R134A, R401A, R401B, R402A, R402B, R404A, R407A, R407B, R407C, R410A, R500, R502, and R507 refrigerants
- 1-year warranty on material and workmanship



Mastercool
"World Class Quality"

MSC91580-B \$723.09

**Single Stage Portable Evacuation /
Electronic Charging Station**

- R134a 2-way extruded aluminum manifold
- Deep micron, rotary vane 3CFM single stage vacuum pump
- Electronic charging scale 240lb capacity with a long lasting 9V battery
- 2 1/2" gauges, hoses and manual couplers
- Convenient storage pocket for scale and hoses



MSC98210A \$232.29

Accu-Charge II Electronic Charging Scale

- Charge programming allows user to program desired quantities; before charge is complete, an alarm will sound allowing user ample time to turn off refrigerant supply
- Capacity of 240 lbs, removeable platform
- Repeat allows user to charge previously stored amount
- Accuracy: +/-0.01 kg; +/-0.16 oz.; +/-0.01 lb
- Resolution : 0.01 kg/0.02 lb



cps

CPSAR2700M \$4,558.61

**Multi Refrigerant Recovery,
Recycling, Recharge Machine**

- Semi automatic refrigerant recovery re-charge
- Can be used for all refrigerants
- 1/3 HP compressor • Comes with a 50 lb tank
- Pump down valve to clear machine for new refrigerants



CPSFA1000 \$5,110.33

**Deluxe R134a A/C
Refrigerant RRR Equipment**

- Fully automatic RRR (Recover/ Recycle, Recharge)
- R134a Automotive applications at very affordable price.
- Oil less Compressor
- 50 lb. Tank and 8 foot hoses
- Charges through low and high side
- LCD Multi-language display



Mastercool
"World Class Quality"

MSC69110 \$1,270.79

Portable A/C Recovery Unit

- Automotive and heavy duty operation
- 30 lb DOT tank
- Heavy duty manual couplers and oil purge bottle
- 60" yellow and 72" red and blue
- SAE J2810 UL approved

WARNING: Cancer and Reproductive Harm
- www.P65Warnings.ca.gov



ROBINAIR

ROB15500 \$284.95

VacuMaster™ 5 CFM Vacuum Pump

- 115 volt, 2-stage design
- Die cast aluminum housing makes the pump lightweight but durable
- Lifetime filtration • 35 microns ultimate vacuum
- "No-hassle" over-the-counter replacement warranty



ROB15600 \$517.69

**CoolTech® 6 CFM Two Stage
Vacuum Pump**

- Iso-Valve™ isolates pump from system
- Inlet feature prevents pump contamination
- 15 microns ultimate vacuum

WARNING: Cancer and Reproductive Harm
- www.P65Warnings.ca.gov



ROBLD7 \$551.49

LD7 Refrigerant Leak Detector

- R134a and R1234yf compatible
- Automatic calibration and reset to ambient
- Patented 3 LED UV lights with 395-415 nm wave length is optimum for a/c dye fluorescence • 3 adjustable sensitivity levels



A/C TOOLS & equipment



MTN8204B \$128.09

R134a Aluminum Manifold Gauge Set

- Professional series
- 72" charging hoses
- R134a manual service couplers
- Valve core tool included
- R134a can tap and thermometer included

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



MTN8205 \$79.95

R134a Brass Manifold Gauge Set with Couplers

- Brass manifold body
- Automatic style couplers
- 60 in. yellow hose, 60 in. blue hose and 60 in. red hose
- 1 year warranty on material and workmanship

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



MTN11800 \$237.94

Vacuum Pump and Manifold Gauge Set

- R134a aluminum block manifold gauge set; R134a couplers & 72" hose included
- Aluminum block design with sight glass
- Voltage: 115V / 60Hz; 1/4 HP; Inlet Port: 1/4" SAE
- Flow Rate: 3CFM (90L / min.); Rotating Speed: 1440RPM
- Ultimate Vacuum: 10Pa / 75 Microns; Oil Capacity: 200ml

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



cps

CPSLS790B \$279.59

R12 and R134a Deluxe Leak Seeker® Detector

- Patented Ion-Pump sensor with built-in selective filter housing
- 0.25oz/yr (7g/yr) leak rate of HFC
- 10 high intensity bar graph display
- Lock-out mode



Made in America



WIL28900 \$4,222.99
Wilton Atomized Cooling Fan WACF-3037

- Compact size with small footprint (2X4)
- Efficiently cools with minimal increase to air humidity
- Runs more than 10 hours on a full tank of water
- Does not require a permanent water source
- Automatic low water shut off

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



PORTACOOOL

WHEN COMFORT COUNTS™

PORPACJS2201A1 \$999.00

Jetstream 220 - 2,400 CFM Portable 20 GAL

- Equipped with Kuul Comfort MicroTech™ evaporative media
- Oscillating louvers help cool a larger area
- Large 2" drain
- Lifetime-warranty on evaporative cooler housing against manufacturing defects
- 3-Year warranty on all electrical components
- Liquid level indicator with automatic pump shutoff protects your product and investment

The new, efficiently designed Portacool Jetstream™ 220 boasts powerful cooling in a compact size. This portable evaporative cooler is perfect for tight spaces or for spot-cooling a challenging personal workspace. Big on portability, but small in size, you can roll the Jetstream 220 where needed and the oscillating louvers will help deliver cooling comfort throughout your bay, garage or shop.



\$1,299.39

PORPACJS2301A1

Jetstream 230 - 3,600 CFM Portable Evaporative Cooler, 30 GAL



PORPACJS2401A1 \$1,913.39

Jetstream 240 - 4,500 CFM Portable Evaporative Cooler, 50 GAL

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

K TOOL
INTERNATIONAL

NEW!

KTI77700 \$148.99

Big Chill Blower (1200 CFM)

- 120V ~ 60Hz
- Workforce Blower 1200 CFM
- Maximum allowable load for receptacles 11 Amps
- 3 speed with 4-position adjustment for centralized airflow and quick drying
- For indoor or outdoor use
- Motor CSA approved
- Two grounded outlets with overload protection
- Heavy duty 3-prong plus with 14AWG x 3C gauge wire
- Covered by a 1 year warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KTI77702 \$107.69

Big Chill Blower (300 CFM)

MTN18500 \$39.95

Heater for 300 CFM Blower

- 120 Volt / 60 Hz • 11 Amp
- 5000 BTU



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LIFTING & hydraulics

2 post lifts

**ATLAS
PLATINUM**

\$3,245.00

**ATEAP-PVL10
10,000 Lb. Capacity
Atlas Platinum ALI Certified
2 Post Overhead Lift**

- 3 stage front and 2 stage rear arms
- Higher quality powder coating
- Truck adapter set included
- Premium power unit
- 5 year structural and 2 year power unit warranties



**PLATINUM
WARRANTY**
5 Year Structural;
2 Year Power Unit

ATEAP-PVL10 Specifications

Lift Capacity	10,000 lb.
Overall Height	139-7/8" (High) ; 135-7/8" (Low)
Overall Width	139" (Asymmetrical) ; 137-1/2" (Symmetrical)
Lifting height	81-1/2"
Minimum pad height	4-1/2"
Width between Posts	107-3/4" (Asymmetrical) ; 112-1/2" (Symmetrical)
Motor/electrical requirement	220 Volt, single (1) phase. A 30 amp breaker is required
Shipping weight	1,750 lbs.



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



ATEAP-PVL12 Specifications

Lift Capacity	12,000 lb.
Overall Height	177" (High) ; 165" (Low)
Overall Width	139" (Asymmetrical) ; 137-1/2" (Symmetrical)
Lifting height	85-1/2"
Minimum pad height	4-1/2"
Width between Posts	122-1/4"
Motor/electrical requirement	220 Volt, single (1) phase. A 30 amp breaker is required
Shipping weight	2,400 Lbs.

\$4,095.00

**ATEAP-PVL12
Atlas Platinum 12,000 lb. Capacity
ALI Certified 2 Post Overhead Lift**

- 3 stage front and rear arms
- 4.5" pad height
- Premium Power Unit
- 5 year structural and 2 year power unit warranties

This lift is designed to accommodate both long wheel base trucks and passenger cars.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



**PLATINUM
WARRANTY**
5 Year Structural;
2 Year Power Unit

**ATLAS
PLATINUM**

\$5,795.00

**ATEAP-PVL15
15,000 Lb. Capacity
Atlas Platinum ALI Certified
2 Post Overhead Lift**

- ALI Certified
- 2 stage front and rear arms
- 4.5" pad height
- Premium Power Unit
- 5 year structural and 2 year power unit warranties



**PLATINUM
WARRANTY**
5 Year Structural;
2 Year Power Unit

ATEAP-PVL15 Specifications

Lift Capacity	15,000 lb.
Overall Height	174-1/2"
Overall Width	154-1/2"
Lifting height	87-1/2"
Minimum pad height	6"
Width between Posts	119-1/4"
Motor/electrical requirement	220 Volt, single (1) phase. A 30 amp breaker is required
Shipping weight	2,600 lbs.



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LIFTING & hydraulics

4 post lifts



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

\$4,995.00

ATEAP-PVL14 14,000 Capacity Atlas Platinum ALI Certified 4-Post Lift

- Higher quality powder coat finish
- Single point lock release
- Lock ladder design
- Double lock safety system
- Mounting hardware included
- 5-Year structural warranty



**ATLAS
PLATINUM**

ATEAP-PVL14 Specifications

Lift Capacity	14,000 lb.
Overall Height	92-1/2"
Overall Width (with motor)	140-1/2"
Lifting height	76-1/2"
Overall Length (with Ramps)	251-1/2"
Clearance between columns	116-1/2"
Motor/electrical requirement	220 Volt, single (1) phase. A 30 amp breaker is required
Shipping weight	2,800 Lbs.



**ATLAS
PLATINUM**



ATEAP-PVL14KOF-EXT \$7,591.56 Atlas Platinum 14,000 Lb. Capacity 4-Post Open Front Alignment Lift - ALI Certified

- 14,000 lb. capacity
- Open Front • ALI Certified
- Extended length • Premium Power Unit
- 5 year structural, 2 year hydraulic warranty


**PLATINUM
WARRANTY**
5 Year Structural;
2 Year Power Unit

ATEAP-PVL14KOF-EXT Specifications

Lift Capacity	14,000 lb.
Overall Height	Rear: 90-1/2"; Front: 109-1/4"
Overall Width (with motor)	140-1/8"
Lifting height	73-1/4" (on locks)
Overall Length (with Ramps)	272-1/8"
Clearance between columns	Rear: 116-3/8"; Front: 117-3/8"
Motor/electrical requirement	220 Volt, single (1) phase. A 30 amp breaker is required
Shipping weight	4,462 Lbs.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

**ATLAS
PLATINUM**



Important: The Atlas ATTD-APEXRJ7 is designed and engineered to operate on delivered air pressure of between 80-116 PSI. If you exceed 116 PSI, you may damage your jack.

ATEATTD-APEXRJ7 \$1,555.00

7,000 lb. Capacity APEX RJ7 Air/Hydraulic Rolling Jack

- Air/hydraulic operation
- Two safety lock positions
- Compact Size with Low Profile
- Certified when used with compatible APEX lifts
- Compatible with AP-PVL140F-EXT and AP-PVL14



The ATTD-APEXRJ7 air/hydraulic rolling jack has telescoping arms that can be extended over the runways of the four post lift. The lift pads at the end of these arms can be positioned under the LIFTING POINTS that are located over the runways of the four post lift. The Atlas APEX RJ7 is equipped with expandable rail supports which adjust to fit many different four post above ground lifts. These supports have a unique roller system that allows the rolling hydraulic jack to glide easily under the entire length of the vehicle.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LIFTING & hydraulics

jack stands



KTI61222A \$234.95

22 Ton Jack Stands - Pair

- Minimum Height: 13-3/10" (338mm)
- Maximum Height: 19-7/10" (500mm)
- Base: 10" x 10"
- Saddle Size: 2-3/4" x 3-3/20"
- Covered by a 2 year warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov


HD



OTC1779B \$462.99

12 Ton High Jack Stand

- Spun steel base won't dig or sink into asphalt or sand
- Stand support height range is 33-3/4" to 44-1/4"
- Shipping weight: 40.5 lbs.



AMERICAN FORGE & FOUNDRY INC.

SUPER DUTY

INT3310A \$234.99

10 Ton Pin Type Truck Stand

- Heavy duty, pin-type post adjusts to ten height positions from 28" to 47"
- Large 3-1/8" x 5-7/8" support saddle and stable 16" x 16" base
- Sold individually

INT3309A \$164.69

10 Ton Pin Type Jack Stand

- Pin-type post adjusts to seven height positions from 18-1/2" to 30"
- Large 3-1/8" x 5-3/8" support saddle and wide 17" x 17" base
- Convenient carrying handle
- Sold individually



INT3318 \$774.00

Stabilizer Jack

- 100,000 Lb. static load capacity
- 45,000 Lb. lifting capacity
- Meets osha requirements for stabilizing loaded and unloaded trailers
- Adjusts from 39" to 51"
- Pivoting, reversible ratchet head levels
- Trailers on uneven ground



INT3400A \$1,534.19

10 Ton Capacity Air Lift Jack

- 10 ton capacity achieved at 200 PSI air supply
- Heavy duty air valve offers accurate lift control
- Removable "T" handle for easy storage
- Extension tubes offer multiple lifting and locking positions



ATEML-AXL-STD-A \$655.00

Mobile Column Lift Stand

- 16,500 Lb. capacity per stand
- Adjustable height: 53" (4' 5") - 74" (6' 2")
- Includes One (1) axle stand
- Casters to help move stand

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



NOT AVAILABLE FOR SALE IN CANADA

JET S90 Series Hand Chain Hoists

- Dual Pawl design increases safety by splitting the opposite sides of the ratchet gear for greater load security
- Alloy Steel Hooks - Industrial rated hooks rotate 360 degrees for easy rigging
- Needle Bearing Design

JET101910 - 1 Ton 10' Lift \$249.99

JET101930 - 2 Ton 10' Lift \$401.99

JET101941 - 3 Ton 15' Lift \$667.19



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

air & end lifts



OMEHW93657C \$2,197.46
4 Ton Long Chassis Service Jack with 6 Ton Jack Stands

- Dual piston action provides power to lift
- Cast lift arm for heavy loads
- T-handle with release knob for ease of positioning and load control
- Legs on jack stands have folded metal footing to spread weight more evenly protecting parking lot surfaces and significantly reducing settling while working under the vehicle
- Set includes the HW93657 and HW93506

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



LONG CHASSIS



LIFTING & hydraulics

air & end lifts

**HEIN-WERNER
AUTOMOTIVE**

OMEHW93690C \$6,508.70 10 Ton Air Operated End Lift with High Lift 10 Ton Stands

- Lifts 10 tons at 200 psi
- 2-12" pneumatic rear tires and 2-6" casters for easier transport and positioning under load
- Less maintenance with one large cylinder
- Pin style column adjust in 2 inch height intervals on jack stands
- Ideal for fleet, agricultural and construction maintenance



Made in America



WARNING: Cancer and Reproductive Harm
- www.P65Warnings.ca.gov



PREPAID FREIGHT

MAHLE

Service Solutions

MSS4858001700 \$1,564.29 10 Ton Truck Air Lift and Support Stand - (Sold Individually)

- Integrated lift and support stand, no need for additional support stands
- Removable handle along with two wheels allows ease in spotting and portability
- Optional air valve tee connector available
- Max Height 52.5" with Extension
- 100% air operated



Made in America



OTC



OTC1520 \$14,866.39 10 Ton Mobile Vehicle Lift System

- Unique design provides lift from the tires, not the frame or axle members - Ideal for situations where limited ground clearance or a lack of clear access complicates lifting
- Single controller operates both sides of the system for a smooth, level lift up to two full feet from the bottom of the tires to the ground
- Units can double as support stands when retention pin is inserted
- Covered by OTC Lifetime Marathon Warranty



OTC1590 \$5,199.40 10 Ton Air Lift for Trucks and Trailers

- Adjustable lifting saddles and an extra wide stance for extra stability
- 10 ton lifting capacity at 200 PSI air supply
- Lifting range is 13" to 52" with a 14" reach
- An automatic mechanical safety catch engages in five height positions, it must be manually released to lower the load
- Two large swivel casters and pneumatic tires make it easy to maneuver, even on loose gravel



transmission jacks

**KTOOL
INTERNATIONAL**



\$692.71

KTI63515A 1,200 lb. Low Profile Transmission Jack (XD)

- Low height: 7"
- High height: 28-3/10"
- Max lifting head size: 15-1/2" x 15-1/2"
- Base size: 33" length; 19-3/4" wide
- Saddle tilt forward: 56 degrees, Saddle tilt backward: 10 degrees; Saddle tilt lateral: 10-15 degrees
- Covered by a 2 year warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



**HEIN-WERNER
AUTOMOTIVE**



OMEHW93718 \$2,828.59 1 Ton Floor Style Transmission Jack

- Wishbone design allows unit more mobility
- Tubular steel frame
- 360° swivel casters
- Load restraint chain
- Designed for heavy duty transmissions

Specifically designed with the installer in mind the OMEHW93718 is the perfect transmission jack for any heavy duty shop. With a minimum height of 10" and a maximum height of 44" the OMEHW93718 has the lifting range needed to complete transmission work on the lowest and highest trucks on the road.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



LIFTING & hydraulics

service jacks



OTC1507B \$1,114.89 Stinger 5-Ton Air/Hydraulic Service Jack

- The 10-ton model can also be operated manually, when shop air is not available.
- Rugged steel frame members
- Rear swivel casters make spotting the jack easy
- Spring-loaded handle may be locked in three positions
- Air pressure: 80-120 PSI, lifting range: 5-7/8"-22", saddle dia.: 6-5/8", overall reach: 87", frame height: 8", handle length: 40"
- Bring the versatility of air-assist operation to your shop's lifting tasks

OTC1505B \$1,086.39 5 Ton Hydraulic Floor Jack

- Material: Steel
- Min. height: 6"
- Max. height: 22"
- Net weight: 250 lbs.
- Foot pedal provides easy way to pump to load

OTC1510B \$1,275.19 10 Ton Hydraulic Service Jack

- A built in safety overload prevents using the jack beyond its rated capacity
- Convenient foot pedal
- Has a spring loaded 40" handle

OTC1511B \$2,214.29 Stinger 10-Ton Air/Hydraulic Service Jack

- Huge front wheels mounted in bearings provide trouble free service life
- Rear swivel casters make spotting the jack easy

Air pressure: 80-120 PSI;
lifting range: 6-3/8" to 22"; saddle diameter:
7-3/8"; overall reach: 90"; frame height:
12-3/4"; handle length: 42".



SUN6604 \$956.69 5 Ton Floor Jack

- Heavy gauge steel side plates prevent twisting
- Hydraulic power unit is Uniweld constructed for increased strength and leak prevention
- Front wheels with roller bearings & ball bearing mounted rear caster wheels provide stability & easy maneuverability



OME22050 \$978.29 5 Ton Long Chassis Jack

- Foot pedal operation provides quick, no load lifts to load point
- U.S. Patented by-pass mechanism protects user and hydraulic cylinder from over-pumping danger

OME22051 \$1,228.20 5 Ton Long Chassis Jack with Air

- High speed Air TurboMotor is equipped to raise the load to the desired height efficiently, effortlessly and safely
- Wide stance, low center of gravity provides optimum stability under load stress

OME25057 \$1,107.99 5 Ton Magic Lift Service Jack

- Bypass device prevents over pumping
- Built-in internal safety valve ensures extra safety
- Swivel saddle and rear caster for easy positioning

OMEHW93660C \$3,532.03 10 Ton Hydraulic Service Jack and Jack Stands

- Lifting trucks, trailers, and buses by the axle, differential, or frame
- Dual piston action provides speed to contact and power to lift
- Pin style column jack stands adjust in 2 inch height intervals
- Heavy duty square tubing on jack stands

OMEHW93660 \$3,234.89 10 Ton Manual Service Jack

- Lifting trucks, trailers, and buses by the axle, differential, or frame
- Dual piston action provides speed to contact and power to lift
- Long chassis for hard to reach points
- Handle adjusts to three pumping positions
- T handle with release knob for exact positioning of a load

Sealed hydraulic unit keeps out grit, grime and moisture. Large full swivel saddle and ball bearing caster make positioning easy. Cast lift arm for heavy loads. Comes with 2 year warranty.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LIFTING & hydraulics

service jacks



KT163517A \$2,077.91
1.5 Ton Truck Trans Jack (HD)

- Low height: 7-4/5"
- High height: 36-1/2"
- Chassis Length: 43-1/2"; Chassis Width: 26"
- Saddle Tilt 10 degrees
- Covered by a 2 year warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KT163155A \$1,079.50
5 Ton Service Jack (HD)

- Lifting range 6-3/10" to 22"
- Heavy-duty steel construction provides stability and endurance
- Swivel rear casters provide smooth maneuvering and positioning
- Built-in valve protects against jack over-loading
- Quick start double pump technology for fast operation to contact point
- Covered by a 2 year warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

HD



KT163186A \$1,608.98
10 Ton Service Jack (HD)

- Lifting range 6-7/10" to 22-1/2"
- Heavy-duty steel construction provides stability and endurance
- Swivel rear casters provide smooth maneuvering and positioning
- Built-in valve protects against jack over-loading
- Quick start double pump technology for fast operation to contact point
- Covered by a 2 year warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



OTC



OTC5018A \$1,114.99
Truck Clutch and Flywheel Handler

- Handles 14" and 15-1/2" clutch assemblies weighing up to 250 lbs
- Open stance with swivel casters
- Eliminates any lifting of the clutch
- Enables technician to pivot clutch to any position for removal and installation
- 360° swivel head



OTC5015A \$814.99
Truck Clutch/Flywheel Handler

- Replaces 14" and 15-1/2" clutch assemblies
- Lifting range of 9" to 37"
- Swivel casters provide easy maneuverability
- Makes the task an easy, one-person job
- Carries a Lifetime Marathon Warranty®
- Includes a 2" spline shaft with a 1-1/4" pilot to aid in alignment



LIFTING & hydraulics

service & transmission jacks

OMEGA LIFT

OME22201 \$3,349.95

20 Ton Long Chassis Service Jack with Air

- High speed Air TurboMotor is equipped to raise the load to the desired height efficiently, effortlessly, and safely
- Wide stance and low center of gravity provide optimum stability under load stress
- Heavy gauge, steel frame helps prevent distortion or twisting
- Handle actuated release valve provides precise metered control of lowering speeds
- Convenient foot pedal designed for fast, no load lifts

WARNING: Cancer and Reproductive Harm
- www.P65Warnings.ca.gov



OTC Stinger

OTC1512 \$3,333.69

20 Ton Stinger Floor Service Jack

- The 20-ton capacity with a lifting range of 7-1/2" to 24"
- Low-profile stance and the extended height add to versatility
- Wheels and swivel casters feature internal bearings
- The foot pedal or jack handle can be used for pumping action
- Counter-balanced, spring assisted handle has a three-position lock
- Saddle diameter: 7-1/2"; overall reach: 97"; frame height: 10-1/4"; handle length: 42"; floor space: 18-1/8" to 61-3/8"



OTC

OTC1522A \$1,612.29
2,000 lb. Capacity Low-Lift Transmission Jack

- Rugged, stable unit is ideal for handling heavy transmissions
- Includes adapter plate for Eaton® Fuller® Road Ranger® transmissions
- Pump handle rotates 360° for operator convenience
- Safety overload prevents use beyond its rated capacity
- Height range 6-7/8" to 35-1/4"



OTC553516 \$500.99
Differential Mounting Adapter

- Differential mounting adapter mounts easily using existing bolt patterns
- Fits the most common differentials currently in use on Category 7 and 8 Heavy Duty Trucks
- For use on OTC 5019A / 5078 and Stinger 1522A Transmission Jacks

WARNING: Cancer and Reproductive Harm
- www.P65Warnings.ca.gov



OTC5091 \$382.19
Spindle Adapter Heavy Duty

- Adapter for low lift transmission jacks that holds the spindle assembly firmly in place during king pin service.
- Eliminates the need to completely disassemble the brakes to reduce spindle weight for handling.
- Patented design will work with standard HD truck bolt patterns and wheel stud sizes.
- Adapts to most low lift trans jacks.
- Lifetime warranty does not cover abuse



AMERICAN FORGE & FOUNDRY INC.™



INT3180A \$2,023.49

Transmission Jack 4400 lb.

- Fully adjustable saddle with maximum tilt for easier alignment
- Adjustable corner brackets
- Convenient side trays for small tools and parts
- Safety overload bypass system to prevent hydraulic damage
- 32" handle pivots 360° around pump along with rugged industrial-grade 4" casters
- High height of 34"; Low height of 8.5"



INT3700 \$1,001.99

"Clutch Hound" Jack

- 500 lb capacity
- Lifts from 13" to 39"
- Patented clutch head assembly, turns 360 degrees and pivots side to side for efficient clutch/engine alignment
- Two splined alignment shafts (2" diameter x 1.18" and 1.75" diameter x 0.983" pilot)
- Clutch assemblies can easily be built on the vertical shaft and then positioned easily under the truck



OTC

OTC5078 \$3,100.69
Air Assisted 2,000 lb. Capacity High Lift Transmission Jack for Trucks and Buses

- Low height of 41-1/2" allows transmission to be rolled out from under
- Metered, foot-operated air pump
- A dedicated adapter that fits the popular Allison 500 and 600 series automatic transmissions is included
- Covered by OTC Lifetime Marathon Warranty®

WARNING: Cancer and Reproductive Harm
- www.P65Warnings.ca.gov



OTC5019A \$2,749.99
2,200 lb. Capacity Low-Lift Transmission Jack

- The 8-1/4" low height is perfect for aerodynamic trucks with low ground clearance
- Special mounting adapter (No. 540231) fits popular Eaton® Fuller® RoadRanger® transmissions used on nearly all Class 7 and 8 heavy-duty trucks. Mounting plate angle is adjusted with the turn of a wrench



LIFTING & hydraulics

axle & truck hydraulic jacks



BUNDLE Savings

KTI63194COMBO \$1,030.69
22 Ton Air Hydraulic Truck Jack
AND 1" Air Impact Wrench

Heavy Duty Combo includes:
1" Drive Air Impact Wrench with
6" Extended Anvil (KTI81798A)

- 1,600 ft/lbs of torque
- 3 forward and 3 reverse power settings
- D side handle for ease of use
- Side exhaust which directs air away from the job
- 1 year warranty

22 Ton Air Hydraulic Truck Jack (KTI63194)

- Lift range from 9.06" to 17.94"
- Load-limiting and bypass valves which prevent use beyond rated capacity and overextension of ram with spring activated self retracting ram
- Release knob at the top of the T handle works at any handle position and narrow width fits between tandem wheels
- Meets ASME PALD/2009 safety standards
- 2 year warranty on material and workmanship

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



OMEGALIFT

OME23227 \$1,275.09
22/35 Ton Air Hydraulic Truck Jack

- Compact, low profile design for maximum access, which fits easily and safely between wheels of tandem axle vehicle
- Large steel wheels for easy positioning and smooth motion
- Sturdy one piece handle assembly
- Handle-top metered control release valve for easy height adjustment, safely away from load

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



OME23221 \$851.39
22 Ton Air Actuated Hydraulic "Axle" Jack with Extension Screw

- Material: Steel
- Min. height: 9-7/8"
- Max. height: 22-1/2" (with 2-1/2" adapter)

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



ESCO

ESC10448 \$566.99
Yellow Jackit 22 Ton Air Hydraulic Floor Jack

- 8-1/4" min. height; 20-3/4" max. lift height
- Self retracting shop jack
- Chrome-plated pump and piston and ram for added rust resistance
- Welded base and cylinder to assure strength and eliminate leaks

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



OTC

OTC1788B \$806.99
22-Ton Under Axle Jack

- One pull of the handle activates the self-retracting 22-ton capacity ram without having to crawl underneath the vehicle
- Long 49-1/2" T-handle lets you easily position jack under vehicles with long overhangs
- Maximum Lifting Height with 3/4" Saddle: 17-3/4", 3-7/8" Saddle: 20-7/8"



AMERICAN FORGE & FOUNDRY INC.

INT565E \$828.59
22 Ton Air/Hydraulic Axle Jack with 3 Piece Extension Kit

- Heat treated cylinder wall and chromed piston
- Automatic in-line oiler to lubricate air motor

The 22 ton air/hydraulic axle jack includes the 3 piece RAM extension kit. This extension kit includes 3/4", 2-3/4" and 4" extensions.



HEIN-WERNER
AUTOMOTIVE

OMEHW93735AC \$2,738.81
25 Ton Axle Jack with 25 Ton Jack Stands


- Jack has 8" low height allows lifting from axle or suspension
- Compact, powerful design of jack quickly lifts rated capacity
- Pin style jack stand column adjusts in 1 1/2" height intervals
- Heavy duty square tubing
- Jack stands sold in pairs

OMEHW93735A \$2,141.79
25 Ton Axle Jack with 3" Adapter

- 8" Low height allows lifting from axle or suspension
- Compact, powerful design quickly lifts rated capacity
- Specially coated ram prevents rust and extends jack life
- Air assisted ram retract
- 3" adapter for added height



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



OTC

OTC5292 \$2,624.99
27.5 Ton Under Axle Jack

- Robust design with completely sealed piston
- New lever design and pneumatic release valve allows for more precise release control, does not require separate valve operation step
- Four position handle includes 'stow away' position
- Spring return piston
- Includes two height adapters, ANSI/PALD certified



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LIFTING & hydraulics

axle & truck hydraulic jacks



KT163198 \$1,026.95

KTool HD 50 Ton Air Hydraulic Truck Jack

- 50 ton capacity KTool HD truck jack with lift range from 11.4" to 21.25"
- Narrow width fits between tandem wheels
- Load-limiting and bypass valves prevent use beyond rated capacity and over-extension of ram
- Spring activated self-retracting ram
- Release knob at top of T handle works at any handle position
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



HD



MAHLE

Service Solutions

MSS4858005100 \$2,228.10

50,000lbs capacity Air/Hydraulic Axle Jack

- Unique QuickLift® feature, internal design raises the ram to the load at a quicker rate of speed
- Low starting height of 8" allows for easy positioning and spotting underneath low profile vehicles
- Patent pending air ram retract feature allows the user to reset the ram back to minimum starting height without reconnecting the hose
- Short handled version ideal for road service work
- Min start height 8" • Max height 21"



specialty jacks



KT163716 \$556.09

Air Hydraulic Foot Pump KTool XD

- 10,000 PSI air/hydraulic KTool XD foot pump requires 90 PSI air pressure
- Designed to be used with single acting cylinders
- Usable fluid capacity 98 cubic inches
- Flow rate 42 cu. in. with no load, 8.5 cu. in. with load
- 2 Year Warranty on material and workmanship
- Complies with ASME PASE/2014 Safety Standards

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



MAHLE

Service Solutions



MSS4858004400 \$2,060.39

300 lb. Capacity Clutch Jack

- Start height 15"
- Max Height 39"
- 360° Head rotation



OTC

OTC1540 \$785.39

4-Ton Capacity Fork Lift Jack

- 8,000 lb. capacity with a low starting height of 2-5/8"
- Two-position lift pad permits handling of all lift truck configurations with flat or edged surfaces
- Minimum low lift: 2-1/4". Maximum high lift: 16-1/4"
- Features include high-quality seals and high-strength steel construction
- Handle stop makes for easy maneuverability
- 30" long handle



OTC4020 \$756.79

Air/ Hydraulic Pump

- 3/8" NPTF oil port
- Weight: 15 lbs., 3 oz.
- Develops 10,000 PSI at 100 PSI air pressure
- 98 cu.in. usable oil capacity in plastic reservoir



AMN13000 \$1,998.60
100 Ton Aluminum Jack® Stroke

- Includes "Shut-Off Valve" which allows the pump to be removed while ram is extended
- Retracted Height: 11.75" (30 cm)
Max. Height: 17.75" (45 cm)



ESCO

ESC10312 \$1,043.89
55 Ton Air Hydraulic Aluminum Jack

- Unit has a collapsed height of 10.5", extended height of 16.5"
- Uses any 10,000 PSI pump

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



OTC



OTC4111 \$1,984.79
55-Ton Aluminum Ram with Half Coupler

- 6-1/8 inch stroke
- Collapsed height 10-3/4" and extended height 16-7/8"



LIFTING & hydraulics

cranes

OTC



OTC1814 \$17,052.79
6,000 Lb. Heavy-Duty Mobile Floor Crane with Electric/Hydraulic Pump

- Telescoping boom adjusts to three different lengths for three different weight capacities
- Boom swivels for vertical and lateral positioning
- Equipped with electric/hydraulic pump (115V) with remote motor control
- Legs extend to straddle the biggest tires • Usable reach is almost 92"

Steering dolly for easy maneuverability also serves as floor lock. Three boom positions give capacities of 4,000, 5,000, and 6,000 lb. to handle the biggest engines, and often the transmission right along with it!

OTC1813 \$13,429.59
6,000 Lb. Capacity Heavy-Duty Mobile Floor Crane

- Telescoping boom adjusts to three different lengths for three different weight capacities
- Boom swivels for vertical and lateral positioning
- Equipped with two speed hydraulic pump for easy lifting
- Legs extend to straddle the biggest tires
- Usable reach is almost 92"



OTC



Floor Cranes

- To conserve valuable floor space, crane folds into a compact package for storage
- For "close-in" work, leg spread adjusts to clear vehicle's wheels, telescoping boom extension gives additional reach
- Roller bearing mounted wheels and steering dolly provide ease of mobility
- A two-speed hydraulic hand pump provides fast boom travel; descent of boom is under precise control of operator

OTC1819 \$6,119.29
2200 Lb. Capacity Heavy Duty Floor Crane
 • Includes 16-7/8" lifting chain

OTC1820 \$7,279.70
4400 Lb. Capacity Heavy Duty Floor Crane
 • Includes 18-3/8" lifting chain



OTC

OTC5105B \$3,198.39
High-Lift Dual Wheel Dolly 1,100 lb. Capacity

- Effortless air-powered hydraulic lift system for a variety of applications
- 0 to 42 inch lifting range
- Six-inch lateral adjustment
- Tilt adjustment of +15 degrees to -8 degrees ensures easy alignment
- Features four swivel casters - two locking for enhanced mobility



power train lifts

OTC



OTC1595 \$6,303.49
2,500 lb. Capacity Power Train Lift

- Powered by a quiet, 110 volt electric/hydraulic pump
- Smooth, sturdy lifting and lowering motion controlled by hand-held remote
- Two patent pending independent adjusting screws tilt the table + or - 15 degrees side to side, or fore and aft, and ensure maximum stability of the table in any position
- Large casters accommodate heavy loads
- A 30' long retractable extension cord reel is mounted to frame



WARNING: Cancer and Reproductive Harm
 - www.P65Warnings.ca.gov

OTC

OTC1585A \$2,733.59
Power Train Lift with Tilting Plate

- Compact design and swivel casters for easy maneuverability
- Includes the tilting plate
- Height range is 29-1/2" to 68-1/2"
- Table size: 20-1/2" x 30-1/2"
- Supports up to 1,250 lbs.



LIFTING & hydraulics

engine stands


OTC


OTC1750A \$6,645.59

6,000 Lb. Capacity Revolver® Diesel Engine Stand with Adapter Assembly

- 96:1 ratio worm and gear set rotates components a full 360 degrees
- Crank handle can be locked in any position
- Integral 12 ton jack raises the work to provide the swing radius needed clearance
- Includes universal engine adapter assembly
- Two front wheels and two rear casters provide mobility

Universal adapter assembly permits use with a wide variety of mounting plates for Caterpillar, Cummins, Mack, IH, and Detroit in-line or "V" series diesel engines, as well as Allison transmissions.

 **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov



OTC



OTC1750 \$6,333.41

6,000 Lb. Revolver Diesel Engine Stand

- The crank handle can be locked in any position
- Integral 12-ton jack raises the work to provide the swing radius needed for clearance
- Covered by OTC Lifetime Marathon Warranty
- Universal engine adapter assembly available

 **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov

OTC



OTC1735B \$1,657.99

Heavy-Duty Motor-Rotor® Repair Stand, 2000 Lb. Capacity

- Handles a wide variety of engines, transmissions, torque converters, rear axles from trucks, tractors, and construction machinery
- The 50:1 ratio gearbox allows full rotation of mounted unit with just a turn of the crank and locks in position. Easily maneuvered when loaded
- Twin-post design, featuring laterally adjustable, 3-position outboard support
- Covered by OTC Lifetime Marathon Warranty®

LIFTING & hydraulics

brake & drum dollies



OMEHW93766 \$1,400.69
3/4 Ton Wheel Dolly

- For handling of dual wheels and large single wheels
- Handles up to 52" diameter tires and wheels
- 2 swivel ball bearing casters for easy positioning
- Wide frame and lifting carriage
- Carriage arm rollers with self-lubricating bearings



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

OTC



OTC5017A \$678.99
Brake Drum Dolly

- Works on 15" and 16-1/2" drums found on most Class 7 and 8 tractor and trailer brake systems
- Heavy-gauge steel construction, 10" pneumatic tires, and adjustable handle
- Covered by OTC Lifetime
- Marathon Warranty®



OTC5090 \$2,965.19
Back Buddy™ II

- 14" vertical lift
- Tilting mechanism to achieve exact angle necessary for precise reassembly
- Pneumatic rear tires smoothly roll
- Onboard lube tray and toolbox

wheel dollies & lifts

OTC



OTC1769A \$712.89
Stinger Truck Dual Wheel Dolly

- This 1,500 lb. capacity dolly will remove, transport, and replace dual wheel and tire assemblies without strain or struggle
- Swivel casters, 3-1/2" front and 3" rear, provide easy maneuverability
- No. 1769 hydraulic jack provides over 6-1/2" of lift and tilts wheel assembly 7 degrees to prevent damage to wheel seal
- Includes a 6' support chain to hold load in place
- Floor space is 43" x 42"



OTC



OTC1770A \$1,714.99
1500 lb. Capacity Truck Dual Wheel Dolly

- Remove, transport, and replace dual wheel and tire assemblies
- 1,500 lb. capacity and 3-1/2" swivel casters provide easy maneuverability
- Hydraulic jack provides 0 to 5" of lift and tilts wheel assembly 4 degrees to prevent damage to wheel seal
- Floor space is 45" by 41"
- Includes a 6' support chain

MAHLE

Service Solutions



MSS4858011400 \$1,499.29
1,500 lb. Hydraulic Wheel Dolly

- Max Lift Height 8"
- Offset Column allows for open work area when removing wheel assemblies
- 3 Caster design for maneuverability
- Offset column for open work space
- Fore and aft tilt



ATEATTC-AEZWL \$595.00
Pneumatic Portable Wheel Lift

- 180 lb. capacity 3" Poly casters
- Operates on 120 PSI air pressure
- 1 year parts warranty; parts only material and workmanship.



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LIFTING & hydraulics

wheel dollies & lifts



ESC90538 \$3,596.89 Agricultural Wheel Dolly

- Capacity: 3,306 lbs.
- Easy mounting, demounting and handling of large wheels on agricultural and earth moving machinery
- Double acting hydraulic system
- Hands free switch between lifting and lowering action
- Heavy duty construction
- Capable of handling large wheels from 45.3" up to 84.7" in diameter and up to 41.3" in depth



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Easy Lever™ Wheel Dollies

- Heavy-duty construction capable of toting 300 pounds
- Features improved "bent arm" design to improve leverage and minimize back strain
- Onboard rollers make stud-to-hole alignment a snap
- Spring-loaded kickstand for handy parking

OTC5095A \$307.99

- With a width of 22", this dolly handles tire diameters of 24" to 36".

OTC5096A \$309.99

- With a width of 26", this dolly handles tire diameters of 36" to 48"



ESC70134 \$185.29 Wheel Dolly

- Features and benefits
- New design, heavy duty
- Easy removal & installation of truck tire wheels assembly
- No heavy lifting required
- Easy maneuvering
- Easy to package and ship



ESC70130 \$141.99

Truck Wheel Dolly

- Works on truck tires 19.5" through 24.5"
- Rolls truck wheels easily on 3" casters
- Rotate wheel to align bolt holes on studs
- 280 lb capacity
- Reduces back injuries in shop



ESC70132 \$149.99

Heavy Duty Truck Wheel Dolly

- Heavy duty wheel dolly is designed specifically for super single and flotation tires
- 14" wide rollers accommodate even the largest super single and flotation truck wheels
- Lifting capacity of 450 lbs.
- Reduces back injuries in the shop
- Heavy duty tubular construction



portable hydraulic sets



OTC1515B \$482.99

Stinger 10 Ton Collision Repair Set

- Industry standard couplers are interchangeable with leading manufacturer's units
- Snap together design of extension tubes allows for easy assembly
- Sturdy extension tubes hold up in even the toughest situations
- Automatic overload system on pump protects against damage to equipment
- 1/2-ton hydraulic spreader tool has 2" jaws that spread from 5/8" to 3-3/8"



XD



KTI63709A \$466.29

10 Ton Portable Ram Kit (XD)

- Output pressure of 9,100 PSI
- Ram minimum 12-11/16"; Stroke: 5-1/4"
- Oil capacity: 17.5 oz
- Packaged in durable blow molded case for storage
- Covered by a 2 year warranty



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



BHK65115 \$610.09

10 Ton Porto-Power Kit

- Automatic pump overload system protects against damage to rams and equipment
- Heavy walled extension tubes stand up in tough situations
- Flex head features permanently molded rubber pad-interlocked to prevent separation
- 1/2 ton capacity hydraulic spreader features 2" jaws and spreads from 5/8" to 3-3/4"
- Ram extended height: 19-3/4"; Closed height: 13-5/8"




WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LIFTING & hydraulics

truck ramps

OTC



OTC5268 \$828.99

20-ton Truck Ramps (Pair)

- Long, 33" retractable T-handle enhances mobility.
- Non-skid rubber matting prevents slippage during use.
- Durable, heavy-duty rubber wheels.
- Capacity per pair: 20 tons; overall length: 51"; tread width: 10"
- Covered by OTC Lifetime Marathon Warranty®.



OTC



OTC5269 \$1,079.99

20-ton Wide Truck Ramps (Pair)

- Application: Wider Front Wheels (cement, dump, garbage trucks)
- Long, 33" retractable T-handle enhances mobility.
- Non-skid rubber matting prevents slippage during use.
- Durable, heavy-duty rubber wheels.
- Capacity per pair: 20 tons; overall length: 51"; tread width: 16"
- Covered by OTC Lifetime Marathon Warranty®.



OMEGA LIFT



OME93200 \$986.31

20 Ton Truck Ramps (Pair)

- Designed specifically for heavy-duty tasks
- Large wheel designs for extra durability
- Non-skid rubber matting enhances operation safety
- Long retractable T-handle for easy positioning
- Sold and to be used in pairs

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov




OME93201 \$853.99

20 Ton Wide Truck Ramps (Pair)

- Designed specifically for heavy-duty tasks
- Large wheel designs for extra durability
- Non-skid rubber matting enhances operation safety
- Long retractable T-Handle for easy positioning
- Extra wide treads for bigger trucks

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

SUNEX
T O O L S



SUN1520 \$957.99

20 Ton Truck Ramps

- Retractable telescopic T-Handle for easy maneuverability and storage
- Accepts up to 16" tire widths
- Perforated holes in ramp for tire traction
- Rubber surface base prevents slippage when loading/unloading of vehicle
- Total weight capacity of 20 tons per pair




AMN15260 \$2,498.79

12 Piece Super Stacker Cribbing Set (15230)

- Certified and tested
- Multiple sizes, shapes fit most applications Interlocking or aggressive non-slip surface
- Non-conducting plastic resists oil and most chemicals
- Does not splinter, like wood
- Carrying lanyards provided on all 6" x 7" and 4" x 4" crib blocks
- Made from 100% recycled plastic
- Can be used with Lincoln log mating or pyramid mating

Kit includes: (12) PN 1530 6" tall each
(150 ton capacity when used in 3 block configuration)



LIFTING & hydraulics

bottle jacks



Supplier	Part Number	Capacity	Minimum Height	Maximum Height	Air Assist	
American Forge and Foundry	INT3512	12 Ton	8.5"	17"	N	\$77.99
K Tool	KTI63214	12 Ton	7.48"	13.78"	N	\$68.09
K Tool XD	KTI63213	12 Ton	8.46"	15.75"	N	\$68.09
Bosch	OTC4313C	12 Ton	9.5"	18.375"	Y	\$293.99
American Forge	INT3520	20 Ton	9.625"	18.25"	N	\$143.99
American Forge	INT5520B	20 Ton	10.5"	20"	Y	\$374.99
Bosch	OTC4321C	20 Ton	9.4375"	17.6875"	Y	\$374.79
Esco	ESC10446	20 Ton	9-5/8"	18-3/4"	Y	\$322.99
K Tool XD	KTI63221A	20 Ton	9.6"	16.65"	N	\$106.68
K Tool XD	KTI63228A	20 Ton	10.43"	19.88"	Y	\$217.12
K Tool XD	KTI63224A	20 Ton	7.25"	11.75"	N	\$98.93
Sunex	SUN4420AH	20 Ton	9.5"	18"	Y	\$396.89
Sunex	SUN4420	20 Ton	9.5"	17.9"	N	\$135.99
K-Tool HD	KTI63230A	30 Ton	11.2"	18.27"	N	\$147.62
OTC	OTC9330	30 Ton	11"	17-5/8"	N	\$205.79
K Tool HD	KTI63250A	50 Ton	11.8"	18.8"	N	\$305.90
OTC	OTC9350	50 Ton	11-3/4"	18-15/16"	N	\$617.39

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

jack stands



Supplier	Part Number	Capacity	Minimum Height	Maximum Height	Style	
American Forge and Foundry	INT3309A	10 Ton	18-1/2"	30"	Pin Style	\$164.69
Hein Werner	OMEHW93512	10 Ton	19-1/2"	31-1/2"	Pin Style	\$681.60
Hein Werner	OMEHW93511	10 Ton	30"	52"	Pin Style	\$914.70
Omega	OME32107	10 Ton	28"	47"	Pin Style	\$595.99
Bosch	OTC1784D	12 Ton	19-1/2"	30-3/4"	Ratchet	\$320.99
K Tool XD	KTI61211	12 Ton	17-1/2"	27-1/2"	Ratchet	\$251.95
Omega	OME32126	12 Ton	19-3/4"	30-1/4"	Ratchet	\$291.99
OTC	OTC1779B	12 Ton	33-3/4"	44-1/4"	Pin Style	\$462.99
OTC	OTC1783	20 Ton	15-1/4"	24"	Pin Style	\$785.39
AME	AMN14400	22 Ton	9.5"	19.9"	Pin Style	\$217.99
Bosch	OTC1780	22 Ton	13-5/8"	19-5/8"	Pin Style	\$297.99
K Tool HD	KTI61222A	22 Ton	11-7/8"	19-3/4"	Pin Style	\$314.94
Sunex	SUN1522	22 Ton	11-13/16"	19-3/4"	Pin Style	\$227.99
Omega	OME32225	22 Ton	12-1/2"	19.875"	Pin Style	\$310.09
Hein Werner	OMEHW93526F	25 Ton	12-3/8"	20-3/8"	Pin Style	\$828.19
Mahle	MSS4858000600	20 Ton (sold in pair)	20"	32"	Pin Style	\$1,090.09
Mahle	MSS4858001000	25 Ton (sold in pair)	12"	20"	Pin Style	\$967.29

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LIFTING & hydraulics

bottle jacks



KT163250A \$305.90

50 Ton Bottle Jack (Welded Type) (HD)

- Heat treated extension screw allows low pickup height adjustment and maximum lift
- Serrated, heat treated saddle provides generous lifting area and secure grip
- A wide, rugged base provides stability and strength
- All models critical stress points are reinforced for added durability
- Lifting range: 11.02" to 17.72" • Lifting Height: 6.7"
- Covered by a 2 year warranty

HD



KT163230A \$147.62

30 Ton Bottle Jack (Welded Type) (HD)

- Lifting range: 10.24" to 16.54"
- Lift Height: 6.3"
- Covered by a 2 year warranty

HD



KT163228A \$217.12

20 Ton Air/Hydraulic Bottle Jack (XD)

- Low height: 10-1/4"; Maximum Height: 20"; Additional Adjustable Screw: 3-1/8"
- High speed turbo motor for efficient effortless operation
- Self-returning spring for ease of operation
- Chrome plated rams to resist rust and wear
- Built-in inline air filter to extend motor life
- Covered by a 2 year warranty

XD



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



ESC10399 \$292.99

JACKIT-20 Ton Air Hydraulic Bottle Jack - Yellow

- Shorter bottle jack for low profile Application
- Air operation lift up to 20 tons
- Chromed ram for added rust resistance
- Extension screw gives added height when necessary

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



SUPER DUTY

ASME 2009 compliant



INT5612SD \$376.39

12 Ton Super Duty Air/Hydraulic Bottle Jack

- 1-1/8" thick base – provides stable lifting platform on poor surfaces
- Specially engineered air motor for consistent and reliable operation
- Shielded release screw helps prevent accidental lowering or damage



SUPER DUTY

ASME 2009 compliant



INT5620SD \$433.99

20 Ton Super Duty Air/Hyd Bottle Jack

- 1-1/8" thick base – provides stable lifting platform on poor surfaces
- Internal release screw – heavy duty internal release screw is protected by base design to avoid accidental release/damage



SUPER DUTY

ASME 2009 compliant



INT5621SD \$329.99

20 Ton Low Profile Air/Hydraulic Bottle Jack

- 7" low height works in the most extreme space constraints
- Thick base design offers the most stable lifting platform even on poor surfaces
- Dual return springs provide controlled and easy descent with or without shop air
- Shielded release screw prevents accidental release/damage



SUPER DUTY

ASME 2009 compliant



INT5630SD \$716.99

30 Ton Super Duty Air/Hydraulic Bottle Jack

- 1-1/8" thick base – provides stable lifting platform on poor surfaces
- Specially engineered air motor for consistent and reliable operation
- Dual return springs allow easy and controlled descent
- Shielded release screw helps prevent accidental lowering or damage



Part Number	Capacity	Low Height	High Height	Lift	Air Pressure	Air Fitting	Weight (Lbs)
INT5612SD	12 Ton	9.92"	18.98"	5.91"	110-120 PSI	1/4" NPT	35
INT5620SD	20 Ton	10.37"	20.63"	6.38"	110-120 PSI	1/4" NPT	45
INT5621SD	20 Ton (Low Profile)	7.01"	12.76"	3.35"	110-120 PSI	1/4" NPT	36
INT5630SD	30 Ton	10.94"	20.59"	5.91"	110-120 PSI	1/4" NPT	65

LIFTING & hydraulics

changers / spreaders / balancer



\$3,795.00

ATEATWBT-210

Heavy Duty Truck Tire Balancer

- Rim sizes: 10"-32" Max. tire diameter: 47" Max. wheel weight: 440 lb. 220 V/1-phase
- Display in standard or metric units

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

UP TO 56" RIMS!



\$8,445.00

ATEATTC303

Truck Tire Changer

- Handles rims from 14" to 56" and tire diameters in excess of over 90"
- Accommodates tires with a maximum width of up to 42"
- Bead Breaker • Mount/Demount Head
- 2 Speed (3 phase) power unit

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



ATEATTC306 \$11,345.00

Truck Tire Changer, 14" - 46"

- Handles rims from 4 1/4" to 56" and tire diameters in excess of 97"
- Two-speed hydraulic chuck • 5 different rim locking positions
- Remote controlled tilting/shifting tool arm
- Working tool with automatic rotation system
- Easily accommodates tires with a maximum width of up to 53"

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



ATEATTC301 \$6,345.00

Truck Tire Changer

- Handles rims from 3 3/8" to 27" and tire diameters in excess of 63"
- Changes tires with a maximum width of up to 30 1/2" 5 different rim locking positions
- Portable control unit 220 Volt motor

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



GOATS®

AMMCHD-9551 "Call For Pricing"

Goats® Heavy-Duty Tire Changer

- Remote-controlled rotating tool head/arm for the fastest, easiest tool changes in the business
- Handles rims from 14" to 46" (up to 56" with clamp extensions) and tires up to 95" in diameter and 51" wide



- Operation: 4 Jaw Chuck
- Weight (lbs): 2596.0000
- Wheel Handled: Budd & Dayton, Tube & Tubeless
- Mount / Demount: Hook & Roller on Reversible Mount
- Tool Head Offset: Automatic Permanent Mounted
- Table Shape: Moving Table (Side-Mounted)
- Wheel Clamping Method: 4 Jaw Chuck
- Wheel Lift: Clamp Arm Lifting
- Frame Structure: Full Frame

- Max Tire Diameter: 95" (2413mm)
- Max Tire Width: 51" (1295mm)
- Max Wheel Weight (lbs.): 3960
- Min / Max Rim Diameter: 14"-46" (47"-56" with clamping extensions)
- Max Tire Diameter: 95" (2413mm)
- Max Tire Width: 51" (1295mm)
- Max Wheel Weight (lbs.): 3960



TIRE & WHEEL service

inflation cages

MARTINS
INDUSTRIES



MRIMIC-2 \$287.69 2 Bar Portable Tire Inflation Cage

- Exceed the requirements of OSHA Standard 29 CFR 1910.177 in the U.S.
- Portable perfect for road service vehicles
- Max tire size: 48" OD X 13" W
- Dimensions:
(L x W x H) 21-1/2" X 16-3/4" X 51-3/32"



MRIMIC-2WB \$229.00 2 Bar Foldable Wide-Base Portable Tire Inflation Cage

- Often used by road service vehicles for changing and inflating tires on trucks, buses, military vehicles, etc.
- Exceed the requirements of OSHA Standard 29 CFR 1910.177 in the U.S.
- Powder coated paint UV resistant
- Max. tire size: 48" OD X 21" W



wide-based



MRIMIC-3 \$319.69 3 Bar Tire Inflation Cage

- Manufactured in our Canadian plant using steel that meets the toughest standards in North America
- Exceed the requirements of OSHA Standard 29 CFR 1910.177 in the U.S.
- The steel tubing size and powder-coated paint are superior to our competitors' product
- Max. tire size 54" OD X 20" W
- Orange Color



MARTINS
INDUSTRIES



MRIMIC-4 \$542.89 4 Bar Tire Inflation Cage

- Exceed the requirements of OSHA Standard 29 CFR 1910.177 in the U.S.
- The steel tubing size and powder-coated paint are superior to our competitors
- Also can be buy in a Kit with an automatic inflator and the bracket, with a roller as well



MRIMIC-4-KIT \$1,022.09 4 Bar Tire Inflation Cage


- Equipped with an automatic tire inflator, a stand for automatic tire inflator and a roller kit
- Allows you to inflate your tires safely and efficiently
- Exceed the requirements of OSHA Standard 29 CFR 1910.177 in the U.S.
- The reading accuracy is only 2 PSI/ 0, 1 BAR on the automatic tire inflator
- Measure the air pressure with 3 types of unit of measurement that are PSI, BAR and kPa.

while supplies last!

KTOOL
INTERNATIONAL

KTI70385 \$144.18 Dual Wheel Separator

- Drop forged body
- Quickly and easily remove stuck or frozen dual steel wheels
- This innovative "one-piece" pusher won't fall apart during use and is ball bearing-driven for near-zero turning resistance
- Forcing screw and pullers have powerful 1-1/8" diameter x 11 threads for years of reliable service



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Ken-Tool

KEN36001 \$393.66 Portable Two Bar Tire Safety Cage

- Mandatory for any shop working with tubeless and multi-piece rims
- Made from heavy gauge steel tubing welded to a steel base
- Designed to meet OSHA regulation requirements for medium-, heavy-duty trucks, OTR, tractors and super singles
- Handles tire sizes up to and including 12.00-24
- Inside dimensions are 41"H x 16"W



**while
supplies
last!**

KEN36003 \$416.50 Passenger/Light Truck TireCage

- A must for run-flat, low-profile, and other tires that are difficult to seat
- Mandatory for any shop working with tubeless and multi-piece rims

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KEN34555 \$433.99 Shark Fin Dual Wheel Separation Bag

- The first wheel separation solution for steel, aluminum and chrome wheels
- Shark Fin inflates to separate stuck or frozen dual wheels without damaging the wheel
- Works on 15" to 24.5" dual and single wheels and tires on trucks and trailers
- Portable, durable, and fast. Full inflation only takes a matter of seconds

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

TIRE & WHEEL service

tire inflation



AMN24867 \$112.29 Digital Tire Inflator

- 6" Hose Maximum Pressure: 174psi
- 3-in-1 function: inflate, deflate, measure tire pressure
- Backlight LCD with 90 second auto off
- Units of measurement: PSI, BAR, kPa
- Die cast aluminium unit with rubber sleeve
- Ideal for tire fitters

**while
supplies
last!**

AMN24868 \$365.89 Easy-Flate Digital Tire Inflator

- 3-in-1 function: Inflates, deflates, measures tyre pressure with a 5' hose and clip on chuck
- Auto-off after 90 seconds
- Max pressure: 174 p.s.i.
- Rechargeable Lithium-Ion battery

AMN24869 \$123.39 Dura-flate Digital Tire Inflator

- 20" Hose Range 0-174psi
- Supply Pressure: Maximum 200 p.s.i. (1380 kPa) / Minimum 100 p.s.i. (690 kPa)
- Connection: Inlet 1/4" NPT. internal thread
- Dual hold-on chuck



IPA9060 \$2,141.79 Mobile Tire Pressure Equalizer

- Inflate/deflate/equalize up to five tires at once
- High flow dual regulator system for front and rear tires
- Glycerin-filled high accuracy pressure gauges
- Color coded hoses with corresponding panel indicators
- Built on rugged mobile cart with pneumatic tires

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



BB Tire Inflator Fleet Edition Kit

- Featuring the lightest, strongest, most flexible all-weather BluBird® air hose 3/8" x 50' with 1/4" MNPT
- Includes Phillips heavy duty aluminum universal glad hand
- Includes a 1/4" to 1/2" adapter for fitting to Phillips glad hand (made in USA) Teflon™ tape and a carry bag for easy storage after use
- Dual foot chuck inflator
- Flexibility in extreme conditions from -50°F to 190°F
- Covered by a 10 year warranty on hose and a 2 year warranty on accessories

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



BLBBFLT3850 \$64.54 BB Tire Inflator Fleet Edition Kit



KT189001 \$98.45 Digital Air Inflator

- Range of 2 to 150 psi with 0.1 psi resolution
- Boasts a dual head chuck and is accurate to within $\pm 1\% + 0.5\text{psi}$ at 100psi and $\pm 2\% + 0.5\text{psi}$ at 150psi
- Programmed to work with various units of measurement (psi/bar/kpa/kg/cm2)
- Works on TPMS equipped wheels
- 1 Year Warranty



KT189002 \$58.11 Tire Inflator Gauge with Dual-Head Chuck

- 10 to 120 lbs. pressure
- 15" air hose with 1/4" female NPT
- 6" chrome-plated dual-head chuck
- 3/8" - 24 thread air inlet
- Heavy-duty to withstand everyday use and abuse
- 1 Year Warranty

KT189011 \$70.91 Aluminum Die Cast Heavy Duty Tire Inflator Gauge

- 2-1/2" (63mm) Digital gauge
- Swivel for convenience in use
- Deflation valve, Dual chuck
- 72" extension hose
- 1 Year Warranty
- Maximum measurement on gauge is 300 PSI

KT189006 \$19.09 Tire Inflator with 2" Gauge

- 1/4" (6.4mm) Male NPT
- Inflation gun, chuck, and gauge are all combined in one easy-to-use unit
- Clip design enables hands-free check use

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



TMR17-1045BC \$18.49 Tire Gauge

- Premium dual foot tire gauge
- 10 - 150psi

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



TIRE & WHEEL service

tire bead tools



ESC10821 \$814.99

Yellow Jackit Economy Bead Breaker Kit

- Works on single, two, and three piece wheel truck tires and rims
- Works on some the newly styled wheels
- Most popular tool for breaking beads on agricultural wheels
- Can be used with any 10,000 psi air hydraulic pump
- 3.75" stroke

WARNING: Cancer and Reproductive Harm
- www.P65Warnings.ca.gov



ESC10593 \$734.99

Metal Pump

- Made for tire service trucks
- All metal air motor
- Air inlet filter keeps air inlet clean
- Plenty of capacity for all types of bead breakers
- 5 quart 10,000 LP PSI 5 QUT

WARNING: Cancer and Reproductive Harm
- www.P65Warnings.ca.gov



ATERM-DSR7 \$345.00

7 Gallon Portable Aluminum Bead Seater

- Portable and easy to use
- Pop-off safety valve
- Schrader valve allows quick filling of tank through standard air chuck

WARNING: Cancer and Reproductive Harm
- www.P65Warnings.ca.gov



GAIGB-5ZA \$355.99

5 Gallon Automatic Bead Booster

- Automatic valve releases air 20% faster than manual valves, therefore requiring less pressure and making it safer to use
- Push-button trigger allows user to keep both hands on the tank, therefore maintaining control during use

GAIGB-5Z \$257.99

5 Gallon Bead Booster

- Release valve safety lock prevents inadvertent discharge
- Powder-coated inside and out to protect from rust and deterioration caused by moisture



Bead Bazooka Tommy Guns

- Lightweight design • Durable construction
- The main valve is completely replaceable
- New 2" MIS valve (patent pending) is able to inflate even the most stubborn tires
- Redesigned grips • 3-Year Warranty

GAIBB3LM - 3 Liter \$245.09

GAIBB6LM - 6 Liter \$305.89

GAIBB9LM - 9 Liter \$397.09



ESC20429 \$946.76

Pneumatic Manual Bead Breaker

- Operates with impact wrench and or air ratchet wrench
- Will handle much wider range of tires from automotive tires and up
- Loosens tire bead from the rim with leverage



ESC70160 \$202.99

Manual Bead Breaker

- Works on tire without removing the wheel from the tractor
- Handles 38" and 42" 14 ply farm tractor and backhoe tires
- Use also on small ATV and lawnmower tires
- Do NOT use with Air Impact Wrench



KEN31444 \$315.99

Mega Air Blast™ Bead Seater

- 5 gallon capacity
- Handles up to 24.5" wheel size
- Certified to ASME regulatory safety requirements
- Used on auto, ATV, and truck tires.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KEN35926 \$301.99

Heavy Duty Impact Bead Breaker

- The wedge foot is forced between the bead and rim flange
- Breaker is designed for shop or road use

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

TIRE & WHEEL service

hammers



KEN35429 \$138.39 32" Duck-Billed Bead Breaking Wedge with Fiberglass Handle

- Handled bead-breaking wedges for use on passenger, truck, bus, farm, tractor, and aircraft tires • Use with soft-face hammers
- Breaks beads quickly and easily
- Handle serves as lever to push bead away from rim
- 32" (81.3 cm) 8-1/2 lbs (3.9 kg)



KEN35323 \$108.99 T35 Heavy Duty Tire Hammer

- Used for mounting and demounting tires
- Makes tire changing faster and easier for passenger car, truck, bus, farm tractor, and aircraft tires
- Non-marring rubber end can be used for driving on lock rings
- Wood handle • 16-1/2" length



KEN35425 \$154.99 TG36 Heavy Duty Tire Hammer

- Used for mounting and demounting tires
- Non-marring rubber end can be used for driving on lock rings
- Fiberglass handle • 18" length



⚠ **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov



WIL51136 \$164.27 Wilton B.A.S.H® Bead Breaking Wedge with 11 lb. Head and 36" Handle Length

- Unbreakable® Handle Technology - Steel core eliminates breaking during overstrikes
- Safety Plate prevents head from dislodging
- No-Slip Grip made from vulcanized rubber ensures a secure hold
- Lanyard hole safely secures hammer to wrist or stationary object



OTC5789ID-1032 \$204.99 10 lb., 32" Tire Service Hammer, Indestructible Handle

- Outlasts wood and fiberglass handle hammers by well over • 30,000 overstrikes
- Ergonomic rubber grip handle reinforced with steel bars resists breaking while absorbing impact and vibration
- Lifetime Marathon Warranty - you break it (good luck!), we replace it, no question



mounting & demounting



GAIG12100 \$470.99 Demount Tool for 17.5" - 24.5"

- Demounts tire sizes 17.5"-24.5"
- Only a single tool needed to demount tires
- Unique design protects valuable tire casings for retreading



ESC20408 \$834.49 Pneu-Tek Universal Impact-Driven Tire Demounter

- Hand held Impact Driven Demount Tool
- Do a wide range of tires from a 12" golf cart to a 24" roadgrader tire
- Portable, runs off 90-120 lbs air pressure air tool, or electric impact gun



TSITNT-100 \$857.99 Tubeless Truck Tire Demounting and Mounting Tire Tool Set

- TNT-100-1 demount tool eliminates the need to lift the tire and rim to remove bottom tire bead
- Some tubeless tires can be demounted and mounted without removing the wheel from the vehicle
- Quickly demount tires 17.5" to 24.5"
- Can be used on tubeless truck tires including Super Singles size 315
- TNT demount tools are ideal for Dayton type (center less) and Budd type disc wheels
- 55" L x 11" W x 11" H



TSITNT100-1 \$737.99 Demount Tire Tool

- Tool will not damage tire beads saving valuable casings for retreading
- TNT-100-1 demount tool eliminates the need to lift the tire and rim to remove bottom tire bead
- Quickly demount tires 17.5" to 24.5"



OTC5735-35 \$93.48 35" Double End Curved and Flat Tip Curved Tire Spoon

- Unique "Convex Slip Head" curved design allows the spoon to slide easily into the tire bead while the spoon bump limits the depth for quick-and-easy operation
- Handle knob enables easier spoon pick up • 3/4" diameter



OTC5752 \$236.76 Wheel Loader and Tipper

- The wheel loader feature allows a technician to lift various sizes and types of wheels and tires in and out of a truck bed
- Works on steel or aluminum wheels, inflated or deflated
- Dimensions: 74 x 16 x 4 in; weight: 13.8 lbs



⚠ **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov

TIRE & WHEEL service

mounting & demounting



KEN35440 \$372.09

Blue Cobra™ Truck Tire Demount Tool

- Quickly demount nearly any 20", 22.5" and 24.5" tube-type and tubeless truck tire, up to a 13" wide wheel
- Ergonomic shaped steel handle with no-slip grip for optimum leverage while reducing back injuries
- Allows tire demounting without lifting the wheel assembly
- Made of durable high-quality steel
- Comes with 31810 Leather Rim Protector

WARNING: Cancer and Reproductive Harm
- www.P65Warnings.ca.gov

KEN32114 \$49.98

2 Piece Small Tire Iron Set

- T5 (KEN32115) - Ideal for demounting small tires
- T8 (KEN32118) - Ideal for mounting small tires
- Sturdy, comfortable plastic handles
- Rounded ends will not pinch tube
- Length: 16"; Stock: 7/16"; Weight .8 lbs

WARNING: Cancer and Reproductive Harm
- www.P65Warnings.ca.gov



KEN35444 \$632.99

Deluxe 10 Piece Blue Cobra™ Truck Tire Service Set

- Contains all of the tools you need to change most 22.5" and 24.5" tubeless truck tires quickly and easily

Set Contains:

- | | |
|---|--|
| 1 - Blue Cobra™ Truck Tire Demount Tool | 2 - Aluminum C-Lok™ Bead Holder |
| 1 - T45A 37" Tubeless Tire Iron | 1 - Leather Rim Protector |
| 1 - 30" Double-End Tire Spoon | 1 - T11ES Bead Breaking Wedge with Safety Handle |
| 1 - 8# Bucket Euro Paste Lube | 1 - T35 H.D. Tire Hammer |
| 1 - Euro-Style Lube Applicator Brush | |

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KEN34747 \$80.57

36" Straight Tubeless Mount/Demount Tool

- Length: 36"
- Stock: 3/4"
- Weight: 4-1/2 lbs

KEN34645 \$80.79

37" Truck Mount/Demount Tire Iron

- Patented design offers one piece construction, and assures long life for many tire changing applications
- Easy to mount and demount tires without changing tool
- Rounded tip ends insert easily

KEN34648 \$83.99

37" Heavy Duty Lock Ring Tool

- Removes continuous side rings on two piece truck rims
- Use for multi-piece wheels, especially hub type

KEN34644 \$87.09

37" Mount / Dismount Tire Tool

- 3/4" diameter bar special tip on one end for grabbing the rim
- Design allows for less effort, provides excellent wheel/rim surface contact area for less side to side movement

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



ESC70100 \$329.29

Easy Way Truck Tire Demount Tool

- Demount tubeless truck tires in seconds
- No damage to aluminum or painted wheels
- Never lift tire to demount rear or bottom bead
- Lifetime warranty
- Never lift tire to demount rear or bottom bead
- Consists of the 70101 top bead demount tool, 70102 bottom bead demount tool and 70103 Rim Protector

Tubeless Truck Tire Demounting System. Demounts 16.5" to 24.5" Diameter Truck Tires in seconds. No damage to aluminum or painted wheels using the included rim protector 70103.



\$458.99

ESC90518-100-1 Tire Demount Tool

- Demounts tire sizes 17.5 up to 24.5
- Only lift tire once
- Does not damage beads
- Demounts tire in less than 30 seconds
- Rubber coated handle for support



ESC60305 \$173.99

EZ Buster Torque Multiplier

- Safely removes corroded, rusted, overtightened, and lugs
- Lightweight, weighs less than 20 lbs
- Comes with 32 and 33mm nuts
- EZ winder action allows for fast removal of stubborn nuts
- Effortless design



ESC90518-200M

Mounting Tool \$133.09

- Fits all rims for easy mounting
- Works on all truck tires including Super Singles
- Rubber coated handle for non-slip grip
- Does not damage the wheel
- Mount tire in less than 30 seconds



KEN32319 \$43.83

TR5A 30" Long Truck Wrench Handle

- Eight inches longer than standard TR5 (32318) Truck Wrench Handle



KEN34647 \$99.99

41" Heavy Duty Truck Tubeless Tire Iron

- Patented one-piece design and heat treating assure durability
- Rounded tip ends insert easily and will not cut or rip bead or sidewall



KEN34847 \$194.63

52" Straight Mount / Demount Tire Iron

- Patented one-piece design & heat treated to assure durability



KEN34649 \$118.19

52" T45AS Super Duty Tubeless Truck Tire Iron

- Precision forged ends, slip-free grip on the rim and bead
- Mount end has unique, trademarked curved design to always grab the bead
- 7/8" shaft for strength and durability



KEN35595 \$121.99

TC95 Heavy Duty Truck Lug Wrench

- Combination wrench fits SAE and metric
- 1-1/2", 13/16" square, 30mm and 33mm
- Center hole for a leverage bar



TIRE & WHEEL service

mounting & demounting



- LIS19852 \$13.39**
Truck and Trailer Wheel Pan
- Prevents oil mess during wheel repair
 - Fits rims with 13-3/4" ID and larger

WARNING: Cancer and Reproductive Harm
 - www.P65Warnings.ca.gov



- TMRTC3000 \$25.95**
Rubber Wheel Chock
- Durable rubber construction
 - Features an eye bolt for chain or rope attachment
 - Ribbed pyramid design
 - Either side of wheel chock can be positioned against the tire
 - Sold individually. Weight - 10 lbs (4.5kg)



- KEN35453 \$309.99**
4 Piece Serpent™ Tire Changing Set
- KEN35449 Demount Tool: demounts both beads, no more lifting the tire/wheel assembly off the ground
 - KEN35450 Mount Bar: wing shape is designed to stop against the rim, won't slip into wheel well; small end of tool easily gets under the stretched bead for that last pull
 - KEN31710 Bead Holding Device: Holds the bead in place against the wheel while mounting a tire
 - KEN31810 Wheel Protector: Protects wheel rims from damage

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



AMN67300 \$154.99

Nut Buddy

- Busts loose the most stubborn wheel nuts
- Use on commercial or agricultural wheels
- Gear ratio: 58:1
- Rated output torque: 2950 ft lbs
- Two sockets included:
 1-1/2" (38mm) and 1-5/16 (33mm)
- Comes with black carrying case



AMN71630 \$774.99

Complete Heavy Duty Wheel Puller Kit - Single Hook

- Eliminates need to crawl under vehicle
- No need to use sledge hammer to separate stuck wheels
- Saves time and improves safety
- High Chromium Steel construction
- Includes (2) pulling ends to ensure versatility on wheel types



ESC60301 \$21.29

Budd Nut Wrench (Pork Chop), 1-1/2" and 38mm

- Pork Chop style-New design; cannot slip out of the rim hole
- Won't damage aluminum wheels
- Holds outer cap nut securely
- Replaceable polymer covered tail



ESC40125 \$10.99

Skirt Nut

- Stops wheel/hub vibrations
- No more loose wheels
- Prevents wheel 'clocking' on hub piloted wheels
- Meets and exceeds standards of SAEJ1965 for torque tension
- Eliminates wasted fuel caused by rolling resistance 'drag'



OTC5693 \$232.59

Dual/Single Wheel Separator

- Outer drive hook includes a handle that allows for fast and easy alignment as well as a flat side, both to eliminate turning during use
- The pusher end has two grooves, one for 16"-17", and the other for 19.5"-24.5" wheels
- Pressure is applied to the wheel rim and not the wheel lip to eliminate bending wheel
- Includes four adapters: dual wheel outer, dual wheel inner (long cupped), single wheel (short cupped), and flat
- Lifetime warranty does not cover abuse

TIRE & WHEEL service

alignment



ATEATEDGE-601-P \$16,445.00

Bluetooth Wireless Alignment Machine with 3 Point Clamps

- Precision CCD Measuring
- Bluetooth® wireless sensors
- 8-camera optical system



Includes 10"-24" non-runout 3-pt FastClamp wheel clamps
Deluxe cart style cabinet with printer, 19" LCD display and keyboard



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



**3-Point
Fast
Clamps!**



\$30,590.00

ATECOMBO-801-ST-FPD

Atlas Edge 801 HD

Truck Alignment Machine Combo

- 3-Point Fast Clamps
- Customizable for 2, 3, 4, and 5 axle configurations
- 6 Long Adapters included (2-5/8")
- 6 Short Adapters included (14-1/4")
- Trailer fixture, turntables, and calibration bar included



EZREZLINE \$735.99

Wheel Laser Alignment Tool

- All measurements can be taken in under 10 minutes
- E-Z precise axle and wheel alignment
- For heavy trucks, all types of trailers
- Compact design, easy transport and toolbox storage
- Multipurpose measurement capabilities



The "EZ Line" has many other uses in the Automotive and Commercial Vehicle Industry. A straight steel bar and bungee cord are all you need in addition to the EZ line, to set the toe on any vehicle, including trucks, that have an "In" or "Out" toe setting. Includes: 4 magnetic self-centering lasers, measuring tape, 2 magnetic 5th wheel pin adapters and a durable storage/travel case.

EZREZLINEB1SW \$3,189.69

Complete Alignment Tool Package with Software

- Includes everything shown above, plus software, hub and bar adapters



manufacturer index

Acme Automotive (ACM)	60
Aircat (ACA)	4,06,08
ALC Keysco (ALC)	53
AME International (AMN)	78,83,84,88,92
American Forge & Foundry (INT)	55,72,76,77,84,85
American Imc (IMC)	59
American Power Pull (AMG)	57
Ammco (AMM)	86
APEX TOOL GROUP LLC (CRS)	18
Associated Equipment (ASO)	25,27
Atlas Automotive Equipment (ATE)	1,65,70,71,72,81,86,89,93
Autel Tech (AUL)	31,33
Blackhawk / Shinn Fu Company (BHK)	82
BlueBird (BLB)	51,60,61,62,63,64,88,96
Bosch (BOS)	1,26,32,34,37,38
Cal Van / Horizon Tool (CAL)	40
Cando Int'l (CDO)	33,34
Carrand (CRD)	65
CEJN Industrial (VAC)	60
Central Tools, Inc. (CEN)	22,42,43,66
Channellock Inc. (CHA)	19,40
Chicago Pneumatic (CPT)	4,05,06,22
Cojali USA (COJ)	34
CPS Products, Inc. (CPS)	68,69
Crushproof Tubing (CRU)	65
DeWalt (DWT)	56
Drew Technologies (DRW)	33
Enerco Group Inc. (HET)	67
Enerco Group Inc. (MRH)	67
Esco Equipment (ESC)	3,22,58,77,78,82,84,85,89,90,91,92
E-Z Red Company (EZR)	19,93
Fastening Systems International (FSI)	57
FJC, Inc. (FJC)	27
Fowler (FOW)	42

Gaither Tool (GAI)	89,90
Gearwrench (KDT)	20
Goodall (GDL)	23,24
Grey Pneumatic (GRE)	12,15,16,43
Induction Innovations (IDI)	57
Ingersoll Rand (IRT)	4,05,07,08,10,14,59
Innovative Products Of America (IPA)	35,36,40,49,52,63,65,66,88
John Dow Industries (DOW)	46,51,52,53,66
K-Tool International (KTI)	8,11,13,14,17,18,19,20,21,22,23,27,28,47,48,49,51,55,56,58,60,69,72,73,75,77,78,82,84,85,87,88
Kastar / Lang / A&E Hand Tools (KAS)	41,42
Ken-tool (KEN)	45,87,89,90,91,92
Launch Tech USA (LAU)	32,33,34
Legacy Manufacturing (LEG)	60,63
Lincoln Lubrication / Industrial (LIN)	46,47,48,49,50,52,63
Lisle Corp (LIS)	19,28,36,40,45,46,92
Lock Technology, Inc. (LTI)	42
Mahle RTI (MSS)	46,73,78,81,84
Martins Industries (MRI)	87
Mastercool, Inc (MSC)	68
Mayhew Tools (MAY)	20
Michigan Industrial Tools (GYM)	63
Midtronics Inc. (MID)	26,27
Milton Industries (MIL)	60
Milwaukee (MLW)	1,09,10,50
Milwaukee Sprayer-Sure Shot (SUR)	49
Mityvac (MIT)	41
Mountain (MTN)	4,22,67,69
MPSI (MPS)	33
Mueller-Kueps (MLK)	42,55
New Pig Corp (NPG)	47
Noregon Systems (NRS)	29,30

Omega (OME)	54,58,72,73,74,76,77,81,83,84
OTC (OTC)	17,18,21,28,40,41,42,43,44,45,52,53,54,58,66,67,72,73,74,75,76,77,78,79,80,81,82,83,84,90,92
Plews Edelmann (National) (PLW)	28,66
Power Probe Inc (PPI)	38
Power Probe Inc. (PPR)	38
Precision Instruments, Inc. (PRE)	21
Private Brand Tools (PBT)	41
Proto (POR)	69
Redline Detection (RDL)	38
Robinair (ROB)	68
Rockford (RFD)	24
S and G Tool Aid (SGT)	28,36
Schley Products, Inc (SCH)	41,43
Schumacher/DSR (SCU)	23
Solar / Clore Automotive (SOL)	23,24,26,27
Steck Manufacturing (STC)	58
Sunex International (SUN)	4,11,12,13,14,16,17,18,19,55,56,74,83,84
The Main Resource (TMR)	88,92
The Noco Company (NOC)	23
Thexton Mfg Co. (THX)	66
Tiger Tools (TIG)	41,42,44,45
Tire Service International LLC (TSI) (TSI)	90
Titan (TIT)	20
Traxion Engineered Products (TRX)	58
Tuthill Transfer Systems (FIL)	48,49,66
Uvieu (UVU)	41
V-8 Tools (V8T)	18
Weems Global Flexzilla Compressors (LEC)	59
Welding, Cutting, Tools & Accessories (LEW)	57
Wilton (WIL)	20,56,69,90
Wilton-Jet (JET)	56,57,72

descriptive index

2 Post Lifts	70
4 Post Lifts	71
A/C Manifold Gauge Sets	69
A/C RRR Machines	68-69
A/C RRR Vacuum Pumps	68-69
A/C Tools & Equipment	68-69
Abrasive Blasting	53
Air & End Lifts	72, 73
Air Brake Tools	42-43
Air Compressors	59
Air Hammer - Long Barrel	8
Air Hose Couplers	60
Air Hose Reels	62-63
Air Hoses	60-61
Air Hoses	61
Air Inflator Gauges	88
Air Tools	4-8
Air Tools - Specialty	8
Air/Hydraulic Rolling Jacks	71
Alignment Machines	1, 93
Alignment Tools	93
Axle & Truck Hydraulic Jacks	77-78
Battery Chargers	25-26, 27
Battery Service	23-28
Battery Service Tools	28
Battery Testers	26
Beaker Bars	20
Bench Grinders	56
Blow Guns	60
Booster Cables	27
Bottle Jacks	3, 84-85
Brake & Drum Dollies	81
Brake Service Tools	42-43
Code Readers	34
Cooling System Tools	41
Cordless Grease Guns	50
Cordless Hammer Drill	10
Cordless Impact Wrenches	1, 10

Cordless Rivet Tool	10
Cordless Tools	9-10
Couplers	60
Cranes	79
Creepers and Seats	58
Cribbing Sets	83
DEF	66
Diagnostic Solution Tablet	1
Diesel Injector Seat Cleanng Kits	40
Digital Drum Gauges	42
DPF	67
Drill Presses	56
Drive Shaft and Axle Tools	44-45
Dual Wheel Separators	87, 92
Electrical Tools	41
Electronics/Diagnostics	29-39
Engine Preluber Kit	40
Engine Stands	80
Engine Tools	43
Exhaust Venting	65
Fluid & Grease Accessories	49
Fluid & Grease Drains	46-47
Fluid & Grease Guns	50-51
Fluid & Grease Pumps	47-49
Fluid and Grease Evacuators	51
Fuel Hoses	51
Fuel Management	40
Gas Caddies	52
Hammers	20
Hammers - Tire	90
Hand Tools	18-22
Hand Truck	57
HD Truck Alignment Machine	1
Heat Guns	2
Hose Pinch Off Pliers Set	41
Hoses - Air	61
Hoses - Fuel	51
Hoses - Water	64

Impact Sockets	11-17
Impact Sockets - Budd Wheel Service	13, 17
Impact Sockets - Wheel Service	13, 16
Impact Sockets Accessories	13, 17
Impact Wrenches	4-8
Inflation Cages - Tire	87
Jack Stands	3, 72, 84
Jump Starters	23-24
Lifting & Hydraulics	70-86
Material Handling	57
Needle Scaler	8
Oil Change Tools	40
Oil Filter Crushers	52-53
Oil Filter Wrenches	40
Pallet Jack	57
Parts Washers	65
Pliers	19, 41
Portable Hydraulic Sets	82
Power Train Lifts	79
Pry Bars	20-21
"Pullers, Puller Sets"	42
Ramps	83
Ratchets	19
Rolling Jacks	71
Scan Tools and Software	29-34
Service Jacks	3
Service Jacks	73-76
Shop Cleaning	63-65
Shop Cooling	69
Shop Cranes	79
Shop Heating	67
Shop Presses	54-55
Shop Tools and Equipment	45-67
Sledge Hammers	20
Socket Sets & Accessories	19-20
Specialty Jacks	78
Specialty Testers	38
Start-Alls	24

Steering and Suspension Tools	41
Tire & Demounting Tools	90-92
Tire & Wheel Service	87-93
Tire Balancers	86
Tire Bead Beaking Hammers	90
Tire Bead Brakers	89
Tire Bead Seaters	89
Tire Bead Tools	89
Tire Changers	86
Tire Gauges	88
Tire Inflation	88
Tire Inflation Cages	87
Tire Inflators	88
Tire Pressure Equalizer	88
Tire Steps	58
Torque Tools	21-22
Trailer Testers	35-36
Transmission Jacks	73,76
Transmission Tools	43
Truck and Trailer Wheel Pan	92
Truck Ramps	83
U-Joint Puller	45
Vehicle Specialty	40-44
Vises	56
Water Hoses	64
Welding/Heating/Rivets	57
Wheel Alignment Machines	93
Wheel Changers/Spreaders/Balancers	86
Wheel Chock	92
Wheel Dollies	79, 81
Wheel Dollies & Lifts	81-82
Wheel Puller Kit	92
Wheel Sockets and Socket Sets	44
Wheel Stud Tools	44
Work Tables	58
Wrenches	18-19

Freight Terms

- Freight delivery shipments must be inspected for damage and loss.
- Refuse shipment or notate damage/loss on delivery document.
- Additional services provided by the carrier such as, lift-gate, residential delivery or special handling will incur additional freight charges.
- Inspect for obvious damage and concealed damage.
- Accepting and signing for a damaged or a short shipment releases the carrier and distributor from any claim responsibility.
- Confirm carton/pallet count.

NEW **LOW PROFILE TRUCK DRAIN**

LIN3669 LOW-PROFILE DESIGN

can be easily positioned under high-clearance vehicles for capturing used fluids including motor oil, coolant and transmission fluid.



LINCOLN

®

The Brand Pros Demand - Since 1910



KTI70385 \$144.18

Dual Wheel Separator

- Drop forged body
- Quickly and easily remove stuck or frozen dual steel wheels
- This innovative "one-piece" pusher won't fall apart during use and is ball bearing-driven for near-zero turning resistance
- Forcing screw and pullers have powerful 1-1/8" diameter x 11 threads for years of reliable service
- 1 Year Warranty



\$325.10

BLBOSRDA1250 Oil Shield Heavy Duty Dual-Arm Retractable Air Hose Reel 1/2" x 50'

- Powder Coated Steel - Corrosion Resistant, Heavy Duty 18 Gauge Steel
- Perfect for mounting on mobile applications
- Meets RMA Class A Oil Resistance
- 12 Point Ratchet for locking at shorter intervals



**4:1
Safety
Factor**

LIN3669 \$609.99 Low Profile Truck Drain with Electric Pump

- Low profile design can be easily positioned under high-clearance vehicles Large 17 gallon (65 liter) capacity reservoir
- Reservoir molded of high-impact polypropylene and four large 4" (100 mm) diameter swivel casters



SEE PAGE 46!



**HEAVY DUTY
MAINTENANCE**

ToolWEB SPECIAL EDITION

PLEASE NOTE: All prices are subject to change at any time without notice. Due to recent Tariff changes by the U.S. Government, it may be necessary to implement a Force Majeure pricing event on certain products. This advertisement was prepared in advance, therefore, merchandise availability could be limited and is subject to the delivery schedule of the manufacturers. Advertised items may not be stocked by all locations. We are not responsible for typographical, pictorial, or pricing errors.

Products advertised within this publication may contain chemicals known to the State of California under Proposition 65 ("P65") to cause cancer, birth defects or other reproductive harm. Many products are noted with a P65 WARNING; however, the warnings may not apply to all items. Further, as this is a new regulation and all vendors may not have yet identified their products as subject to P65, all items that need a warning may not be noted. Contact the manufacturer for specific details regarding P65. We appreciate your understanding as we navigate these new requirements.

CAUTION: Always wear appropriate safety equipment and observe safety advice and proper use of equipment as instructed in warning and caution labels and operating instructions.



Goodall

GDLJP-12-4000 \$854.29 Start•All® Jump•Pack 12V 4000 AMP

- Capacity: 236.8 Watt-hours (236,800mWh)
- Lifetime Performance: Up to 5000 Starts

**NEW!
DIESEL
EQUIPMENT**

WARNING: Cancer and Reproductive Harm
- www.P65Warnings.ca.gov

SEE PAGE 23!