

TABLE OF CONTENTS

Hand Tools Chrome Sockets, Impact Sockets, Spline Sockets, Crowsfoot, Torx Sockets (internal /external), Flip Sockets, Spindle Nut Sockets, Hex Bit Sockets, Spark Plug Sockets, Universal Joints, Adapters, Reducers, Extensions, Ratchets, Breaker Bars, T-handles, Spinner Handles, Standard and Professional Series Screwdrivers, Torq Screwdrivers, Nut Drivers, Hex Bits, Pry Bars (bent head, rolling head), Files, Taper Punches, Center Punches, Pin Punches, Chisel, and Brass Punches, Raised Panel Combination, High Polish Combination, Stubby, Flare Nut, Ratcheting Box, Ratcheting Combination and Reversible Ratcheting, Adjustable Wrenches, Pipe Wrenches, Aluminum Pipe Wrenches, Allen/Hex Wrenches, Needle Nose, Diagonal, Slip Joint, Groove Joint, Locking, Snap Ring Pliers, Ball Pein Hammers, Claw Hammer, Rubber Mallet, Brass Hammers, Tape Measures
Tool Storage
Lighting
Cutting/Threading/Abrasives
Air Tools & Electric Tools
Shop Tools
Battery Testers & Booster Cables
Vehicle Specialty
Paint & Body Tools
Displays
Index by Part Number224-234
Index by Category235-239
Warranty Information240-241
Safety Information242

Icon Legend
Product is proudly made in the USA
1/4"Product is 1/4-inch drive
3/8"Product is 3/8-inch drive
1/2"Product is 1/2-inch drive
3/4"Product is 3/4-inch drive
1"Product is 1-inch drive
Product has 6 internal points of contact
Product has 12 internal points of contact
Repair or replacement parts are available
Product is also sold individually
LIFETIMEProduct is covered by lifetime warranty (does not cover case, containers etc) - Does not cover abuse.
Oversized product ships via freight company
See individual pieces for warranty.



1.800.762.6002 www.ktoolinternational.com





HEAVYWEIGHT QUALITY. KNOCKOUT PRICE.



TAKE THE K-TOOL KO CHALLENGE!

Get the "K-TOOL KO Challenge Kit". . .

And give your customers a ringside for the "K-TOOL KO Challenge" – a 5/8" wrench from Snap-On (we'll call the champion, for now), the second place competitor of the time, and of course ours (currently, the contender). It's simple. Look at them. Same quality, Same functionality. Feel them. Some will say the Snap-On feels better in their hands. But the difference, they will admit is small. The price difference, however is big. K-TOOL is substantially lower. It is rare for someone with a ring-side seat to put their money anywhere, but on the challenger – K-TOOL. What can we say, that's who we are. We're not champions yet, but we're giving the competition a helluva beating. Call your K-TOOL rep today and get your "K-TOOL KO Challenge Kit." And give your retailers a ringside seat.







1/4" Drive Chrome I Complete Sets 1/4"

KTI21044

44-piece Fractional and Metric 6-point Socket Set 1/4" Drive

• Chrome vanadium, heat-treated, packaged in blow molded case Includes a 1/4" drive pro ratchet, 2" extension, 6" extension, standard length fractional sockets 3/16" to 9/16", deep fractional sockets 1/4" to 9/16", standard length metric sockets from 4mm to 15mm, deep metric sockets 6mm to 15mm.





Set includes (also available individually):

oct iliciuuco (alou avallab	ic individually).			
KTI21106 - 3/16"	KTI21118 - 9/16"	KTI26104 - 4mm	KTI26112 - 12mm	KTI26211 - 11mm deep
KTI21107 - 7/32"	KTI21208 - 1/4" deep	KTI26105 - 5mm	KTI26113 - 13mm	KTI26212 - 12mm deep
KTI21108 - 1/4"	KTI21209 - 9/32" deep	KTI26155 - 5.5mm	KTI26114 - 14mm	KTI26213 - 13mm deep
KTI21109 - 9/32"	KTI21210 - 5/16" deep	KTI26106 - 6mm	KTI26115 - 15mm	KTI26214 - 14mm deep
KTI21110 - 5/16"	KTI21211 - 11/32" deep	KTI26107 - 7mm	KTI26206 - 6mm deep	KTI26215 - 15mm deep
KTI21111 - 11/32"	KTI21212 - 3/8" deep	KTI26108 - 8mm	KTI26207 - 7mm deep	KTI21092 - Ratchet
KTI21112 - 3/8"	KTI21214 - 7/16" deep	KTI26109 - 9mm	KTI26208 - 8mm deep	KTI21002 - 2" Extension
KTI21114 - 7/16"	KTI21216 - 1/2" deep	KTI26110 - 10mm	KTI26209 - 9mm deep	KTI21006 - 6" Extension
KTI21116 - 1/2"	KTI21218 - 9/16" deep	KTI26111 - 11mm	KTI26210 - 10mm deep	







6-point Socket Set 1/4" Drive

- All sockets are 6-point chrome vanadium
- · Packaged blow-molded case

Includes 9 short sockets from 3/16" to 1/2", 7 deep sockets from 1/4" to 1/2", push button ratchet, universal joint, 2" and 4" extensions and spinner.

Set includes (also available individually):

KTI21106 - 3/16"	KTI21114 - 7/16"	KTI21214 - 7/16" deep
KTI21107 - 7/32"	KTI21116 - 1/2"	KTI21216 - 1/2" deep
KTI21108 - 1/4"	KTI21208 - 1/4" deep	KTI21091 - Ratchet
KTI21109 - 9/32"	KTI21209 - 9/32" deep	KTI21002 - 2" Extension
KTI21110 - 5/16"	KTI21210 - 5/16" deep	KTI21004 - 4" Extension
KTI21111 - 11/32"	KTI21211 - 11/32" deep	KTI21050 - Universal Joint
KTI21112 - 3/8"	KTI21212 - 3/8" deep	KTI21060 - Spinner Handle





1/4" Drive Chrome Sockets				
Fractional				
	Standard	Deep		
Size	6 pt	6 pt		
3/16"	KTI21106	KTI21206		
7/32"	KTI21107	KTI21207		
1/4"	KTI21108	KTI21208		
9/32"	KTI21109	KTI21209		
5/16"	KTI21110	KTI21210		
11/32"	KTI21111	KTI21211		
3/8"	KTI21112	KTI21212		
7/16"	KTI21114	KTI21214		
1/2"	KTI21116	KTI21216		
9/16"	KTI21118	KTI21218		



KTI26000 21-Piece Metric

6-point Socket Set

1/4" Drive

• 6-point chrome vanadium steel Includes 9 short sockets from 4mm to 11mm, 7 deep sockets from 5.5mm to 11mm, push button ratchet, universal joint, 2" and 4" extensions and spinner.

Set includes (also available individually).

Set includes (also available individually):				
KTI26104 - 4mm	KTI26110 - 10mm	KTI26210 - 10mm deep		
KTI26105 - 5mm	KTI26111 - 11mm	KTI26211 - 11mm deep		
KTI26155 - 5.5mm	KTI26255 - 5.5mm deep	KTI21091 - Ratchet		
KTI26106 - 6mm	KTI26206 - 6mm deep	KTI21002 - 2" Extension		
KTI26107 - 7mm	KTI26207 - 7mm deep	KTI21004 - 4" Extension		
KTI26108 - 8mm	KTI26208 - 8mm deep	KTI21050 - Universal Joint		
KTI26109 - 9mm	KTI26209 - 9mm deep	KTI21060 - Spinner Handle		

1/4" Drive Chrome Sockets				
Metric				
	Standard	Deep		
Size	6 pt	6 pt		
4mm	KTI26104			
5mm	KTI26105			
5.5mm	KTI26155	KTI26255		
6mm	KTI26106	KTI26206		
7mm	KTI26107	KTI26207		
8mm	KTI26108	KTI26208		
9mm	KTI26109	KTI26209		
10mm	KTI26110	KTI26210		
11mm	KTI26111	KTI26211		
12mm	KTI26112	KTI26212		
13mm	KTI26113	KTI26213		
14mm	KTI26114	KTI26214		
15mm	KTI26115	KTI26215		



1/4" Drive Chrome I Complete Sets 1/4"





KTI21200

8-Piece Fractional 6-Point Socket Set 1/4" Drive - Deep

- 6-point sockets
- · Chrome vanadium steel
- · Heat-treated
- · Packaged on a socket rail







Set includes (also available individually):

KTI21207 - 7/32" deep KTI21211 - 11/32" deep KTI21208 - 1/4" deep KTI21212 - 3/8" deep KTI21209 - 9/32" deep KTI21214 - 7/16" deep KTI21210 - 5/16" deep KTI21216 - 1/2" deep

KTI26200 8-Piece Metric 6-Point Socket Set

1/4" Drive - Deep

- · Chrome vanadium steel · Heat-treated
- · Packaged on socket rail



Set includes (also available individually):

KTI26206 - 6mm deep KTÍ26210 - 10mm deep KTI26207 - 7mm deep KTI26211 - 11mm deep KTI26208 - 8mm deep KTI26212 - 12mm deep KTI26209 - 9mm deep KTI26213 - 13mm deep

KTI26100

8-Piece Metric





- Chrome vanadium steel
- · Heat-treated
- · Packaged on socket rail

Set includes (also available individually):

KTI26106 - 6mm KTI26110 - 10mm KTI26107 - 7mm KTI26111 - 11mm KTI26108 - 8mm KTI26112 - 12mm KTI26109 - 9mm KTI26113 - 13mm

KTI21100

8-Piece Fractional 6-Point Socket Set 1/4" Drive - Short

- · 6-point sockets
- · Chrome vanadium steel
- · Heat-treated
- · Packaged on socket rail

Set includes (also available individually):

KTI21106 - 3/16" KTI21110 - 5/16" KTI21107 - 7/32" KTI21112 - 3/8" KTI21108 - 1/4" KTI21114 - 7/16" KTI21109 - 9/32" KTI21116 - 1/2"

3/8" Drive Chrome I Complete Sets 3/8"








LIFETIME



45-Piece Fractional and Metric Spline Socket Set 3/8" Drive

- The universal spline socket design works on various fasteners such as spline, 6-point, 12-point, female torx and square
- It will even work on 50% rounded fasteners! It's like having six sockets in one!
- Features high-polish chrome-vanadium finish, which provides for long life and maximum corrosion resistance
- Packaged in a blow-molded case

Set Includes: standard and deep fractional (5/16" to 7/8") and metric (7mm to 19mm) sockets, 3/8" drive ratchet and 3- and 6-inch wobble extensions



oot inolaado jaloo aranabi	o marriadany).			
KTI20210 - 5/16"	KTI20228 - 7/8"	KTI20428 - 7/8" deep	KTI20318 - 18mm	KTI20714 - 14mm deep
KTI20212 - 3/8"	KTI20412 - 3/8" deep	KTI20310 - 10mm	KTI20319 - 19mm	KTI20715 - 15mm deep
KTI20214 - 7/16"	KTI20414 - 7/16" deep	KTI20311 - 11mm	KTI20707 - 7mm deep	KTI20716 - 16mm deep
KTI20216 - 1/2"	KTI20416 - 1/2" deep	KTI20312 - 12mm	KTI20708 - 8mm deep	KTI20717 - 17mm deep
KTI20218 - 9/16"	KTI20418 - 9/16" deep	KTI20313 - 13mm	KTI20709 - 9mm deep	KTI20718 - 18mm deep
KTI20220 - 5/8"	KTI20420 - 5/8" deep	KTI20314 - 14mm	KTI20710 - 10mm deep	KTI20719 - 19mm deep
KTI20222 - 11/16"	KTI20422 - 11/16" deep	KTI20315 - 15mm	KTI20711 - 11mm deep	KTI22092 - Ratchet
KTI20224 - 3/4"	KTI20424 - 3/4" deep	KTI20316 - 16mm	KTI20712 - 12mm deep	KTI22003 - 3" Extension
KTI20226 - 13/16"	KTI20426 - 13/16" deep	KTI20317 - 17mm	KTI20713 - 13mm deep	KTI22006 - 6" Extension



















LIFETIME

3/8" Drive Chrome I Complete Sets 3/8"

47-Piece Fractional and Metric 6-point Socket Set 3/8" Drive

- Manufactured with heat-treated chrome vanadium steel
- · Packaged in custom blow-molded carrying case

Includes: short fractional sockets from 1/4"-7/8"; deep fractional sockets from 3/8"-7/8"; short metric sockets from 6mm - 19mm; deep metric sockets from 10mm - 19mm; 3/8 drive pro ratchet; 3" extension; 6" extension.



Set includes (also availab	ne maiviauany):		
KTI22108 - 1/4"	KTI22128 - 7/8"	KTI27106 - 6mm	KTI27116 - 16mm
KTI22110 - 5/16"	KTI22212 - 3/8" deep	KTI27107 - 7mm	KTI27117 - 17mm
KTI22112 - 3/8"	KTI22214 - 7/16" deep	KTI27108 - 8mm	KTI27118 - 18mm
KTI22114 - 7/16"	KTI22216 - 1/2" deep	KTI27109 - 9mm	KTI27119 - 19mm
KTI22116 - 1/2"	KTI22218 - 9/16" deep	KTI27110 - 10mm	KTI27210 - 10mm deep
KTI22118 - 9/16"	KTI22220 - 5/8" deep	KTI27111 - 11mm	KTI27211 - 11mm deep
KTI22120 - 5/8"	KTI22222 - 11/16" deep	KTI27112 - 12mm	KTI27212 - 12mm deep
KTI22122 - 11/16"	KTI22224 - 3/4" deep	KTI27113 - 13mm	KTI27213 - 13mm deep
KTI22124 - 3/4"	KTI22226 - 13/16" deep	KTI27114 - 14mm	KTI27214 - 14mm deep
KTI22126 - 13/16"	KTI22228 - 7/8" deep	KTI27115 - 15mm	KTI27215 - 15mm deep



47-Piece Fractional and Metric 12-point Socket Set 3/8" Drive

- Manufactured with heat-treated chrome vanadium steel
- Packaged in custom blow-molded carrying case

Includes: short fractional sockets from 1/4" - 7/8"; deep fractional sockets from 3/8"-7/8"; short metric sockets from 6mm - 19mm; deep metric sockets from 10mm - 19mm; 3/8 drive pro ratchet; 3" extension; 6" extension.

Set includes (also available individually):

KTI22508 - 1/4"	KTI22528 - 7/8"	KTI27506 - 6mm	KTI27516 - 16mm
KTI22510 - 5/16"	KTI22412 - 3/8" deep	KTI27507 - 7mm	KTI27517 - 17mm
KTI22512 - 3/8"	KTI22414 - 7/16" deep	KTI27508 - 8mm	KTI27518 - 18mm
KTI22514 - 7/16"	KTI22416 - 1/2" deep	KTI27509 - 9mm	KTI27519 - 19mm
KTI22516 - 1/2"	KTI22418 - 9/16" deep	KTI27510 - 10mm	KTI27410 - 10mm deep
KTI22518 - 9/16"	KTI22420 - 5/8" deep	KTI27511 - 11mm	KTI27411 - 11mm deep
KTI22520 - 5/8"	KTI22422 - 11/16" deep	KTI27512 - 12mm	KTI27412 - 12mm deep
KTI22522 - 11/16"	KTI22424 - 3/4" deep	KTI27513 - 13mm	KTI27413 - 13mm deep
KTI22524 - 3/4"	KTI22426 - 13/16" deep	KTI27514 - 14mm	KTI27414 - 14mm deep
KTI22526 - 13/16"	KTI22428 - 7/8" deep	KTI27515 - 15mm	KTI27415 - 15mm deep



12 PT

LIFETIME WARRANTY*

KTI22000 20-Piece Fractional 6-Point Socket Set 3/8" Drive

LIFETIME

WARRANTY*


- · All sockets are 6-point chrome vanadium steel
- · Packaged in a blow-molded case

Includes 9 short sockets from 3/8" to 7/8", 8 deep sockets from 3/8" to 13/16", push button ratchet plus 2" and 3" extensions.

Set includes (also available individually):

set iliciuues (aiso avallable iliulviuually).				
KTI22112 - 3/8"	KTI22126 - 13/16"	KTI22222 - 11/16" deep		
KTI22114 - 7/16"	KTI22128 - 7/8"	KTI22224 - 3/4" deep		
KTI22116 - 1/2"	KTI22212 - 3/8" deep	KTI22226 - 13/16" deep		
KTI22118 - 9/16"	KTI22214 - 7/16" deep	KTI22091 - Ratchet		
KTI22120 - 5/8"	KTI22216 - 1/2" deep	KTI22002 - 2" Extension		
KTI22122 - 11/16"	KTI22218 - 9/16" deep	KTI22003 - 3" Extension		
KTI22124 - 3/4"	KTI22220 - 5/8" deep			







KTI27416 - 16mm deep KTI27417 - 17mm deep KTI27418 - 18mm deep KTI27419 - 19mm deep KTI22092 - Ratchet KTI22003 - 3" Extension KTI22006 - 6" Extension





6-Point Socket Set 3/8" Drive

- All sockets are 6-point chrome vanadium steel
- Packaged in a blow-molded case

Includes 14 short sockets from 8mm to 21mm, 9 deep sockets from 10mm to 19mm, push button ratchet, spark plug socket and extension.

Set includes (also available individually):

Set includes (also avail	lable individually):	
KTI27108 - 8mm	KTI27117 - 17mm	KTI27214 - 14mm deep
KTI27109 - 9mm	KTI27118 - 18mm	KTI27216 - 16mm deep
KTI27110 - 10mm	KTI27119 - 19mm	KTI27217 - 17mm deep
KTI27111 - 11mm	KTI27120 - 20mm	KTI27218 - 18mm deep
KTI27112 - 12mm	KTI27121 - 21mm	KTI27219 - 19mm deep
KTI27113 - 13mm	KTI27210 - 10mm deep	KTI22219 - 5/8" Spark Plug
KTI27114 - 14mm	KTI27211 - 11mm deep	KTI22091 - Ratchet
KTI27115 - 15mm	KTI27212 - 12mm deep	KTI22003 - 3" Extension
KTI27116 - 16mm	KTI27213 - 13mm deep	



3/8" Drive Chrome I Complete Sets 3/8"











KTI22023

23 Piece 3/8" Drive Chrome Socket Set

- All sockets are 12-point
- · Features high polish chrome vanadium finish, which provides for long life and maximum corrosion resistance
- Packaged in a blow-molded plastic case

Includes: 3/8" drive pro-series ratchet, flex handle and speed handle, Short fractional sockets from 3/8" to 7/8"; deep fractional sockets from 1/2" to 13/16", universal joint, 1/2" and 9/16" universal sockets, 6" and 12" extensions

Set includes (also available individually):

oot moladoo (aloo avanabio ma	iiviaaaiiy/.
KTI22512 - 3/8" short	KTI22514 - 7/16" short
KTI22516 - 1/2" short	KTI22518 - 9/16" short
KTI22520 - 5/8" short	KTI22522 - 11/16" short
KTI22524 - 3/4" short	KTI22526 - 13/16" short
KTI22528 - 7/8" short	
KTI22416 - 3/8" deep	KTI22418 - 9/16" deep
KTI22420 - 5/8" deep	KTI22422 - 11/16" deep
KTI22424 - 3/4" deep	KTI22426 - 13/16" deep

KTI22006 - 6" Extension KTI22012 - 12" Extension KTI22716 - 1/2" Universal Socket KTI22718 - 9/16" Universal Socket KTI22500 - Universal Joint

KTI22091 - Pro-Series Ratchet KTI22071 - Speed Handle KTI22080 - Flex Handle

KTI22100

10-Piece Fractional 6-Point Socket Set 3/8" Drive - Short

- · Chrome vanadium steel
- · Heat-treated and packaged on a socket rail Includes 6-point sockets from 5/16" to 7/8"

Set includes (also available individually):

KTI22120 - 5/8" KTI22110 - 5/16" KTI22112 - 3/8" KTI22122 - 11/16" KTI22114 - 7/16" KTI22124 - 3/4" KTI22116 - 1/2" KTI22126 - 13/16" KTI22118 - 9/16" KTI22128 - 7/8"

KTI22501

13-Piece Fractional

12-Point Socket Set 3/8" Drive - Short

- Chrome vanadium steel
- · Heat-treated and packaged on a socket rail Includes 12-point sockets from 1/4" to 1"

Set includes (also available individually):

KTI22518 - 9/16" KTI22508 - 1/4" KTI22510 - 5/16" KTI22520 - 5/8" KTI22512 - 3/8" KTI22522 - 11/16" KTI22514 - 7/16" KTI22524 - 3/4" KTI22516 - 1/2" KTI22526 - 13/16"





KTI22528 - 7/8" KTI22530 - 15/16" KTI22532 - 1"

KTI27501

15-Piece Metric

12-Point Socket Set 3/8" Drive - Short

· Chrome vanadium steel, heat-treated. packaged on a socket rail

Includes: 12-point sockets from 7mm to 21mm





Set includes (also available individually):

out indiadou (alou availo	ibio inarviadany).	
KTI27507 - 7mm	KTI27512 - 12mm	KTI27517 - 17mm
KTI27508 - 8mm	KTI27513 - 13mm	KTI27518 - 18mm
KTI27509 - 9mm	KTI27514 - 14mm	KTI27519 - 19mm
KTI27510 - 10mm	KTI27515 - 15mm	KTI27520 - 20mm
KTI27511 - 11mm	KTI27516 - 16mm	KTI27521 - 21mm

KTI27101

13-Piece Metric

6-Point Socket Set 3/8" Drive - Short

· Chrome vanadium steel

KTI27111 - 11mm

 Heat-treated and packaged on a socket rail Includes 6-point sockets from 7mm to 19mm





Set includes (also available individually):

KTI27107 - 7mm	KTI27112 - 12mm	KTI27117 - 17mm
KTI27108 - 8mm	KTI27113 - 13mm	KTI27118 - 18mm
KTI27109 - 9mm	KTI27114 - 14mm	KTI27119 - 19mm
KTI27110 - 10mm	KTI27115 - 15mm	

KTI27116 - 16mm





3/8" Drive Chrome I Complete Sets 3/8"

KTI22700

8-Piece Universal 12-Point Socket Set 3/8" Drive

- Use with an extension to turn bolts or nuts in difficult-to-access areas
- Chrome vanadium steel, heat-treated Includes: 5/16" to 3/4" universal joints

Set includes (also available individually):

KTI22710 - 5/16" KTI22714 - 7/16" KTI22712 - 3/8" KTI22716 - 1/2"

KTI22718 - 9/16" KTI22720 - 5/8" KTI22722 - 11/16" KTI22724 - 3/4"









KTI27201

9-Piece Metric

6-Point Socket Set 3/8" Drive - Deep

• Chrome vanadium steel, heat-treated, packaged on a socket rail Includes: 6-point sockets from 10mm to 18mm

Set includes (also available individually):

KTI27210 - 10mm KTI27211 - 11mm KTI27212 - 12mm KTI27213 - 13mm KTI27213 - 13mm KTI27218 - 18mm

KTI27214 - 14mm



KTI22401

13-Piece Fractional

12-Point Socket Set 3/8" Drive - Deep

• Chrome vanadium steel, heat-treated, packaged on a socket rail Includes: 12-point sockets from 1/4" to 1"



KTI22432 - 1" deep

LIFETIME

Set includes (also available individually):

KTI22408 - 1/4" deep KTI22410 - 5/16" deep KTI22412 - 3/8" deep KTI22414 - 7/16" deep KTI22416 - 1/2" deep KTI22418 - 9/16" deep KTI22430 - 15/16" deep



LIFETIME WARRANTY*



KTI27401

15-Piece Metric 12-Point Socket Set 3/8" Drive - Deep

• Chrome vanadium steel, heat-treated, packaged on a socket rail Includes: 12-point sockets from 7mm to 21mm

Set includes (also available individually):

KTI27407 - 7mm deep
KTI27408 - 8mm deep
KTI27409 - 9mm deep
KTI27410 - 10mm deep
KTI27411 - 11mm deep
KTI27412 - 12mm deep
KTI27413 - 13mm deep
KTI27420 - 20mm deep
KTI27421 - 21mm deep

KTI22201

9-Piece Fractional

6-Point Socket Set 3/8" Drive - Deep

· Chrome vanadium steel

• Heat-treated and packaged on a socket rail Includes 6-point sockets from 3/8" to 7/8"





Set includes (also available individually):

KTI22212 - 3/8" deep
KTI22214 - 7/16" deep
KTI22214 - 7/16" deep
KTI22216 - 1/2" deep
KTI22218 - 9/16" deep
KTI22228 - 7/8" deep

KTI22220 - 5/8" deep

3/8" Drive Chrome | Specialty Sockets

Spark Plug Sockets:

6-point with rubber plug holder, hex top for wrench in tight areas.

KTI22221 - 5/8" **KTI22227** - 13/16"





KTI22133

3/8" Drive "2-in-1" Oil Sender Socket

• For oil sending units or stoplight switch replacement

KTI32229

3/8" Drive Oxygen Sensor Socket

 Used to remove and install oxygen sensors on most domestic and some imported vehicles







Flex joint 3/8" drive, chrome plated, chrome vanadium steel, heat-treated.

KTI22521 - 5/8"

KTI22527 - 13/16"







3/8" Drive Chrome I Open Stock 3/8"

3/8" Drive Chrome Sockets - Fractional						
		Standard		Deep		
Size	6 pt	12 pt	Spline	6 pt	12 pt	Spline
1/4"	KTI22108	KTI22508		KTI22208	KTI22408	
5/16"	KTI22110	KTI22510	KTI20210	KTI22210	KTI22410	
3/8"	KTI22112	KTI22512	KTI20212	KTI22212	KTI22412	KTI20412
7/16"	KTI22114	KTI22514	KTI20214	KTI22214	KTI22414	KTI20414
1/2"	KTI22116	KTI22516	KTI20216	KTI22216	KTI22416	KTI20416
9/16"	KTI22118	KTI22518	KTI20218	KTI22218	KTI22418	KTI20418
5/8"	KTI22120	KTI22520	KTI20220	KTI22220	KTI22420	KTI20420
11/16"	KTI22122	KTI22522	KTI20222	KTI22222	KTI22422	KTI20422
3/4"	KTI22124	KTI22524	KTI20224	KTI22224	KTI22424	KTI20424
13/16"	KTI22126	KTI22526	KTI20226	KTI22226	KTI22426	KTI20426
7/8"	KTI22128	KTI22528	KTI20228	KTI22228	KTI22428	KTI20428
15/16"	KTI22130	KTI22530		KTI22230	KTI22430	
1"	KTI22132	KTI22532		KTI22232	KTI22432	

3/8" Drive Chrome Sockets - Metric						
	Standard			Deep		
Size	6 pt	12 pt	Spline	6 pt	12 pt	Spline
6mm	KTI27106	KTI27506		KTI27206		
7mm	KTI27107	KTI27507		KTI27207	KTI27407	KTI20707
8mm	KTI27108	KTI27508		KTI27208	KTI27408	KTI20708
9mm	KTI27109	KTI27509		KTI27209	KTI27409	KTI20709
10mm	KTI27110	KTI27510	KTI20310	KTI27210	KTI27410	KTI20710
11mm	KTI27111	KTI27511	KTI20311	KTI27211	KTI27411	KTI20711
12mm	KTI27112	KTI27512	KTI20312	KTI27212	KTI27412	KTI20712
13mm	KTI27113	KTI27513	KTI20313	KTI27213	KTI27413	KTI20713
14mm	KTI27114	KTI27514	KTI20314	KTI27214	KTI27414	KTI20714
15mm	KTI27115	KTI27515	KTI20315	KTI27215	KTI27415	KTI20715
16mm	KTI27116	KTI27516	KTI20316	KTI27216	KTI27416	KTI20716
17mm	KTI27117	KTI27517	KTI20317	KTI27217	KTI27417	KTI20717
18mm	KTI27118	KTI27518	KTI20318	KTI27218	KTI27418	KTI20718
19mm	KTI27119	KTI27519	KTI20319	KTI27219	KTI27419	KTI20719
20mm	KTI27120	KTI27520		KTI27220	KTI27420	
21mm	KTI27121	KTI27521		KTI27221	KTI27421	
22mm	KTI27122			KTI27222		
23mm	KTI27123			KTI27223		
24mm	KTI27124			KTI27224		
25mm	KTI27125			KTI27225		
26mm	KTI27126			KTI27226		



3/8" Drive Impact I Complete Sets

6 PT

LIFETIME WARRANTY*



42-piece Fractional and Metric Impact Socket Set 3/8" Drive

- Manufactured from heat-treated chrome-moly steel for wear in professional, rugged environments.
- All sockets are 6-point, 3/8" drive.
- · Laser engraved for quick identification
- Packaged in a convenient blow-molded case

Includes: 8 short fractional sockets sized from 5/16" to 3/4",

8 deep fractional sockets sized from 5/16" to 3/4", 12 short metric sockets sized from 8mm to 19mm, 12 deep metric sockets sized from 8mm to 19mm, universal joint and 3" extension.



Set includes (also available	e individually):			
KTI32110 - 5/16"	KTI32212 - 3/8" deep	KTI37110 - 10mm	KTI37119 - 19mm	KTI37216 - 16mm deep
KTI32112 - 3/8"	KTI32214 - 7/16" deep	KTI37111 - 11mm	KTI37208 - 8mm deep	KTI37217 - 17mm deep
KTI32114 - 7/16"	KTI32216 - 1/2" deep	KTI37112 - 12mm	KTI37209 - 9mm deep	KTI37218 - 18mm deep
KTI32116 - 1/2"	KTI32218 - 9/16" deep	KTI37113 - 13mm	KTI37210 - 10mm deep	KTI37219 - 19mm deep
KTI32118 - 9/16"	KTI32220 - 5/8" deep	KTI37114 - 14mm	KTI37211 - 11mm deep	KTI32003 - 3" Extension
KTI32120 - 5/8"	KTI32222 - 11/16" deep	KTI37115 - 15mm	KTI37212 - 12mm deep	KTI32013 - Universal Joint
KTI32122 - 11/16"	KTI32224 - 3/4" deep	KTI37116 - 16mm	KTI37213 - 13mm deep	
KTI32124 - 3/4"	KTI37108 - 8mm	KTI37117 - 17mm	KTI37214 - 14mm deep	
KTI32210 - 5/16" deep	KTI37109 - 9mm	KTI37118 - 18mm	KTI37215 - 15mm deep	



9-Piece Fractional **Impact Socket Set** 3/8" Drive - Short

- Chrome moly steel, thin wall impact
- · Heat-treated
- · Packaged in a blow-molded case Includes: 6-point sockets from 3/8" to 7/8"

Set includes (also available individually):

KTI32122 - 11/16" KTI32112 - 3/8" KTI32114 - 7/16" KTI32124 - 3/4" KTI32116 - 1/2" KTI32126 - 13/16" KTI32118 - 9/16" KTI32128 - 7/8"







KTI32200

KTI32120 - 5/8"

9-Piece Fractional **Impact Socket Set** 3/8" Drive - Deep

- · Chrome moly steel, thin wall impact
- Heat-treated
- · Packaged in a blow-molded case Includes: 6-point sockets from 3/8" to 7/8"

Set includes (also available individually):

KTI32212 - 3/8" deep KTI32222 - 11/16" deep KTI32214 - 7/16" deep KTI32224 - 3/4" deep KTI32216 - 1/2" deep KTI32226 - 13/16" deep KTI32228 - 7/8" deep KTI32218 - 9/16" deep KTI32220 - 5/8" deep











· Heat-treated

KTI37100

· Heat-treated

KTI37110 - 10mm

KTI37111 - 11mm

KTI37112 - 12mm

KTI37113 - 13mm

KTI37114 - 14mm

KTI37200

10-Piece Metric

3/8" Drive - Deep

10-Piece Metric **Impact Socket Set**

3/8" Drive - Short • Chrome moly steel, thin wall impact

· Packaged in a blow-molded case

Set includes (also available individually):

Includes: 6-point sockets from 10mm to 19mm

KTI37115 - 15mm

KTI37116 - 16mm

KTI37117 - 17mm

KTI37118 - 18mm

KTI37119 - 19mm

· Packaged in a blow-molded case Includes: 6-point sockets from 10mm to 19mm



LIFETIME



Set includes (also available individually):

KTI37210 - 10mm deep KTI37215 - 15mm deep KTI37211 - 11mm deep KTI37216 - 16mm deep KTI37212 - 12mm deep KTI37217 - 17mm deep KTI37213 - 13mm deep KTI37218 - 18mm deep KTI37214 - 14mm deep KTI37219 - 19mm deep




3/8" Drive Impact I Complete Sets



KTI32500

6-Piece Fractional Impact Flex Socket Set 3/8" Drive - Short



· Packaged in a blow-molded case

Includes: 6-point sockets from 7/16" to 3/4"

Set includes (also available individually):

KTI32514 - 7/16" KTI32520 - 5/8" KTI32516 - 1/2" KTI32522 - 11/16" **KTI32518** - 9/16" KTI32524 - 3/4"








KTI32400

6-Piece Fractional Impact Flex Socket Set 3/8" Drive - Deep



· Packaged in a blow-molded case

Includes: 6-point sockets from 7/16" to 3/4"

Set includes (also available individually):

KTI32414 - 7/16" deep KTI32420 - 5/8" deep KTI32416 - 1/2" deep KTI32422 - 11/16" deep KTI32424 - 3/4" deep KTI32418 - 9/16" deep



KTI37500 6-Piece Metric

Impact Flex Socket Set



- · Chrome moly steel, close quarter, thin wall, heat-treated
- · Packaged in a blow-molded case

Includes: 6-point sockets from 10mm to 15mm

Set includes (also available individually):

KTI37513 - 13mm KTI37510 - 10mm **KTI37511** - 11mm **KTI37514** - 14mm KTI37512 - 12mm KTI37515 - 15mm





KTI37400

10-Piece Metric Impact Flex Socket Set 3/8" Drive - Deep

- · Chrome moly steel, close quarter, thin wall, heat-treated
- Packaged in a blow-molded case

Includes: 6-point sockets from 10mm to 19mm

Set includes (also available individually):

KTI37415 - 15mm deep KTI37416 - 16mm deep **KTI37410** - 10mm deep KTI37411 - 11mm deep **KTI37412** - 12mm deep KTI37417 - 17mm deep KTI37413 - 13mm deep KTI37418 - 18mm deep KTI37414 - 14mm deep KTI37419 - 19mm deep

3/8" Drive Impact Sockets - Fractional **Standard** 6 pt Flex Size 6 pt 6 pt 6 pt Flex 1/4" KTI32110 5/16" KTI32210 3/8" KTI32112 KTI32212 KTI32114 7/16" KTI32514 KTI32214 KTI32414 KTI32516 1/2" KTI32116 KTI32216 KTI32416 9/16" KTI32118 KTI32518 KTI32218 KTI32418 5/8" KTI32120 KTI32520 KTI32220 KTI31420 11/16" KTI32122 KTI32522 KTI32222 KTI32422 3/4" KTI32124 KTI32524 KTI32224 KTI32424 13/16" KTI32126 KTI32226 7/8" KTI32128 KTI32228

3/8" Drive Impact Sockets - Metric				
	Sta	andard	Deep	
Size	6 pt	6 pt Flex	6 pt	Flex
8mm	KTI37108		KTI37208	
9mm	KTI37109		KTI37209	
10mm	KTI37110	KTI37510	KTI37210	KTI37410
11mm	KTI37111	KTI37511	KTI37211	KTI37411
12mm	KTI37112	KTI37512	KTI37212	KTI37412
13mm	KTI37113	KTI37513	KTI37213	KTI37413
14mm	KTI37114	KTI37514	KTI37214	KTI37414
15mm	KTI37115	KTI37515	KTI37215	KTI37415
16mm	KTI37116		KTI37216	KTI37416
17mm	KTI37117		KTI37217	KTI37417
18mm	KTI37118		KTI37218	KTI37418
19mm	KTI37119		KTI37219	KTI37419





1/2" Drive Chrome | Complete Sets 1/2"







LIFETIME WARRANTY*

KTI23000

16-Piece Fractional 6-Point Socket Set 1/2" Drive - Short

• All sockets are 6-point chrome vanadium • Packaged in a blow-molded case Includes: 13 sockets from 7/16" through 11/4", ratchet, breaker bar and extension.


Set includes (also available individually):

KTI23114 - 7/16" KTI23126 - 13/16" KTI23140 - 1-1/4" KTI23116 - 1/2" KTI23128 - 7/8" KTI23091 - Ratchet KTI23118 - 9/16" KTI23130 - 15/16" KTI23005 - 5" Extension KTI23120 - 5/8" KTI23132 - 1" KTI23080 - 17" Breaker bar KTI23134 - 1-1/16" KTI23122 - 11/16"

KTI23136 - 1-1/8'

KTI23110

KTI23124 - 3/4"



6-Point Socket Set, 1/2" Drive - Short

· Chrome vanadium steel, heat-treated Includes: 6-point sockets from 7/16" to 11/4"

Set includes (also available individually):

KTI23124 - 3/4" KTI23114 - 7/16" KTI23134 - 1-1/16" KTI23116 - 1/2" KTI23126 - 13/16" KTI23136 - 1-1/8" KTI23140 - 1-1/4" KTI23118 - 9/16" KTI23128 - 7/8" KTI23120 - 5/8" KTI23130 - 15/16" KTI23122 - 11/16" KTI23132 - 1'

KTI23200

8-Piece Fractional

6-Point Socket Set 1/2" Drive - Deep

· Chrome vanadium steel, heat-treated Includes: 6-point sockets from 1/2" to 15/16"



LIFETIME WARRANTY

WARRANTY

Set includes (also available individually):

KTI23224 - 3/4" deep KTI23216 - 1/2" deep KTI23218 - 9/16" deep KTI23226 - 13/16" deep KTI23228 - 7/8" deep KTI23220 - 5/8" deep KTI23222 - 11/16" deep KTI23230 - 15/16" deep

KTI23800

4-Piece

Fractional Stud Remover Set, 1/2" Drive

- Chrome vanadium steel, heat-treated
- · Packaged in a blow-molded case

Set includes (also available individually):

KTI23808 - 1/4" KTI23810 - 5/16"

KTI23812 - 3/8" KTI23814 - 7/16"



KTI28000

17-Piece Metric

6-Point Socket Set 1/2" Drive - Short

- All sockets are 6-point chrome vanadium
- · Packaged in a blow-molded case

Includes: 14 sockets from 15mm to 28mm, push button ratchet, breaker bar and 5" extension

Set includes (also available individually):

bio inaividualiy).	
KTI28121 - 21mm	KTI28127 - 27mm
KTI28122 - 22mm	KTI28128 - 28mm
KTI28123 - 23mm	KTI23091 - Ratchet
KTI28124 - 24mm	KTI23005 - 5" Extension
KTI28125 - 25mm	KTI23080 - 17" Breaker bar
KTI28126 - 26mm	
	KTI28121 - 21mm KTI28122 - 22mm KTI28123 - 23mm KTI28124 - 24mm KTI28125 - 25mm

LIFETIME WARRANTY*

KTI28100

14-Piece Metric 6-Point Socket Set

1/2" Drive - Short

· Chrome vanadium steel, heat-treated, packaged on a socket rail. Includes: 6-point sockets from 15mm to 28mm

Set includes (also available individually):

oet illoluues (also avalle	abic iliulvidually).	
KTI28115 - 15mm	KTI28120 - 20mm	KTI28125 - 25mm
KTI28116 - 16mm	KTI28121 - 21mm	KTI28126 - 26mm
KTI28117 - 17mm	KTI28122 - 22mm	KTI28127 - 27mm
KTI28118 - 18mm	KTI28123 - 23mm	KTI28128 - 28mm
KTI28119 - 19mm	KTI28124 - 24mm	

KTI28200

10-Piece Metric 6-Point Socket Set 1/2" Drive - Deep

• Chrome vanadium steel, heat-treated, packaged on a socket rail Includes: 6-point sockets from 15mm to 24mm

Set includes (also available individually):

Set illeluues (also avallable illul	iviuuaily).
KTI28215 - 15mm deep	KTI28220 - 20mm deep
KTI28216 - 16mm deep	KTI28221 - 21mm deep
KTI28217 - 17mm deep	KTI28222 - 22mm deep
KTI28218 - 18mm deep	KTI28223 - 23mm deep
KTI28219 - 19mm deep	KTI28224 - 24mm deep

KTI23900

4-Piece Metric Stud Remover Set 1/2" Drive

- · Chrome vanadium steel, heat-treated
- · Packaged in a blow-molded case

Set includes (also available individually):

KTI23906 - 6mm KTI23908 - 8mm KTI23910 - 10mm KTI23912 - 12mm







1/2" Drive Chrome I Open Stock 1/2"

1/2" Drive Chrome Sockets - Fractional				
	Stan	dard	Deep	
Size	6 pt	12 pt	6 pt	
3/8"	KTI23112	KTI23512		
7/16"	KTI23114		KTI23214	
1/2"	KTI23116	KTI23516	KTI23216	
9/16"	KTI23118		KTI23218	
5/8"	KTI23120		KTI23220	
11/16"	KTI23122		KTI23222	
3/4"	KTI23124		KTI23224	
13/16"	KTI23126		KTI23226	
7/8"	KTI23128		KTI23228	
15/16"	KTI23130		KTI23230	
1"	KTI23132		KTI23232	
1-1/16"	KTI23134		KTI23234	
1-1/8"	KTI23136		KTI23236	
1-1/4"	KTI23140		KTI23240	
1-5/16"	KTI23142		KTI23242	
1-3/8"	KTI23144		KTI23244	
1-7/16"	KTI23146		KTI23246	
1-1/2"	KTI23148		KTI23348	

1/2" Drive	1/2" Drive Chrome Sockets - Metric			
	Standard	Deep		
Size	6 pt	6 pt		
10mm	KTI28110	KTI28210		
11mm	KTI28111	KTI28211		
12mm	KTI28112	KTI28212		
13mm	KTI28113	KTI28213		
14mm	KTI28114	KTI28214		
15mm	KTI28115	KTI28215		
16mm	KTI28116	KTI28216		
17mm	KTI28117	KTI28217		
18mm	KTI28118	KTI28218		
19mm	KTI28119	KTI28219		
20mm	KTI28120	KTI28220		
21mm	KTI28121	KTI28221		
22mm	KTI28122	KTI28222		
23mm	KTI28123	KTI28223		
24mm	KTI28124	KTI28224		
25mm	KTI28125	KTI28225		
26mm	KTI28126	KTI28226		
27mm	KTI28127	KTI28227		
28mm	KTI28128	KTI28228		

1/2" Drive Impact I Complete Sets 1/2"

KTI33100

12-Piece Fractional



· Chrome moly steel, thin wall impact, heat-treated

· Packaged in a blow-molded case

Includes: 6-point sockets from 1/2" to 1-1/4"



Set includes (also available individually):

KTI33124 - 3/4" KTI33132 - 1" **KTI33116** - 1/2" KTI33118 - 9/16" KTI33126 - 13/16" KTI33134 - 1-1/16" KTI33120 - 5/8" KTI33128 - 7/8" KTI33136 - 1-1/8" KTI33122 - 11/16" KTI33130 - 15/16" KTI33140 - 1-1/4"







Socket Impact Add-On Set 1/2" Drive

- 6-point 1/2" drive Laser engraved for quick identification
- · Carded on socket rail.

Includes: shallow sockets 1-5/16", 1-3/8", 1-7/16" and 1-1/2"

Set includes (also available individually):

KTI33142 - 1-5/16" KTI33144 - 1-3/8" KTI33146 - 1-7/16" KTI33148 - 1-1/2"



KTI33101

19-Piece Fractional Impact Socket Set 1/2" Drive - Short

· Chrome moly steel, thin wall impact, heat-treated Includes: 6-point sockets from 3/8" to 1-1/2"





Set includes (also available individually):

KTI33112 - 3/8" KTI33126 - 13/16" KTI33140 - 1-1/4" KTI33114 - 7/16" KTI33128 - 7/8" KTI33142 - 1-5/16" KTI33116 - 1/2" KTI33130 - 15/16" KTI33144 - 1-3/8" KTI33118 - 9/16" KTI33146 - 1-7/16" KTI33132 - 1" **KTI33134** - 1-1/16" KTI33148 - 1-1/2" KTI33120 - 5/8"

KTI33122 - 11/16" KTI33136 - 1-1/8" KTI33138 - 1-3/16" KTI33124 - 3/4"





1/2" Drive Impact I Complete Sets 1/2"





12-Piece Fractional **Impact Socket Set** 1/2" Drive - Deep



- Chrome moly steel, thin wall impact, heat-treated
- · Packaged in a blow-molded case

Includes: 6-point sockets from 1/2" to 11/4"



Set includes (also available individually):

KTI33216 - 1/2"	KTI33224 - 3/4"	KTI33232 - 1"
KTI33218 - 9/16"	KTI33226 - 13/16"	KTI33234 - 1-1/16"
KTI33220 - 5/8"	KTI33228 - 7/8"	KTI33236 - 1-1/8"
KTI33222 - 11/16"	KTI33230 - 15/16"	KTI33240 - 1-1/4"

KTI33204

4 Piece 6 Point Fractional Deep Impact Socket Set

Includes: 1-5/16", 1-3/8", 1-7/16" and 1-1/2"

Set includes (also available individually):

KTI33242 - 1-5/16" - deep KTI33244 - 1-3/8" - deep KTI33246 - 1-7/16" - deep KTI33248 - 1/2" - deep



KTI33202

19-Piece Fractional **Impact Socket Set** 1/2" Drive - Deep

· Chrome moly steel, thin wall impact, heat-treated Includes: 6-point sockets from 3/8" to 1-1/2"





Set includes (also available individually)

e individually):	
KTI33226 - 13/16"	KTI33240 - 1-1/4"
KTI33228 - 7/8"	KTI33242 - 1-5/16
KTI33230 - 15/16"	KTI33244 - 1-3/8"
KTI33232 - 1"	KTI33246 - 1-7/16
KTI33234 - 1-1/16"	KTI33248 - 1-1/2"
KTI33236 - 1-1/8"	
	KTI33226 - 13/16" KTI33228 - 7/8" KTI33230 - 15/16" KTI33232 - 1" KTI33234 - 1-1/16"

KTI33238 - 1-3/16"

KTI38100

KTI33224 - 3/4"

12-Piece Metric Impact Socket Set 1/2" Drive - Short

- Chrome moly steel, thin wall impact, heat-treated
- · Packaged in a blow-molded case

Includes: 6-point sockets from 10mm to 21mm





Cot includes (also available individually):

oci iliciuuco (also avalla	DIE IIIUIVIUUAIIY).	
KTI38110 - 10mm	KTI38114 - 14mm	KTI38118 - 18mm
KTI38111 - 11mm	KTI38115 - 15mm	KTI38119 - 19mm
KTI38112 - 12mm	KTI38116 - 16mm	KTI38120 - 20mm
KTI38113 - 13mm	KTI38117 - 17mm	KTI38121 - 21mm

KTI38200

12-Piece Metric

Impact Socket Set 1/2" Drive - Deep

- Chrome moly steel, thin wall impact, heat-treated
- Packaged in a blow-molded case.

Includes: 6-point sockets from 10mm to 21mm





Set includes (also available individually):

oci iliciaaco (albo avallab	io inalvidually).	
KTI38210 - 10mm	KTI38214 - 14mm	KTI38218 - 18mm
KTI38211 - 11mm	KTI38215 - 15mm	KTI38219 - 19mm
KTI38212 - 12mm	KTI38216 - 16mm	KTI38220 - 20mm
KTI38213 - 13mm	KTI38217 - 17mm	KTI38221 - 21mm

KTI38201

9 Piece 1/2" Drive 6 Point Metric Impact Socket Set

Includes: sizes: 22mm to 30mm





Set includes (also available individually):

KTI38222 - 22mm	KTI38223 - 23mm	KTI38224 - 24mm
KTI38225 - 25mm	KTI38226 - 26mm	KTI38227 - 27mm
KTI38228 - 28mm	KTI38229 - 29mm	KTI38230 - 30mm

KTI38101

26-Piece Metric **Impact Socket Set** 1/2" Drive - Short

- · Chrome moly steel, thin wall impact, heat-treated
- Includes: 6-point sockets from 10mm to 36mm



Set includes (also available individually):

out indiadou (alou avalla	bio inarriadany).	
KTI38110 - 10mm	KTI38119 - 19mm	KTI38128 - 28mm
KTI38111 - 11mm	KTI38120 - 20mm	KTI38129 - 29mm
KTI38112 - 12mm	KTI38121 - 21mm	KTI38130 - 30mm
KTI38113 - 13mm	KTI38122 - 22mm	KTI38132 - 32mm
KTI38114 - 14mm	KTI38123 - 23mm	KTI38133 - 33mm
KTI38115 - 15mm	KTI38124 - 24mm	KTI38134 - 34mm
KTI38116 - 16mm	KTI38125 - 25mm	KTI38135 - 35mm
KTI38117 - 17mm	KTI38126 - 26mm	KTI38136 - 36mm
KTI38118 - 18mm	KTI38127 - 27mm	

KTI38202

26-Piece Metric **Impact Socket Set** 1/2" Drive - Deep

• Chrome moly steel, thin wall impact, heat-treated. Includes: 6-point sockets from 10mm to 36mm



Set includes (also available individually):

oet illoluues (also avallat	no muriuuany).	
KTI38210 - 10mm	KTI38219 - 19mm	KTI38228 - 28mm
KTI38211 - 11mm	KTI38220 - 20mm	KTI38229 - 29mm
KTI38212 - 12mm	KTI38221 - 21mm	KTI38230 - 30mm
KTI38213 - 13mm	KTI38222 - 22mm	KTI38232 - 32mm
KTI38214 - 14mm	KTI38223 - 23mm	KTI38233 - 33mm
KTI38215 - 15mm	KTI38224 - 24mm	KTI38234 - 34mm
KTI38216 - 16mm	KTI38225 - 25mm	KTI38235 - 35mm
KTI38217 - 17mm	KTI38226 - 26mm	KTI38236 - 36mm
KTI38218 - 18mm	KTI38227 - 27mm	

1/2" Drive Impact I Complete Sets 1/2"

KTI33500

7-Piece Fractional **Impact Flex Socket Set** 1/2" Drive

- · Chrome moly steel, thin wall, heat-treated
- Packaged in a blow-molded case Includes: 6-point sockets from 1/2" to 7/8"

Set includes (also available individually): **KTI33516** - 1/2" **KTI33524** -KTI33524 - 3/4" **KTI33518** - 9/16" KTI33526 - 13/16" KTI33520 - 5/8" KTI33528 - 7/8"

KTI33522 - 11/16"





KTI38500 6-Piece Metric **Impact Flex Socket Set** 1/2" Drive

- Chrome moly steel, thin wall, heat-treated
- Packaged in a blow-molded case Includes: 6 point sockets from 13mm to 19mm





Set includes (also available individually):

KTI38517 - 17mm **KTI38513** - 13mm KTI38514 - 14mm KTI38518 - 18mm KTI38515 - 15mm KTI38519 - 19mm

1/2" Drive Impact I 1/2" Open Stock

1/2" Drive Impact Sockets - Fractional			
	Standard		Deep
Size	6 pt	6 pt Flex	6 pt
3/8"	KTI33112		KTI33212
7/16"	KTI33114		KTI33214
1/2"	KTI33116	KTI33516	KTI33216
9/16"	KTI33118	KTI33518	KTI33218
5/8"	KTI33120	KTI33520	KTI33220
11/16"	KTI33122	KTI33522	KTI33222
3/4"	KTI33124	KTI33524	KTI33224
13/16"	KTI33126	KTI33526	KTI33226
7/8"	KTI33128	KTI33528	KTI33228
15/16"	KTI33130		KTI33230
1"	KTI33132		KTI33232
1-1/16"	KTI33134		KTI33234
1-1/8"	KTI33136		KTI33236
1-3/16"	KTI33138		KTI33238
1-1/4"	KTI33140		KTI33240
1-5/16"	KTI33142		KTI33242
1-3/8"	KTI33144		KTI33244
1-7/16"	KTI33146		KTI33246
1-1/2"	KTI33148		KTI33248

1/2" Drive Flip Impact Socket KTI33050 - 3/4" x 13/16" KTI38050 - 19mm-21mm







1/2" Drive Impact Sockets - Metric			
	Stan	dard	Deep
Size	6 pt	6 pt Flex	6 pt
10mm	KTI38110		KTI38210
11mm	KTI38111		KTI38211
12mm	KTI38112		KTI38212
13mm	KTI38113	KTI38513	KTI38213
14mm	KTI38114	KTI38514	KTI38214
15mm	KTI38115	KTI38515	KTI38215
16mm	KTI38116		KTI38216
17mm	KTI38117	KTI38517	KTI38217
18mm	KTI38118	KTI38518	KTI38218
19mm	KTI38119	KTI38519	KTI38219
20mm	KTI38120		KTI38220
21mm	KTI38121		KTI38221
22mm	KTI38122		KTI38222
23mm	KTI38123		KTI38223
24mm	KTI38124		KTI38224
25mm	KTI38125		KTI38225
26mm	KTI38126		KTI38226
27mm	KTI38127		KTI38227
28mm	KTI38128		KTI38228
29mm	KTI38129		KTI38229
30mm	KTI38130		KTI38230
31mm			
32mm	KTI38132		KTI38232
33mm	KTI38133		KTI38233
34mm	KTI38134		KTI38234
35mm	KTI38135		KTI38235
36mm	KTI38136		KTI38236



3/4" Drive Chrome I Complete Sets 3/4"







KTI24121

20-Piece Fractional 6-Point Socket Set 3/4" Drive

- 6-point high polished chrome vanadium steel
- Packaged in blow-molded case

Includes: 16 sockets from 3/4" to 2", ratchet, T-handle and 4" and 8" extensions

Set includes (also available individually):

KTI24124 - 3/4"	KTI24140 - 1-1/4"	KTI24160 - 1-7/8"
KTI24128 - 7/8"	KTI24142 - 1-5/16"	KTI24164 - 2"
KTI24130 - 15/16"	KTI24144 - 1-3/8"	KTI24090 - Ratchet
KTI24132 - 1"	KTI24146 - 1-7/16"	KTI24004 - 4" Extension
KTI24134 - 1-1/16"	KTI24148 - 1-1/2"	KTI24008 - 8" Extension
KTI24136 - 1-1/8"	KTI24152 - 1-5/8"	KTI24070 - T-handle
KTI24138 - 1-13/16"	KTI24156 - 1-3/4"	



KTI24105

5-Piece Fractional 6-Point Socket Set 3/4" Drive

- Socket assortment is a perfect addition to the KTl24121 3/4" drive socket set
- Chrome vanadium

Includes: 5 sockets from 2-1/16" to 2-3/8"

Set includes (also available individually):

KTI24166 - 2-1/16" KTI24168 - 2-1/8" KTI24170 - 2-3/16" KTI24172 - 2-1/4" KTI24176 - 2-3/8"



3/4" Drive Chrome I 3/4" Open Stock

3/4"	Drive Chrome	Sockets
	Standard	
Size	6 pt	12 pt
3/4"	KTI24124	
7/8"	KTI24128	
15/16"	KTI24130	
1"	KTI24132	
1-1/16"	KTI24134	
1-1/8"	KTI24136	
1-3/16"	KTI24138	
1-1/4"	KTI24140	
1-5/16"	KTI24142	
1-3/8"	KTI24144	
1-7/16"	KTI24146	
1-1/2"	KTI24148	
1-5/8"	KTI24152	
1-3/4"	KTI24156	
1-7/8"	KTI24160	
2"	KTI24164	
2-1/16"	KTI24166	
2-1/8"	KTI24168	
2-3/16"	KTI24170	
2-1/4"	KTI24172	KTI24173
2-3/8"	KTI24176	

3/4" Drive Impact I Complete Sets 3/4"

KTI34100

8-Piece Fractional **Impact Socket Set** 3/4" Drive - Short

- · Chrome moly steel, heat-treated
- · Packaged in a blow-molded case

Includes: 6 point sockets from 1" to 1-1/2"



LIFETIME WARRANTY*

Set includes (also available individually):

KTI34142 - 1-5/16" KTI34132 - 1" KTI34134 - 1-1/16" KTI34144 - 1-3/8" KTI34136 - 1-1/8" KTI34146 - 1-7/16" KTI34148 - 1-1/2" KTI34140 - 1-1/4"

KTI34200

8-Piece Fractional Impact Socket Set 3/4" Drive - Deep

- Chrome moly steel, heat-treated
- Packaged in a blow-molded case

Includes: 6-point sockets from 1" to 1-1/2"



KTI34242 - 1-5/16" KTI34232 - 1" KTI34234 - 1-1/16" KTI34244 - 1-3/8" KTI34236 - 1-1/8" KTI34246 - 1-7/16" KTI34240 - 1-1/4" KTI34248 - 1-1/2"





KTI34101

12-Piece Fractional **Impact Socket Set** 3/4" Drive - Short

· Chrome moly steel, heat-treated Includes: 6-point sockets from 1-9/16"" to 2-3/8"





Set includes (also available individually):

KTI34150 - 1-9/16"	KTI34158 - 1-13/16"	KTI34166 - 2-1/16"
KTI34152 - 1-5/8"	KTI34160 - 1-15/16"	KTI34168 - 2-1/8"
KTI34154 - 1-11/16"	KTI34162 - 1-7/8"	KTI34172 - 2-1/4"
KTI34156 - 1-3/4"	KTI34164 - 2"	KTI34176 - 2-3/8"

KTI34201

8-Piece Fractional **Impact Socket Set** 3/4" Drive - Deep

• Chrome moly steel, heat-treated Includes: 6-point sockets from 1-9/16" to 2"

Set includes (also available individually):

KTI34250 - 1-9/16" KTI34258 - 1-13/16" KTI34252 - 1-5/8" KTI34260 - 1-15/16" KTI34254 - 1-11/16" KTI34262 - 1-7/8" KTI34256 - 1-3/4" KTI34264 - 2"



KTI39100

15-Piece Metric **Impact Socket Set**

3/4" Drive - Short

- . This set is capable of handling larger applications, such as removal of truck wheels and lug nuts
- Manufactured from heat-treated chrome-moly steel
- Packaged in a convenient blow-molded case

Includes: metric sockets sized 17mm to 46mm and replacement o-rings and pins.

LIFETIME WARRANTY*

Set includes (also available individually):

KTI39117 - 17mm KTI39130 - 30mm KTI39138 - 38mm KTI39119 - 19mm KTI39131 - 31mm KTI39140 - 40mm KTI39120 - 20mm KTI39132 - 32mm KTI39146 - 46mm

KTI39122 - 22mm KTI39134 - 34mm KTI39001 - 0-rings 1.42"/36mm KTI39124 - 24mm **KTI39003** - Pins 1.375"/35mm KTI39135 - 35mm

KTI39127 - 27mm KTI39136 - 36mm









3/4" Drive Impact I 3/4" Open Stock

3/4" Drive Impact Sockets - Fractional & Metric				
	Standard	Deep		Standard
Size	6 pt	6 pt	Size	6 pt
1"	KTI34132	KTI34232	17mm	KTI39117
1-1/16"	KTI34134	KTI34234	19mm	KTI39119
1-1/8"	KTI34136	KTI34236	20mm	KTI39120
1-1/4"	KTI34140	KTI34240	22mm	KTI39122
1-5/16"	KTI34142	KTI34242	24mm	KTI39124
1-3/8"	KTI34144	KTI34244	27mm	KTI39127
1-7/16"	KTI34146	KTI34246	30mm	KTI39130
1-1/2"	KTI34148	KTI34248	31mm	KTI39131
1-9/16"	KTI34150	KTI34250	32mm	KTI39132
1-5/8"	KTI34152	KTI34252	34mm	KTI39134
1-11/16"	KTI34154	KTI34254	35mm	KTI39135
1-3/4"	KTI34156	KTI34256	36mm	KTI39136
1-13/16"	KTI34158	KTI34258	38mm	KTI39138
1-7/8"	KTI34162	KTI34262	40mm	KTI39140
1-15/16"	KTI34160	KTI34260	46mm	KTI39146
2"	KTI34164	KTI34264		
2-1/16"	KTI34166			
2-1/8"	KTI34168			
2-1/4"	KTI34172			
2-3/8"	KTI34176			

1" Drive Impact I Open Stock

1" Drive Impact Sockets			
	Standard	Deep	
Size	6 pt	6 pt	
3/4"	KTI35124		
13/16"	KTI35126		
7/8"	KTI35128		
15/16"	KTI35130		
1"	KTI35132		
1-1/16"	KTI35134	KTI35234	
1-1/8"	KTI35136	KTI35236	
1-3/16"	KTI35138		
1-1/4"	KTI35140	KTI35240	
1-5/16"	KTI35142	KTI35242	
1-7/16"	KTI35146		
1-1/2"	KTI35148		
1-5/8"	KTI35152		
1-11/16"	KTI35154		
1-13/16"	KTI35158		
1-7/8"	KTI35160		
2"	KTI35164		
2-1/16"	KTI35166		
2-1/4"	KTI35172		
2-7/16"	KTI35178		
2-5/8"	KTI35184		
3"	KTI35196		

1" Drive Impact I Complete Sets

KTI35100

18-Piece Fractional Impact Socket Set

LIFETIME WARRANTY*

1" Drive - Short

- Manufactured from heat-treated chrome-moly steel
- · Packaged in a convenient blow-molded case

Includes: fractional sockets sized 3/4" to 2" and replacement o-rings and pins.

Set includes (also available individually):

KTI35142 - 1-5/16" **KTI35146** - 1-7/16" KTI35007 - 7" Extension KTI35124 - 3/4" KTI35126 - 13/16" KTI35013 - 13" Extension KTI35148 - 1-1/2" KTI35128 - 7/8" KTI35001 - 0-rings 1.75"/45mm **KTI35152** - 1-5/8" KTI35130 - 15/16" KTI35002 - 0-rings 2"/51mm KTI35132 - 1" KTI35154 - 1-11/16" KTI35003 - Pins 1.75"/45mm KTI35168 - 1-13/16" KTI35004 - Pins 2"/51mm KTI35160 - 1-7/8" KTI35134 - 1-1/16" KTI35136 - 1-1/8" KTI35140 - 1-1/4"

KTI35164 - 2"



1/4" Chrome | Accessories





KTI21091

1/4" Drive Push Button Ratchet

· High polish chrome finish, chrome vanadium steel, premium gears

KTI21092

1/4" Drive

4-1/2" Professional Series

Chrome Ratchet

- · High polished chrome
- · New design push button socket release
- Thumb lever directional switch
- Fine tooth thin design
- Knurled handles





KTI21092RK

KTI21095

1/4" Drive

7" Long Handled

Professional Series Chrome Ratchet

- High polished chrome
- New design push button socket release
- Thumb lever directional switch
- Fine tooth thin design Knurled handles



KTI21060

Spinner Handle

1/4" Drive

- Screwdriver style drive tool for quick spin down/off
- Oversize polypropylene handle and chrome vanadium shaft





KTI22001

Speed T-Handle Set

- Aluminum sleeve for fast turning
- Locking end to hold socket securely in place
- Pivoting end to reach odd angles
- Includes adapter to use with any 1/4" hex bit



A 3/8" drive end allows the speed T-handle to be used with a ratchet like and extension. The speed T-handle set includes 1/4" and 3/8" speed T-handles and a posi-lock adapter that allows the use of any 1/4" hex bit.

KTI21070

1/4" Drive Speed T-Handle

- Aluminum sleeve for fast turning
- · Locking end to hold socket securely in place
- Pivoting end to reach odd angles
- 3/8" drive end for use with a ratchet use like an extension



KTI21061

1/4" Drive Spinner Handle

- 1/4" drive female square in handle
- Black Handle





KTI21080

Flex Handle 1/4" Drive

- Provides extra leverage for breaking loose rusted or high torque fasteners
- Smooth action flex joint for hard-to-reach fasteners
- Knurled handle for secure grip
- Pivoting head allows the handle to avoid obstructions when being turned in a cramped space
- Chrome vanadium steel for long life and maximum corrosion resistance
- 6" length

Standard Extensions

Chrome vanadium steel, heat-treated

1/4" Drive

KTI21002 - 2" Extension

KTI21002 - 4" Extension

KTI21006 - 6" Extension



KTI21010 - 10" Extension **KTI21014** - 14" Extension



KTI21040

Wobble Extension Set 1/4" Drive

• Chrome vanadium steel, heat-treated • Available individually

Set includes (also available individually):

KTI21043 - 4" Wobble Extension

KTI21046 - 6" Wobble Extension

KTI21048 - 9" Wobble Extension



KTI21055

1/4" Female to 3/8"

Male Chrome Socket Adapter

• Chrome vanadium steel, heat treated



1/4" Drive Universal Joint

- Chrome vanadium steel, heat treated
- Carded











3/8" Chrome | Accessories





KTI22091

3/8" Drive Push Button Ratchet

• High polish chrome finish, chrome vanadium steel



LIFETIME WARRANTY*

Professional Series Ratchets

- · High-polished chrome
- Push-button design socket release
- . Thumb lever directional switch
- · Fine-tooth thin design with knurled handles

3/8" Drive

KTI22092* - 7-7/8" Pro Series KTI22093 - 101/2" Flex Head KTI22095 - 11-3/8" Long Handle

KTI22092RK - Repair Kit



KTI22070

3/8" Drive Speed T-Handle

- Aluminum sleeve for fast turning
- · Locking end to hold socket securely in place
- Pivoting end to reach odd angles
- 3/8" drive end for use with a ratchet use like an extension



KTI22080

Flex Handle 3/8" Drive 8" Overall Length

- High polish chrome finish, chrome vanadium steel Provides extra leverage for breaking loose rusted or high torque fasteners
- Smooth action flex joint for hard-to-reach fasteners
- Knurled handle for secure grip
- · Pivoting head allows the handle to avoid obstructions when being turned in a cramped space
- Chrome vanadium steel for long life and maximum corrosion resistance

KTI22071

Speed Handle 3/8" Drive

- · Speed handle is designed to reach tough access points that a standard ratchet cannot reach
- Tightens or removes a variety of fasteners
- · Lightweight design makes any job quick and easy

KTI22071A - Speed Handle 3/8" Drive, Ext 6.4"



3/8" Drive Standard Extensions

· Chrome vanadium steel, heat-treated

KTI22002 - 2" Extension KTI22005 - 5" Extension KTI22008 - 8" Extension KTI22012 - 12" Extension KTI22024 - 24" Extension

LIFETIME WARRANTY

KTI22003 - 3" Extension KTI22006 - 6" Extension KTI22010 - 10" Extension KTI22018 - 18" Extension

KTI22041

Wobble Extension Set 3/8" Drive

· Chrome vanadium steel, heat-treated. Available individually.

Set includes (also available individually):

KTI22043 - 3" Wobble Extension KTI22046 - 6" Wobble Extension KTI22048 - 8" Wobble Extension



KTI22060

3/8" Female to 1/4" Male Socket Adapter

• Chrome vanadium steel, heat-treated



KTI22055

3/8" Female to 1/2" Male Socket Adapter

• Chrome vanadium steel, heat-treated



KTI22500

3/8" Drive Socket Universal Joint

- Chrome vanadium steel, heat-treated
- Carded







1/2" Chrome | Accessories





KTI23091

LIFETIME WARRANTY*

1/2" Drive Push Button Ratchet

- · High polish chrome finish
- Chrome vanadium steel
- · Premium gears
- 9-7/8" in length



Professional Series Chrome Ratchet

- · High-polished chrome
- · Push-button design socket release
- Thumb lever directional switch
- Fine-tooth thin design
- Knurled handles

KTI23092* - 9-7/8" Long Handle KTI23095 - 15" Long Handle





KTI23092RK



KTI23070

1/2" Sliding T-Handle

- Made with high-polish, chrome vanadium steel
- Allows you accessibility to hard-to-reach areas





Flex Handle

- · Provides extra leverage for breaking loose rusted or high torque fasteners
- Smooth action flex joint for hard-to-reach fasteners
- Knurled handle for secure grip
- Pivoting head allows the handle to avoid obstructions when being turned in a cramped space
- Chrome vanadium steel for long life and maximum corrosion resistance

1/2" Drive

KTI23080 - 17" Flex Handle **KTI23082** - 18" to 25" Extending Flex Handle **KTI23081** - 24" Flex Handle **KTI23083** - 10" Flex Handle

1/2" Drive

Standard Extensions

• Chrome vanadium steel, heat-treated.

KTI23003 - 3" Extension **KTI23010** - 10" Extension **KTI23020** - 20" Extension

KTI23005 - 5" Extension KTI23015 - 15" Extension

Reducers and Adapters

Chrome vanadium steel, heat-treated.

KTI22050 - 1/2" Female to 3/8" Male **KTI22075** - 1/2" Female to 3/4" Male



KTI23500

1/2" Drive Socket Universal Joint

- · Chrome vanadium steel, heat treated
- Carded

LIFETIME WARRANTY*

KTI23248

Heating Element Socket 1/2" Drive

- 1/2" drive 1-1/2" deep socket
- Fits heating element in many electric water heaters



3/4" Chrome I

Accessories



LIFETIME WARRANTY*

LIFETIME

KTI24090

3/4" Drive Ratchet

- Push button release
- \bullet High polish chrome finish, chrome vanadium steel, premium gears
- 19-7/8" length




KTI24090RK - 3/4" Drive Ratchet Repair Kit



KTI24092

3/4" Drive

Professional Series Chrome Ratchet



- · High polished chrome
- · New design push button socket release
- Thumb lever directional switch
- Fine tooth thin design Knurled handle 19-5/8" length





3/4" Chrome I 3/4" Accessories



KTI24080

3/4" Drive Flex Head Breaker Bar - 20"

- Extra leverage for breaking loose rusted or high torque fasteners
- Features high polish chrome finish, knurled handle for sure grip and ball detent to fasten socket to handle without slippage



3/4" Drive Standard Extensions

· Chrome vanadium steel, heat-treated

KTI24004 - 4" Extension **KTI24008** - 8" Extension **KTI24016** - 16" Extension





KTI24070

3/4" Drive Sliding T-Handle Socket

- · Made with high polish, chrome vanadium steel
- Allows you accessibility to hard to reach areas

KTI24070B

Sliding T-Handle 3/4" Black Finish

• Black oxide finish



LIFETIME

KTI24500

3/4" Drive Universal Joint

- Chrome vanadium steel, heat treated for wear and resistance
- Built for rugged, professional environments
- · Laser engraved for easy identification



KTI24050

3/4" Female to 1/2" Male Socket Adapter

- Chrome vanadium steel, heat treated for wear and resistance
- Laser engraved





3/8" Impact I



Accessories

KTI32016

3/8" Female 1/2" Male Impact Socket Adapter

Heat treated





KTI32012

3/8" Drive Impact Socket Universal Joint

 Chrome moly steel, heat treated, short overall length







KTI32003

3/8" Drive Impact Extension, 3" Long







Accessories

Impact Reducers and Adapters

Heat-treated



KTI33012 - 1/2" female x 3/8" male

KTI33041 - 1/2" female x 3/8" male (wobble)

KTI33024 - 1/2" female x 3/4" male

LIFETIME WARRANTY*

KTI33016

1/2" Drive Impact Socket Universal Joint

 Chrome moly steel, heat treated, short overall length





1/2" Drive Impact Socket Extension

- Features ball detent for easy removal
- Heat-treated chrome-moly steel

KTI33003 - 3" KTI33006 - 6"







3/4" Impact I 3/4" **Accessories**

Impact Reducers and Adapters

· Heat-treated

KTI34016 - 3/4" female x 1/2" male KTI34032 - 3/4" female x 1" male

KTI24085 - 3/4" ratcheting



KTI34050

3/4" Drive Impact Socket **Universal Joint**

- Ball/swivel action universal joints give sockets access to tight areas.
- · Heat-treated chrome-moly steel
- · Laser etched for quick identification



LIFETIME WARRANTY*

1" Impact I 1" Accessories

KTI35024

1" Female 3/4" Male **Impact Socket Adapter**

- Black oxide finish
- · Ball retainer style



LIFETIME WARRANTY*

1" Drive Impact Extension KTI35007 - 7"

KTI35013 - 13"

LIFETIME WARRANTY*



Torx/Torq/Hex Sockets I Sets



KTI22970

7-Piece Fractional Hex Bit Set 3/8" Drive

- · Chrome vanadium steel, heat-treated
- · Packaged on a socket rail Includes 7 pieces 1/8" through 3/8"

Set includes (also available individually):

KTI22904 - 1/8" Hex Bit KTI22905 - 5/32" Hex Bit KTI22906 - 3/16" Hex Bit KTI22907 - 7/32" Hex Bit

LIFETIME WARRANTY*

KTI22908 - 1/4" Hex Bit

KTI22910 - 5/16" Hex Bit

KTI22912 - 3/8" Hex Bit



KTI27970

7-Piece Metric Hex Bit Set 3/8" Drive

- · Chrome vanadium steel, heat-treated
- · Packaged on a socket rail Includes 7 pieces 3mm through 10mm



Set includes (also available individually):

KTI27903 - 3mm Hex Bit KTI27904 - 4mm Hex Bit KTI27905 - 5mm Hex Bit KTI27906 - 6mm Hex Bit

KTI27907 - 7mm Hex Bit KTI27908 - 8mm Hex Bit KTI27910 - 10mm Hex Bit

KTI27955

3/8" Drive, 5.5mm Hex Bit Socket

 Made of chrome vanadium steel and heat treated for durability



KTI27902

3-Piece Metric **Brake Caliper Set** 3/8" Drive

- · Use on disc brake calipers to remove and install brake pads
- Disk brake caliper set features hardened and tempered chrome vanadium steel sockets with professional sand finish
- · Bits are heat-treated and precision machined

Includes: 7mm, 8mm and 10mm hex bits. Available for individual purchase.

Set includes (also available individually):

KTI27907 - 7mm Hex Bit KTI27908 - 8mm Hex Bit KTI27910 - 10mm Hex Bit



KTI22902

3-Piece Fractional **Brake Caliper Set**

3/8" Drive

- · Use on disc brake calipers to remove and install brake pads
- Disk brake caliper set features hardened and tempered chrome vanadium steel sockets with professional sand finish
- Bits are heat-treated and precision machined

Includes: 1/4", 5/16" and 3/8" hex bits. Available for individual purchase

Set includes (also available individually):

KTI22908 - 1/4" Hex Bit KTI22910 - 5/16" Hex Bit KTI22912 - 3/8" Hex Bit







Torx/Torq/Hex Sockets I Sets



KTI22802 3-Piece Brake

Caliper Torq Bit Set 3/8" Drive

- Use on disc brake calipers to remove and install brake pads
- Fits most GM and Ford brake caliper torx bolts
- Bits are heat-treated and precision machined Includes: T-40, T-45 and T-50 Torq bits

Set includes (also available individually):

KTI22840 - T40 Internal Torq KTI22845 - T45 Internal Toro KTI22850 - T50 Internal Torq



KTI22671

10-Piece External Torx Socket Set

- · Chrome vanadium steel, heat-treated
- · Packaged on a socket rail

Set includes (also available individually):

1/4" Drive

KTI22675 - E5 External Torx KTI22676 - E6 External Torx KTI22677 - E7 External Torx KTI22678 - E8 External Torx

1/2" Drive

KTI22688 - E18 External Torx KTI22689 - E20 External Torx

KTI22686 - E16 External Torx





LIFETIME

3/8" Drive

KTI22680 - E10 External Torx KTI22682 - E12 External Torx KTI22684 - E14 External Torx





KTI22600

E5

E6

E7 E8

KTI22601

 Vinyl holder • U.S.A. made

1/4" Drive

Torx Socket Set

· Heat-treated alloy steel

KTI22875

KTI22876

KTI22877

KTI22878

Set includes (also available individually):

KTI21610 - T10 Internal Torx


KTI21615 - T15 Internal Torx

KTI21620 - T20 Internal Torx

KTI21625 - T25 Internal Torx

KTI21627 - T27 Internal Torx

KTI21630 - T30 Internal Torx



- · Heat-treated alloy steel

9-Piece Internal

- · Vinyl holder
- U.S.A. made



1/4" Drive

KTI21610 - T10 Internal Torx KTI21615 - T15 Internal Torx KTI21620 - T20 Internal Torx

KTI21625 - T25 Internal Torx KTI21627 - T27 Internal Torx KTI21630 - T30 Internal Torx

Torx/Torq Impact Sockets - External

U.S.A Torx						
1/4	1/4" Drive		3/8" Drive		1/2" Drive	
Size	Part #	Size	Part #	Size	Part #	
E5	KTI22675	E10	KTI22680	E18	KTI22688	
E6	KTI22676	E12	KTI22682	E20	KTI22689	
E7	KTI22677	E14	KTI22684			
E8	KTI22678	E16	KTI22686			
Import - Torque						
1/4" Drive 3/8" Drive						
Size	Part #	Size	Part #			
E4	KTI22874	E10	KTI22880			

KTI22882

KTI22884

KTI22886

KTI22888

E12

E14

E16

12-Piece Internal









KTI22640 - T40 Internal Torx KTI22645 - T45 Internal Torx KTI22647 - T47 Internal Torx KTI22650 - T50 Internal Torx KTI22655 - T55 Internal Torx

1/2" Drive

KTI22660 - T60 Internal Torx







Set includes (also available individually):

External Torq Socket Set

· Chrome vanadium steel, heat-treated

1/4" Drive

KTI22870

10-Piece

KTI22874 - E4 External Torq KTI22875 - E5 External Torq KTI22876 - E6 External Torq KTI22877 - E7 External Torq KTI22878 - E8 External Torq

· Packaged on a socket rail

3/8" Drive

KTI22880 - E10 External Torq KTI22882 - E12 External Torq KTI22884 - E14 External Torq KTI22886 - E16 External Torq KTI22888 - E18 External Torq KTI22640 - T-40 Internal Torx KTI22645 - T-45 Internal Torx KTI22650 - T-50 Internal Torx

Torx/Torq I Sets

KTI22801

12-Piece Internal **Tora Socket Set**

- · Chrome vanadium steel, heat-treated
- · Carded on socket rail

Set includes (also available individually):

1/4" Drive

KTI21810 - T10 Internal Torq KTI21815 - T15 Internal Torq KTI21820 - T20 Internal Torg KTI21825 - T25 Internal Torq KTI21827 - T27 Internal Torq KTI21830 - T30 Internal Torq

3/8" Drive

KTI22840 - T40 Internal Torq KTI22845 - T45 Internal Torg KTI22847 - T47 Internal Torg KTI22850 - T50 Internal Torq KTI22855 - T55 Internal Torq KTI22860 - T60 Internal Torq

LIFETIME

LIFETIME WARRANTY*

KTI22800

9-Piece Internal **Torq Socket Set**

- Chrome vanadium steel, heat-treated
- · Carded on socket rail

1/4" Drive



KTI21810 - T10 Internal Torq KTI21815 - T15 Internal Torq

KTI21820 - T20 Internal Torq KTI21825 - T25 Internal Torq KTI21827 - T27 Internal Torq KTI21830 - T30 Internal Torq

3/8" Drive

KTI22840 - T40 Internal Torq KTI22845 - T45 Internal Torq





3/8" Drive 1/4" Drive 1/2" Drive Size Part # Size Part # Size Part # T10 KTI21610 T40 KTI22640 T60 KTI22660 KTI21615 KTI22645 KTI22670 T15 T45 T70 T20 KTI21620 T47 KTI22647 T25 KTI21625 T50 KTI22650 T27 KTI21627 T55 KTI22655 KTI21630 T30 **Import - Torque** 1/4" Drive 3/8" Drive Size Part # Size Part # KTI21810 KTI22840 T10 T40 T15 KTI21815 T45 KTI22845 T20 KTI21820 T47 KTI22847 KTI21825 T50 KTI22850 T25 KTI21827 KTI22855 T27 T55

KTI22860

Torx/Torq Impact Sockets - Internal U.S.A. - Torx

KTI21500 10-Piece

Tamper-Proof Torx Socket Set

- Heat-treated alloy steel
- · Vinyl holder
- U.S.A. made

Set includes (also available individually):


1/4" Drive

KTI21510 - T10 Tamper-proof KTI21515 - T15 Tamper-proof KTI21520 - T20 Tamper-proof KTI21525 - T25 Tamper-proof KTI21527 - T27 Tamper-proof

KTI21530 - T30 Tamper-proof KTI18008 - Bit Holder (T10-T30)

3/8" Drive KTI21540 - T40 Tamper-proof KTI21545 - T45 Tamper-proof KTI21550 - T50 Tamper-proof KTI21555 - T55 Tamper-proof KTI18012 - Bit Holder (T40-T60)

Torx Impact Sockets - Tamperproof			
1/4"	Drive	3/8"	Drive
Size	Part #	Size	Part #
T10	KTI21510	T40	KTI21540
T15	KTI21515	T45	KTI21545
T20	KTI21520	T50	KTI21550
T25	KTI21525	T55	KTI21555
T27	KTI21527		
T30	KTI21530		



T30

KTI21830

T60



Hex Keys I Sets



KTI71400

7-Piece Folding Hex Bit Set Fractional

- Fold-up sets include a variety of popular sizes in one convenient handle
- Fold a key out to a right angle to get maximum leverage
- Fold a key out completely to operate like a screwdriver
- Fold-up sets are compact and easily fit in your pocket or tool box

Includes 1/8" to 3/8" fractional sizes



KTI71420 10-Piece Hex **Key Set on Ring**

Fractional

- Hex keys featuring quality workmanship and value
- . Manufactured with heat-treated alloy steel with black finish
- Precision formed to exact dimensional tolerances for precise fit
- · Carded on a ring

Includes fractional "L" hex sizes from 1/16" to 3/8"





KTI71480 10-piece Hex **Key Set on Ring**

- Hex keys featuring quality workmanship and value
- . Manufactured with heat-treated alloy steel with black finish
- Precision formed to exact dimensional tolerances for precise fit
- · Carded on a ring

Includes metric "L" hex sizes from 1.5mm to 10mm



KTI71425

25-Piece

Hex Key Set (in pouch)

- Hex keys featuring quality workmanship and value
- Set features a convenient package design that provides easy transport and storage
- Manufactured with heat-treated alloy steel with black finish
- Precision formed to exact dimensional tolerances for precise fit
- Packaged in roll-up storage pouch

Includes: long fractional "L" hex sizes from 1/16" to 3/8" and short metric "L" hex sizes from 1.5mm to 10mm








LIFETIME WARRANTY*

7-Piece Folding Hex Key Set Metric

- Fold-up sets include a variety of popular sizes in one convenient handle
- Fold a key out to a right angle to get maximum leverage
- Fold a key out completely to operate like a screwdriver
- Fold-up sets are compact and easily fit in your pocket or tool box

Includes 2.5mm to 10mm metric sizes







34 Piece Screwdriver Set

• Made of Chrome Vanadium steel

Includes: 7 Phillips (#3x6", #2x4", #1x6", #1x3", #0x4", #0x3", #2x1-1/2"), 8 Slotted (5/16"x6", 1/4"x4", 3/16"x6", 3/16"x3", 5/32"x4", 1/8"x4", 1/8"x3", 1/4"x1-1/2"), 8 Slotted (5/16"x6", 1/4"x4", 3/16"x6", 3/16"x6", 3/16"x6", 1/4"x4", 1/8"x4", 1/2"), 4 Torx (T10x4", T15x4", T20X4", T25x4"), 2 Square (S1x4", S2x4"), Bits Driver, 12 Bits (4 Slotted 1/8", 5/32", 3/16", 1/4"; 4 Phillips #0, #1, #2, #3; 4 Torx T10, T15, T20, T25)

(T14.4000 PI.III. #0 0#	KTI11011 - Slotted 1/4" x 4"	KTI11220 - Torx T20 X 4"
CTI11226 - Phillips #3 x 6"	KTI11006 - Slotted 3/16" x 6"	KTI11225 - Torx T25 x 4"
CTI11224 - Phillips #2 x 4"	KTI11012 - Slotted 3/16" x 3"	KTI11001 - Square S1" x 4"
CTI11230 - Phillips #1 x 6"	KTI11005 - Slotted 5/32" x 4"	KTI11002 - Square S2" x 4"
CTI11223 - Phillips #1 x 3"	KTI11004 - Slotted 1/8" x 4"	KTI18000 - Bits Set 12 Piece
CTI11231 - Phillips #0 x 4"	KTI11003 - Slotted 1/8" x 3"	KTI18009 - Bits Driver
CTI11229 - Phillips #0 x 3"	KTI11010 - Slotted 1/4" x 1-1/2"	KTI18904 - Slotted 1/8"
CTI11221 - Phillips #2 x 1-1/2"	KTI11211 - Torx T10 x 4"	KTI18905 - Slotted 5/32"
KTI11009 - Slotted 5/16" x 6"	KTI11215 - Torx T15 x 4"	KTI18906 - Slotted 3/16"

KTI18907 - Slotted 1/4" KTI18900 - Phillips #0 KTI18901 - Phillips #1 KTI18902 - Phillips #2 KTI18903 - Phillips #3 KTI18910 - Torx T10 KTI18915 - Torx T15 KTI18920 - Torx T20 KTI18925 - Torx T25

KTI11018

18 Piece Screwdriver Set

• Made of Chrome Vanadium steel Includes: 4 Slotted (5/16"x6", 1/4"x4", 3/16"x3", 1/4"x1-1/2"), 4 Phillips (#3x6", #2x4", #1x3", #2x1-1/2"), 10 Precision (6 Torx T5x1-9/16", T6x1-9/16", T7x1-9/16", T8x1-9/16", T9x1-9/16", T10x1-9/16"; 2 Slotted 3/32"x1-9/16", 1/8"x1-9/16"; 2 Phillips #0x1-9/16", #00x1-9/16")



KTI11009 - Slotted 5/16" x 6" KTI11011 - Slotted 1/4" x 4" KTI11012 - Slotted 3/16" x 3" KTI11010 - Slotted 1/4" x 1-1/2" KTI11226 - Phillips #3 x 6" KTI11224 - Phillips #2 x 4" KTI11223 - Phillips #1 x 3"

KTI11221 - Phillips #2 x 1-1/2"

LIFETIME **WARRANTY***



KTI11201 - Slotted Precision 3/32" x 1-9/16" KTI11202 - Slotted Precision 1/8" x 1-9/16"

KTI11204 - Phillips Precision #00 x 1-9/16"

KTI11203 - Phillips Precision #0 x 1-9/16"



Screwdriver Set

• Made of Chrome Vanadium steel Includes: 4 Slotted (5/16"x6", 3/16"x4",1/8"x3", 1/4"x1-1/2"), 4 Phillips (#2x6", #1x4", #0x3", #2x1-1/2")

KTI11009 - Slotted 5/16" x 6" KTI11227 - Phillips #2 x 6" KTI11007 - Slotted 3/16" x 4" KTI11228 - Phillips #1 x 4" KTI11003 - Slotted 1/8" x 3" KTI11229 - Phillips #0 x 3" KTI11010 - Slotted 1/4" x 1-1/2" KTI11221 - Phillips #2 x 1-1/2"





Screwdrivers | Sets

KTI16000

10-Piece

Professional Screwdriver Set

- Ten-piece professional screwdriver set includes the perfect assortment of slotted and Phillips screwdrivers for a variety of projects
- Comfortable triangular grip, non-slip material and chrome vanadium blades
- · Ultimate professional quality

Includes: 3" slotted, 4" slotted, 6" slotted, 8" slotted and 1-1/2" stubby slotted and #1 Phillips, #3 Phillips, #2 x 4" Phillips, #2 x 10" Phillips and 1-1/2" stubby Phillips. Also sold in 5-piece slotted set, 5-piece Phillips set or individually.

Available in sets or individually:

KTI16001 - 5-piece Slotted Set

KTI16201 - stubby slotted

KTI16203 - 3" slotted

KTI16204 - 4" slotted

KTI16206 - 6" slotted

KTI16208 - 8" slotted







KTI16002 - 5-piece Phillips Set

KTI16113 - #1 Phillips 3"

KTI16121 - #2 Phillips Stubby 1.5"

KTI16124 - #2 Phillips 4"

KTI16129 - #2 Phillips 10"

KTI16136 - #3 Phillips 6"



LIFETIME WARRANTY*



KTI19000

8-Piece

Black Screwdriver Set

- Feature high quality chromevanadium blades, heavy-duty colored handles and hex bolsters for wrench assist
- Packaged with plastic trav Black handles Includes: 1# Phillips 3" blade; #2 Phillips 1-1/2" stubby; #2 Phillips 4" blade; stubby slotted; 3" slotted; 4" slotted; 6" slotted; 8" slotted

Set includes (also available individually):

KTI19113 - #1 Phillips 3" KTI19203 - 3" slotted KTI19121 - #2 Phillips Stubby KTI19204 - 4" slotted KTI19124 - #2 Phillips 4" KTI19206 - 6" slotted KTI19201 - Stubby slotted KTI19208 - 8" slotted



LIFETIME WARRANTY*

8-Piece

Orange Screwdriver Set

- Feature high quality chrome vanadium blades, heavy-duty colored handles and hex bolsters for wrench assist
- · Packaged with plastic trav · Orange handles Includes: 1# Phillips 3" blade; #2 Phillips 1-1/2" stubby; #2 Phillips 4" blade; stubby slotted; 3" slotted; 4"slotted; 6" slotted; 8" slotted

Set includes (also available individually):

KTI19713 - #1 Phillips 3" KTI19703 - 3" slotted KTI19721 - #2 Phillips Stubby KTI19704 - 4" slotted KTI19724 - #2 Phillips 4" KTI19706 - 6" slotted KTI19701 - Stubby slotted KTI19708 - 8" slotted



KTI19800

8-Piece

Red Screwdriver Set

• Feature high quality chrome vanadium blades, heavy-duty colored handles and hex bolsters for wrench assist

 Packaged with plastic tray · Red handles

Includes: 1# Phillips 3" blade; #2 Phillips 1-1/2" stubby; #2 Phillips 4" blade; stubby slotted; 3" slotted; 4" slotted; 6" slotted; 8" slotted

Set includes (also available individually):

KTI19813 - #1 Phillips 3" KTI19803 - 3" slotted KTI19821 - #2 Phillips Stubby KTI19804 - 4" slotted KTI19806 - 6" slotted KTI19824 - #2 Phillips 4" KTI19801 - Stubby slotted KTI19808 - 8" slotted



KTI19900

8-Piece

Green Screwdriver Set

• Feature high quality chrome vanadium blades. heavy-duty colored handles and hex bolsters for wrench assist

 Packaged with plastic tray · Green handles

Includes: 1# Phillips 3" blade; #2 Phillips 1-1/2" stubby; #2 Phillips 4" blade; stubby slotted; 3" slotted; 4"slotted; 6" slotted; 8" slotted.

Set includes (also available individually):

KTI19903 - 3" slotted KTI19913 - #1 Phillips 3" KTI19921 - #2 Phillips Stubby KTI19904 - 4" slotted KTI19924 - #2 Phillips 4" KTI19906 - 6" slotted KTI19901 - Stubby slotted KTI19908 - 8" slotted



Screwdrivers | Sets

KTI11100

Interchangeable Screwdriver Set

- Features three dual-sided interchangeable inserts 3 slotted, 3 phillips bits
- Each screwdriver bit boasts a 2-5/8" blade at each end (6" overall bit length) and a hex bolster for wrench assist (7/16" fractional or 11mm metric)
- · Plastic contoured handle for maximum torque and comfort
- Anodized alloy shank for high durability • Rubber o-ring provides a secure, non-slip grip Includes: #1 phillips and 3/16" slotted; #2 phillips and 1/4" slotted; #3 phillips and 5/16" slotted. Storage pouch for convenience and flexibility.



KTI11110 **Pocket Screwdriver** • 5-3/16" length • 1/8" blade width · Easy to grip handle LIFETIME WARRANTY* · Polished steel



19" Jumbo Screwdriver

- Features a 19" x 1/2" blade
- Extra large handles and shafts for use on hard to reach areas of large machinery, farm equipment, manufacturing equipment, automobiles and more

LIFETIME

- · Square shank allows for use with wrenches for larger torque jobs
- · Black oxide finish



KTI72180

1/4" Female Adjustable Torque Screwdriver

- Screwdriver handle contains viewable torque scale 5-40 inch-pounds (.504 Nm)
- 1/4" Female hex
- · Heavy duty black plastic storage case included

Torq Screwdrivers

• Large grip handle and chrome vanadium blades make light work of headlight and trim screws

Sold separately:

KTI11310 - T10 Torg screwdriver KTI11315 - T15 Torq screwdriver

KTI11320 - T20 Torq screwdriver





• #4 Phillips Screwdriver • Sturdy, black handle • 8" Length



KTIPREPACKQ1

Hand Tools Floor Display Prepack Q1

- Floor Display consisting of five prepacked KTI hand tool sets (2 each)
- (2) KTI19000 8Pc Screwdriver Set (Black)
- (2) KTI21044 44Pc Socket Set, 1/4" Drive, SAE & Metric, Shallow & Deep
- (2) KTI22047 47Pc Socket Set, 6 Point, 3/8" Drive SAE & Metric
- Two Wrench Sets; (2) KTI41300 9pc High Polish, Smooth Finish, Sizes 3/8" to 7/8" and (2) KTI41800 - 13Pc High Polish, Smooth Finish, Sizes 7mm to 19mm

Display setup size: Height: 40.9, Width: 26.3", Depth:16.7". All hand tools are covered by a Lifetime Warranty.



Nut Drivers I Sets



KTI14400

7-Piece Fractional **Nut Driver Set**



- Rugged and designed for shop environments, tools feature hollow shafts, ergonomic soft grip handles, and alloy steel sockets and shafts
- · Set is color coded for easy identification
- Tools packaged in handy plastic hanging organizer

Includes sizes: 3/16" x 3", 1/4" x 3", 5/16" x 3", 11/32" x 3", 3/8" x 3", 7/16" x 3" and 1/2" x 3"

Set includes (also available individually):

KTI14406 - 3/16" x 3" KTI14412 - 3/8" x 3" KTI14408 - 1/4" x 3" **KTI14414** - 7/16" x 3" KTI14416 - 1/2" x 3" KTI14410 - 5/16" x 3" KTI14411 - 11/32" x 3"



KTI14500

7-Piece Metric Nut Driver Set

- Rugged and designed for shop environments
- Feature hollow shafts, ergonomic soft grip handles and alloy steel sockets and shafts
- Set is color coded for easy identification
- · Tools packaged in handy plastic hanging organizer

Includes sizes: 5 mm x 75, 6 mm x 75, 7 mm x 75, 8 mm x 75, 9 mm x 75, 10 mm x 75 and 11 mm x 75

Set includes (also available individually):

KTI14505 - 5mm x 75mm KTI14509 - 9mm x 75mm KTI14506 - 6mm x 75mm KTI14510 - 10mm x 75mm KTI14507 - 7mm x 75mm KTI14511 - 11mm x 75mm KTI14508 - 8mm x 75mm

Nut Drivers			
Frac	tional	Metric	
Part #	Size	Part #	Size
KTI14406	3/16" x 3"	KTI14505	5mm x 75mm
KTI14408	1/4" x 3"	KTI14506	6mm x 75mm
KTI14410	5/16" x 3"	KTI14507	7mm x 75mm
KTI14411	11/32" x 3"	KTI14508	8mm x 75mm
KTI14412	3/8" x 3"	KTI14509	9mm x 75mm
KTI14414	7/16" x 3"	KTI14510	10mm x 75mm
KTI14416	1/2" x 3"	KTI14511	11mm x 75mm

Hooks, Picks, & Awls I Sets



KTI70070

4-Piece Pick Set

with Neon Orange Handles

- Includes four picks for removing, installing, aligning, probing and piercing
- Use to ease removal of 0-rings, split pins, seals and bushes and loose parts
- Set contains orange-handled straight, 45°, 90° and hook picks.

Set includes (also available individually):

KTI70071 - Straight Neon Orange Pick KTI70072 - 45 Degree Neon Orange Pick

KTI70073 - 90 Degree Neon Orange Pick KTI70074 - Hook Neon Orange Pick





KTI70075

4-Piece Pick Set

with Neon Green Handles

- Includes four picks for removing, installing, aligning, probing and piercing
- Use to ease removal of 0-rings, split pins, seals and bushes and loose parts
- Set contains green-handled straight, 45°, 90° and hook picks

Set includes (also available individually):

KTI70076 - Straight Neon Green Pick

KTI70077 - 45 Degree Neon Green Pick

KTI70078 - 90 Degree Neon Green Pick

KTI70079 - Neon Green Hook Pick



Pry Bars I Sets

KTI71600

4-Piece Pry Bar Set - Lady Slipper Style

- Superior quality, heat-treated pry bars
- Tools feature high leverage rolling head and long tapered body to align drift Includes 6", 12", 16" and 20" pry bars.

Set includes (also available individually):

KTI71606 - 6" KTI71612 - 12" KTI71616 - 16" KTI71620 - 20"



KTI19240

4-Piece Bent-End Pry Bar Set

- Tools feature smooth, comfortable square handles
- Packaged in plastic formed box Includes: 9", 12", 18", 24"

Set includes (also available individually):

KTI19209 - 9" KTI19212 - 12" KTI19218 - 18" KTI19224 - 24"



Scrapers | Sets

KTI70004

4-Piece Putty Knife / Scraper Set

- Use to apply adhesives, filler, compound, spackles and more
- Ideal for removing paint, rust, gaskets, carbon, filler and undercoating
- · All blades are high carbon, heat-treated, tempered, polished to mirror finish and full tang
- Tools fitted with grommeted brass, solvent-resistant, riveted wood handles
- Features 15° sharp chisel edge on stiff scrapers

Includes: 1" stiff edge; 1-1/2" stiff edge: 1-1/2" flex edge; and 3" flex edge

Set includes (also available individually):

KTI70014 - Scraper Putty Knife 1" Stiff KTI70015 - Scraper Putty Knife 1-1/2" Stiff KTI70017 - Scraper Putty Knife 1-1/2" Flexible KTI70018 - Scraper Putty Knife 3" Flexible





KTI70005

4-Piece Putty Knife / Scraper Set

- Features a combination of flexible and stiff scrapers for the needs of any automotive body application or home improvement job
- Constructed of stainless steel blades that taper at tip to provide great flexibility and blade action
- Ergonomic, comfort-grip, non-slip handles

Includes an upholstery tucking tool, 2" flexible scraper, 1.25" flexible scraper and 1.25" stiff chisel.

Set includes (also available individually):

KTI70006 - Putty Knife, Upholstery Tucking Tool with Stainless Steel Blade and Comfort Grip Handle

KTI70007 - Putty Knife, 2" Flexible with Stainless Steel Blade and Comfort Grip Handle

KTI70008 - Putty Knife, 1,25" Flexible with Stainless Steel Blade and Comfort Grip Handle

KTI70009 - Putty Knife, 1.25" Stiff Chisel with Stainless Steel Blade and Comfort Grip Handle



LIFETIME







Scrapers I Sets



Set includes: stubby scraper; 1" carbon scraper; combination offset scraper; and 5/8" scraper. Also available individually.

Set includes (also available individually):

KTI70019 - Stubby Scraper

KTI70021 - 1" Carbon Scraper

KTI70022 - Combination Offset Scraper

KTI70027 - 5/8" Scraper



	Scrapers/Putty Knives
Part #	Type/Size
KTI70006	Putty Tucking
KTI70007	2" Flexible Putty
KTI70008	1-1/4" Flexible Putty
KTI70009	1-1/4" Stiff Putty
KTI70014	1" Stiff Putty
KTI70015	1-1/2" Stiff Putty
KTI70017	1-1/2" Flexible Putty
KTI70018	3" Flexible Putty
KTI70019	Stubby
KTI70020	1" Long Handled
KTI70021	1" Carbon Scraper
KTI70022	Combination Offset
KTI70024	3/4" Chisel
KTI70025	1-1/2" Flexible
KTI70026	1-1/2" Chisel
KTI70027	5/8" Scraper
KTI70028	Putty Knife
KTI70029	3" Flexible

Punches & Chisels I Sets



KTI72901 (in tray) or KTI72901K (in kit bag)

15-Piece Punch & Chisel Set

Set includes five pin punches, five taper punches, three chisels and two center punches. Packaged in your choice of plastic tray or kit bag. Components available individually. LIFETIME WARRANTY*

KTI72901 (in tray) or KTI72901K (in kit bag)

Pin Punches Punches	Taper
KTI72911 - 3/32"	KTI72921 - 3/32"
KTI72912 - 1/8"	KTI72922 - 1/8"
KTI72913 - 5/32"	KTI72923 - 5/32"
KTI72914 - 3/16"	KTI72924 - 3/16"
KTI72915 - 1/4"	KTI72925 - 1/4"
Chisels	Center Punches
KTI73012 - 3/8"	KTI72931 - 1/8"
KTI73016 - 1/2"	KTI72932 - 3/16"

KTI72900

KTI73020 - 5/8"

6-Piece

Pin Punch Set

Sizes include: 3/32", 1/8", 5/32", 3/16", 1/4" and 5/16". Packaged in plastic tray. Available individually.

Set includes (also available individually):

KTI72911 - 3/32"

KTI72912 - 1/8"

KTI72913 - 5/32"

KTI72914 - 3/16"

KTI72915 - 1/4" KTI72916 - 5/16"





KTI72980

4-Piece

Brass Punch Set

Set includes sizes: 3/8"; 1/2"; 5/8"; and 3/4". Tools feature knurled handles. Designed for rugged shop environment. Packaged in vinyl case.

Set includes (also available individually):

KTI72982 - 3/8" punch

KTI72984 - 1/2" punch

KTI72986 - 5/8" punch KTI72988 - 3/4" punch





Punches & Chisels I Sets

KTI73000

5-piece Chisel Set

Sizes include: 3/8", 1/2", 5/8", 3/4" and 7/8". Packaged in plastic tray. Available individually.

Set includes (also available individually):

KTI73012 - 3/8"

KTI73016 - 1/2"

KTI73020 - 5/8"

KTI73024 - 3/4"

KTI73028 - 7/8"





Chisels			
Part #	Туре	Size	
KTI73012	Flat Chisel	3/8"	
KTI73016	Flat Chisel	1/2"	
KTI73020	Flat Chisel	5/8"	
KTI73024	Flat Chisel	3/4"	
KTI73028	Flat Chisel	7/8"	



KTI72505

5-Piece File Set

Sets includes: 6" mill file; 10" mill file; 8" bastard file; 8" half-round file; and 8" round file.

Set includes (also available individually):

KTI72512 - 6" mill file

KTI72514 - 10" mill file

KTI72523 - 8" bastard file

KTI72543 - 8" half-round file

KTI72553 - 8" round file

Wrenches | Combination **Non-Ratcheting**



KTI41300

9-Piece

Wrench Set High Polish

Fractional 3/8" to 7/8"

- High-polish, smooth-finish, heat-treated chrome vanadium steel
- Tools are longer than standard combination wrenches to enable access to hard-to-reach places
- Wrenches sized from 3/8"-7/8"
- · Packaged in kit bag. Available individually



KTI41304

14-PieceWrench Set

High Polish Fractional 3/8" to 1-1/4"

- Features high-polish, smooth-finish, heat-treated chrome vanadium steel
- Tools are longer than standard combination wrenches to enable access to hard-to-reach places
- Wrenches sized from 3/8"-1-1/4"
- Packaged in kit bag. Available individually.





LIFETIME WARRANTY*







Wrenches I Combination Non-Ratcheting



KTI41305 24-Piece





High Polish Combination Wrench Set

- Professional Series Fractional Wrench Set
- High-polish, smooth-finish, heat-treated chrome-vanadium steel
- Heavy duty pocketed roll pouch with two velcro bands
- Wrench sizes: 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-9/16" and 1-5/8"

KTI41301



12-Piece Combination Wrench Set

Set includes sizes: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" & 1"







Raised Panel Metric Wrenches 12-point

- Made of drop forged steel. wrench is chrome-plated and heat-treated to achieve maximum wear
- A raised panel provides additional strength and durability
- All wrenches are marked with part number and size for ease of identification

Sold separately:	KTI41611 - 11mm	KTI41616 - 16mm
KTI41607 - 7mm	KTI41612 - 12mm	KTI41617 - 17mm
KTI41608 - 8mm	KTI41613 - 13mm	KTI41618 - 18mm
KTI41609 - 9mm	KTI41614 - 14mm	KTI41619 - 19mm
KTI41610 - 10mm	KTI41615 - 15mm	



KTI41800

13-Piece Professional **Combination Wrench Set**



- High Polish Metric 7mm to 19mm
- Features high-polish, smooth-finish, heat-treated chrome vanadium steel • Tools are longer than standard combination wrenches to enable access to hard-to-reach places
- Wrenches sized from 7mm-19mm.
- · Packaged in kit bag. Available individually.



LIFETIME WARRANTY*

KTI41802

8-Piece Professional **Combination Wrench Set High Polish**

Metric 29mm to 36mm

- · Features high-polish, smooth-finish, heat-treated chrome vanadium steel
- Tools are longer than standard combination wrenches to enable access to hard-to-reach places
- Wrenches sized from 29mm through 36mm. Available individually





KTI41200 7-Piece

Combination Wrench Set Fractional Short 3/8" to 3/4"

- High polish chrome vanadium steel
- Heat treated • 12 point on box end
- · Packaged in a plastic tray

Includes sizes: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", and 3/4" wrenches.

Wrenches I Combination Non-Ratcheting



9-Piece Professional Combination Wrench Set

High Polish Metric 20mm to 28mm

- Features high-polish, smooth-finish, heat-treated chrome vanadium steel
- Tools are longer than standard combination wrenches to enable access to hard-to-reach places
- Wrenches sized from 20mm through 28mm.
- · Also available individually.







KTI41700

7-Piece Combination Wrench Set Metric Short 10mm to 18mm

- High polish, smooth-finish, heat-treated chrome vanadium steel
- 12 point hex on box end
- · Packaged in a plastic tray

Sizes include: 10mm, 12mm, 13mm, 14mm, 15mm, 17mm, and 18mm wrenches

Open-end High Polish Wrenches

 Professional series fractional wrenches features high-polish, smooth-finish, heat-treated chrome vanadium steel.

Sold separately:

Fractional:

KTI42316 - 1/2" x 9/16" **KTI42318** - 9/16" x 5/8"

KTI42320 - 5/8" x 3/4" **KTI42348** - 1-1/2" x 1-5/8"

Metric:

KT142818 - 16mm x 18mmv





LIFETIME WARRANTY*

KTI41011

11-Piece Combination Wrench Set Raised Panel Fractional 3/8" to 1"

K TOOL

- Made of drop forged steel, wrenches are chrome-plated and heat-treated to achieve maximum wear
- A raised panel provides additional strength and durability
- Packaged in kit bag organizer. Available individually.
 Includes sizes 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1"



KTI41013

13-Piece Combination Wrench Set Raised Panel Fractional 1/4" to 1"

- Made of drop forged steel, wrenches are chrome-plated and heat-treated to achieve maximum wear
- · A raised panel provides additional strength and durability
- Packaged in heavy duty kit bag organizer. Available individually. Includes sizes 1/4", 5/16, 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1"



- Made of drop forged steel, wrenches are chrome-plated and heat-treated to achieve maximum wear
- · A raised panel provides additional strength and durability
- Packaged in kit bag organizer. Available individually.

Thirteen-piece metric set includes sizes 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm and 19mm



Wrenches I Combination Non-Ratcheting





KTI41014

14-Piece Combination Wrench Set Raised Panel Fractional 3/8" to 1-1/4"

- Made of drop forged steel, wrenches are chrome-plated and heat-treated to achieve maximum wear
- A raised panel provides additional strength and durability
- · Packaged in kit bag organizer. Available individually. Includes sizes 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8" and 1-1/4"



KTI41016



16-Piece Combination Wrench Set Raised Panel Fractional 1/4" to 1-1/4"

- Made of drop forged steel, wrenches are chrome-plated and heat-treated to achieve maximum wear
- · A raised panel provides additional strength and durability
- · Packaged in kit bag organizer. Available individually. Includes sizes 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8" and 1-1/4"



KTI41004

LIFETIME WARRANTY* 4-Piece Jumbo Wrench Set

- Raised Panel Fractional 2-1/8" to 2-1/2" • KTI's jumbo wrenches, made of drop forged steel, are chrome-plated and heat-treated to achieve maximum wear
- · A raised panel provides additional strength and durability
- Jumbo wrenches are designed specifically to meet the needs of the professional who services heavy-duty trucks, tractors and commercial equipment Includes sizes 2-1/8", 2-1/4", 2-3/8", 2-1/2". Available individually.

Jumbo V	Jumbo Wrenches		
Size	Standard	Size	Standard
1-5/16"	KTI41142	1-7/8"	KTI41160
1-3/8"	KTI41144	2"	KTI41164
1-7/16"	KTI41146	2-1/8"	KTI41168
1-1/2"	KTI41148	2-1/4"	KTI41172
1-5/8"	KTI41152	2-3/8"	KTI41176
1-3/4"	KTI41156	2-1/2"	KTI41180
1-13/16"	KTI41158		



KTI41006

6-Piece

Jumbo Wrench Set

Raised Panel Fractional 1-3/8" to 2"

- Jumbo wrenches, made of drop forged steel. are chrome-plated and heat-treated to achieve maximum wear
- A raised panel provides additional strength and durability
- . Jumbo wrenches are designed specifically to meet the needs of the professional who services heavy-duty trucks, tractors and commercial equipment Includes sizes 1-3/8", 1-1/2", 1-5/8", 1-3/4", 1-7/8", 2"

Wrenches I Combination Non-Ratcheting

Full Polish Chrome Wrenches					
	Fractiona	1		Metric	
	Standard	Stubby		Standard	Stubby
Size	12 pt	12 pt	Size	12 pt	12 pt
1/4"	KTI41308		7mm	KTI41807	
5/16"	KTI41310		8mm	KTI41808	KTI41708
11/32"	KTI41311		9mm	KTI41809	
3/8"	KTI41312	KTI41212	10mm	KTI41810	KTI41710
7/16"	KTI41314	KTI41214	11mm	KTI41811	
1/2"	KTI41316	KTI41216	12mm	KTI41812	KTI41712
9/16"	KTI41318	KTI41218	13mm	KTI41813	KTI41713
5/8"	KTI41320	KTI41220	14mm	KTI41814	KTI41714
11/16"	KTI41322	KTI41222	15mm	KTI41815	KTI41715
3/4"	KTI41324	KTI41224	16mm	KTI41816	
13/16"	KTI41326		17mm	KTI41817	KTI41717
7/8"	KTI41328		18mm	KTI41818	KTI41718
15/16"	KTI41330		19mm	KTI41819	
1"	KTI41332		20mm	KTI41820	
1-1/16"	KTI41334		21mm	KTI41821	
1-1/8"	KTI41336		22mm	KTI41822	
1-3/16"	KTI41338		23mm	KTI41823	
1-1/4"	KTI41340		24mm	KTI41824	
1-5/16"	KTI41342		25mm	KTI41825	
1-3/8"	KTI41344		26mm	KTI41826	
1-7/16"	KTI41346		27mm	KTI41827	
1-1/2"	KTI41348		28mm	KTI41828	
1-9/16"	KTI41350		29mm	KTI41829	
1-5/8"	KTI41352		30mm	KTI41830	
2-1/4"	KTI41372		31mm	KTI41831	
			32mm	KTI41832	
			33mm	KTI41833	
			34mm	KTI41834	
			35mm	KTI41835	
			36mm	KTI41836	

R	aised Pan	el Combin	ation Wr	enches
	Fraction	al	N	Metric
Size	6 pt	12 pt	Size	12 pt
1/4"		KTI41108	6mm	KTI41807
5/16"		KTI41110	7mm	KTI41808
3/8"	KTI41412	KTI41112	8mm	KTI41809
7/16"	KTI41414	KTI41114	9mm	KTI41810
1/2"	KTI41416	KTI41116	10mm	KTI41811
9/16"	KTI41418	KTI41118	11mm	KTI41812
5/8"	KTI41420	KTI41120	12mm	KTI41813
11/16"	KTI41422	KTI41122	13mm	KTI41814
3/4"	KTI41424	KTI41124	14mm	KTI41815
13/16"		KTI41126	15mm	KTI41816
7/8"		KTI41128	16mm	KTI41817
15/16"		KTI41130	17mm	KTI41818
1"		KTI41132	18mm	KTI41819
1-1/16"		KTI41134	19mm	KTI41820
1-1/8"		KTI41136	20mm	KTI41821
1-1/4"		KTI41140	21mm	KTI41822
			22mm	KTI41823
			23mm	KTI41824
			24mm	KTI41825
			25mm	KTI41826
			26mm	KTI41827
			27mm	KTI41828
			28mm	KTI41829
			29mm	KTI41830
			30mm	KTI41831
			31mm	KTI41832
			32mm	KTI41833
			33mm	KTI41834
			34mm	KTI41835
			35mm	KTI41836







Wrenches I Combination Non-Ratcheting





Flare Nut Wrenches Fractional

- . Made of heat-treated steel
- Each socket is marked with size for ease of use
- Ideal for gas, brake and air conditioning lines, flare wrenches provide more power and torque where needed
- · High-polished, heat-treated chrome vanadium
- · Lifetime warranty

Sold separately:

KTI44412 - 3/8" x 7/16" **KTI44420** - 5/8" x 11/16"

KTI44416 - 1/2" x 9/16"



KTI44003

3-Piece Wrench Flare Nut Wrench Set SAE

- Ideal for gas, brake and air conditioning lines, flare wrenches provide more power and torque where needed
- High-polished, heat-treated chrome vanadium steel
- Available individually

Includes double-ended wrenches sized 3/8" x 7/16", 1/2" x 9/16" and 5/8" x 11/16"

KTI44500

3-Piece Flare Nut Wrench Set Metric



Includes double-ended wrenches sized $10mm \times 12mm$, $13mm \times 14mm$ and $15mm \times 17mm$. Available individually.

Sold separately:

KTI44910 - 10mm x 12mm **KTI44917** - 15mm x 17mm

KTI44913 - 13mm x 14mm



KTI22300

8-Piece Fractional Flare Nut Crowfoot Wrench Set 3/8" Drive



- Used for air conditioning, fuel and hydraulic line fittings
- Heat treated, carded with socket rail. Available individually.

Set includes (also available individually):

KTI22312 - 3/8"

KTI22314 - 7/16"

KTI22316 - 1/2"

KTI22318 - 9/16"

KTI22328 - 7/8"

KTI22328 - 7/8"



KTI27300

10-Piece Metric

Flare Nut Crowfoot Wrench Set 3/8" Drive

- Used for air conditioning, fuel and hydraulic line fittings
- Heat treated, carded with socket rail. Available individually.

Set includes (also available individually):

KTI27310 - 10mm KTI27311 - 11mm

KTI27312 - 12mm KTI27313 - 13mm KTI27314 - 14mm LIFETIME WARRANTY* KTI27315 - 15mm KTI27316 - 16mm KTI27317 - 17mm

KTI27318 - 18mm **KTI27319** - 19mm

Wrenches I Combination Non-Ratcheting



Adjustable Wrenches

 Manufactured with drop-forged, heat-treated alloy steel for maximum strength and light weight. Chrome plated.



LIFETIME WARRANTY*

LIFETIME

Sold separately:

KTI48004 - 4" jaw capacity: 1/2"
KTI48006 - 6" jaw capacity: 3/4"
KTI48008 - 8" jaw capacity: 1"
KTI48012T - 12" jaw capacity: 1-1/2"
KTI48018T - 18" jaw capacity: 2-1/4"

KTI48010 - 10" jaw capacity: 1-13/16" KTI48012 - 12" jaw capacity: 1-1/2" KTI48015 - 15" jaw capacity: 1-7/8" KTI48018 - 18" jaw capacity: 2-1/4"



- Adjustable opening to 1-1/2"
 Langth 10"
- Length 12"
- Black finish

KTI48004T

4" Adjustable Wrench

• 1/2" jaw capacity

 Drop-forged, heat-treated alloy steel for maximum strength and light weight

Chrome Vanadium steel



Aluminum Pipe Wrenches

- Weighs 40% less than its cast iron counterpart a lighter tool is easier to handle and causes less hand fatigue and arm stress
- Features strong hardened jaws, nuts and teeth, and drop forged steel jaws
- A versatile head design provides a flat surface for hammering

Sold separately:

KTI49112 - 12" jaw capacity: 2-1/4" **KTI49114** - 14" jaw capacity: 2-5/8" **KTI49118** - 18" jaw capacity: 3-1/4" **KTI49124** - 24" jaw capacity: 3-1/2" **KTI49136** - 36" jaw capacity: 4"

KTI49000

4-Piece Pipe Wrench Set

- Strong, durable and versatile cast iron with drop forged steel jaws
- Perfect for a variety of applications

Includes 8", 10", 14" and 18" pipe wrenches

Sold separately:

KTI49008 - 8" jaw capacity: 1-1/2" **KTI49010** - 10" jaw capacity: 1-7/8" **KTI49014** - 14" jaw capacity: 1-1/2"

KTI49018 - 18" jaw capacity: 3"





- Constructed from the highest grade cast iron, forged and heat-treated to ensure maximum durability
- Tough red enamel finish. Tool is strong and versatile

Sold separately:

KTI49012 - 12" jaw capacity: 2-3/8" **KTI49024** - 24" jaw capacity: 1-1/2" **KTI49036** - 36" jaw capacity: 3-1/2"



KTI49309

9" Auto Wrench (Monkey Wrench)

- Auto wrench (monkey wrench)
- 9" Length
- Adjustable opening to 2-1/2"
- Black Oxide






KTI49315

15" Auto Wrench (Monkey Wrench)

- 15" Length
- . Adjustable opening to 3-1/4"
- Black Oxide





Wrenches I Combination Ratcheting



KTI45400

7-Piece Ratcheting Wrench Set Fractional 5/16" to 3/4"





- Ratcheting box end needs as little as 5 degrees to move fastener
- Designed to reduce fastener rounding
- Wrenches feature a sleek head design for tight access points and all metal construction for durability and strength Includes sizes 5/16, 3/8", 7/16", 1/2", 9/16", 5/8" and 3/4"

KTI45500



Includes sizes 8mm, 10mm, 12mm, 13mm, 14mm, 15mm and 18mm.





Ratcheting Wrenches - Combination				
Fractional			Metric	
	Standard	Stubby		Standard
Size	12 pt	12 pt	Size	12 pt
5/16"	KTI45410		8mm	KTI45508
3/8"	KTI45412		10mm	KTI45510
7/16"	KTI45414		12mm	KTI45512
1/2"	KTI45416		13mm	KTI45513
9/16"	KTI45418	KTI45318	14mm	KTI45514
5/8"	KTI45420		15mm	KTI45515
3/4"	KTI45424		18mm	KTI45518

KTI45600 16-Piece Reversible Ratcheting Wrench Set

Metric 8mm - 24mm

- Enjoy the speed of a ratchet with the accessibility of a wrench in this version with a reversing mechanism
- Ratcheting box end needs as little as 5 degrees to move fastener
- Reduce fastener rounding
- Wrenches feature a sleek head design for tight access points and all metal construction for durability and strength

Includes sizes 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 24mm,





KTI45601 12-Piece Reversible Ratcheting Metric Wrench Set

Includes: 8mm - 19mm







KTI45602 7-Piece Reversible Ratcheting Metric Wrench Set

Includes: 8mm - 18mm









Wrenches I Combination Ratcheting



KTI45900 13-Piece **Reversible Ratcheting** Wrench Set Fractional 1/4" to 1"

- Enjoy the speed of a ratchet with the accessibility of a wrench in this version with a reversing mechanism
- Ratcheting box end needs as little as 5 degrees to move fastener
- Reduce fastener rounding
- Wrenches feature a sleek head design for tight access points and all metal construction for durability and strength Includes sizes 1/4", 5/16, 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1".







- Ratcheting box end needs as little as 5° to move fastener
- · Reduce fastener rounding
- Wrenches feature a sleek head design for tight access points and all metal construction for durability and strength

Includes: 1/4" - 3/4"

9 Piece

KTI45902 7 Piece Reversible Ratcheting **SAE Wrench Set**



- · All metal construction for durability and strength
- \bullet Ratcheting box end needs as little as 5° to move fastener
- · Designed to reduce fastener rounding
- Sleek head design for tight access points





Set includes: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8" and 3/4"

Ratcheting Wrenches - Reversible			
Fra	Fractional Metric		Metric
Sta	andard	S	standard
Size	12 pt	Size	12 pt
1/4"	KTI45908	8mm	KTI45608
5/16"	KTI45910	9mm	KTI45609
3/8"	KTI45912	10mm	KTI45610
7/16"	KTI45914	11mm	KTI45611
1/2"	KTI45916	12mm	KTI45612
9/16"	KTI45918	13mm	KTI45613
5/8"	KTI45920	14mm	KTI45614
11/16"	KTI45922	15mm	KTI45615
3/4"	KTI45924	16mm	KTI45616
13/16"	KTI45926	17mm	KTI45617
7/8"	KTI45928	18mm	KTI45618
15/16"	KTI45930	19mm	KTI45619
1"	KTI45932	20mm	KTI45620
		21mm	KTI45621
		22mm	KTI45622
		24mm	KTI45624



Ratcheting Box Wrenches Fractional

. Combines the ratcheting action of a socket with the low profile of a box wrench, making those hard to reach jobs quick and easy LIFETIME WARRANTY

Sold separately:

KTI45208 - 1/4" x 5/16" KTI45216 - 1/2" x 9/16" KTI45212 - 3/8" x 7/16" KTI45220 - 5/8" x 3/4"



Wrenches I Combination Ratcheting



KTI43500

5-Piece Metric

X-Long Double Box Ratcheting

- Flexible Reversible Spline Wrench Set

 These extra-long, flexible and reversible double box ratcheting wrenches are
- forged of chrome-vanadium steel and heat-treated for durability

 Wrenches in this 5-piece set feature a 72-tooth design with a high polish finish
- Wrenches in this 5-piece set feature a 72-tooth design with a high polish finish and are nearly 40% longer
- Ratcheting box end needs as little as 5 degrees to move fastener
- Sleek head design and slim dimensions further ease of working in confined areas Includes the following metric sizes: 8mm x 10mm, 12mm x 13mm, 14mm x 15mm, 16mm x 18mm and 17mm x 19mm. Packaged in a blow-molded case.





4-Piece Fractional

X-Long Double Box Ratcheting Flexible Reversible Spline Wrench Set

These extra-long, flexible and reversible double box ratcheting wrenches

- These extra-long, flexible and reversible double box ratcheting wrenches are forged of chrome vanadium steel and heat-treated for durability
- Wrenches in this 4-piece set feature a 72-tooth design with a high-polish finish and are nearly 40% longer
- Ratcheting box end needs as little as 5 degrees to move fastener
- Sleek head design and slim dimensions further ease of working in confined areas
- Packaged in a blow-molded case

Includes sizes: 5/16" x 3/8", 7/16" x 1/2", 9/16" x 5/8" and 11/16" x 3/4"



	Ratcheting Wrenches - Double Box		
Size	Size Extra Long Flex		
5/16"	KTI43112 - (5/16" x 3/8")		
7/16"	KTI43116 - (7/16" x 1/2")		
9/16"	KTI43120 - (9/16" x 5/8")		
11/16"	KTI43124 - (11/16" x 3/4")		



X-Long Double Box Ratcheting / Flexible / Reversible Spline Metric Wrenches

- This extra-long, flexible and reversible double box ratcheting wrench is forged of chrome vanadium steel and heat-treated for durability
- It features a 72-tooth design with a high-polish finish and is nearly 40% longer
- Ratcheting box end needs as little as 5 degrees to move fastener
- Sleek head design and slim dimensions further ease of working in confined areas

Sold separately:

KTI43510 - 8mm x 10mm **KTI43513** - 12mm x 13mm

KTI43515 - 14mm x 15mm **KTI43518** - 16mm x 18mm

KTI43519 - 17mm x 19mm







Ratcheting-style Torque Wrenches

- Ratcheting style torque wrench "clicks" when proper torque is achieved.
 Accuracy: ±4%. Works in clockwise direction
- · Packaged in blow-molded case

KTI72117	30-150 in./lbs.	1/4" drive	7-3/4" length
KTI72100	20-200 in./lbs.	3/8" drive	11" length
KTI72101	10-150 ft./lbs.	1/2" drive	18" length
KTI72102	25-250 ft./lbs.	1/2" drive	25" length
KTI72175	100-600 ft./lbs.	3/4" drive	42" length

Warranty information:

90-day limited warranty. Repairable item.

Half-price replacement option after 90-days.



Micrometer-style

Adjustable Torque Wrenches - U.S.-made



- Positive lock with spring loaded pull down lock ring
- Fast, accurate and easy to set with ergonomic comfort-grip
- Easy-to-read laser marked scales
- Individually serialized with matching certificate of calibration traceable to N.I.S.T.
- Most feature quick release buttons which provide good socket retention as well as easy socket removal (except KTI72176A)
- Each comes in a blow molded case
- Accuracy: ± 4% clockwise ± 6% CCW of indicated value, CW, from 20% to 100% of full scale
- Meets or exceeds ASME B107.14M-1994, ISO 6789 Standards
- Covered by a 1-Year limited warranty

KTI72118A	20-150 in./lbs.		10" length
KTI72120A	30-250 in./lbs.		11.2" length
KTI72121A	10-100 ft./lbs.	3/8" drive	16" length
KTI72125A	20-150 ft./lbs.	1/2" drive	19" length
KTI72126A	30-250 ft./lbs.	1/2" drive	24.5" length
KTI72176A	100-600 ft./lbs.	3/4" drive	41" length



Ergonomic handle reduces fatigue



Micrometer-style

Adjustable Torque Wrenches

- Achieve the proper torque with KTI's click-style torque wrenches
- Torque wrenches are extremely accurate and easy-to-use: Simply adjust the torque specification on the wrench by releasing the red knob and turning the handle of the torque wrench while holding the shaft of the torque wrench
- Torque wrenches feature a ball detent socket retainer with push-button release for quick socket changes
- Works in clockwise and counter-clockwise directions
- Accuracy: ±4~6%
- Packaged in a blow-molded case

KTI72140	50-250 in./lbs.	3/8" drive	8-3/4" length
KTI72143	10-100 ft./lbs.	3/8" drive	16-1/4" length
KTI72141	30-150 ft./lbs.	1/2" drive	18-3/4" length
KTI72142	30-250 ft./lbs.	1/2" drive	21-1/2" length
KTI72145	100-600 ft./lbs.	3/4" drive	39" length

Warranty information:

90-day limited warranty. Repairable item. Half-price replacement option after 90-days.





KTI72149

Torque Wrench 3/8" Drive 150-750 in/lbs

- 3/8" drive ratcheting torque wrench
- 150 750 in./lbs. in 5 lb increments
- · Calibration certificate included
- · Comes is a black blow-mold case
- . 90-day limited warranty



Digital Torque Wrenches

- Eliminates the possibility of human error with a series of lights and alarms that immediately alert the user to torque readings that are "over or under" entered values
- · Easy to use, exceedingly accurate (plus/minus 1 percent CW, plus/minus 2 % CCW)
- High contrast, backlit LCD screen display, users press only four buttons to operate the tool: power on/off; unit of measurement (ft./lbs., in./lbs., N-m); torque target up; and torque target down.
- . Technicians can quickly switch among three types of measurement, eliminating the need to have three separate tools
- The wrench boasts a non-slip grip, a rugged, durable housing, a 36-tooth gear and a lever-type ratchet to ease directional switching
- Estimated battery life: 110 hours
- · Blow-molded case

KTI72130	10-100 ft./lbs.	3/8" drive	16-1/4" length
KTI72133	14.8-73.8 ft./lbs.	3/8" drive	15" length
KTI72132	20-250 ft./lbs.	1/2" drive	25" length
KTI72134	29.5-147.5 ft./lbs.	1/2" drive	19-1/16" length
KTI72135	25-250 ft./lbs.	1/2" drive	22-1/4" length

Warranty information:

1-year warranty. Repair or replace at discretion of repair center.

KTI72138 **Digital Torque Adaptor** 1/2" Drive

- Use with 1/2" drive ratchet
- Static torque measurement
- · Three standard functions: torque setting, measurement setting and mode setting
- Operates is clockwise and counter-clockwise directions
- Torque range is 29.5 147.5 ft-lbs
- . Digital torque adaptor turns a regular ratchet into a digital ratchet
- Tool length: 3". Comes in a black blow-mold storage case

Warranty information: 1-year warranty.



KTI72190

Torque Multiplier

- · Converts low torque into high torque, reducing amount of strength required to loosen or tighten when using only a torque wrench
- Input Square: 3/4" drive and Output Square: 1" drive
- Input: 730 ft-lbs. (1000 NM) and Output: 2200 ft-lbs. (3000 NM)
- Increases range of torque 3:1
- Tool length: 19.500", body length 6.500", reaction bar length: 15.625", head width: 3.750", female depth: .750", male depth: 1.125", head depth from female to male: 4.500"
- · Comes in a convenient plastic, blow-molded carrying/storage case 1-year warranty.



LIFETIME

KTI49400

Universal Drum Bung Wrench, **Bronze Non-Sparking**

- Universal drum bung wrench
- Manufactured of bronze alloy
- Non-sparking for flammable materials
- · Fits all types of industrial drum nut plugs and bungs in metal and plastic
- · Corrosion resistant



KTI49405

Universal Drum Plug Bung Wrench, **Ductile Iron**

- Universal drum plug bung wrench
- Manufactured of ductile iron
- One-piece construction for long-lasting and durability
- Use to open and close all steel and plastic hex-head and round-head bung nut plugs
- · Corrosion resistant





Solid Brass Hammers • Non-sparking brass hammer prevents damage to delicate parts Sold separately: KTI71782 - 27oz., 1-1/16" head diameter KTI71783 - 48oz., 1-1/4" head diameter LIFETIME **WARRANTY***



Brass Hammers with Hickory Handles

• Non-sparking brass hammer prevents damage to delicate parts

Sold separately:

KTI71714 - 16oz., 1-1/4" head diameter KTI71715 - 24oz., 1-1/4" head diameter KTI71733 - 32oz., 1-1/2" head diameter



KTI71700 **Impact Driver** with 4-Piece Bit Set

- A 3/8" driver with four (4) 5/16" hex bits (small slotted, large slotted, #2 Phillips and #3 Phillips) for loosening rusted screws, nuts and bolts
- · Packaged in a metal box

Bits also available individually:

KTI18801 - Small Slotted Bit KTI18802 - Large Slotted Bit KTI18702 - #2 Phillips Bit

KTI18703 - #3 Phillips Bit







Ball Pein Hammers

- Hammer features drop forged, heat-treated steel head and fiberglass handle for strength and reliability
- Tool boasts contoured, nonslip rubber grip for user comfort

Sold separately:

KTI71708 - 80z. KTI71716 - 160z. KTI71725 - 240z. KTI71732 - 320z.







• Fiberglass handle and rubber grip. Overall length: 15-1/4"





HEAVYWEIGHT QUALITY. KNOCKOUT PRICE.

Serving the Automotive Industry Since 1984
Wixom, MI 48393
www.ktoolinternational.com



KTI23308

Bit Holder 1/2 drive

• 1/4" Hex Male to 1/2" Male Square Drive



KTI18000

12 Piece Bit Set

- 12 Piece Bit set includes: Slotted 1/8", 5/32", 3/16", 1/4"; Phillips #0, #1, #2, #3, Torx T-10, T-15, T-20, T-25
- All packaged in convenient organizer case



KTI18007

Bit holder, Interior Clip 1/4" Drive x 1/4" Hex Female

Chrome plating finish





KTI18013

Bit Holder, Exterior Clip 3/8" Drive x 1/4" Hex Female

• Chrome plating finish





KTI18014

Bit Holder, Exterior Clip 3/8" Drive x 5/16" Hex Female

Chrome plating finish





KTI22914 3/8" Drive Hex Bit 9/64" x 1" Length

- Hex bit socket made of chrome vanadium steel
- Heat treated for durability





KTI18992

#2 Phillips Power Bit, 2" Long 1/4" Shank



Groove Joint Pliers

- · Can be adjusted to grip or turn objects
- Ideal for grasping nuts or pipe
- Manufactured from chrome vanadium steel with chrome finish
- · Ergonomic vinyl handle for user comfort
- Available in three sizes

Sold separately:

KTI54006 - 6" KTI54010 - 10"

KTI54012- 12"







Slip Joint Pliers

- Designed for gripping and turning round objects
- Manufactured from chrome vanadium steel with chrome finish
- · Ergonomic vinyl handle for user comfort
- · Available in three sizes

Sold separately:

KTI53004 - 4" KTI53006- 6"

KTI53008 - 8"

LIFETIME WARRANTY*



11" Needle Nose Plier Set

- These extra long needle nose pliers reach into even the tightest places
- Pliers manufactured with heat-treated chrome vanadium steel for long wear
- Tools feature soft comfort grip handles. Packaged in handy storage pouch
- Set includes 15° offset, 45° bent nose and 90° bent nose

Set includes (also available individually):

KTI51111 - 90° bent nose

KTI51211 - 45° offset

KTI51311 - 15° offset




Needle Nose Pliers

- · Needle nose pliers reach into even the tightest places
- Tool features side cutter and non-slip vinyl grip
- . Manufactured from heat-treated chrome vanadium for durability
- · Each sold separately









- · Manufactured from high-grade heat-treated alloy steel for strength and durability
- · Hardened teeth provide superior grip at any angle
- · Adjusting screw tightens to adjust pressure for a secure, firm grip every time
- Quick-release trigger. Overall length: 5". Meets or exceeds ANSI standards.



- Curved-jaw pliers apply maximum torque for any application
- · Manufactured from high-grade heat-treated alloy steel for strength and durability
- Hardened teeth provide superior grip at any angle
- · Adjusting screw tightens to adjust pressure for a secure, firm grip every time
- Quick-release trigger. Overall length: 10" Meets or exceeds ANSI standards.



LIFETIME WARRANTY*

KTI58707 **Locking Plier**

- Curved Jaw 7"
- Curved-jaw pliers apply maximum torque for any application
- · Manufactured from high-grade heat-treated alloy steel for strength and durability
- Hardened teeth provide superior grip at any angle
- Adjusting screw tightens to adjust pressure for a secure, firm grip every time
- Quick-release trigger. Overall length: 7" Meets or exceeds ANSI standards.







· Manufactured from high-grade heat-treated alloy steel for strength and durability

LIFETIME

- Hardened teeth provide superior grip at any angle
- Adjusting screw tightens to adjust pressure for a secure, firm grip every time
- Quick-release trigger. Overall length: 7" Meets or exceeds ANSI standards.



KTI58809

Locking Welding Clamp Plier 9"



- · Perfect for welding applications or securing awkward-shaped work pieces
- Manufactured from high-grade heat-treated alloy steel for strength and durability
- · Superior grip to hold work pieces in proper alignment
- Adjusting screw tightens to adjust pressure for a secure, firm grip every time
- Quick-release trigger. Overall length: 9" Meets or exceeds ANSI standards.



KTI58811

Locking C-Clamp Plier 11"

- · Locking C-clamp plier features wide-opening jaws to accommodate a variety of shapes and sizes for any application
- · Manufactured from high-grade heat-treated alloy steel for strength and durability
- Adjusting screw tightens to adjust pressure for a secure, firm grip every time
- Quick-release trigger, Overall length; 11". Meets or exceeds ANSI standards.



- · Heavy duty auto tool for removal of exhaust components from rubber-style hangers
- · Self-locating forcing pin
- · Cushioned slip-resistant handles
- · 25° offset for easy access



LIFETIME WARRANTY*





KTI55112

12-Piece

Reversible Snap Ring Plier Set

- Set includes the four most popular tip sizes in straight, 45 and 90° angle configurations
- These versatile, heavy duty pliers are designed for the removal and installation of either internal or external snap rings on a wide range of applications
- · Packaged in blow-molded case. Available inidividually.

Set includes (also available individually):

KTI55120 - straight tip .038 KTI55121 - straight tip .047 KTI55122 - straight tip .070 KTI55123 - straight tip .090 KTI55130 - 45° bent tip .038 KTI55131 - 45° bent tip .047 KTI55132 - 45° bent tip .070 KTI55133 - 45° bent tip .090 KTI55140 - 90° bent tip .038 KTI55141 - 90° bent tip .047 KTI55142 - 90° bent tip .070 KTI55143 - 90° bent tip .090





KTI55001

5-Piece

Reversible Snap Ring Plier Set

- Set includes: short straight small tip (2 pieces); long straight large tip; short 90 degree small tip; and long 90° large tip
- These versatile, heavy duty pliers are designed for the removal and installation of either internal or external snap rings on a wide range of applications
- Packaged in blow-molded case. Available individually.

Set includes (also available individually):

KTI55012 - short, straight small tip (2 pc.) KTI55034 - long, straight large tip KTI55912 - short 90° small tip KTI55934 - long 90° large tip







- Wire cutter, bolt cutter, and wire stripper in one
- Crimps insulated and open barrel terminals



and Easy Wire Stripper

- 9.75" Length
- Wire cutter, bolt cutter, wire stripper, and bending wire
- Crimps insulated, non-insulated, and pin terminals





KTI56208

Self Adjusting Wire Stripper

- · Automatically adjusts to the diameter of the wire
- · Strips, cuts and crimps wire for solderless terminals
- · Capacity range: 22 to 10 awg
- · Curved back handle design with comfort grip
- Tool length: 10"



KTI56202

8.5" Professional Multi Purpose Crimper and Wire Stripper

- 8.5" Length
- 3.2mm thickness
- · Wire cutter, bolt cutter, and wire stripper in one
- · Crimps open barrel terminals



LIFETIME





KTI56205

8.7" Ratcheting Terminal Crimper

- For insulated terminal
- · Carbon steel head
- Polypropylene and thermoplastic rubber handle
- Tool capacity: Red 22-18 AWG, Blue 16-14 AWG, Yellow 12-10 AWG
- · Adjusted by screwdriver



- Crimps non-insulated terminals
- · Easy to grip handles





Professional Multipurpose Crimping and Wire Stripper - 1.5/2.5/6.0/10/16 MM2

- · Crimps non-insulated terminals
- · Easy to grip handles





LIFETIME

KTI56209

Wire Stripper / Crimper

 Can be used as wire stripper, machine screw cutter, wire cutter, insulated crimper or solderless terminal crimper.



KTI52009 Heavy Duty Cable Cutters

- Heavy duty
- · For use in cutting copper and aluminum
- 9-1/4" Length
- Jaws open to approximately 2"
- Do not use on steel wire or ACSR cable

Diagonal Cutters

Manufactured from chrome vanadium steel

· Ergonomic handle for user comfort

· Available in three sizes

Sold separately:

LIFETIME

KTI52006 - 6"

KTI52006T - 6"

KTI52007 - 7"

KTI52007T - 7"

KTI52107 - 7" heavy-duty





- Cannon plug pliers fit A-N electrical connectors from 3/4" to 2-1/2"
- Slip-joint design with 4 adjustment positions and dipping handle
- Soft, non-marring white nylon jaw inserts with serrations
- Jaw width: 3/8" and open capacity: 3/4" to approximately 2-1/2"
- Plier length: 10"

LIFETIME WARRANTY*



KTI72380

8" Straight Cut Tin Snips

- One piece drop forged construction of high carbon steel
- Cushion handle with smooth, comfortable bows for ease in use and safety
- \bullet Designed for cutting straight and wide curves to the left or right
- Cuts up to .61mm cold rolled steel or .41mm stainless steel
- Cutting blades open to approximately 4" wide
- Induction hardened cutting edges 54-58 HRC





KTI57324

24" Clipper Cut Bolt Cutters

- Cutting head is manufactured from chrome-vanadium steel
- Can be used for cutting chains, padlocks, bolts and wire mesh
- The clipper-cut style blades are flush against one face for cutting against flat surfaces











KTI59000

Auto Return Wire Twister Pliers 9"

- Includes an automatic spring return for quick and efficient operation
- Overall length of 8-3/4" and wire capacity of .041"
- Reversible action for left and right twists.
- Diagonal nose to reach tight areas on your aircraft or other machinery



KTI72644

Steel Folding Rule 3' Length

- Stainless steel folding rule
- Multiple folding joints every 6"
- Width: 19/32" (15mm) Thickness: 0.6mm
- Etched with SAE measurements on one side

Tape Measure

- SAE and metric markings
- Blade material is spring-tempered steel
- Top lock for blade with automatic blade return
- Removable spring-tempered steel belt clip
- Lifetime warranty

KTI72606 - 6' x 1/2" KTI72608 - 8' x 1/2" KTI72610 - 10' x 3/4" KTI72612 - 12' x 1/2"

KTI72616 - 16' x 3/4" KTI72625 - 25' x 1"











TOOL STORAGE

1.800.762.6002 www.ktoolinternational.com



Service Carts



KTI75146

4 Drawer Locking Service Cart

- 500 lb. load capacity
- Ball bearing drawer slides. Drawer liners for all drawers and trays
- 5 " Heavy-duty casters
- Side impact bumpers
- Gas shocks for lid
- Cart dimensions: 148 lbs, 35.2" length, 20.6" width, 40.3" height.

 Top drawer depth (2) 3", Middle drawer depth 3", Bottom drawer depth 6"
- 1 Year Warranty on material and workmanship





One-Drawer Steel Service

Tool Cart with 2 Lined Shelves

- Durable construction for rugged shop environments
- Sturdy, one-piece drawer handle. Cart provides ample storage.
- Large, fully-lined top and bottom storage trays to organize tools, shop accessories and parts for greater accessibility
- Fully-lined drawer with lock to securely store tools when not in use
- Four casters allow steady, quick movement; two casters feature easy-to-operate locking mechanism
- Warranty information: 1-year warranty



TOOL STORAGE





Top locking tray keeps tools safe and secure when not in use. Drawers will not function when top storage tray is closed.

Top drawer dimensions (eab) 11-1/2" W x 16-7/8" D x 4-1/2" H

Middle drawer dimensions 24-1/2" W x 16-7/8" D x 2-1/2" H

Bottom drawer dimensions 24-1/2" W x 16-7/8" D x 4-1/2" H

4-drawer overall dimensions 39" W x 19-1/2" D x 41-1/4" H

Heavy-duty 5" x 2" casters. Two casters feature easy-to-operate locking mechanism to keep cart from rolling.



4-drawer Utility Carts

Part numbers:

KTI75140 - Red

KTI75141 - Blue

KTI75142 - Teal

KTI75143 - Yellow

KTI75145 - Black

Warranty info: 1-year warranty.









Features 22-slot screwdriver and/or prybar holder allowing handles to be stowed in top locking tray.





Store large-handle pry bars (up to 10") that won't fit in the top storage trav. Piano-style hinge folds down completely for easy access to pry bars, screwdrivers and other tools. Includes 22 slots and measures 18½" x 12" x 4".

Features side storage tray. Perfect for storage of tall items including aerosol cans.





Large drawers and trays to hold and organize tools. All drawers and trays include liners made of non-toxic EVA.



Drawers feature all steel ball bearing slides for smooth, quiet operation.



Keep drawers closed securely until needed. Easy, one-hand operation.

Drawer locks can only be operated when top lid is open.

Large bottom storage tray. Extra storage for oversized items. Great for shop towels, gallon-size containers and other large shop accessories.



Service Carts I Parts & Accessories

KTI72451

Magnetic Tool Hanger for Air Impact - 20 lb. Capacity

- Effortlessly holds most pistol-type impact wrenches.
- · Screw-hole design allow for easy mounting to nonferrous surface.
- Magnetic mount supports up to 20 lbs.





KTI72465

Magnetic Tool Holder Multipurpose 15 lb. Capacity

- · Holds a variety of screwdrivers, pliers, sockets, wrenches, hammers and more
- · Firmly attaches to metal surface
- Extends up to 20" wide
- Each socket seat encases a powerful magnet
- . Special hooks hold wrenches, keys and other hard to store items
- Permanently mount using screw holes or built in magnets support up to 15 lbs
- . Stores up to 71 tools

LIFETIME WARRANTY*

KTI72450

Magnetic Tool Hanger 11 lb. Capacity

- · Holds heavy and irregularly shaped tools, such as hammers, mallets and wrenches.
- Ideal for storing cords, shovels, and more.
- Screw-hole design allow for easy mounting to nonferrous surfaces.
- . Magnetic mount supports up to 11 lbs.



LIFETIME WARRANTY*

KTI72460

Magnetic Tool Box

33 lb. Capacity

- · Powder-coating finish protects holder even in rugged, professional environments.
- · Chamfer design holds various tools, such as cans, brushes and tape.
- Organize workshops, garages and manufacturing sites.
- · Screw-hole design allows for easy mounting to nonferrous surfaces.
- Portable holder goes from job to job.
- . Holds up to 33 lbs.



TOOL STORAGE

Trays | Socket Rails & Socket Holders



KTI72470

3 Piece SAE Socket Holder Set - Red

- 1/4", 3/8" and 1/2" drive socket trays
- · Impact resistant ABS plastic

Set Includes:

KTI72471 - 1/4" Drive SAE - Holds 26 sockets (13 short & 13 deep)

Socket sizes: 1/8" - 5/8" each

KTI72472 - 3/8" Drive SAE - Holds 26 sockets (13 short & 13 deep)

Socket sizes: 1/4" - 1" each

KTI72473 - 1/2" Drive SAE - Holds 28 sockets (14 short & 14 deep)

Socket sizes: 3/8" - 1-1/4" each



KTI72475

3 Piece Metric Socket Holder Set, Gray

- 1/4", 3/8" and 1/2" drive socket trays
- Impact resistant ABS plastic

Set Includes:

KTI72476 - 1/4" Drive Metric - Holds 28 sockets (14 short & 14 deep) Socket sizes: 4-15mm each

KTI72477 - 3/8" Drive Metric - Holds 30 sockets (15 short & 15 deep) Socket sizes: 6 - 20mm each

KTI72478 - 1/2" Drive Metric - Holds 34 sockets (17 short & 17 deep) Socket sizes: 10 - 27mm each

MAGOCLIP By K-Tool International®

Original Mag-Clip Strip

Magnetic socket holders hold sockets tight without magnetizing them. Hangs or mounts on any smooth metal surface.

Other Features:


- · Shallow or deep socket
- Standard or metric sockets
- · Holds socket tight and secure on any smooth metal surface

· Will not magnetize sockets

- · Magnets retain strength permanently
- Grease, oil and chemical resistant
- · Tough polymer base
- Rust resistant

MCP72401 - 1/4" drive MCP72402 - 3/8" drive MCP72403 - 1/2" drive





MAGOCLIP By K-Tool International®

Interchangeable Mag-Clip Strip

Magnetic socket holders hold sockets tight without magnetizing them. Use with additional Power Pegs (sold separately) in any combination of 3 drive sizes to customize your workspace.


Other Features:

- · Shallow or deep socket
- Standard or metric sockets
- · Holds socket tight and secure on any smooth metal surface
- · Will not magnetize sockets
- · Magnets retain strength permanently
- · Grease, oil and chemical resistant
- · Tough polymer base
- Rust resistant

Includes 10 interchangeable Power Pegs.

MCP72400- 1/4" drive MCP72404 - 3/8" drive MCP72405 - 1/2" drive







MAG°CLIP

By K-Tool International®

Socket Caddy


This organizer allows users to customize the storage and organization of some of the messiest areas of the average tool box, such as the socket drawer. The base of this product is made out of a high impact plastic magnetic grid. Use with additional Power Pegs (sold separately) in any combination of 3 drive sizes to customize your workspace.

Other Features:


- · Shallow or deep sockets
- . Standard or metric sockets
- · Will not magnetize sockets
- · Magnets retain strength permanently
- · Grease, oil and chemical resistant
- Tough polymer base
- · Rust resistant

Includes 28 interchangeable Power Pegs.

MCP72421 - 1/4" drive MCP72422 - 3/8" drive MCP72423 - 1/2" drive







MCP72460

Universal Mag-Clip

Use the Universal Mag-Clip Strip to hold wrenches, screwdrivers, pliers and other hand tools to keep them at your fingertips.

Other Features:

- Mounts on any smooth metal surface
- . Holds tools tight and secure
- · Reverse polarity magnetic power
- · Magnets retain strength permanently
- Grease, oil and chemical resistant
- Tough polymer base
- Rust resistant



n at your fingertips.

Power Pegs

- \bullet Interchangeable steel posts available in 1/4", 3/8" and 1/2" drive sizes
- Use Power Pegs with MagKanic Mat, Power Mat, Socket Caddy or Interchangeable Mag-Clip Strip for the ultimate storage system
- Available in packs of 10

MCP72441 - 1/4" drive MCP72442 - 3/8" drive MCP72443 - 1/2" drive







Magnetic Mat

LIFETIME WARRANTY*

- Magnetic, convertible and interchangeable means for storing and organizing sockets
- Organize sockets or simply flip the mat over to the rubber side and store a variety of other tools in a vertical position
- High powered magnets are imbedded in a flexible, high impact poly-pro body
- May be used with Power Pegs (sold separately) in any combination of 3 drive sizes (1/4", 3/8" or 1/2") to customize your workspace

MCP72424 - 2-panel MagKanic Mat

MCP72425 - 3-panel Power Mat

MCP72426 - 3-panel Power Mat with 84 assorted power pegs

Mag Mount

- Magnetic tool storage and/or mounting system for use with pegboard
- The Mag Mount will hold tools securely without the use of hooks or bars
- This design will work with 1/8" and 1/4" pegboard and features "super duty" magnetic power
- Includes screws for 1/8" and 1/4" pegboard

MCP72453 - 3 pack MCP72455 - 5 pack















LIGHTING

1.800.762.6002 www.ktoolinternational.com



Hand Held

KTI73389 Slimline 6 LED

Rechargeeable Inspection Light


- Super slim head at 1/4" thick by 11/16" wide
- Up to 7 hours of light on a single charge
- Generates 200 lumens at 15 feet
- Micro USB receiver allows for multiple charging options
- 3.7 volt Li-ion / 2200 mah rechargeable battery



KTI73399 Rechargeable 12 SMD LED Worklight

- ABS and rubberized housing with a magnet on the back side and a rotating hook on the top
- Hi / Low / Off switch
- Charge time: 5 hours
- Run time: 2 hours





- Rechargeable 3W COB LED
- 3.7 volt 2200 mAH Li battery
- 5 hours with run time being approximately 2 hours
- \bullet ABS and rubberized housing
- Super strong magnetic base
- \bullet Rotating hook at the top that can be turned down
- 80 degree pivoting head with 180 degree rotating light
- AC & DC chargers included



LICHTING

Hand Held

KTI73388 3 Watt COB

LED Rechargeable Worklight

- 3.7 volt / 22000 mAh Li battery
- · Charge time about 5 hours with 2 hour run time
- ABS and rubberized housing with a magnet on the back side and a clip for hanging
- AC & DC chargers included



KTI73396

Aluminum 16 LED Flashlight

- 16 LED (96 lumens) flashlight
- Aerospace grade aluminum body
- Rubber grip handle
- · Belt holster included
- 3 AAA batteries included





Exclusive Folding Option



KTI73386

Underhood Rechargeable 24 Element 600 Lumen Worklight

- · Aluminum and ABS housing
- 7.4 Volt / 2000mAh Lithium-Ion battery with 6 hour charge time and approximately 3.5 hrs run time
- Telescopic ends slide to a maximum of 74.75 inches with soft rubber ends that allow attachement to work area
- AC and DC chargers included
- · High-low-off switch
- Full extension length: 50.375 inches; Folded length: 26.875 inches



KTI73398A

Hands-Free LED Head Lamp 3W 120 Lumen

- Powerful 3 watt COB LEDs
- Operating modes: high (100%), low (50%), flashing, off
- Adjustable ratcheting headlamp, 180° up/down, for light direction
- 3 "AAA" batteries included



Warranty information: Lighting covered by a 1-Year Warranty. Bulbs are not covered.





KT179800

Emergency Safety Flare

- Non-chemical, environmentally safe
- Nine flash patterns including the USCG approved SOS
- Runtime up to 100 hours depending on flash pattern
- · Shatter-proof, crush-proof, and water resistant
- Positive buoyancy
- 1 CR-123 battery included

Applications in automotive, industrial, and marine. Nine distinctive flash patterns for emergency situations and work areas. Includes a magnet on one side for attaching to metal surfaces.

KTI79801 Rechargeable

Emergency Safety Flare . Non-chemical safety flare

- Runtime up to 50 hours depending on flash pattern
- Nine flash patterns including the USCG approved SOS
- · Shatter-proof, crush-proof, and water resistant
- · Non-chemical safety flare
- Positive buoyancy
- · Charger adapter included

A non-chemical, environmentally safe flare. Applications in automotive, industrial, and marine. Nine distinctive flash patterns for emergency situations and awareness in work areas. Includes a magnet on one side for attaching to metal surfaces.

Work Lights

KTI73373

24 SMD LED Rechargeable Worklight

- 24 SMD LED (800 lumens) Rechargeable Worklight
- · Heavy duty face plate
- · Features a ratcheting head
- Foam insulated handle
- On / Off switch
- . Charge time: 2 hours
- Run Time: 2 hours full strength

Rechargeable worklight. 24 element SMD LED with 800 lumen output. The face plate is heavy duty that contains the on/off switch on the reverse side. Has a ratcheting head and foam insulated handle. Weight: 4.85 lbs, length: 10.75" width: 9.75", height: 15"



KTI73374 24 SMD LED A/C Power Worklight with 3 foot 18/3 SJTW Cord

- 24 SMD LED (800 lumen) A/C Power Worklight with 3 foot 18/3 SJTQ cord
- · Heavy duty face plate
- · Features a ratcheting head
- Foam insulated handle
- On / Off switch

A/C Power worklight with 3 ft.18/3 SJTW cord. 24 element SMD LED with 800 lumen output. The face plate is heavy duty that contains the on/off switch on the reverse side. Has a ratcheting head and foam insulated handle. Worklight LED 800 Lumen 3ft 18/. Weight: 4.85 lbs, length: 10.75" width: 9.75", height: 15"



Warranty information: Lighting covered by a 1-Year Warranty. Bulbs are not covered.

LICHTING

Work Lights

KTI73303

Fluorescent Tube Light 25' 13 Watt 18/2

- Fluorescent work lights are cool to the touch and energy efficient
- All fluorescent lights are UL and cUL approved
- Adjustable hanging hook swivels 360 degree for easy hanging
- On/off switch located in handle.

Length: 25' Cord: 18/2 SJT Bulb: 13 watt



KTI73304 Replacement Head 13 Watt Fluorescent Tube Light

- Light head only, no cords attached
- Complete with bulb





KTI73359 Trouble Light 50' Metal Cage Standard Duty

- Incandescent trouble lights are ideal for workshops or garages
- Heavy duty metal cage features 360° rotating hanging hook for maximum flexibility
- Switch and outlet in handle.

Length: 50' Cord: 18/3 SJT Watt: 1250 Amp: 10

KTI73360 Trouble Light 25' Metal Cage Heavy Duty

- Incandescent trouble lights are ideal for workshops or garages
- Heavy-duty metal cage features 360° rotating hanging hook for maximum flexibility
- Switch and outlet in handle

Length: 25' Cord: 16/3 SJT Watt: 1625 Amp: 13



KTI73362

75W Incandescent Trouble Light with Heavy Duty Metal Cage

- 13 Amp, 1625 Watt Nema 5-15 receptacle outlet in handle
- SJT 16/3 AWG, 50 foot cord
- Heavy duty metal cage features rotating hanging hook
- 75 Watt bulb
- 120 Volt





Trouble Light 25' Metal Cage Standard Duty

- · Incandescent trouble lights are ideal for workshops or garages
- Heavy duty metal cage features 360 degree rotating hanging hook for maximum flexibility

Length: 25' Cord: 18/3 SJT Watt: 1250 Amp: 10




Standard Trouble Light Replacement Parts

KTI73350 - Replacement metal guard only

KTI73351 - Replacement handle/switch assembly only

KTI73355 - Replacement metal guard with handle/switch assembly







KTI73311 Fluorescent Angle Work Light 25' 13 Watt 16/3

- Fluorescent work lights are cool to the touch and energy efficient
- UL and cUL approved and have circuit breaker protection and grounded outlet
- All angle lights have 360 degree swivel magnet, rotating clip for hanging and feature protective bumper and special ergonomic grip

• On/off switch

Length: 25' Cord: 16/3 SJT Bulb: 13 watt

Amp: 13 Watt: 1625

KTI73305 Replacement Head 13 Watt Fluorescent Angle Light

· Light head only, no cords attached

Complete with bulb





KTI73357 Replacement Lens Angle Light 13 Watt

• Replacement part for fluorescent light

KTI73356 Replacement Lens Angle Light 26 Watt

· Replacement part for fluorescent light



KTI73312 Fluorescent Angle Work Light 25'


26 Watt 16/3

- Fluorescent work lights are cool to the touch and energy efficient
- UL and cUL approved and have circuit breaker protection and grounded outlet
- All angle lights have 360 degree swivel magnet, rotating clip for hanging and feature protective bumper and special ergonomic grip

• On/off switch

Length: 25' Cord: 16/3 SJT Bulb: 26 watt Amp: 13 Watt: 1625





KTI73397

LED Worklight 48 LED 25ft 16/3

- Super bright 48 LED with 25' 16/3 SJT power cord
- 15 AMP outlet in handle
- Clamped magnet attaches to the center for changing light positions
- Two swivel hooks that fold down can be used for hanging the light

KTI3379A Trouble Light Retrofit 500 Lumens

- A twist on module that converts an incandescent trouble light in a LED light
- 30 high powered SMD LED (500 lumens)
- Rubber bumper to protect unit
- · Folding hanging hook that fits into head



LIGHTING

Work Lights

KTI73370

Halogen Work Light 500 Watt

- Iluminate the workshop, garage or job site with the power of bright halogen light
- All KTI fixtures use a 500-watt quartz halogen bulb (included), which emits brighter, whiter light and uses less energy
- Features include: 5-foot power cord and small floor stand

Length: 5' Cord: 18/3 SJTW









KTI73363 **Trouble Light 25' Metal Cage Industrial Duty**

- Incandescent trouble lights are ideal for workshops or garages
- Heavy-duty industrial cage features 360 degree rotating hanging hook for maximum flexibility
- . Switch and outlet in handle

Length: 25' Cord: 14/3 SJT Watt: 1875 Amp: 15



KTI73349 Replacement **Metal Cage for Industrial Trouble Light**

- . Metal guard and cage for use with incandescent trouble lights
- . Bulb and light not included





- 30' retractable cord • Fluorescent work lights are cool to the touch and energy efficient
- Fluorescent light is cULus approved
- Angle light has 360° swivel magnet, 2 rotating clips for hanging and feature protective bumper and special ergonomic grip
- On/off switch and outlet in handle
- 9 amp, 1125 watt, 125 volt cable reel made of metal
- Retractaable SJT cable, 16/3 AWG, 30 foot cord
- 13 watt bulb

KTI73315

KTI73318

Fluorescent Tube Light on Reel 50'

13 Watt 18/2

- Fluorescent work lights are cool to the touch and energy efficient
- · All fluorescent lights are UL and cUL approved
- · Adjustable hanging hook swivels 360 for easy hanging
- . On/off switch located in handle

Length: 50' with reel Cord: 18/2 SJT Bulb: 13 watt



KTI73330

75W Incandescent Trouble Light with Reel, 30' Cord

- · Incandescent trouble light with metal housing reel with 9 amps, 125 volt, 1125 watt
- . Metal cage protects the 75 watt bulb and has a 360 degree rotating hanging hook
- · Circuit breaker protection and Nema 5-15 receptacle grounded outlet in handle
- · Reel contains retractable cable 16/3 SJT, 30 foot with 75 watt trouble light
- · cULus approval



KTI73335

Industrial Trouble Light on Reel

- · Incandescent trouble lights are ideal for workshop or garage environments
- · Heavy duty metal shades have 360 rotating hanging hooks provide flexibility for all applications
- · Work lights feature circuit breaker protection and grounded outlet in handle

Length: 50' Cord: 14/3 SJT Dual industrial cage.



LICHTING

Work Lights



KTI73335

Industrial Trouble Light on Reel

- Incandescent trouble lights are ideal for workshop or garage environments
- Heavy duty metal shades have 360° rotating hanging hooks provide flexibility for all applications
- · Work lights feature circuit breaker protection and grounded outlet in handle

Length: 50' Cord: 14/3 SJT Dual industrial cage.



K11/3333 26W Fluorescent

Angle Light Reel with 50' Cord

- Fluorescent work lights are cool to the touch and energy efficient
- Fluorescent light has cULus approval
- All angle lights have 360 degree swivel magnet, 2 rotating clips for hanging and feature protective bumper and special ergonomic grip
- On/off switch and outlet in handle
- 8 amp, 125 volt, 1000 watt cable reel is made of plastic with circuit breaker on reel body
- Retractable SJT 14/3, 50 foot cord 26 watts, (2) 13 watt bulbs

Work Light I Accessories

KTI73307 Replacement Bulb 13 Watt Fluorescent

 Replacement bulb for all KTI 13 watt work lights (angle and compact tube)



KTI73371

Replacement Bulb 500 Watt Halogen



• Replacement bulb for all KTI halogen work lights (models 73370, 73372 and 73375)

Power Reels & Extension Cords



KTI73341

Retractable Extension Cord Reel 50'

• Extension reel features oil and water resistant cord, retractable reel, power indicator, lighted end and circuit breaker protection

Length: 50'.

Cord: 14/3 SJEOW tri-tap

Amp: 13 Watt: 1625



Power Reels & Extension Cords

KTI73340

Retractable

Extension Cord Reel 30'

 Extension reel features oil and water resistant cord, retractable reel, metal housing and circuit breaker protection

Length: 30'

Cord: 16/3 SJT tri-tap

Amp: 10 Watt: 1250







All-Weather Extension Cords

- All-weather extension cord features 16/3 SJEOW single tap blue cord
- LED mounted in end of cord lights up when cord is plugged into 110V power
- Cord stays flexible even in extreme temperatures (-58°F to 221°F)
- 16/3 cord; Watt: 1625; Amp: 13

KTI73380 - 25' extension cord **KTI73381** - 50' extension cord



KTI73348 Extra-heavy-duty Extension Cord

- Extra-heavy-duty extension cord features 12/3 SJTW single tap orange/black cord
- LED mounted in end of cord lights up when cord is plugged into 110V power
- Length: 50'; Watt: 1875; Amp: 15



Heavy-duty Extension Cords

- Heavy duty extension cord features
 14/3 SJTW single tap orange/black cord
- LED mounted in end of cord lights up when cord is plugged into 110V power
- Watt: 1875; Amp: 15

KTI73345 - 25' extension cord **KTI73346** - 50' extension cord



Standard-duty Extension Cords

- Standard outdoor extension cord features 16/3 SJTW single tap yellow cord
- · Medium-duty capacity
- Flexible to -40°F. Water and weather resistant
- UL listed; Watt: 1625; Amp: 13; Volt: 125

KTI73342 - 25' extension cord **KTI73343** - 50' extension cord

Warranty information: Lighting covered by a 1-Year Warranty. Bulbs are not covered.



CUTTING/THREADING/ABRASIVES

1.800.762.6002 | www.ktoolinternational.com



KTI10330 326-Piece

Master Drill Bit Set

KTl's Master Drill Bit is a comprehensive set of drill bits and accessories. This 326-piece set includes bits and accessories for nearly every job. The unique storage case fully opens to access the bit and accessories you need. Two (2) bottom trays fold and slide into portable carrying case. Transport from job to job quickly and easily!

Warranty: 90 Day warranty on materials and workmanship.

	326-Piece Master Drill Bit Set
Qty	Description of Contents
64	HSS Twist Drill Bits: 3/64" (8), 1/16" (8), 5/64" (5), 3/32" (5), 7/64" (5), 1/8" (5), 9/64" (5), 5/32" (5), 3/16" (4), 7/32" (4), 15/64", 1/4", 17/64", 9/32", 5/16", 11/32", 3/8", 7/16", 15/32" and 1/2"
54	Titanium Coated High Speed Drill Bits: 3/64" (6), 1/16" (6), 5/64" (4), 3/32" (4), 7/64" (4), 1/8" (4), 9/64" (4), 5/32" (4), 11/64" (4), 3/16" (2), 7/32" (2), 15/64", 1/4", 17/64", 9/32", 5/16", 11/32", 3/8", 7/16", 15/32" and 1/2"
10	Nutdrivers: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16" and 1/2"
37	2" Screwdriver Bits: 7 Slotted, 6 Phillips, 6 Pozi, 8 Star, 7 Metric Hex and 8 Square
64	1" Screwdriver Bits: 14 Slotted, 10 Phillips, 10 Pozi, 8 Star, 7 Hex, 9 Metric Hex and 6 Square
3	14" Masonry Drill Bits: 5/16", 3/8" and 1/2"
21	Masonry Drill Bits: 5/32" (2), 11/64" (2), 3/16" (2), 7/32" (2), 15/64" (2), 1/4" (2), 17/64", 9/32", 5/16", 21/64", 11/32", 3/8", 7/16", 15/32" and 1/2"
4	Nail Punches: 1/32", 1/16", 3/32" and 1/8"
6	Drill Stoppers: 1/8", 5/32", 3/16", 1/4", 5/16" and 3/8"
1	Allen Key - 2.5mm
1	Magnetic Holder
1	Counter Sink
64	HSS Twist Drill Bits: 3/64" (8), 1/16" (8), 5/64" (5), 3/32" (5), 7/64" (5), 1/8" (5), 9/64" (5), 5/32" (5), 3/16" (4), 7/32" (4), 15/64", 1/4", 17/64", 9/32", 5/16", 11/32", 3/8", 7/16", 15/32" and 1/2"
54	Titanium Coated High Speed Drill Bits: 3/64" (6), 1/16" (6), 5/64" (4), 3/32" (4), 7/64" (4), 1/8" (4), 9/64" (4), 5/32" (4), 11/64" (4), 3/16" (2), 7/32" (2), 15/64", 1/4", 17/64", 9/32", 5/16", 11/32", 3/8", 7/16", 15/32" and 1/2"
10	Nutdrivers: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16" and 1/2"
37	2" Screwdriver Bits: 7 Slotted, 6 Phillips, 6 Pozi, 8 Star, 7 Metric Hex and 8 Square
64	1" Screwdriver Bits: 14 Slotted, 10 Phillips, 10 Pozi, 8 Star, 7 Hex, 9 Metric Hex and 6 Square
3	14" Masonry Drill Bits: 5/16", 3/8" and 1/2"
21	Masonry Drill Bits: 5/32" (2), 11/64" (2), 3/16" (2), 7/32" (2), 15/64" (2), 1/4" (2), 17/64", 9/32", 5/16", 21/64", 11/32", 3/8", 7/16", 15/32" and 1/2"
4	Nail Pouch: 1/32", 1/16", 3/32" and 1/8"
6	Drill Stoppers: 1/8", 5/32", 3/16", 1/4", 5/16" and 3/8"
1	Allen Key - 2.5mm
1	Magnetic Holder
1	Counter Sink
1	Gauge



4	Hole Saws: 1-3/4", 2-1/8", 2-3/8" and 2-1/2"
1	Hole Saw Adapter
44	Wood Boring Drill Bits: 1/8" (3), 5/32" (4), 11/64" (8), 3/16" (4), 13/64" (4), 7/32" (4), 15/64" (4), 1/4" (4), 17/64", 9/32", 5/16", 11/32", 3/8", 7/16", 15/32" and 1/2"
5	Flat Wood Bits: 1/2", 5/8", 3/4", 7/8" and 1-1/4"
4	12" Flat Wood Bits: 5/16", 3/8", 1/2" and 9/16"



CUTTING/THREADING/ABRASIVES

KTI71233

3-Piece Set Step Drill Bits

- · Titanium coated
- High-speed steel (HSS) 4241
- HRC 60-63 (Rockwell Scale)
- Sizes: 1/8" to 1/2", 3/16" to 1/2" & 1/4" to 3/4"
- 1 Year Warranty

Sold separately:

KTI71235 - 1/8" to 1/2" KTI71236 - 3/16" to 1/2" KTI71237 - 1/4"-3/4"





KTI70040 5-Piece

Spiral Extractor Set

Made of high carbon steel

Aggressive spiral design for extra grip on stubborn broken bolts

Sizes include: 1/8" - 1/4", 1 - 6mm; 1/4" - 5/16", 6 - 8mm; 5/16" - 7/16", 8 - 11mm; 7/16" - 9/16", 11 - 14mm; 9/16" - 3/4", 14 - 18mm.



5-Piece

Fluted Extractor Set

- · Quickly and easily remove broken screws, pipes, bolts and studs
- Manufactured with heat-treated chrome-moly steel for long wear and durability

Sizes range from 1/8"-3/8" and 3 mm-9.5 mm.



KTI73155

Folding Knife - Stainless Steel Satin Finish Blade

- 9Cr18MOV stainless steel satin finished blade
- Stainless steel blade partially serrated with assist opening
- Folded knife length: 4.750", width: 1.438, height: .563; blade shaft length: 3.6875", open knife length: 8.4375"
- G10 handle Reversible pocket clip





KTI73150

Folding Knife - Stainless Steel, Black Finish Blade, **Partially Serrated With Assist Opening**

- 9Cr18MOV stainless steel black finish blade
- Stainless steel blade partially serrated with assist opening
- Folded knife length: 4.750", width: 1.438", height: .563"; blade shaft length: 3.6875", open knife length: 8.4375"
- G10 handle Reversible pocket clip





KTI73110

Spring Action Scissors

- · Spring action soft touch scissors are 10-1/4" long
- Stainless steel blade, spring and screw
- ABS lock
- . Nylon fiber handle with soft TPR grips
- Ergonomically designed handle with spring action for lasting use and reducing hand fatique

Spring action scissors are perfect for cutting fabric, ribbon, paper, corrugated paper, string, light cardboard, garden plants and many more items.



KTI73102

LIFETIME

Quick Change Folding Utility Knife

- Quick change and folding
- Folded knife length: 4.3125", blade shaft length: 2.750", open knife length: 6.5"
- · Plastic body with rubber grip.
- · Blade case with 3 blades included.





Auto Loading Folding Utility Knife

- Auto loading
- Folded knife length: 4.375", blade shaft length: 2.750", open knife length: 7"
- · Zinc body, ABS and rubber grip
- 3 blades included
- · Black and red handle







KTI73105

Utility Knife

• Retractable 6" utility knife with extra blade storage in handle.

Replacement parts:

KTI70546 - Replacement blades 6-pack





- Quick-change blade system
- Includes six (6) snap-off blades
- Knife measures a whopping 8" x 2.5" x 1"

Replacement parts:

KTI73104-1 - Replacement blades 10-pack





KTI70016

Mini Scraper

- · Grip-coated handle for better comfort and control
- Angled tip for increased accuracy
- Blade locks securely in place
- · Quick and easy blade changes
- Reversible blade for safe storage. Includes one (1) single edge blade.

LIFETIME WARRANTY*

• Length: 4-1/2" Assorted colors.

KTI72310

Tube Cutter Mini -Range 1/8" to 5/8" OD

- Cuts 1/8" to 5/8" OD tubing
- Compact size for use in confined areas
- Features rollers to ease operation.



KTI72330

Tubing Cutter Heavy-duty

- Cuts 1/8" to 1-1/8" OD tubing
- · Heavy-duty rollers smooth operation







KTI72355

Ratcheting Hose and Pipe Cutter

- Cut a variety of material
- · Ratcheting action makes cutting smooth and easy
- Cuts material up to 1-1/2" diameter
- One-touch, quick-release lever opens pliers instantly
- · Built-in clasp securely locks handles when not in use for added safety

Replacement parts:

KTI72355-1 - Replacement blade





KTI72320

Tubing Bender - U.S.-made

Bends 3/16", 1/4", 5/16" and 3/8" diameter tubing. Features aluminum mandrel.







KTI72340

Tubing Bender

Bends 1/4", 5/16" and 3/8" OD aluminum, steel and copper tubing.





KTI72345

Tubing Bender

Heavy-duty Pliers

Bends 3/16", 1/4", 5/16" and 3/8" diameter copper and steel tubing without collapsing or kinking.



CUTTING/THREADING/ABRASIVES

Center Cut Bolt Cutters

- Heavy duty cutters
 Heat-treated chrome vanadium alloy jaws
- Specially designed curved handles for more efficient strength application and comfortable rubber handles for firm and safe grip

Sold separately:

KTI57124 - 24" Center Cut Bolt Cutter KTI57130 - 30" Center Cut Bolt Cutter KTI57136 - 36" Center Cut Bolt Cutter

Replacement parts:

KTI57224 - Replacement head 24" KTI57236 - Replacement head 36"





KTI57514

14" Wire & Rope Cutter

- · Shear-cut blades hold and lock cable in cutting position for a clean, sharp cut
- Chrome-vanadium cutting head
- Designed for cutting wire rope, piano wire, steel wire, ACSR cable and aircraft cable
- 14" overall length



Center Cut

Clipper Cut Bolt Cutters

- Blades are flush against one face for cutting against flat surfaces
- Heavy duty cutters Heat-treated chrome vanadium alloy jaws
- Specially designed curved handles for more efficient strength application and comfortable rubber handles for firm and safe grip

Sold separately:

KTI57318 - 18" Clipper Cut Bolt Cutter KTI57324 - 24" Clipper Cut Bolt Cutter KTI57330 - 30" Clipper Cut Bolt Cutter KTI57336 - 36" Clipper Cut Bolt Cutter







Angled Head Clipper Cut Bolt Cutters

- Angled for easier insertion and keeping work in view
- Heavy duty cutters
 Heat-treated chrome vanadium alloy jaws
- Specially designed curved handles for more efficient strength application and comfortable rubber handles for firm and safe grip


Sold separately:

KTI57414 - 14" Clipper Cut Bolt Cutter KTI57424 - 24" Clipper Cut Bolt Cutter KTI57436 - 36" Clipper Cut Bolt Cutter









CUTTING/THREADING/ABRASIVES



- Number and Letter Stamp Set Size 3/16"
- Combination set includes 3/16" set of numbers and 3/16" set of letters
- Includes convenient storage case





KTI70010

Tapered Scratch Awl

- High quality chrome vanadium steel
- Ergonomic, contoured handle
- Used for scribing, punching holes and lining up panels or holes.





KTI72380

8" Straight Cut Tin Snips

- One piece drop forged construction of high carbon steel
- Cushion handle with smooth, comfortable bows for ease in use and safety
- Designed for cutting straight and wide curves to the left or right
- Cuts up to .61mm cold rolled steel or .41mm stainless steel
- Cutting blades open to approximately 4" wide
- Induction hardened cutting edges 54-58 HRC



KTI72801

12" Tubular Hacksaw

- Top quality, sturdy hacksaw
- Adjustable tensioner
- Includes one (1) saw blade.





KTI72802

Extra Heavy Duty Hacksaw

- All metal heavy duty frame
- High leverage tensioner blade can be set at 45 degrees or vertical
- Handle with blade storage compartment











KTI71303

Abrasive Cut-off Discs

KTI71303 - 3" x 1/32" - 6 pack **KTI71306** - 3" x 1/16" - 6 pack **KTI71301** - 3" x 1/16" - 25 pack **KTI71300** - 3" x 1/16" - 50 pack

KTI70013

Cut-off Wheel Arbor

Drill adapter for cut-off discs. Fits any drill with a chuck capacity of 1/4" or larger.



KTI74103

3-Piece

Mini Brush Set

Set includes one brass, nylon and stainless steel brush. Features molded poly handles. Overall length: 7"

Set includes (also available individually):

KTI74106 - Brass KTI74107 - Nylon KTI74108 - Steel



Spindle Adapters

KTI87140

3/8" - 24 ID thread 5/8" - 11 OD thread

KTI87141

10mm - 1.25mm ID thread 5/8" - 11 OD thread





KTI74030 - 3" width











	WIRE WHEEL AND CUP BRUSHES			
Part #	Туре	Diameter	RPM	Type of Mount
KTI79200	Crimped wire wheel - narrow face	6" diameter	6,000 maximum	1/2" x 5/8" hole center mount
KTI79201	Crimped wire wheel - medium face	6" diameter	6,000 maximum	1/2" x 5/8" hole center mount
KTI79205	Crimped wire wheel - wide face	8" diameter	6,000 maximum	1/2" x 5/8" hole center mount
KTI79210	Crimped wire cup - coarse	1" diameter	4,500 maximum	1/4" stem mount
KTI79215	Crimped wire cup - coarse	2" diameter	4,500 maximum	1/4" stem mount
KTI79216	Crimped wire cup - coarse	3" diameter	4,500 maximum	1/4" stem mount
KTI79217	Crimped wire wheel - coarse	3" diameter	4,500 maximum	1/4" stem mount
KTI79220	Knotted wire cup - extra coarse	2¾" diameter	12,500 maximum	5/8" x 11 thread
KTI79225	Crimped wire cup - coarse	3" diameter	12,500 maximum	5/8" x 11 thread

Note: Always wear eye protection. Keep loose articles of clothing and jewelry from moving parts.

Utility Brushes Wood handle brushes have natural bristles not affected by thinners or other solvents. Sold separately: KTI74005 - 1/2" width KTI74010 - 1" width KTI74015 - 1-1/2" width KTI74020 - 2" width KTI74025 - 2-1/2" width





1.800.762.6002 | www.ktoolinternational.com



Air Tools | Ratchets



KTI82500A

1/4" Drive Air Ratchet

- 25 ft./lb. ultimate torque
- 250 rpm
- 2 CFM air consumption
- 7" overall length
- 90 PSI air pressure (recommended)

Warranty: Repair only up to 1 year





KTI82503A 3/8" Drive Air Ratchet

- 50 ft./lb. ultimate torque
- 170 rpm
- Designed for reliability and superior performance
- 6 CFM air consumption, 90 PSI air pressure recommended
- 10" overall length

Warranty: Repair only up to 1 year





KTI82504

3/8" Drive Heavy Duty Air Ratchet

- 55 ft./lb. ultimate torque
- Designed for reliability and superior performance
- 170 RPM, 6 CFM air consumption, 90 PSI air pressure recommended
- 11" overall length

Warranty: Repair only up to 1 year

			AIR RATCHET SPEC	IFICATIONS			
Part #	RPMs	Sq. Drive	Working Torque	Ultimate Torque	Length	Weight	CFMs
KTI82500A	250 rpm	1/4"	5-20 ft./lbs.	25 ft./lbs.	7"	1.00 lb.	2 CFM
KTI82503A	170 rpm	3/8"	10-60 ft./lbs.	50 ft./lbs.	10"	2.60 lb.	6 CFM
KTI82504	170 rpm	3/8"	10-55 ft./lbs.	55 ft./lbs.	11"	3.00 lb.	6 CFM

Air Tool Warranty Information

K-Tool International air tools are warranted against defects in workmanship for one (1) year from the date of purchase*. We will repair or replace, at our option, any defective part or unit which proves to be defective in material or workmanship within the warranty period. Should an air tool fail within the first 30 days after purchase date, it may be returned to the place of purchase for a free replacement*. The foregoing obligation is K-Tool International's sole liability under this or any implied warranty, and under no circumstances, shall it be liable for any incidental or consequential damages.

This warranty applies to the basic tool. It does not apply to normal wear and tear on attached accessories/consumable products, such as drill chucks, backing pads for sanders, punch and die for nibblers, air hammer retainers, spray gun cups or "kit" accessories, etc.

*Repairs required as a result of abuse, misuse, damage or repair attempts made by others are not covered by this warranty.

Air Tools I Impact Wrenches

KTI81550 **Butterfly**

3/8" Drive Impact Wrench

The popular Butterfly 3/8" drive with built-in power regulator features instant forward and reverse throttle speed. Streamline design eliminates 2 piece housing construction for excellent power-to-weight ratio. Rear exhaust.

- 11,000 rpm;
- 3/8" square drive
- 5-50 ft./lbs. working torque
- 75 ft/lbs Ultimate Torque
- 3 CFM average air consumption

Warranty: Repairable up to 1 year

KTI81565 3/8" Drive Air Impact Wrench • 320 ft./lb. ultimate torque

- 9000 rpm
- 3 CFM air consumption
- 90 PSI air pressure (recommended)

Warranty: Repairable up to 1 year



KTI81560 **Pistol Grip** 3/8" Drive Impact Wrench Unlike "nose heavy" pistols,

this tool is perfectly balanced.

- 11,000 rpm
- 3/8" square drive
- 5-50 ft./lbs. working torque
- 75 ft./lbs. ultimate torque
- 5" length; 2.5 lbs.
- 3 CFM average air consumption

Warranty: Repairable up to 1 year



KTI81622

1/2" Drive Impact Wrench

Features a full polished tool, reversing trigger, "Rocking Dog" clutch and built-in power regulator. Working torque range of 25-180 ft/lbs.

Applications: transmissions, body shops and general repair.

- 260 ft./lb. ultimate torque
- 7000 rpm
- 4 CFM air consumption
- 90 PSI air pressure (recommended)

Warranty: Repairable up to 1 year



KTI81631A 1/2" Drive

Air Impact Wrench

- 450 ft./lb. ultimate torque • 7500 rpm
- 7 CFM air consumption
- 90 PSI air pressure (recommended)

Warranty: Repairable up to 1 year



KTI81632A 1/2" Drive Air Impact with Extended Anvil

- 450 ft./lb. ultimate torque
- 7500 rpm
- 7 CFM air consumption
- 90 PSI air pressure (recommended)



		1	MPACT WRENCH SPE	CIFICATIONS			
Part #	RPMs	Sq. Drive	Working Torque	Ultimate Torque	Length	Weight	CFMs
KTI81550	11,000	3/8"	5-50 ft./lbs.	75 ft./lbs.	5-1/2"	2.00 lbs.	3 CFM
KTI81560	11,000	3/8"	5-50 ft./lbs.	75 ft./lbs.	5"	2.50 lbs.	3 CFM
KTI81565	9,000	3/8"	25-300 ft./lbs.	320 ft./lbs.	8"	3.0 lbs.	3 CFM
KTI81622	7,000	1/2"	25-180 ft./lbs.	260 ft./lbs.	7"	5.50 lbs.	4 CFM
KTI81631A	7,500	1/2"	25-350 ft./lbs.	450 ft./lbs.	8"	6.0 lbs.	7 CFM
KTI81632A	7,500	1/2" - 2" ext	25-300 ft./lbs.	450 ft./lbs.	10"	5.60 lbs.	7 CFM



KTI81772A 3/4" Drive High Peformance Impact Wrench

- 4,500 rpm
- 3/4" square drive
- 100-500 ft./lbs. working torque
- 800 ft./lbs. ultimate torque
- 11.25" length; 11.55 lbs.
- 5 CFM average air consumption
- High torque developing clutch

Warranty: Repairable up to 1 year



KTI81775

3/4" Drive Heavy-Duty High Power Impact Wrench

- 900 ft./lb. ultimate torque
- 7000 rpm
- 8 CFM air consumption
- 90 PSI air pressure (recommended)

The ultimate in 3/4" impacts. The big brother to the KTI81631 with the high power twin hammer clutch, making this the wrench for all 3/4" applications, including all the hardest jobs, such as springs, tractor pad removal, farm equipment, truck tires, truck suspension and construction equipment.

Warranty: Repairable up to 1 year

KTI81774 3/4" Drive

Air Impact Wrench

- 1200 ft./lb. ultimate torque4500 rpm
- 8 CFM air consumption
- 90 PSI air pressure (recommended)

Warranty: Repairable up to 1 year



KTI81798A 1" Drive Impact Wrench with 6" Extension Anvil

- 1600 ft/lbs of torque
- 6" extended anvil for extra access
- 3 forward and 3 reverse power settings
- D Side handle for ease of use
- · Side exhaust directs air away from the job

Covered by a 1 year limited warranty. Repairable under warranty up to a year.

KTI81795

1" Drive

Air Impact Wrench with 13 Piece SAE Socket Set

- 1500 ft./lb. ultimate torque
- 3500 rpm
- 8 CFM air consumption
- 90 PSI air pressure (recommended)

KTI's air tools are designed for reliability and superior performance. Includes 13-piece 1" drive short fractional impact socket set including sizes 3/4" to 3" (KTI35113).





- Free Speed: 4500 rpm
- Working Torque: 1600 ft-lbs Maximum Torque: 1800 ft-lbs

			IMPACT WRENCH SPE	ECIFICATIONS			
Part #	RPMs	Sq. Drive	Working Torque	Ultimate Torque	Length	Weight	CFMs
KTI81772A	4,500	3/4"	100-500 ft./lbs.	800 ft./lbs.	11-1/4"	11.55 lbs.	5 CFM
KTI81774	4,500	3/4"	100-950 ft./lbs.	1,200 ft./lbs.	14"	15 lbs.	8 CFM
KTI81775	7,000	3/4"	200-600 ft./lbs.	900 ft./lbs.	15-5/8"	11.50 lbs.	8 CFM
KTI81795	3,500	1"	100-1,100 ft./lbs.	1,500 ft./lbs.	20"	15 lbs.	8 CFM
KTI81797A	4,500	1"	1,600 ft./lbs.	1,800 ft./lbs.	16"	14.123 lbs.	47 SCFM
KTI81798A	4,000	1"	100-1,200 ft./lbs.	1,600 ft./lbs.	22-1/2"	26.2 lbs.	10 CFM

Air Tools I Drills

KTI84218 3/8" Air Drill

- 2,200 rpm
- 3/8" Keyed Chuck
- Whisper Quiet



Lightweight whisper quiet 3/8" drill, with all ball and needle bearing spindle component support and machined planetary gearing.

Warranty: Repairable up to 1 year

KTI84228

3/8" Reversible Air Drill

- 2,000 rpm
- 3/8" Keyed Chuck
- 4 CFM air consumption
- · Handle exhaust
- 3/8"-24 spindle



Features through handle muffled exhaust, controllable speed through the teasing trigger and all ball and needle bearing component support.

Warranty: Repairable up to 1 year

KTI87130 1/4" Straight Air Drill without Chuck

- 2.500 rpm
- 4 CFM air consumption
- 1/4" air inlet 1.9 lbs.



Capacity designed for work in close quarters. Durable, light-weight design.

Warranty: Repairable up to 1 year

KTI84229 1/2" Heavy-Duty Reversible Drill

- 800 rpm
- 1/2" Keyed Chuck
- Reversible
- Trigger Speed Control
- · Handle exhaust
- 4 CFM air consumption



This 1/2" reversible drill is unsurpassed with its whisper quiet through handle exhaust, controllable speed through the teasing trigger and all ball and needle bearing spindle component support.

Warranty: Repairable up to 1 year

		DRII	LL SPECIFICATION	ONS		
Part #	RPMs	Chuck Size	Spindle	Length	Weight	CFMs
KTI87130	2,500 rpm	1/4" chuck	3/8" - 24 spindle	7" length	1.9 lbs.	4 CFM
KTI84218	2,200 rpm	3/8" chuck	3/8" - 24 spindle	6½" length	2.25 lbs.	4 CFM
KTI84228	2,000 rpm	3/8" chuck	3/8" - 24 spindle	7½" length	3.00 lbs.	4 CFM
KTI84229	800 rpm	1/2" chuck	3/8" - 24 spindle	9" length	4.00 lbs.	4 CFM

Air Tools I Air Hammers

KTI83275

Regulated Air Hammer

- Independent power regulators and teasing throttle for operator control
 All models are piece by a piec
- All metal one-piece housing with hardened alloy steel barrel and standard
 .401" shank opening
- 3500 BPM; 2-5/8" stroke; 3/4" bore; 6-3/4" length; 3.5 lbs; 4 cfm

Warranty: Repairable up to 1 year



KTI83277

Regulated Long Air Hammer

- Extra long barrel provides a harder hitting blow
- Independent power regulators
- Teasing throttle for operator control
- All metal 1-piece housing
- Hardened alloy steel barrel and standard .401" shank opening.

		AIR HA	MMER SPECI	FICATIONS			
Part #	BPM's	Shank	Stroke	Bore	Length	Weight	CFMs
KTI83277	2,000 blows per min.	.401" shank	3-1/2" stroke	3/4" bore	9" length	4.00 lbs.	4 CFM
KTI83275	3,500 blows per min.	.401" shank	2-5/8" stroke	3/4" bore	6-3/4" length	3.50 lbs.	4 CFM



Air Tools I Accessories





KTI83091

Bee hive quick-change retainer. (A)

KTI83092


One-piece safety bit retainer. (B)

KTI83093

Heavy-duty quick-change retainer. (C)

KTI83090

Needle scaler attachment. (D)



		PNI	EUMATIC BITS		
Part #	Description	Part #	Description	Part #	Description
KTI81956	Double cut body ripper (A)	KTI81974	10" cold chisel (E)	KTI81995	Tie rod separator (K)
KTI81958	Slotted panel cutter (B)	KTI81975	Rivet and bolt cutter (F)	KTI81996	Ball joint separator (L)
KTI81959	Sheet metal trimmer (C)	KTI81976	Scraper (G)	KTI81997	1/8" Taper punch (M)
KTI81968	Tail pipe cut-off (D)	KTI81977	Taper punch sharp point (H)	KTI81986	18" Cold chisel (N)
KTI81972	6" cold chisel	KTI81979	3/8" Taper punch (I)		
KTI81973	8" cold chisel	KTI81982	Long hammer (J)		

Air Tools I Die Grinders

KTI87132

Rear Exhaust Die Grinder

- 22,000 rpm
- 1/4" collet
- 2 CFM average air consumption



Die grinder features a powerful 1/2 HP motor, built-in power regulator, variable speed throttle control and full ball bearing construction. Standard with 1/4" collet. Specifications: 22,000 rpm; 1/4" collet; 5-1/2" length; 14 oz. weight; 2 cfm average air consumption.

Warranty: Repairable up to 1 year

KTI87125 Mini Rear Exhaust Die Grinder



• 1/4" collet

· 2 CFM air consumption

Die grinder features full bearing support air motor, rear exhaust independent power regulator and variable speed throttle. Complete with 1/4" collet. Angle head is full bearing construction with a grease fitting for external lubrication. Specifications: 25,000 rpm; 5½" length; 1/4" collet; 2 cfm air consumption.

Warranty: Repairable up to 1 year

KTI87126 Rear Exhaust Angle Die Grinder

- 18,000 rpm
- 1/4" collet
- 4 CFM air consumption




Die grinder features full bearing support air motor, rear exhaust independent power regulator and variable speed throttle. Complete with 1/4" collet. Angle head is full bearing construction with a grease fitting for external lubrication. Specifications: 18,000 rpm; 5-3/4" length; 1/4" collet; 4 CFM air consumption.

Warranty: Repairable up to 1 year

KTI87128 Gearless Angle Die Grinder

- 25,000 rpm
- 1/4" collet 4 CFM air consumption




Warranty: Repairable up to 1 year



KTI87135

Die Grinder

- Air die grinder, 3/4 HP with front exhaust system
- Free Speed: 24,000rpm
- Collet size: 1/8" 1/4"
- Air inlet: 1/4", suggested air pressure: 90psi, average air consumption: 12cfm
- Low vibration facilitates improved working conditions, vibration level less than 2.5m/s2
- 1 Year Warranty



	D	IE GRINDER S	PECIFICATION	IS	
Part #	RPMs	Collet Size	Length	Weight	CFMs
KTI87132	22,000 rpm	1/4" collet	5-1/2" length	1.00 lb.	2 CFM
KTI87125	25,000 rpm	1/4" collet	5-1/2" length	14 oz.	2 CFM
KTI87126	18,000 rpm	1/4" collet	5-1/2" length	14 oz.	4 CFM
KTI87128	25,000 rpm	1/4" collet	6-1/4" length	14 oz.	4 CFM
KTI87135	24,000 rpm	1/8" - 1/4" collet	????" length	?? oz.	12 CFM





Air Tools I Sanders & Polishers

KTI85800

Dual Piston In-line Sander / File

- Sander features a four-cylinder systems
- Double acting pistons constantly work in opposition to each other, resulting in more power and a smoother, more reliable tool
- Specifications: 3,000 rpm; 1" stroke; 2-3/4" x 15-3/4" pad; 15-3/4" length;
 6.5 lbs.; 6 CFM average air consumption.

Warranty: Repairable up to 1 year



KTI85265 Air Sander High Speed 5"

- 2,000 18,000 rpm variable
- 3 Pad sizes included

Variable speed (2,000-18,000) pistol grip 1/2 HP sander features one-piece all metal housing, independent power regultor and teasing trigger. Includes 3", 4" and 5" pads. Ideal for removing paint and rust, shaping filler patches and smoothing welds. Specifications: 18,000 rpm; 6½" length; 3.5 lbs.; 6 CFM average air consumption.

Warranty: Repairable up to 1 year





KTI85746

"Quiet" Dual-Action Sander

- Built-in speed regulator and variable speed trigger
- Shielded ball bearing for longer life with smooth harmonics
- 6" flexible foam sanding pad with vinyl
- Specifications: 10,000 rpm; 6" pad; 8-1/4" length; 4 lbs.;
 4 CFM average air consumption.

Warranty: Repairable up to 1 year



KTI85846

High Performance

"Quiet" Dual-action Sander

- Produce a far superior blending and smoothing of filler, feather edging and pre-paint preparation
- High efficiency motor and an all steel balancer body and steel spindle lock nut
- Crossbolt-style hub mounting which minimizes vibration
- Specifications: Heavy Duty, 6" Diameter Pad, 10,000 RPM, 90 PSI, 1/2 HP, 4 CFM, 3/8" hose inlet, Length: 8-1/4", Weight: 4 lbs



Air Tools I Sanders & Polishers

KTI85807

7" Horizontal Air Sander


- 7" diameter pad
- Includes a multiposition handle for a variety of uses and ergonomic comfort
- Designed for reliability and superior performance
- 2800 RPM
- 1/4" NPT air inlet, 7 cfm air consumption
- 90 PSI air pressure recommended.

Warranty: Repair only up to 1 year



	SANDERS & POLISHERS SPECIFICATIONS				
Part #	RPMs/Strokes	Pad Size	Length	Weight	CFMs
KTI85265	18,000 rpm	3", 4" and 5"inch pads	6-1/2"	3.50 lbs.	6 CFM
KTI85746	10,000 rpm	6" pad	8-1/4"	4.00 lbs.	4 CFM
KTI85846	10,000 rpm	6" pad	8-1/4"	4.00 lbs.	4 CFM
KTI85800	3,000 rpm	2-3/4" x 15-3/4" pad	15-3/4"	6.50 lbs.	6 CFM
KTI85807	2,800 rpm	7" pad	16"	6.00 lbs.	7 CFM

Air Sander Accessories





KTI85004

High Speed Sander - 4-1/2" pad (A)

KTI85005

High Speed Sander - 5" pad (B)

KTI85006

3-Piece

High Speed Sander Pad Set (3", 4-1/2", 5") (C)

KTI85811 Aluminum Pad Assembly Jitterbug Sander



KTI85811

Air Polisher Accessories



KTI85007

5" Deluxe Phenolic Pad (E)

KTI85008

7" Deluxe Phenolic Pad (F)

KTI85695

5" Dual-Action Bonded Pad. Vinyl face (G)

KTI85696

6" Dual-Action Bonded Pad. Vinyl face (H)

KTI85697

6" Dual-Action Flex Pad. Yellow Vinyl (I)





Air Tools I Specialty Tools



KTI89275

Needle Scaler Standard Duty

- · Standard duty, pistol grip
- 3,500 BPM with teasing trigger
- · Independent regulators

Warranty: Repairable up to 1 year



KTI89257

Straight Line Needle Scaler

- Straight line needle scaler with lever throttle
- 3500 RPM, 4000 bpm, average air consumption 3.5 CFM, air inlet 1/4", air hose 3/8"
- 3mm diameter needles, 6" needle length, 19 needles included
- Bore diameter 1"
- Tool length 18"

Warranty: Repairable up to 1 year



KTI83280

Industrial Weld Flux Needle Scaler

- Converts to a standard scaler in seconds
- Simple "J" slot adjustment for needle wear or to provide more needle exposure
- · Positive lock retainer
- 4,600 blows per minute.

Warranty: Repairable up to 1 year



KTI89276

Pneumatic Scaler

- Pneumatic needle scaler with double spring pistol grip; 3400-4200 bpm
- Lever throttle contains 0-rings to limit air leakage
- Clamp on style side handle pivots 360° and is lockable
- Uses 3mm diameter needles
- Comes in black blowmold case and includes 1 side handle grip, 1 oil pot, 1 steel bushing 3/8" NPT x 1/4" NPT, tube of grease lubricant, 2 replacement 0-rings and 19 needles (3mm)

	NE	EDLE SCALER	SPECIFICATIO	NS	
Part #	BPMs	Stroke Length	Length	Weight	CFMs
KTI89275	3,500 blows per min.	2-5/8" stroke	12"	4.50 lbs.	4 CFM
KTI83280	4,600 blows per min.	1-1/8" stroke	15"	6.00 lbs.	5 CFM
KTI89257	4,000 blows per min.	1/8" stroke	18"	6.2 lbs.	3.5 CFM
KTI89276	4,200 blows per min.	1-3/10" stroke	18.25"	9 lbs.	2 CFM

Air Tools I Specialty Tools



KTI88255

Utility / Muffler Cut-off Tool

- 20,000 rpm
- Use with 3" Diameter Abrasive Discs
- · Cutting shield

Cuts through muffler clamps, hangers, sheet metal, radiator hose clamps, rusted bumper bolts and steel rods up to 3/4" thick. Standard equipment includes an abrasive 3" disc cutter, independent power regulator, a hand guard trigger and see through cutting shield.

Warranty: Repairable up to 1 year

KTI89218

Air Shear Cutter

- Cut up to 180" per minute
- . 18 gauge capacity
- 360° head rotation



Pistol grip, through handle exhaust, high speed 180" per minute cutting capacity in 18 gauge sheet metal. This tool features variable speed control, full ball bearing construction and hardened planetary gear system. The shear head can be positioned in any 360° rotation from the handle for ease of work.

Warranty: Repairable up to 1 year

Replacement parts:

KTI89220 - Replacement Shear Head Attachment





KTI89110 Air Hydraulic 3/16" Rivet Gun

- 4 nose pieces
- · Air relief valve

Rugged tool sets rivets up to 3/16" OD. Includes 4 standard-size nose pieces: 3/32", 1/8", 5/32" and 3/16". Air relief prevents overloading and increase life. Side air inlet. Specifications: 75-80 recommended psi; 3/16" capacity; 4.5 CFM average air consumption.

Warranty: Repairable up to 1 year



· Includes a separatel head assembly for steel rivets up to 3/16"

Rugged tool sets rivets up to 1/4" OD.

Includes 6 standard-size nose pieces: 3/32", 1/8", 5/32", 3/16", 7/32", 1/4". Includes complete head assembly (jaws and pusher) for 3/32" through 3/16" steel rivets.

Specifications: 75-80 recommended psi; 1/4" capacity; 4.5 lbs.; 4.5 CFM average air consumption.

		SPECIFICA	TIONS		
Part #	Strokes/RPMs/PSI	Capacity	Length	Weight	CFMs
KTI89218	2,800 strokes per min.	18 gauge capacity	8-1/2" length	3.50 lbs.	4 CFM
KTI88255	20,000 rpm	3/4" capacity	8" length	2.05 lbs.	4 CFM
KTI89110	75-80 psi (reo mmended)	3/16" capacity	10.8 Length	3.25 lbs.	4.5 CFM
KTI89115	75-80 psi (reo mmended)	1/4" capacity	12.5 Length	4.50 lbs.	4.5 CFM



Air Tools I Blow Guns



KTI71010 Air Blow Gun Rubber Tip 1/2"

- Air blow gun with heavy duty aluminium die cast body
- Exclusive Venturi mechanism combines ambient air with compressed air boosting output by 15%
- Output air discharge can be varied by the pistol handle
- Conforms to OSHA standard for both safety & noise
- Inlet threaded 1/4" NPT (F)
- 1 year warranty



KTI71011

Air Blow Gun Standard

- Air blow gun with heavy duty aluminium die cast body
- Exclusive Venturi mechanism combines ambient air with compressed air boosting output by 15%
- Output air discharge can be varied by the pistol handle
- Conforms to OSHA standard for both safety & noise
- Inlet threaded 1/4" NPT (F)
- 1 year warranty



KTI71012

Air Blow Gun High Flow Safety

- Air blow gun with heavy duty aluminium die cast body
- Exclusive Venturi mechanism combines ambient air with compressed air boosting output by 15%
- Output air discharge can be varied by the pistol handle
- Conforms to OSHA standard for both safety & noise
- Inlet threaded 1/4" NPT (F)
- 1 year warranty



KTI71013

Air Blow Gun Soft Rubber Star Tip

- · Air blow gun with heavy duty aluminium die cast body
- Exclusive Venturi mechanism combines ambient air with compressed air boosting output by 15%
- Output air discharge can be varied by the pistol handle
- Conforms to OSHA standard for both safety & noise
- Inlet threaded 1/4" NPT (F)
- 1 year warranty



KTI71015

Air Blow Gun Kit - 4 Tips

- General purpose air blow gun kit. Includes 4 popular field interchangeable tips
- Exclusive Venturi mechanism combines ambient air with compressed air boosting output by 15%
- Output air discharge can be varied by the pistol handle
- Conforms to OSHA standard for both safety & noise
- Inlet threaded 1/4" NPT (F)
- 1 year warranty



KTI71016

Air Blow Gun Kit - 7 Tips

- Industrial air blow gun kit. Includes 7 popular field interchangeable tips
- Exclusive Venturi mechanism combines ambient air with compressed air boosting output by 15%
- Output air discharge can be varied by the pistol handle
- Conforms to OSHA standard for both safety & noise
- Inlet threaded 1/4" NPT (F)
- 1 year warranty



BluBird Rubber Air Hoses

- 100% rubber air hose
- Heavy duty, ultra light weight and super strong
- 300 PSI, NPT fittings with brass ferrules and a bend restrictor to reduce kinking
- Stays flexible in temperatures from -50° to 180° F
- Ozone and abrasion resistant EPDM blended cover
- 10 year warranty

Part #	Description
KTI72013	1/4" x 50' - 1/4" NPT BluBird Rubber Hose
KTI72014	3/8" x 25' - 1/4" NPT BluBird Rubber Hose
KTI72015	3/8" x 50' - 1/4" NPT BluBird Rubber Hose
KTI72016	1/2" x 50' - 1/2" NPT BluBird Rubber Hose





BluBird Rubber Air Hoses

- 100% rubber air hose
- Heavy duty, ultra light weight and super strong
- 300 PSI, NPT fittings with brass ferrules and a bend restrictor to reduce kinking
- Stays flexible in temperatures from -50° to 190° F
- Ozone and abrasion resistant EPDM blended cover
- 10 year warranty

Part #	Description						
KTI72036	3/8" x 100' - 1/4" MNPT BluBird Rubber Hose						
KTI72037	1/2" x 25' - 1/2" MNPT BluBird Rubber Hose						
KTI72038	1/2" x 100' - 1/2" MNPT BluBird Rubber Hose						
KTI72048	3/8" x 25' - 1/4" MNPT BluBird Oil Shield Air Hose						
KTI72049	3/8" x 35' - 1/4" MNPT BluBird Air Hose						



Part #	Description
KTI72001	3/8" x 25' - 1/4" MNPT Rubber Air Hose - Red
KTI72002	3/8" x 50' - 1/4" MNPT Rubber Air Hose - Red
KTI72003	1/2" x 25' - 3/8" MNPT Rubber Air Hose - Red
KTI72004	1/2" x 50' - 3/8" MNPT Rubber Air Hose - Red
KTI72005	1/2" x 25' - 1/2" MNPT Rubber Air Hose - Red
KTI72006	1/2" x 50' - 1/2" MNPT Rubber Air Hose - Red
KTI72010	3/8" x 25' - 1/4" MNPT Rubber Air Hose - Yellow
KTI72011	3/8" x 35' - 1/4" MNPT Rubber Air Hose - Yellow
KTI72012	3/8" x 50' - 1/4" MNPT Rubber Air Hose - Yellow
KTI72025	3/8" x 25' - 1/4" MNPT Rubber Air Hose - Red
KTI72035	3/8" x 35' - 1/4" MNPT Rubber Air Hose - Red
KTI72050	3/8" x 50' - 1/4" MNPT Rubber Air Hose - Red











AvaGard Rubber Air Hoses, Red

- Avagard premium 300 PSI professional rubber air hose with 1/4" NPT
- · Very light, super strong and super agile
- Stays flexible in extreme conditions from -40 to 180° F
- Oil resistant core tube meets RMA Class C oil resistance and ozone resistant cover resists extreme weather, abrasions & kinks
- Ultimate durability Color: red 5 year warranty

Part #	Description					
KTI72020	AvaGard 3/8" x 25' Air Hose, Red					
KTI72021	AvaGard 3/8" x 50' Air Hose, Red					

Part #	Description					
KTI72022	AvaGard 1/2" x 25' Air Hose, Red					
KTI72023	AvaGard 1/2" x 50' Air Hose, Red					









KTI72042

BluBird Oil Shield 3/4" x 25' Air Hose

- BluBird Oil Shield with Dino Hide wrapping 3/4" x 25" 300 PSI 100% rubber air hose with 3/4" MNPT
- Ultra lightweight, extreme durability resists abrasion and ultra high strength exceeds RMA IP-2
- Stays flexible in extreme conditions from -30 to 190° Fahrenheit
- Oil resistant core tube and cover meets RMA Class A oil resistance
- Four finger grip bend restrictor for easy use and better durability
- Color: Yellow
- 3-Year Warranty







BluBird Oil Shield Air Hose

- BluBird Oil Shield 300 PSI 100% rubber air hose
- Ultra lightweight, extreme durability resists abrasion and ultra high strength exceeds RMA IP-2
- Stays flexible in extreme conditions from -30 to 190° Fahrenheit
- Oil resistant core tube and cover meets RMA Class A oil resistance
- · Four finger grip bend restrictor for easy use and better durability
- · Color: Yellow
- 3 Year Warranty

Part #	Description						
KTI72017	3/8" x 35' - 1/4" NPT BluBird Oil Shield Air Hose						
KTI72018	3/8" x 50' - 1/4" NPT BluBird Oil Shield Air Hose						
KTI72019	1/2" x 50' - 1/2" NPT BluBird Oil Shield Air Hose						
KTI72039	3/8" x 100' - 1/4" MNPT BluBird Oil Shield Air Hose						
KTI72048	3/8" x 25' - 1/4" MNPT BluBird Oil Shield Air Hose						
KTI72047	1/2" x 25' - 1/2" MNPT BluBird Oil Shield Air Hose						
KTI72041	1/2" x 100' - 1/2" MNPT BluBird Oil Shield Air Hose						









KTI72043

BluBird Oil Shield 3/4" x 50' Air Hose

- BluBird Oil Shield with Dino Hide wrapping 3/4" x 50' 300 PSI 100% rubber air hose with 3/4" MNPT
- Ultra lightweight, extreme durability resists abrasion and ultra high strength exceeds RMA IP-2
- Stays flexible in extreme conditions from -30 to 190° Fahrenheit
- Oil resistant core tube and cover meets RMA Class A oil resistance
- · Four finger grip bend restrictor for easy use and better durability
- Color: Yellow
- 3-Year Warranty

















• BluBird Oil Shield air hoses are ultra lightweight, extreme durability resists abrasion and ultra high strength exceeds RMA IP-2. Stay flexible in extreme conditions from -30 to 190° fahrenheit. Oil resistance core tube and cover meets RMA Class A oil resistance. Covered by a 3 year warranty

KTI71005

BluZird

BluBird And Oil Shield Air Hose Promo Pack

OIL SHIELD

Contains 8 air hoses:

- (2) KTI72015 BluBird 3/8" x 50'
- (2) KTI72018 Oil Shield 3/8" x 50'
- (1) KTI72049 BluBird 3/8" x 35'
- (1) KTI72017 Oil Shield 3/8" x 35'
- (1) KTI72014 BluBird 3/8" x 25'
- (1) KTI72048 Oil Shield 3/8" x 25'
- Size of promotional pack on display: Width: 24", Depth: 11", Height: 26'







KTI72044

BluBird Oil Shield Whip Hose 3/8" x 3'

- 1/4" MNPT Ball Swivel 360 degrees
- Oil resistant core tube and cover meets RMA Class A oil resistance
- Color: Yellow 3 Year Warranty

KTI72045

BluBird Oil Shield Whip Hose 3/8" x 5'



KTI72007

3/8" x 3' Whip Hose 1/4" Swivel

- Red rubber whip hose with brass ferrule
- 1/4" Swivel + 1/4" Fixed NPT Male Fittings
- 1 Year Warranty on material and workmanship • 300 PSI

KTI72008 3/8" x 6' Whip Hose 1/4" Swivel

• 1 Year Warranty on material and workmanship

KTI72000 **Rubber Whip Hose** 3/8" x 3', 1/4" NPT

- Solid brass 1/4" NPT male ends
- 1 Year Warranty on material and workmanship



KTI72009 **BluBird Whip Hose** 3/8" x 3', 1/4" FNPT

- 1/4" FNPT
- 1/4" MNPT Ball Swivel 360°
- Ozone, UV & abrasion resistant
- · Color: Blue
- 10-Year Warranty









KTI72046 BluBird Whip Hose 3/8" x 5', 1/4" FNPT

- 1/4" FNPT
- 1/4" MNPT Ball Swivel 360°
- Ozone, UV and abrasion resistant
- Color: Blue
- Covered by a 10-Year Warranty





KTI71025

Nylon Recoil Hose

These K-Tool International nylon recoil air hoses will provide your air-operated tools with consistent airflow. They are manufactured from heavy-duty nylon to perform great in all weather conditions. Extends out to 25 ft., but as small as 2 ft. when coiled up.

KTI71000 Black Steel Hose Reel With 3/8" x 50 Foot Rubber Air Hose

- All steel constructed black reel with 300 PSI red rubber hose (50 foot)
- Slotted mounting base for easy installation
- Automatic spring powered recoil
- 8 position ratchet gear locks reel at desired hose length
- 3/8" I.D., 1/4" male NPT
- 1 year warranty on material and workmanship

Heavy duty, steel construction air hose reel. Reinforced side plates are powder coated to resist corrosion. Comes with 3/8" diameter, 50 ft. rubber air hose which features a 1/4" male NPT, PVC bend restrictor, and brass ferrule. The eight position ratchet gear locks the reel at desired hose length. An automatic spring powered recoil system retracts air hose easily. Multi-direction rollers prevent snagging and reduced wear. The pre-slotted base can be installed trouble-free with 3 positions for installation where convenient (bench, ceiling, floor or wall).





BluBird Air Hose Reels

- 300 PSI retractable rubber air hose reel with lead in hose and 1/4" NPT fittings
- Smooth auto-rewind with locking 12 point ratchet gearing system which helps to lock at various lengths
- Heavy duty steel construction with powder coated, corrosion proof finish
- Four rollers reduce hose wear
- · Horizontal and vertical wall mount options with adjustable guide arm
- 2 Year warranty

KTI71001 - 3/8" x 50' BlueBird Air Hose **KTI71002** - 1/2" x 50' BlueBird Air Hose





KTI71003 BluBird HD

Air Hose Reel 3/8" x 50'

- BluBird Oil Shield 3/8" x 50' 300 PSI Heavy Duty retractable rubber air hose reel with 3' lead in hose and 1/4" NPT fittings
- Smooth auto-rewind with locking 12 point ratchet gearing system which helps to lock at various lengths
- · Heavy duty steel construction with powder coated, corrosion proof finish
- Four rollers reduce hose wear
- · Horizontal and vertical wall mount options with adjustable guide arm

2-Year Warranty on Reel with 3-Year Warranty on the included yellow Oil Shield hose.







KTI10010 4-1/2" Angle Grinder

650 Watt

- Features a compact design for improved handling
- Spindle lock makes changing the grinder wheel quick and easy
- Grinder also includes a grinding wheel guard, wrench and flange
- Ergonomic, removable side handle adds versatility for any job
- UL listed; One-year limited warranty.

Specifications: 5 amp; 11,000 rpm no-load speed; 120 volt AC rating. A spindle lock makes changing the grinder wheel quick and easy. Grinder also includes a grinding wheel guard, wrench and flange. The ergonomic, removable side handle adds versatility for any job!



KTI10210

10" Random Orbit Polisher/Waxer

- 10-inch pad to reduce waxing and polishing time
- For use on cars, RVs, vans, SUVs and boats
- · High-impact ABS shell for added durability
- Includes one (1) terry cloth bonnet and one (1) synthetic wool bonnet
- UL listed
- · One-year limited warranty

Polisher maintains that "new car finish" and protects and restores older finishes. Specifications: 0.75 amp; 3,000 rpm no load speed; 120V/60Hz rated voltage; 10-inch cord.



1/2" Electric Impact Wrench

- 7 amp tool features 120 volts, 2100 RPM and double insulation
- Up to 235 ft/lbs. of torque
- Complete with an extra set of easy-change screw in brushes
- 1 Year Warranty on material and workmanship

This heavy-duty 7 amp tool features 120V, 2100 rpm, double insulation and up to 235 ft./lbs. of torque. Packaged with an extra set of easy change screw-in brushes.

Warranty: Repairable up to 1 year



KTI10215

7" Variable Speed Polisher

- 7" Pad
- Variable speeds: 1.000 to 3.000 rpm
- Soft start
- · Overload protection and trigger lock
- · One-year limited warranty

The electric 7" polisher/sander features variable speed control which allows users to set maximum speeds from 1,000 to 3,000rpm for different polishing applications. Polisher boasts a repositionable handle for a variety of jobs. Specifications: 11 amp; 120V/60Hz; variable speeds: 1,000 to 3,000 rpm; soft start; overload protection and trigger lock.

Includes: one (1) 7" rubber polishing pad; one (1) 7" sanding pad and one (1) wool bonnet.



1.800.762.6002 | www.ktoolinternational.com





- Lifting Range: 6.2" to 12.1"
- Ram extension screw adjusts low height to get full use of ram travel
- Load-limiting and bypass valves prevent against over loading and over extension
- Ductile iron hydraulic base for added strength
- 1 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



KTI63207

6 Ton Bottle Jack

- Capacity: 6 Tons
- Lifting Range: 7.75" 15.04"
- Ram extension screw adjusts low height to get full use of ram travel
- · Load-limiting and bypass valves prevent against over loading and over extension
- · Ductile iron hydraulic base for added strength
- 1 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



XD Bottle Jacks

- Ram extension screw adjusts low height to get full use of ram travel
- Load-limiting and bypass valves prevent against over loading and over extension
- Ductile iron hydraulic base for added strength
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards

KTI63213 Capacity: 12 Tons, Lifting Range: 8.46" - 15.75" KTI63221 Capacity: 20 Tons, Lifting Range: 9.6" - 16.65"



Short XD Bottle Jacks

- · Ram extension screw adjusts low height to get full use of ram travel
- · Load-limiting and bypass valves prevent against over loading and over extension
- · Ductile iron hydraulic base for added strength
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards

KTI63214 Capacity: 12 Tons, Lifting Range: 7.48" - 13.78" KTI63224 Capacity: 20 Tons, Lifting Range: 7.25" - 13.39"



KTI63230

30 Ton Bottle Jack

- 30 ton bottle jack with lift range from 11.2" to 18.27"
- Thick steel hydraulic base for maximum strength
- Three-piece snap-fit pump handle for easy pumping and storage
- Carrying handle included
- · Load-limiting and bypass valves prevent against over loading and over extension of ram
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



- Thick steel hydraulic base for maximum strength
- Three-piece snap-fit pump handle for easy pumping and storage
- · Carrying handle included
- · Load-limiting and bypass valves prevent against over loading and over extension of ram
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



KTI63228

20 Ton Air Hydraulic Bottle Jack

• Lifting Range: 10.43" - 19.88"

KTOOL X

- Air/hydraulic pump with air valve lever reduces lifting time and provides ease of operation
- Load limiting and bypass valves prevent use beyond rated capacity and over extension of ram
- · Additional adjustable screw 3.25"
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



KTI63100

1.5 Ton Scissor Jack

- For tire changing and snow chain installation
- Lifting range from 4.1" to 15.2"
- · Large base for added stability
- Long crank handle for ease of turning under load
- All steel construction in a compact design for storage
- 1 Year Warranty on material and workmanship
- · Complies With ASME PASE/2014 Safety Standards

KTI63103

2 Ton Trolley Jack

- . Lifting Capacity: 2 Tons
- Lifting Range: 5.3" to 13.2"
- · Lightweight and compact design for easy handling and storage
- against over loading and over extension



KTI63131

3 Ton

Compact Service Jack

- Capacity: 3 Tons
- Lifting range: 5.3" 18.5 "
- Sealed hydraulic power unit prevents contaminants from entering system
- · Load-limiting and bypass valves prevent use beyond rated capacity and over extension of ram
- · Wide track front wheels and rear swivel casters for easy maneuverability
- 1 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



KTI63098

2 Ton Aluminum Service Jack

- Very strong, 2 ton capacity, but weights only 42.1 lbs. ASME PALD 2009
- . Dual pump system for quick lifting (7 strokes to top under no load)
- Lifting range 3 1/4" 18 1/2"
- · Side handle for easy positioning
- 2 pc handle for easy storage. Includes handle pad for protecting the vehicle
- 2 Year Warranty
- Complies With ASME PASE/2014 Safety Standards



KTI63099

3 Ton Aluminum Service Jack

- Very strong, 3 ton capacity, but only weights 55.8 lbs. ASME PALD 2009
- Dual pump system for quick lifting (7 strokes to top under no load)
- Lifting range 3 3/4" 19 1/4"
- "D" Side handle for easy positioning
- 2 piece handle for easy storage. Includes handle pad for protecting the vehicle
- 2 Year warranty
- Complies With ASME PASE/2014 Safety Standards





2 Ton Low Profile Service Jack

- · Allows for easy access under low ground clearance vehicles
- Lift range from 3.5" to 18.1"
- 45.25" long pump handle for easy pumping under load
- Dual pump piston power unit raises saddle to maximum height in 6.5" full incremental pump strokes with no load
- Load-limiting and bypass valves to prevent use beyond rated capacity and over-extension of ram
- Saddle diameter 4.3"
- 2 Year Warranty on material and workmanship • Complies With ASME PASE/2014 Safety Standards KTOOL X

KTI63105

2 Ton Extra Long Low Profile Service Jack

- Allows for easy access under low ground clearance vehicles
- Lift range from 2.75" to 24" Saddle diameter 3.85"
- 45.25" long pump handle for easy pumping under load
- Dual pump piston power unit raises saddle to maximum height in 8 full incremental pump strokes with no load
- Load-limiting and bypass valves to prevent use beyond rated capacity and over-extension of ram
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



KTI63133

3.33 Ton Low Profile Service Jack

- 3.33 ton capacity low profile service jack for easy access under low ground clearance vehicles
- Lift range from 3.5" to 21.375"
- 50" long pump handle for easy pumping under load
- Dual pump piston power unit raises saddle to maximum height in 8 full incremental pump strokes with no load
- Load-limiting and bypass valves to prevent use beyond rated capacity and over-extension of ram
- 2 Year Warranty on material and workmanship
- · Complies With ASME PASE/2014 Safety Standards



KTI63155

5 Ton Service Jack

- 5 ton capacity service jack with a lift range from 5.75" to 22"
- 45.75" long pump handle with release knob works independently of handle position
- Raise the saddle quickly to the load with additional foot pedal
- Load-limiting and bypass valves prevent jack from being used beyond rated capacity and over-extension of ram
- Handle locks in either vertical, 45°, or horizontal positions
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



KTI63186

10 Ton Service Jack

- 10 ton capacity service jack with a lift range from 6.25" to 22.5"
- 45.75" long pump handle with release knob works independently of handle position
- · Raise the saddle quickly to the load with additional foot pedal
- · Load-limiting and bypass valves prevent jack from being used beyond rated capacity and over-extension of ram
- Handle locks in either vertical, 45°, or horizontal positions
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards





KTI63194

22 Ton Air Hydraulic Truck Jack

- 22 ton capacity truck jack with a lift range from 9.06" to 17.94"
- · Narrow width fits between tandem wheels
- · Load-limiting and bypass valves prevent use beyond rated capacity and overextension of ram
- · Spring activated self retracting ram
- Release knob at the top of the T-handle works at any handle position
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards





KTI63198

50 Ton Air Hydraulic Truck Jack

- 50 ton capacity truck jack with lift range from 11.4" to 21.25"
- · Narrow width fits between tandem wheels
- · Load-limiting and bypass valves prevent use beyond rated capacity and over-extension of ram
- · Spring activated self-retracting ram
- Release knob at top of T handle works at any handle position
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



KTI63194COMBO

22 Ton Air Hydraulic Jack w/1" Air Impact

- A combination package including a 22 ton capacity truck jack (KTI63194) with a lift range from 9.06" to 17.94" and a 1" drive air impact wrench with 6" extended anvil (KTI81798A)
- The air hydraulic jack has load-limiting and bypass valves which prevent use beyond rated capacity and overextension of ram with spring activated self retracting ram. Has release knob at the top of the T handle works at any handle position and narrow width fits between tandem wheels
- The air impact wrench has a 6" extended anvil for extra access, 1,600 ft/lbs of torque, 3 forward and 3 reverse power settings, a D side handle for ease of use and side exhaust which directs air away from the job
- The hydraulic jack complies with ASME PASE/2014 Safety Standards and is covered by a 2 year warranty on material and workmanship
- The 1" air impact wrench is covered by a 1 year warranty









SERVICE JACKS SPECIFICATIONS						
Supplier	Part #	Capacity (tons)	Minimum Height	Maximum Height	Air Assist	Special Features
K Tool	KTI63103	2	3.5"	18.1"	N	Low Profile
K Tool	KTI63098	2	3.25"	18.5"	N	Aluminum
K Tool XD	KTI63101	2	3.5"	18.1"	N	Low Profile
K Tool XD	KTI63105	2	2.75"	24"	N	Extra Long, Low Profile
K Tool	KTI63131	3	5.3"	18.5"	N	Compact
K Tool	KTI63099	3	3.75"	19.25"	N	Aluminum
K Tool XD	KTI63133	3.33	3.5"	21.375"	N	Low Profile
K Tool HD	KTI63155	5	5.75"	22"	N	Heavy Duty
K Tool HD	KTI63186	10	6.25"	22.5"	N	Heavy Duty

KTI63500 700 lb Pedestal

Transmission Jack

- Capacity: 700 lbs.
- Hand pumped, long stroke, single stage bottle jack, with a release lever to discharge the load
- Load-limiting and bypass valves prevent against over loading and over extension
- Adaptable saddle, with four angle brackets that can adjust to fit transmission pan flanges
- Adjustable safety chain included to aid in load restraint
- 1 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



KTI63502 1000 Lb Single Stage Transmission Jack

- Capacity: 1,000 lbs.
- Lifting Range: 43.625" 71"
- Saddle tilt: 23 degrees forward and 16 degrees backward
- For automotive use up to light duty pickup trucks
- Foot pedal activation easily raises single ram under load
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards





KTI63505

1000 Lb. 2-Stage Telescopic Transmission Jack

- Capacity: 1,000 Lbs
- Lifting Range: 35" to 74.2"
- Speedy pump foot pedal raises telescopic rams to load quickly
- Foot pump and release pedals provide hands free operation to align saddle with transmission
- Four caster wheels for easy transportation and maneuverability
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards







- Wide front-open chassis for lower profile when loaded
- Full swivel pump handle can be accessed in any work position
- Fully adjustable universal saddle with load securing hardware
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



KTOOL

- · Universal saddle with tilt features
- · Load restraint system included
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards





KTI63134

Transmission Jack Adapter for Service Jacks

- Capacity: 700 lbs
- Saddle Forward Tilt: 35°
- Saddle Backward Tilt: 35°
- · Designed for jacks with a slip in saddle
- · Easily transforms your service jack into a transmission jack; fits KTI63131 - 3 Ton Compact Service Jack
- Weight: 34.5 lbs
- 2 Year Warranty on material and workmanship
- · Complies With ASME PASE/2014 Safety Standards



KTI63136

Fuel Tank Adapter

- Quick and easy installation to all underhoist transmission jack saddles
- Universal adapter plate included for mounting to all other under hoist jack saddles
- Length, width, and height adjustments to handle any fuel tank configuration up to 40 gallon capacity
- Four 3" by 5.5" foam support pads self adjust and protect the tank from damage
- · Ground wire assembly can be used with older metal tanks to prevent against static electric discharge
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards





- Designed to be used in pairs
- · Steel base with four feet pads for stability
- Ratchet action design with ductile iron support column
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards

KTI61202 3 Ton Jack Stands, Lifting Range: 11.6" to 16.7" **KTI61205** 6 Ton Jack Stands, Lifting Range: 15.75" to 24"



KTI61211

12 Ton Jack Stands

- Capacity: 12 Tons
- Lifting Range: 19.63" to 30.25"
- · Steel square base with foot pads for added strength and stability
- Ductile iron column supports load off the ground
- Weight: 52.9 lbs
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards

JACK STANDS SPECIFICATIONS						
Supplier	Part #	Capacity	Minimum Height	Maximum Height	Style	
K Tool HD	KTI61222	22 Ton	11-7/8"	19-3/4"	Pin Style	
K Tool XD	KTI61202	3 Ton	11-3/4"	16-3/4"	Ratchet	
K Tool XD	KTI61205	6 Ton	15-3/4"	24"	Ratchet	
K Tool XD	KTI61211	12 Ton	19-5/8"	30-1/4"	Ratchet	

KTI61222

22 Ton Jack Stands

- Pair of 22 ton capacity pin type jack stands with support range from 11.825" to 19.75"
- Height adjustment pin connected to base by way of lanyard to prevent against loss
- Steel plate and structural tubing for added strength and stability
- V-shaped saddle to cradle axles and other truck components
- Sold and to be used in pairs
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards





KTI61076

3/4 Ton Utility Underhoist Stand


- 3/4 ton under hoist stand designed to support under car components
- Support range from 53" to 79"
- Acme threaded screw for self-locking positioning
- Bearing mounted spin handle for easy raising and lowering of screw
- 12" diameter base with 1.63" x 5.5" saddle provide additional support
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards





KTI61077 3/4 Ton Utility Underhoist Stand with Pedal

- \bullet 3/4 ton under hoist stand designed to support under car components
- Support range from 53" to 79"
- Acme threaded screw for self-locking positioning and foot pedal to raise screw another 1.25" under 400 pounds of load
- Bearing mounted spin handle for easy raising and lowering of screw
- 12" diameter base with 1.63" x 5.5" saddle provide additional support
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards





 2 ton under hoist stand designed to help stabilize a vehicle suspended by an above-ground lift

• Support range from 68" to 76"

 Acme threaded screw for 8" of fine adjustment

 Bearing mounted spin handle for easy raising and lowering of screw

 24" triangle shaped base and 3.25" square saddle provide additional stability

• 2 Year Warranty on material and workmanship

Complies With

ASME PASE/2014 Safety Standards







- 800 Lb. H-Style Engine Stand
- Capacity: 800 lbs
- H-frame design base with four wheels provides stability
- Stand made of structural steel tubing for strength and light enough for easy maneuverability
- Fully adjustable mounting head and adapter fingers
- Weight: 49.8 lbs
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards





KTI62114

700 Lb Engine Support Bar

- Transverse support bar adjusts from 34.5" to 61"
- Designed to support front wheel drive engines for repair or motor mount replacement
- Includes support leg for heavier engines or engines requiring three point support
- Engine attachment and adjustment hardware provided
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



- for convenient storage when not in use

 Worm gear driven mounting plate with adjustable
- fingers rotates for desired engine position
- Four wheel design with locking caster wheels to prevent stand from moving
- Made of structural steel plate and tubing for added strength
- Weighs 96 lbs
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards





KTI62116

1000 Lb Engine Support Bar

- Designed to support front wheel drive engines for repairs or servicing of engine mounts
- Includes a 1000 pound capacity transverse bar that extends from 34.5" to 61"
- Includes a support leg for handling larger engines or engines requiring three support points
- Engine attachment and adjustment hardware included
- Weight 41.9 lbs
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards





KTI62115

1500 Lb. Engine Sling

- 1500 pound capacity engine sling for use with an engine crane
- Designed to level a load or adjust at a specific angle for installation and removal
- Hand crank and bearing mounted drive screw for easy adjustment
- Four mounting chains and brackets for quick attachment to engine
- Weighs 14.3 lbs
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



KTI63414

4 Ton Long Ram

- 4 ton long ram bottle jack for farm applications and replacement power unit for engine cranes
- Lift range from 19.7" to 34.7".
- * Release valve slowly controls the lowering of load
- Load-limiting and bypass valves to prevent overloading and over extension of ram
- Long handle for easy pumping effort under load
- Hole in top of ram for receiving mounting bolt
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



KTI63427

8 Ton Long Ram

- 8 ton long ram bottle jack for farm applications and replacement power unit for engine cranes
- Lift range from 24" to 42.7".
- * Release valve slowly controls the lowering of load
- Load-limiting and bypass valves to prevent overloading and over extension of ram
- · Long handle for easy pumping effort under load
- . Hole in top of ram for receiving mounting bolt
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards









KTI63421

1.5 Ton Foldable Engine Crane with Fast Rise

- 750 Lbs. /1,500 Lbs. /2,250 Lbs. / 3,000 Lbs. capacity engine crane with four different boom positions
- Legs and boom fold quickly for storage
- Fast rise pump without a load
- 48" long boom with chain and swivel hook included
- 4.25" low profile base for easy access under low ground clearance vehicles
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards





KTI63703

4 Ton Portable Ram Kit

- 4 ton portable ram kit for spreading, bending, pushing, and clamping applications
- 7,250 PSI hand pump and 10.5" long ram with 4.75" stroke
- Basic attachments, .5 ton spreader ram, and five extension tubes included
- Force gauge to measure force applied to work
- Snap-fit design for quick attachment and tube connections
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards







KTI63709

10 Ton Portable Ram Kit

- 10 ton portable ram kit for spreading, bending, pushing, and clamping applications
- 8,050 PSI hand pump and 12.6" long ram with 5.12" stroke
- Basic attachments, .5 ton spreader ram, and four extension tubes included
- Force gauge to measure force applied to work
- Snap-fit design for quick attachment and tube connections
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



KTI63716

Air Hydraulic Foot Pump

- 10,000 PSI air/hydraulic foot pump requires 90 PSI air pressure
- Designed to be used with single acting cylinders
- Provides hands free operation for pumping and releasing load
- Usable fluid capacity 98 cubic inches
- Flow rate 42 cu. in. with no load, 8.5 cu. in. with load
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards





12 Ton Shop Press

- 12 ton capacity shop press made of structural steel channel for added strength
- Pump, 7.1" stroke self-retracting ram and hose with glycerine filled gauge
- Vertical throat opening between 0" to 36.5", 17.75" throat width
- 3.375" opening between movable bolster channels
- 53" frame height, 21.5" width, and 27.5" base leg length
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



20 Ton Shop Press

- 20 ton capacity shop press made of structural steel channel for added strength
- Pump, 7.28" stroke self-retracting ram and hose with glycerine filled gauge
- Vertical throat opening between 0" to 38", 21.25" throat width
- 4.25" opening between movable bolster channels
- 59.5" frame height, 25.25" width, and 27.5" base leg length
- 2 Year Warranty on material and workmanship
- Complies with ASME PASE/2014 Safety Standards

KTI60060

- Heavy-Duty 6" Bench Grinder
 1/3 HP, 115 volt with 3450 RPM no load speed
- Cast iron motor housing for heavy duty applications and long life
- Two grinding wheels (1 course 36-grit and 1 wire for grinding and sharpening)
- Two adjustable tool rests to accommodate a variety of uses and provide additional stability for precision grinding
- Fully adjustable acrylic eye shields deflect sparks away from operator for added safety
- UL listed
- · Warranty information: 1-year limited warranty





Shop Tools I Creepers, Stools & Fender Covers

Metal Frame Creeper with Rubber Casters

- Metal frame creeper features a fully padded seat for comfort
- Rugged, durable construction for a lifetime of use
- Six (6) 2-inch oil-resistant rubber casters provide smooth mobility
- · Steel frame is epoxy-coated to prevent rusting
- Four (4) cross rails provide added support
- Assembly required

Warranty information: 90-day limited warranty.

KTI74951 - 36" KTI74956 - 40"

Replacement parts:

KTI74959 - replacement caster



KTI74961

40" Metal Frame Creeper with Adjustable Headrest

KTI 40" metal frame creeper features a fully padded seat for comfort

- Adjustable headrest is comfortable and convenient for every use
- Rugged, durable construction for a lifetime of use
- Six (6) 2-inch oil-resistant rubber casters provide smooth mobility
- Steel frame is epoxy-coated to prevent rusting
- Four (4) cross rails provide added support
- · Assembly required

Warranty information: 90-day limited warranty.

Replacement parts: KTI74959 - replacement caster



KTI74971 **Padded Mechanic's Creeper Seat** with Pneumatic Lift

- Adjustable mechanic's seat features fully padded 12" seat for added comfort
- Seat is adjustable by pneumatic cylinder from 14" to 19"
- Large steel base also serves as storage for tools while working
- Features five (5) 2-1/2" oil-resistant rubber casters for smooth mobility
- · Assembly required

KTI74957 -

replacement caster





Warranty information: 90-day limited warranty.

Warranty information: 90-day limited warranty.



Mechanic's seat with plastic storage tray

• Fully padded seat measures 7" x 14"

KTI74981

· Assembly required

- Plastic tray has three sections to store tools or small parts
- Features four (4) 2-1/2" oil-resistant rubber casters for smooth mobility
- . Metal frame is epoxy-coated to prevent rusting

Replacement parts: KTI74958 -

replacement caster



Deluxe Fender Cover

Vinyl-backed foam cover is designed to protect/cover fenders to avoid scratching, marring or damaging vehicle finish. Available in black or red.

Sold separately:

KTI73201 - Black KTI73202 - Red







Shop Tools I Material Handling



KTI63820

1250 Lb Capacity Car Dollies

- Pair of 1250 pound capacity car dollies used to move a disabled vehicle
- Made of steel structural tubing for durability
- · Four bearing mounted swivel caster wheels for easy maneuverability
- Two locking caster wheels on each dolly to prevent vehicle from moving
- · Weight: 49 lbs
- 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards

KTI63800

Hand Pallet Jack

High quality welded steel construction and powder-coated finish.



Tow Straps

Heavy-duty nylon web construction with reinforced stitching Available with looped end or forged hooks. Abrasion and cut resistant. Strongest, longest-lasting webbing tow straps on the market. Meet or exceed all DOT specifications

	•			
Part #	Type of Ends	Capacity	Width	Length
KTI73801	Forged hooks	7,000 lb. capacity	2" width	10' length
KTI73802	Forged hooks	10,000 lb. capacity	2" width	15' length
KTI73803	Forged hooks	10,000 lb. capacity	2" width	25' length



Heavy-duty Tow Straps

Heavy duty nylon web construction with reinforced stitching and looped ends. Abrasion and cut resistant. Strongest, longest-lasting webbing tow straps on the market. Meet or exceed all DOT specifications.

Part	Type of Ends	Capacity	Width	Length
KTI73810	Looped ends	15,000 lb. capacity	2" width	20' length
KTI73811	Looped ends	22,500 lb. capacity	3" width	20' length
KTI73812	Looped ends	30,000 lb. capacity	3" width	30' length
KTI73813	Looped ends	40,000 lb. capacity	4" width	30' length
KTI73814	Looped ends	60,000 lb. capacity	6" width	30' length





Shop Tools I Material Handling

Recovery Tow RopeHigh strength to weight ratio provides maximum pulling strength, and still allows for easy handling. Covered by a 1 year warranty.

- Double braided nylon rope is extremely strong and flexible
- Durable, UV resistant waterproof polymer coating is soaked deep into the rope fibers
- High elasticity is ideal for off-road recovery and snatching applications
- Rubber coated eye tips provide extra protection and maximum grip

Part #	Size	Eye Color	Capacity
KTI73818	1/2" x 20'	Yellow	Rating: 7,400 lbs.
KTI73819	3/4" x 20'	Black	Rating: 19,000 lbs.
KTI73822	7/8" x 20'	Blue	Rating: 28,600 lbs.
KTI73823	7/8" x 30'	Red	Rating: 28,600 lbs.
KTI73824	1-1/4" x 30'	Orange	Rating: 52,300 lbs.
KTI73825	1-1/2" x 30'	Green	Rating: 74,000 lbs.





Stretch Cords

Braided cover prevents abrasions and provides added durability. Vinyl covered hooks prevents scratches. Designed for professional use.

Part #	Description	Diameter	Length	Color	Qty
KTI73830	General purpose	3/8" diameter	18" length	Yellow	10-pack
KTI73831	General purpose	3/8" diameter	24" length	Yellow	10-pack
KTI73832	General purpose	3/8" diameter	30" length	Yellow	10-pack
KTI73833	General purpose	13/32" diameter	40" length	Yellow	10-pack
KTI73834	General purpose	13/32" diameter	48" length	Yellow	10-pack

RUBBER STRAPS						
Part #	Description	Width	Length	Max. Stretch	Qty	
KTI73849	EPDM Rubber Strap	3/8" wide	15" length	22" max stretch	10-pack	
KTI73850	EPDM Rubber Strap	3/8" wide	21" length	31" max stretch	10-pack	
KTI73851	EPDM Rubber Strap	3/8" wide	31" length	46" max stretch	10-pack	





Shop Tools I Material Handling

TIE DOWNS & STRAPS							
Part #	Description	Capacity	Width	Length	Qty		
KTI73862	Ratcheting Tie Down (endless loop)	900 lb.	1" width	13' length	1-pack		
KTI73861	Ratcheting Tie Down (PVC-coated hooks)	900 lb.	1" width	15' length	1-pack		
KTI73870	Ratcheting Tie Down (PVC-coated hooks) (each)	900 lb.	1" width	15' length	4-pack		
KTI73864	Motorcycle Tie Down (1 chrome and 1 PVC-coated hook)	1,200 lb.	1" width	6' length	1-pack		
KTI73871	Universal Tie Down (PVC-coated hooks)	900 lb.	1" width	10' length	1-pack		
KTI73873	Cam Buckle Tie Down (Cam buckles)	900 lb.	1" width	13' length	1-pack		

K-Tool International recommends that the working load never exceed 1/3 of the rated capacity. Any strap assembly is only as strong as its weakest component, including the point of attachment or anchor.



Nylon Cable Ties

Hundreds of uses, including electrical, auto, marine, home and garden. Available in black or natural. Many sizes for a variety of applications. Professional quality. Temperature rating: 185° F (85° C).





Part #	Length	Bundle Diameter	Tensile Strength	Color	Qty
KTI76040	4"	7/8"	18 lb.	Natural	100
KTI78040	4"	7/8"	18 lb.	Black	100
KTI76070	7"	1-7/8"	50 lb.	Natural	100
KTI78070	7"	1-7/8"	50 lb.	Black	100
KTI77070	7" with mounting head	1-7/8"	50 lb.	Natural	100
KTI76110	11"	31/16"	50 lb.	Natural	100
KTI78110	11"	31/16"	50 lb.	Black	100
KTI76140	14"	4"	50 lb.	Natural	100
KTI78140	14"	4"	50 lb.	Black	100
KTI77140	14" with mounting head	4"	50 lb.	Natural	100
KTI76145	14" heavy-duty	41/16"	120 lb.	Natural	100
KTI78145	14" heavy-duty	41/16"	120 lb.	Black	100
KTI76180	18" heavy-duty	51/4"	120 lb.	Natural	25
KTI78180	18" heavy-duty	5¼"	120 lb.	Black	25
KTI76240	24" heavy-duty	73/16"	175 lb.	Natural	25
KTI78240	24" heavy-duty	73/16"	175 lb.	Black	25
KTI76360	36" heavy-duty	11"	175 lb.	Natural	25
KTI78360	36" heavy-duty	11"	175 lb.	Black	25



Shop Tools I **Material Handling**



Nylon Cable Tie Assortments

Convenient dispenser type package allows access to each compartment separately. Hundreds of uses, including electrical, auto, marine, home and garden. Available in black or natural. Many sizes for a variety of applications. Professional quality.

KTI76004 (Natural) KTI78004 (Black)



Each package includes 4" (qty: 200), 7" (qty: 100) and 11" (qty: 100).



Grips nylon cable ties and tightens with very secure grip. Also cuts excess with thumb lever.



Shop Tools I Heating, Welding, Soldering

KTI00035

85 Piece Shrink Tube Kit

- Multi-compartment plastic storage case
- Includes wide range of product
- · Contains product assortment map
- Includes most popular sizes

This 85-piece kit contains shrink tubes in most popular sizes: 1/8" Shrink Tube, 3/16" Shrink Tube, 1/4" Shrink Tube, 3/8" Shrink Tube, 1/2" Shrink Tube.



KTI07740

235-piece Heat Shrink Tube Kit

Assortment includes eight different sizes

in five colors, ranging in width from 3/32" to 3/4" and 6" in length.

Size: 1/8"	Qty:	Size: 1/4"	Qty	Size: 5/8"	Qty:
Blue	11	Blue	11	Blue	1
Black	11	Black	11	Black	1
Orange	11	Orange	11	Orange	1
Green	11	Green	11	Green	1
Yellow	11	Yellow	11	Yellow	1
Size: 3/32"	Qty:	Size: 3/8"	Qty:	Size: 3/4"	Qty:
Blue	8	Blue	2	Blue	1
Black	8	Black	2	Black	1
Orange	8	Orange	2	Orange	1
Green	8	Green	2	Green	1
Yellow	8	Yellow	2	Yellow	1
Size: 3/16"	Qty:	Size: 1/2"	Qty:		
Blue	11	Blue	2		
Black	11	Black	2		
Orange	11	Orange	2		
Green	11	Green	2		
Yellow	11	Yellow	2		



KTI70048

Micro Butane Turbo-Lite

- CPSC (Consumer Product Safety Commission) compliant mulit-purpose micro-torch/lighter
- Piezo electronic ignition system Stylish see through fuel tank
- Protective flip-open cap · Reliable windproof lighter
- · Covered by a 1-year warrranty
- Flame temperature: 2,400° F (1,300° C)

KTI70052 **Hand Held Butane Torch Lighter**

- Handy pocket butane torch
- · Light duty soldering such as: shrinking heat seal tubing, craft projects, thawing frozen locks, lighting camp stoves
- 1 Year Warranty on material and workmanship



Shop Tools I Heating, Welding, Soldering

KTI70054

Mini Butane Torch

- . Mini butane torch with solder head
- · Piezo-electric ignition with locking safety mechanism
- Temperature and flame control, up to 2372° F jet flame
- · Removeable safety stand
- 1 Year Warranty on material and workmanship

Mini butane torch with solder head has many uses: solder copper pipes, thaw frozen pipes, repair gutters, remove paint and putty, light fireplaces, cooking torch and all other professional repair jobs.

KTI70058

Hand-Held Pro Butane Torch

- The original hand-held, lightweight and sturdy professional torch
- · Piezo ignition and safety kill/off switch
- Adjustable air flow and gas flow control valves
- Tank contains fuel for 190 minutes of operation at mid setting
- Alloy die casting housing covered with a protective grip and sturdy removable base for added safety
- Covered by a 1-year warranty
- Flame temperature: 2,400° F (1,300° C)

KTI70057 Self Igniting

Propane Torch Head

- Self igniting propane torch head with piezo igniter for instant flame
- Safety lock feature to prevent accidental ignition
- Ignition button lock for continuous use
- Replacement brass tip
- Ergonomic handle design
- 1 Year Warranty on material and workmanship

Self Igniting Propane Torch Head for use with MAPP or propane gas.

KTI70056 Self Igniting

Propane Torch Head • Portable and lightweight

- Easy on/off valve
- · High energy flame
- Angled swivel tube to reach difficult areas
- 1 Year Warranty on material and workmanship

Self Igniting Propane Torch Head for use with MAPP or propane gas.

KTI70050

Butane Fuel

- 1.5 fl.oz. (42g) professional-grade butane fuel
- Universal filling tip for use with most refillable butane products
- Adapters are not normally required when refilling tanks
- Double scrubbed and triple filtered for trouble-free use
- Use for pocket torches, lighters, lanterns, table torches and other butane-powered tools





KTI70461

Child Safety Blanket

- Made from Kovenex® flame resistant fabric
- · Protects infants from heat and flame
- Patented fabric is made with inherently flame resistant fibers with no chemical treatment for an infinite shelf life
- · Soft, durable and light weight
- Machine washable, no bleach
- Weight: 7.0 oz /yd2

KTI70440

Torch Shield

- Size: 10" x 18"
- Carbon fiber flame blocking fabric
- Protect surfaces from sparks or open flame from gas torches with this patented Pavenex® carbon fiber shield
- Withstands even the extreme heat of acetylene torches



KTI70450

Welding Blanket

- Extreme protection
- Size: 50" x 80"
- A high-tech carbon fiber welding blanket made with the Pavenex® fabric (US Patent # 6,696,374)
- · Lightweight, soft, and flexible
- Provides protection against direct contact with flame, sparks, and weld spatter
- Withstands temperatures up to 2200°F without shrinking

Reduces the chance of sparks damaging fabrics, pitting glass, or marring paint. Will not scratch any painted surface. Can be used in emergencies to smother small fires in a car or anywhere in the shop. Warning: Avoid contact with flammable liquids. Flammable liquids will ignite when exposed to sparks or flame. Always inspect welding blankets for damage before use. Avoid sharp edges or other obstructions to prevent damage to blanket. Clean blanket after each use. To clean, shake the blanket and replace in the original bag. DO NOT clean with water or other liquids. Do not use when wet.







Shop Tools I TPMS





KTI71999

Master TPMS Kit

 The most complete TPMS shop solution available and includes the only sensor activation tool you need

Kit includes the Programming Interface Module (with one year of updates), tool holster, "Guide to TPMS" Training DVD, 2010 PST-TIPS Quick Reference Guide on CD-ROM, TPMS Quick Spec Flip Chart, valve core torque tool and TPMS four-way valve tool. Also includes Service Procedure Poster; an easy to read step-by-step guide for servicing vehicles with Tire Pressure Monitoring Systems (TPMS).



KTI71989 Essential TPMS Combination Kit

- Everything you need in one handy, economical kit
- Universal sensor activation only tool you need
- · Audio and visual confirmation no guesswork
- Digital protocol upgrades available never out of date
- Handy and easy to use no special training required

Contains TPMS tool, instructional DVD, programming interface module (PIM) with one year of updates.



KTI71990A

Sensor Activation Tool with Quick Reference Guide on CD-ROM and Quick Spec Flip Chart

- The only patented universal triggering tool you need for testing and resetting the TPM system
- Eliminates the need for multiple tools to service various makes and models of vehicles
- TPMS Quick Reference Guide on CD-ROM is a comprehensive listing of today's TPM systems, reset procedures and sensor learn procedures through the 2010 model year
- The guide includes a quick reference table designed to provide a single point of reference for determining when TPM systems require resetting as well as sensor nut torque requirements

The laminated TPMS Quick Spec Flip Chart is designed for the shop environment, and provides a quick but comprehensive snapshot of today's TPM systems.



- · Provides the critical link to update your PST or TIPS tool
- One cable connects to a USB port on your computer and the other to a mini-USB located within the battery compartment of the tool

The PIM is a required accessory, allowing you to download updates to your TPM tool. Each PIM is shipped with a software license valid for one TPM tool for one year from date of purchase. TPM tool must be registered to receive software updates.

Warranty information for KTlpst, PIM and TPMS Scan Tool:

3-year warranty. Repair or replace at the discretion of the repair center. Consumable items are not covered.

Shop Tools I TPMS





KTI71993

KTIpst Instructional DVD

 Provides an excellent overview of Tire Pressure Monitoring Systems (TPMS,) as well as step-by-step instructions on how to use PST tool.






KTI71992

Heavy-duty Holster for KTlpst

- · Provides the perfect blend of utility and protection for your TPM tool
- Unique design allows operation of tool without removing it from the holster
- · Can be easily removed
- · Clips comfortably to your belt
- Features elastic pockets for easy storage of your accessory tools (tire pressure gauge, tire crayon, tire tread depth gauge, etc.)
- Made of a durable fabric that provides protection from drops and spills

KTI71981 TPMS T-10

Torque Limited Screwdriver



- Installs screws to recommended torque for proper sealing and secure installation
- · Assists mechanics to consistently achieve proper torque
- Easy to use Stored in handy plastic case

Replacement parts:

KTI18810 - T-10 Replacement Bit





LIFETIME WARRANTY*

LIFETIME

KTI71996

TPMS Valve Core Torque Tool

• Durable, precision torque tool used to remove and install TR C1 valve cores

 Safely tightens valve cores to meet manufacturer's requirements for proper torque requirements

Vehicle manufacturers recommend replacing TPMS electroless, nickel-plated valve cores whenever a tire with TPMS is serviced.



KTI71982

TPMS T-20 Torque Limited Screwdriver

- Used to tighten the torx screw in Beru and other similar TPMS sensors
- The torx screw secures the valve stem to the sensor body
- Preset to 35 in./lbs. (4.0Nm) so the torx screw cannot be over-tightened which may lead to sensor damage and/or incorrect operation
- · Also used to remove the torx screws

Replacement parts:

KTI18820 - T-20 Replacement Bit





KTI71997

TPMS Valve Nut Tool

- Durable, all-in-one tool used for removing the sensor nuts and seating the sensor grommets
- Ergonomically design
- · Quickly removes both 11 mm and 12 mm nuts
- · Easily seats both beveled and non-beveled grommets

Vehicle manufacturers recommend replacing TPMS sensor nuts and grommets whenever a tire with TPMS is serviced.







- Dual Valve Technology
- Installs right out of the box
- Works with all TPMS scan tools
- Saves time
- Saves money
- Reduces inventory
- Increases shop productivity and profits



DVT – Dual Valve Technology Multi-Vehicle-Application Sensors

DVT-Sensors are designed to work with either a rubber snap-in valve stem or the metal clamp-in valve stem. The technology makes the DVT-Sensor very versatile. It's easy to match the valve style on TPMS equipped vehicles without requiring an additional part number. Just remove the DVT snap-in or clamp-in stem and replace it with the required valve.

DVT-Sensors for domestic applications are supplied with the rubber snap-in valve stem. Asian and European applications are supplied with the metal clamp-in valve stem.

DVT-Sensors provide over 90% coverage for Domestic, Asian and some European cars and light trucks.

Multi-Vehicle Applications

DVT-sensors have the ability to work on more than one vehicle application. Each DVT-Sensor contains multiple vehicle protocols which provide a wider range of coverage. One DVT-Sensor can replace many OFM sensors.

Part #	MHz	Multi-Vehicle Application	DVT Valve
ABDDVT-1000	315 MHz	2004-06 Chevy, GMC, Hummer	DVT-CV-1
ABDDVT-1001H	315 MHz	GM	DVT-SV-1
ABDDVT-1002H	315 MHz	Ford/Chrysler	DVT-SV-1
ABDDVT-1003A	433 MHz	Ford/Chrysler	DVT-SV-1
ABDDVT-1004A	315 MHz	Toyota/Nissan	DVT-CV-1
ABDDVT-1005	315 MHz	Honda/Toyota	DVT-CV-1
ABDDVT-1006	315 MHz	Hyundai/Kia	DVT-CV-1
ABDDVT-1007	315 MHz	Audi/Mercedes/Subaru/VW/Volvo	DVT-SV-1
Part #	MHz	1:1 Vehicle Application (Hi-Line)	Valve
ABDDY-2416	315 MHz	Ford/Chrysler	Metal
ABDDY-2116	433 MHz	Ford/Chrysler	Metal

ALWAYS complete the vehicle relearn procedure when replacing a TPMS sensor or servicing TPMS.

Dynamic Dual Valves Replacements

ABDDVT-SV-1

Snap-in Valve for DVT-Sensors. Includes S7 nut and cap. Box of 4.



ABDDVT-CV-1

Clamp-in Valve for DVT-Sensors. Includes nut, grommet, cap and T10 screw. Box of 4.





TPMS Solutions



The OEM requires that the valve stem components are replaced every time the tire is serviced on vehicles with TPMS.



ABD6-102

Buick, Cadillac, Chevy, GMC, Isuzu, Pontiac, Saab Cross-reference: 20004, 1070K, 92-0125



ABD6-103

Cadillac, Chevy, Chrysler, Dodge, Infinity, Isuzu, Jeep, Mitsubishi, Nissan, Subaru

Cross-reference: 20003, 1080K, 92-0140



ABD6-106


Ford, Lincoln, Mercury, Mercedes

Cross-reference: 20002, 1060K, 92-0115



ABD6-108

Buick, Cadillac, Chevy, Chrysler, Dodge, GMC. Hyundai, Jaguar, Jeep





Acura, Honda, Hyundai, Kia Cross-reference: 20021, 2000K, 92-0246



Clamp-in Kit Component Replacement Reason Result (A) Grommet/seal Crack, deteriorate and leak over time Leak path at valve stem Plating worn off, threads corrode Leak path at valve stem (B) Hex nut Nickel plating strips leading to galvanic Leak at valve core, potential (C) Valve core corrosion and seized valve cores broken valve stem (D) Valve cap w/seal Valve cap seal wear Allows moisture into core (E) Metal washer Washer conforms to rim during installation Leak path at valve stem (some applications) **Snap-in Kit Component Replacement Reason** Result (F) Rubber TPMS Crack, deteriorate and leak over time Leak path at valve stem snap-in valve

Refer to manufacturer's specifications for proper torque requirements when replacing hex nuts and valve cores. These specifications can be found in the Dynamic TPMS Service Kit Application Guide.

ABD6-110

Audi. BMW. Land Rover. Mercedes, Mini, Porsche, VW Cross-reference: 20023, 1090K, 92-0261



ABD6-111

Pontiac, Scion, Toyota Cross-reference: 20032, 1100K, 92-0215



ABD6-117

Lexus Cross-reference: 20033, 1120K, 92-0155



Acura, Honda, Lexus,



ABD6-120

Chrysler, Dodge, Infinity, Jeep, Lincoln, Mazda, Mercury, Pontiac, Saturn, Subaru, Suzuk Cross-reference:

20016, 2030K, 92-202



ABD6-112

Honda, Infiniti, Mitsubishi, Nissan

Cross-reference: 20010, 1130K, 92-0130



ABD6-122

Saab, Saturn, Suzuki, Volvo Cross-reference: 20009, 2010K, 92-0195



ABD6-115

Audi, VW Cross-reference: 20017, 1030K, 92-0235



ABD6-125

Cadillac, Chevy, GM, GMC Cross-reference: 20015, 2020K



ABD6-116

GMC, Hummer, Lexus, Toyota, VW Cross-reference:

20031, 1110K, 92-0135



ABD6-127

Acura, Honda, Hyundai, Kia Cross-reference: 20019, 2040K, 92-0244







ABD6-129

٧W

Cross-reference: 20017, 1031K



ABD6-138

Honda, Hyundai, Jaguar, Kia, Land Rover, Mazda, Mitsubishi, Suzuki, VW, Volvo

Cross-reference: 20032, 7020K, 92-3312



ABD6-139

Chrysler, Dodge, Jeep, Nissan

Cross-reference: 20013, 7000K, 92-3311



ABDDVT-493

S7 Nut for DVT Snap-In Valve



Box of 50

ABDDY-158

Black Valve Cap for Schrader 20008

Box of 50

ABDDVT-806

T10 Torx Screw for **DVT Clamp-In Valve**

Box of 50

ABDDY-128B

Valve Cap-Nylon (Black)

Box of 50



ABDDY-128G

Valve Cap-Nylon (Grey)

Box of 50



ABDDY-1400

TPMS Nickel Plated Valve Core





ABDDY-TPMS-16 Valve Maintenance Kit Assortment

ABDDY-TPMS-16 Valve Maintenance Kit contains 15 of the most popular kits for most domestic and imported cars and light trucks. Also included are 50 each of the TPMS valve caps and nickel plated valve cores.



Kit #	General Application	Qty
ABD6-102	General Motors	10
ABD6-103	Chrysler, Dodge, Mitsubishi	10
ABD6-106	Ford	10
ABD6-108	GM, Chrysler, Dodge, Mazda, Volvo	10
ABD6-109	Acura, Honda, Hyundai, Kia	10
ABD6-110	Audi, BMW, Mercedes	10
ABD6-111	Honda, Lexus, Pontiac, Toyota, Scion	10
ABD6-115	Audi, VW	10
ABD6-116	Lexus, Toyota	10
ABD6-120	Chrysler, Dodge, Jeep	10
ABD6-122	Mitsubishi, Saab, Suzuki, Volvo	10
ABD6-127	Acura, Honda, Kia	10
ABD6-138	Honda, Hyundai, Kia, Mitsubishi	10
ABD6-139	Chrysler, Dodge, Jeep, Nissan	10
ABD6-207A	GM, Ford	10
ABDDY-1400	TPMS Nickel Plated Valve Cores	50
ABDDY-128G	Valve Cap – Nylon (Grey)	50

ABD6-201

Chrysler, Dodge Jeep, Mitsubishi Cross-reference:



ABD6-203

Chrome Valve for Ford Shelby Cobra Optional replacement for 6-207A

Cross-reference: VS-925C



ABD6-204

Acura, Honda (Long Valve) Cross-reference: 20035, 1097K



ABD6-205

Acura, Honda (Short Valve) Cross-reference: 20036, 1096K



ABD6-206B

Mercedes, Smart Cross-reference: 20023, 1040K, 92-1170



ABD6-207A

Chrysler, Dodge, Ford, GM, Hummer, Jeep, Mazda, Mercury, Subaru, Suzuki

Cross-reference: 20018, VS950, 92-0145



ABD6-208

Cadillac ATS, Dodge Dart

Cross-reference: VS-90



ABD6-209

Hyundai Cross-reference: V1010



ABD6-210

Hyundai, Kia

Cross-reference:



ABD6-211

Dodge TRW Snap-In, Jeep, Ram Cross-reference: VS65



ABD6-213

Ford 2015 Cross-reference:



ABD6-218

Dodge Sprinter Cross-reference: 20036, 1098K, 92-1170



ABD6-220

Audi 4, BMW, Porsche Gen I (Silver - 43 mm) Cross-reference:



ABD6-221

1092, RDV001

BMW Gen I (Green - 48 mm) Cross-reference:



ABD6-222

1093, RDV002

BMW, Mercedes Gen I (Black - 49 mm) Cross-reference: 1094, RDV003



ABD6-223

BMW, Mercedes Gen I (Orange - 51 mm) Cross-reference: 1095, RDV004



ABD6-225

Aluminum Optional Replacement Valve for 6-207A

Cross-reference: VS925A, 34000



ABD6-228S

Chrysler, Dodge, Jeep, Mercedes

Cross-reference: 9066K



ABD6-231C

Adjustable Valve for Chrysler, Dodge, Honda, Jeep Cross-reference: VS-70



ABD6-236

Hyundai, Kia Cross-reference: VS965



ABD6-240

Audi, BMW, Mercedes, VW Gen II (Silver - 43mm) Cross-reference:



ABD6-241

RDV021

BMW Gen II (Green - 48mm) Cross-reference: RDV022



ABD6-242

Audi, BMW, Porsche, VW Gen II (Black - 49mm)

Cross-reference: RDV023



ABD6-243

BMW Gen II (Orange - 51mm) Cross-reference: RDV024







Kit #	General Application	Qty
ABD6-203	Chrome Valve for Ford Shelby Cobra	4
ABD6-204	Acura, Honda (Long Valve)	4
ABD6-205	Acura, Honda (Short Valve)	4
ABD6-206B	Mercedes, Smart	4
ABD6-207A	Ford, GM	10
ABD6-208	Cadillac ATS, Dodge Dart	4
ABD6-209	Hyundai Santa Fe	4
ABD6-211	Dodge Ram, Jeep	4
ABD6-218	Dodge Sprinter	2
ABD6-220	Audi, BMW, Porsche (Silver - 43 mm)	2
ABD6-222	BMW, Mercedes (Black - 49 mm)	2
ABD6-225	Aluminum Optional Valve Replacment for 6-207A	4
ABD6-228S	Chrysler, Dodge, Jeep	4
ABD6-231C	Adjustable Valve for Chrysler, Dodge, Honda, Jeep	4
ABD6-240	Audi, BMW, Porsche, VW (Silver - 43 mm)	2
ABD6-242	Audi, BMW, Porsche, VW (Black - 49 mm)	2

ABDDY-TPMS-16VS

Valve Stem Assortment

For the replacement of corroded or broken TPMS valve stems. The ABDDY-TPMS-16VS assortment contains 16 of the most popular valve stems.



European TPMS Aftermarket Replacement Valve Stems

The OEM has two different designs of replaceable valve stems with their TPMS sensors – Generation I and Generation II. Gen I and Gen II valve stems utilize a different thread pitch and therefore the service repair kits use different components and cannot be interchanged. The difference in the valve stems and the service kits is detailed below.



Dynamic Valve Kit w/ Valve Stem	Dynamic Service Kit w/o Valve Stem	OEM No.	Valve Length	Color Coded Noted at Base of Valve Stem
ABD6-220	ABD6-110	RDV001	43 mm	Silver
ABD6-221	ABD6-110	RDV002	48 mm	Green
ABD6-222	ABD6-110	RDV003	49 mm	Black
ABD6-223	ABD6-110	RDV004	51 mm	Orange



T-20 screw (35in-lb torque)



10V2 thread hex nut w/o shear collar

Generation II



Dynamic Valve Kit w/ Valve Stem	Dynamic Service Kit w/o Valve Stem	OEM No.	Valve Length	Color Coded Noted at Base of Valve Stem
ABD6-240	ABD6-109	RDV021	43 mm	Silver
ABD6-241	ABD6-109	RDV022	48 mm	Green
ABD6-242	ABD6-109	RDV023	49 mm	Black
ABD6-243	ABD6-109	RDV024	51 mm	Orange



M5 square head screw (torque set by hex nut)



7/16"-18 thread hex nut with shear collar

Only use ABD6-110 service kit with Gen I valve stems

Only use ABD6-109 service kit with Gen II valve stems

Start servicing TPMS vehicles now with these Dynamic TPMS starter kits.

Designed for lighter volume shops the ABDDVT-12SK contains all of the OEM aftermarket parts needed to start servicing TPMS equipped vehicles without making a large investment.

ABDDVT-12SK TPMS Valve Maintenance/Sensor Starter Kit



Part #	Qty
DVT-Sensors	
ABDDVT-1001H	2
ABDDVT-1002H	2
ABDDVT-1003A	2
ABDDVT-1004A	2
ABDDVT-1005	2
ABDDVT-1006	2
DVT Replacement V	alves
ABDDVT-SV-1	4
ABDDVT-CV-1	4
Torque Tool	
ABDDY-002A	1
Counter Card	
ABDDYN-0513*	1
Application Guide &	Catalog
ABDDVT-APP*	1
ABDDY-TPMS-13*	1

Part #	Qty			
ABDDY-TPMS-16				
TPMS Valve Mair	itenance Kit			
ABD6-102	10			
ABD6-103	10			
ABD6-106	10			
ABD6-108	10			
ABD6-109	10			
ABD6-110	10			
ABD6-111	10			
ABD6-115	10			
ABD6-116	10			
ABD6-120	10			
ABD6-122	10			
ABD6-127	10			
ABD6-138	10			
ABD6-139	10			
ABD6-207A	10			
ABDDY-1400	50			
ABDDY-128G	50			

ABDDVT-SK12VS TPMS Valve Stem/Sensor Starter Kit



* Indicates Parts Only Available In The Kit and Not Sold Separately

Part #	Qty
DVT-Sensors	
ABDDVT-1001H	2
ABDDVT-1002H	2
ABDDVT-1003A	2
ABDDVT-1004A	2
ABDDVT-1005	2
ABDDVT-1006	2
DVT Replacement \	/alves
ABDDVT-SV-1	4
ABDDVT-CV-1	4
Torque Tool	
ABDDY-002A	1
Counter Card	
ABDDYN-0513*	1
Application Catalog	J
ABDDVT-APP* 1	
TPMS Catalog	
ABDDY-TPMS-13*	1

Part #	Qty		
ABDDY-TPMS-16VS Valve Stem Replacement Kit			
ABDDY6-203	4		
ABDDY6-204	2		
ABDDY6-205	4		
ABDDY6-206B	4		
ABDDY6-207A	4		
ABDDY6-208	4		
ABDDY6-209	4		
ABDDY6-211	4		
ABDDY6-218	2		
ABDDY6-220	2		
ABDDY6-222	2		
ABDDY6-225	4		
ABDDY6-228S	4		
ABDDY6-231C	4		
ABDDY6-240	2		
ABDDY6-242	2		



ABDDVT-802 TPMS Master Starter Kit



This master starter kit contains all of the parts needed to service TPMS vehicles including, DVT-Sensors, Valve Maintenance Kits and TPMS Replacement Valves.

The ABDDVT-802 includes: 32 DVT-sensors, 256 TPMS valve maintenace kits & replacement valve stems, torque tool and our ABDTPMS-72 storage cabinet.



NOTE: Will be shipped in two boxes.

Part #	Description	Qty	
DVT-Sensors			
ABDDVT-1000	TPMS Sensor - 2004-06 Chevy - GMC	2	
ABDDVT-1001H	TPMS Sensor - GM 314.9/315 MHz	6	
ABDDVT-1002H	TPMS Sensor - Ford/Chrysler 315 MHz	6	
ABDDVT-1003A	TPMS Sensor - Ford/Chrysler 433 MHz	4	
ABDDVT-1004A	TPMS Sensor - Toyota/Nissan 315 MHz	4	
ABDDVT-1005	TPMS Sensor - Honda 315 MHz	4	
ABDDVT-1006	TPMS Sensor - Hyundai/Kia 315 MHz	4	
ABDDVT-1007	TPMS Sensor - Subaru/Suzuki/Volvo 315 MHz	2	
DVT Replacemen	t Valve Stems		
ABDDVT-SV-1	DVT Snap-In Valve Stem	4	
ABDDVT-CV-1	DVT Clamp-In Valve Stem	4	
DVT Valve Stem Torque Tool			
ABDDY-002A	TPMS Torque Tool	1	
Replacement Valve Stems			
ABD6-203	TPMS Replacement Valve Stem	4	
ABD6-204	TPMS Replacement Valve Stem	4	
ABD6-205	TPMS Replacement Valve Stem	4	
ABD6-206B	TPMS Replacement Valve Stem	4	
ABD6-207A	TPMS Replacement Valve Stem	20	
ABD6-208	TPMS Replacement Valve Stem	4	
ABD6-209	TPMS Replacement Valve Stem		
ABD6-211	TPMS Replacement Valve Stem		
ABD6-228S	TPMS Replacement Valve Stem		
ABD6-231C	TPMS Replacement Valve Stem		

Part #	Description	Qty	
TPMS Valve Maintenance Kits			
ABD6-102	TPMS Service Kit	10	
ABD6-103	TPMS Service Kit	10	
ABD6-106	TPMS Service Kit	10	
ABD6-108	TPMS Service Kit	10	
ABD6-109	TPMS Service Kit	10	
ABD6-110	TPMS Service Kit	10	
ABD6-111	TPMS Service Kit	10	
ABD6-112	TPMS Service Kit	10	
ABD6-115	TPMS Service Kit	10	
ABD6-116	TPMS Service Kit	10	
ABD6-117	TPMS Service Kit	10	
ABD6-120	TPMS Service Kit	10	
ABD6-122	TPMS Service Kit	10	
ABD6-125	TPMS Service Kit	10	
ABD6-127	TPMS Service Kit	10	
ABD6-129	TPMS Service Kit	10	
ABD6-138	TPMS Service Kit	10	
ABD6-139	TPMS Service Kit	10	
DVT Cabinet & Ap	plication Catalog		
ABDTPMS-72*	Storage Cabinet	1	
ABDDVT-APP*	Application Catalog	1	

^{*} Indicates Parts Only Available In The Kit and Not Sold Separately





Service procedures for replacing TPMS sensors and installing TPMS service kits require the proper tools.

ABDDY-001A

Torque Wrench With Sockets



Torque wrench is used for installing TPMS sensor nuts. Torque range is from 30 in·lbs (3.4 N·m) to 120 in·lbs (13.6 N·m). Includes 11 mm and 12 mm sockets. Comes in a plastic storage case.

ABDDY-150

Valve Core Torque Tool



Tightens valve cores to OE specifications, 3.5-4 in·lbs (.45 N·m). Meets industry recommended torque values. Can also be used to remove valve cores.

ABDDY-172

Grommet Pick Tool



This tool is used to help remove old and broken grommets from the TPMS aluminum valve stem.

ABDDY-312

Complete TPMS Service Tool Kit

The ABDDY-312 contains all of the tools needed to service and install TPMS sensors and service kits. All tools are stored and organized in a sturdy plastic case.

Kit includes:

ABDDY-001A	Torque Wrench with 11 mm & 12 mm sockets	
ABDDY-002A	Torque Tool for Valve & Sensor	
ABDDY-150	DY-150 Valve Core Torque Tool 12 in-lbs (.45 N·m)	
ABDDY-164	Grommet Removal Tool	
ABDDY-172	Grommet Pick Tool	

ABDDY-002A

Torque Tool for Valve and Sensor



Torque tool is used for installing valves on DVT-sensors. Comes with T10 Torx bit for the clamp-in valve and a S7 socket for the snap-in valve. 12 in·lbs (1.4 N·m)

ABDDY-164

Grommet Removal Tool



This tool is used to remove the old grommet from the TPMS aluminum valve stem.

ABDDY-32VNT

TPMS 4-Way Valve Tool




Use this tool for removing sensor nuts and seating the sensor grommets. It can be used to remove 11 mm and 12 mm nuts.

ABDDY-7

S7 Replacement Socket for ABDDY-0002A Tool

Pack of 2







Shop Tools I Water Hoses





theBlueHose Water Hoses


500 PSI 100% rubber water hose with 3/4" GHT couplings

- Ultra lightweight, durable and super strong premium grade hot water hose
- Constructed with high strength polyester braided reinforcement with ozone resistant cover providing protection from extreme weather, abrasions and kinks
- Flexibility in extreme conditions from -50 to 180° Fahrenheit
- Oil resistance core tube meets RMA Class C oil resistance and four finger grip bend restrictor for easy use and better durability
- 10 Year Warranty

Solid crush-proof chrome plated brass fittings and handles hot water up to 200° Fahrenheit.

Part #	Description	
KTI72079	5/8" x 25' theBlueHose Water Hose	
KTI72080	5/8" x 50' theBlueHose Water Hose	
KTI72081	5/8" x 100' theBlueHose Water Hose	
KTI72082	3/4" x 50' theBlueHose Water Hose	
KTI72083	3/4" x 100' theBlueHose Water Hose	
KTI72084	1" x 50' theBlueHose Water Hose	
KTI72085	1" x 100' theBlueHose Water Hose	

Shop Tools I Cleaning



GlassMaster Pro Kit

- The patented GlassMaster Pro effortlessly cleans hard-to-reach areas, including windshields, glass doors, dashboards and much more
- Great for cars, SUVs, RVs, trucks, minivans, boats, home and office
- Spray favorite cleaners directly on GlassMaster Pro, eliminating overspray on dashboards, sensitive electronics, furniture, etc
- Wand boasts super-strong I-beam construction and premium grade ABS materials
- Thick comfort grip handle
- Use one detachable head for wet cleaning / scrubbing. Use second head for drying/polishing

Kit includes the long-handled GlassMaster Pro wand, two interchangeable cleaning heads, three fitted bonnets, plus a bonus stow-and-go storage bag.



GlassMaster Pro Replacement Parts and Accessories:

KTD72004 - GlassMaster Pro Microfiber Bonnets 3-pack
KTD72502 - GlassMaster Pro Microfiber Cloth 2-pack
KTD74003 - GlassMaster Pro Terry Cloth Bonnets 2-pack
KTD74004 - GlassMaster Pro Terry Cloth Bonnets 3-pack
KTD74503 - GlassMaster Pro Multipurpose Cloths 2-pack
KTD76003 - GlassMaster Pro Assorted Bonnets 3-pack
KTD76503 - GlassMaster Pro Assorted Cloths 3-pack

Shop Tools I Cleaning

KTD77604

Glassmaster Pro-Poly Bagged

- Professional glass and surface cleaner that cleans faster, easier, and with superior results
- Great for cars, trucks, SUV's, mini vans, RV's, boats, home and the work place
- Kit includes: 14" comfort grip handle, 2 multi-purpose cleaning heads, microfiber glass cleaning bonnet, multi-purpose microfiber cleaning bonnet and nylon mesh cleaning bonnet

KTD77610 - Glassmaster Extension Handle KTD77621 - Mini-Pro Paddle IGRC - Yellow KTD77622 - Mini-Pro Paddle GMP - Black



Shop Tools I Clamps & Vises



C-clamps

Adjustable C-clamps manufactured from ductile iron.

LIFETIME WARRANTY*

Sold separately:

KTI70182 - 2"

KTI70183 - 3"

KTI70184 - 4"

KTI70186 - 6"

KTI70188 - 8"



Steel Bench Vises

Rugged all-steel vise is stronger than its cast iron counterpart. Vise features swivel base and large anvil space for hammering.

Warranty information: 10-year limited warranty. Jaws are not covered.

Part #	Vise Size	Center to Center Measurement	Usable Jaw Opening	Weight
KTI64105	5"	3-1/2"	5-1/4"	27 lbs.
KTI64106	6"	4-1/2"	6-1/2"	35 lbs.
KTI64108	8"	5-1/4"	8-1/2"	50 lbs.

Replacement parts:

KTI64001 - Replacement screws

KTI64005 - 5" jaws

KTI64006 - 6" jaws KTI64008 - 8" jaws







Shop Tools I Adhesives & Tapes



KTI90005

Q-Bond Large Repair Kit (QB3)

- Ultra-strong adhesive and reinforcing powders
- · Repairs almost everything
- Rock solid in 10 seconds
- · Q-Bond repairs are able to be grinded, filed, sanded and even painted

Kit includes six (6) bottles Q-Bond adhesive (0.35oz/10ml); two (2) bottles black reinforcing powder for plastics; one (1) bottle grey reinforcing powder for metals.

KTI90002 **Q-BOND Adhesive Kit**

- Ultra-strong adhesive and reinforcing powders
- · Repairs almost anything
- Rock solid in 10 seconds
- · Q-Bond repairs are able to be grinded, filed, sanded and even painted
- Includes 2 Q-BOND adhesive; 1 black reinforcing powder; 1 grey reinforcing powder

Q-BOND can be used just as an adhesive or with the reinforcing powders that will help to repair almost anything. The Q-BOND kit includes two (2) bottles Q-BOND adhesive (0.35oz/10ml); one (1) bottle black reinforcing powder for plastics; one (1) bottle grey reinforcing powder for metals.

KTI90002C **Q-Bond Adhesive Kit** for Canada

- Ultra-strong adhesive and reinforcing powders
- · Repairs almost anything
- Rock solid in 10 seconds
- · Q-Bond repairs are able to be grinded, filed, sanded and even painted

The Q-BOND kit includes two (2) bottles Q-BOND adhesive (0.35oz/10ml); one (1) bottle black reinforcing powder for plastics; one (1) bottle grev reinforcing powder for metals.



KTI90003 Q-Bond Adhesive Kit, 10 Pack with Display

- · Ultra-strong adhesive and reinforcing powders
- · Repairs almost anything
- Rock solid in 10 seconds
- Q-Bond repairs are able to be grinded, filed, sanded and even painted
- · Hang tabs for pegboard and rack displays
- New package design with 10 kits per display. Each kit contains 2 Q-Bond adhesives, 1 black reinforcing powder and 1 grey reinforcing powder

New package design with 10 kits in this display. Q-BOND can be used just as an adhesive or with the reinforcing powders that will help to repair almost anything. Q-BOND repairs can be grinded, filed, sanded, and even painted. Each Q-BOND kit includes two (2) bottles Q-BOND adhesive (0.35oz/10ml); one (1) bottle black reinforcing powder for plastics; one (1) bottle grey reinforcing powder for metals.

KTI90003C

Q-Bond Adhesive Kit - 10 Pack Display for Canada

KTI73550 **Pipe Sealing Tape** 1/2" x 260"

• 1/2" x 260" for sealing threaded pipe

. Sold in a sleeve of 5 rolls





KTI73560

2" x 60 Yards Duct Tape

- · Multipurpose gray duct tape for numerous uses
- Roll measures 2" wide x 60 yards



• 3/4" x 60" sleeve of 10 rolls



Shop Tools I Fluids & Grease



KTI73900

Air-powered, Pistol-Grip Grease Gun

- Air pressure ranges from 1,200 psi to 6,000 psi
- Uses 400cc bulk loading or standard 14 oz. cartridge
- Includes rigid and flexible extensions
- · Rugged, heavy-duty steel construction
- Portable and nearly effortless to use
- 90 Day Warranty on material and workmanship



KTI73962

Continuous Flow Grease Gun, Air Operated

- · Air operated continuous flow grease gun, 14 oz / minute
- 3-way loading: 14 oz cartridge, bulk and suction fill
- Develops up to 4,800 PSI
- Air inlet: 40 120 PSI
- · Supplied complete with 6" steel extension & coupler
- 1-Year Warranty

KTI73933 **Heavy Duty Pistol Grip** Grease Gun 14 oz

- Heavy duty pistol grip grease gun 14 oz
- · Die cast aluminum head fitted with steel block nut
- Complete with 18" flexible hose extension & coupler
- 5,000 PSI
- 3-way loading: 14 oz cartridge.

bulk and suction fill

1-Year Warranty



KTI73930

Mini Pistol Grease Gun 3 oz

- 3 oz mini pistol grease gun
- · Dual discharge ports with pull type pistol mechanism
- 3,500 PSI
- Complete with 4" steel extension & coupler
- 1-Year Warranty



KTI73942

Heavy Duty Lever Grease Gun 14 oz

- Heavy duty aluminum die cast grease gun head fitted with bulk loaded & air release
- 3-way loading: 14 oz cartridge, bulk and suction fill
- · Grease gun handle fitted with rubber grip
- Develops up to 10,000 PSI with built-in variable stroke
- Supplied complete with 6" steel extension & coupler
- 1-Year Warranty



KTI73905

Standard Lever Grease Gun 14oz

- Standard lever grease gun 14 oz
- 6,000 PSI
- 3-Way loading 14 oz cartridge, bulk and suction fill
- · Complete with 6" steel extension & coupler
- 1-Year Warranty

KTI73910

Lube Combo Display Shelf Pack

- Pack includes: 3 each: Heavy Duty Pistol Grip Grease Guns (KTI73933) 3 each: Heavy Duty Lever Grease Guns (KTI73942)
- · Aluminium die cast grease gun head
- Lever grease gun develops up to 10,000 PSI; pistol grease gun up to 5000 PSI
- · For use with 14 oz. grease cartridges
- Lever gun (KTI73942) includes 6" bent steel extension & coupler; pistol qun (KTI73933) includes 18" flexible grease hose & coupler
- Covered by a 1-year warranty



KTI73919 **Suction Gun**

with12" Vinvl Hose

- Transfer gun designed to get gear oils both into and out of gear boxes, transfer cases and differentials
- · Capacity 16 oz.
- 1-Year Warranty

KTI73959

Right Angle Grease Gun Coupler

- 1.000 PSI
- · For use with hand grease guns only
- 1-Year Warranty







KTI73952

Professional 4 Jaw Grease Gun Coupler

- 6,000 PSI
- · For hand operated grease guns only
- 1-Year Warranty

KTI73952-54 Grease Gun Coupler 54 Pack Counter Display

- 6,000 PSI
- · For use with hand grease guns only
- 1-Year Warranty



KTI73957

Grease Injector Needle

- · For universal joints and sealed bearings
- Length: 1-1/2"
- Diameter: 18G
- 1-Year Warranty



KTI73903

Needle Nose Dispenser

1-1/2" Narrow

- · For use with hand grease guns only
- 1-1/2" x 0.156" needle
- 1-Year Warranty

Grease Gun Hose

- Working pressure: 3,500 PSI
- Burst pressure: 11,600 PSI
- · For hand operated grease guns only
- 1-Year Warranty

KTI73912 - 12"

KTI73918 - 18"

KTI72205

Barrel Pump - Lever Style

- Two-piece, self-adjusting telescoping suction tube fits 15. 30 or 55 gallon drums
- · Removable threaded spout
- Pumps water based fluids, solvents, antifreeze, weak acids and all oil based fluids
- Pumps approximately 300cc liquid per stroke
- Zinc plated for lasting quality
- Features cushioned vinyl handle
- 90 Day Warranty

KTI72210

Lever Transfer Pump 15-55 Gallon Drums

- For use with DEF, antifreeze, detergents, windshield fluids, heavy oils, etc
- Delivers up to 1 pint per stroke
- 1-Year Warranty



KTI72215

Electric Rechargeable Drum Pump 19.2V

- Cordless pump with 19.2V rechargeable battery
- · Compact & lightweight polyacetal body
- Telescopic pump tube for use with 55 gal. (205 Litre) drums as well as 275-330 gal. (1000 to 1250 Litre) IBC's
- Built-in 2" bung & an additional bung converter (2.5" x 5 buttress) for use with plastic drums & IBC's
- Delivers up to 28 lpm (7.4 gpm) or up to 410 litre (110 gal.) on a single battery charge
- Covered by a 1-year warranty

Designed for pumping DEF, diesel, antifreeze, water, detergents, herbicides, pesticides, kerosene, light oils etc.

Includes 19.2V Ni Cd rechargeable battery & UL lister quick battery charger.



% III lister quiel better aborage

KTI72250

Deluxe Siphon

Transfer Pump

- Multi use, transfers most liquids
- · Pumps air for inflatables
- Use for changing oil, siphoning gas, inflating sports balls and beach toys
- Includes two 51" siphon hoses, 35" dipstick hose and adapter (for changing oil) and 17" air pressure hose



KTI72200

Hand Rotary Style Barrel Pump

- Easy to operate crank handle rotary pumps are used as a siphon
- Simply prime pump by turning crank handle several times: liquid automatically siphons to lower level
- Rotary hand pumps fit 15, 30 and 55 gallon drums
- Cast iron rotary pump is ideal for heavy oil, machine oil and non-corrosive liquids
- Barrel pump dispenses one gallon per 14 revolutions
- Made with a cast iron body with steel inlet and outlet tubin
- 2" bung adapter is perfect for drum openings
- 90 Day Warranty

KTI73993

Lever Action Bucket Pump 5 Gallon Pail

- Comes complete with 12" drum cover and 4' PVC hose with steel spout
- Designed for transferring transmission differentials & heavier oils
- Delivers 2.14 oz. (60 ml) per stroke
- 90 Day Warranty on material and workmanship









KTI74605

1-Qt Funnel with Splash Ring and Removeable Flexible Spout

- · Removeable flexible spout
- Removeable screen
- · Chemically resistant polyethylene

Polyethylene funnel, 1 quart with splash ring, screen and flexible 10-inch removable spout.



KTI74612

3 Quart Drum Funnel with Hinged Lid and 2" Bung

- Tough industrial quality
- · Chemically resistant polyethylene
- Fits 2" thread
- · Hinged lid and 2" bung



Funnel Safety Red with Screen

- Safety Red
- · Chemically resistant polyethylene
- · With screen

KTI74606 - 2 Quart

KTI74610- 6 Quart



KTI74641

Drip Tray 22" x 22" x 1.5"

- Chemically resistant polyethylene
- · Collects drips, leaks, and spills
- Dimensions: 22" x 22" x 1-1/2"





KTI74640

Axle Drain Pan

- Durable and lightweight HDPE plastic with built-in drop proof spouts that help to recycle oil
- Works for most dual and super single wheels, sizes 22.5 and 24.5
- Use with steel and aluminum wheels, hub piloted or stud piloted, drive or trailer axles
- Catches oil, axle nuts, bearings most anything removed from the wheel end for service
- · Attaches with a hand-tightened lug nut

Drain pan works for most dual and super single wheels sizes 22.5 and 24.5. Attaches with a hand-tightened lug nut. Will not tip or spill - virtually eliminating clean up. Works for steel or aluminum wheels, hub piloted or stud piloted, drive or trailer axles. Catches oil, axle nuts, bearings - most anything removed from the wheel end for service. Built in drop proof spouts help to recycle waste oil. Durable and lightweight HDPE plastic.



Double Cap Funnels

- Double capped funnel keeps the drips in and the dirt out
- This ultimate storage funnel eliminates spills and contaminants, reduces debris and is chemically resistant

KTI74607

1 Pint Double Cap Funnel - Orange

- Top ID: 3" Spout OD: 1/2"
- Height (without cap): 8.75"

KTI74608

1.25 Quart Double Cap Funnel - Dark Blue

- Top ID: 4" Spout OD: 3/4"
- Height (without cap): 10.5"

KTI74609

1.3 Quart Double Cap Funnel - Black

- Top ID: 4" Spout OD: 1.375"
- Height (without cap): 16.5"

KTI74607









KTI74611

1.5 Quart Double Cap Funnel - Yellow

- Top ID: 4" Spout OD: 3/4"
- Height (without cap): 14.25"

KTI74613

1.66 Quart Double Cap Funnel - Dark Red

- Top ID: 4" Spout OD: 1.375"
- Height (without cap): 14.25"





KTI74647

Antifreeze Drain Pan 4.5 Gallon

- Built-in anti-splash lip & baffles
- Large spout for fast pouring. Includes spout cap for spill protection
- High density polyethylene construction, chemical & solvent resistant
- Green color provides visual identification for use with antifreeze
- Covered by a 1-year warranty



KTI74645

4.25 Gallon Capacity Oil Drain Pan

- Chemical / solvent resistant high density polyethylene construction
- · Large spout for fast pouring complete with spout cap
- Built-in ant-splash lip and baffles
- Includes large handle 1 year warranty

KTI73901 Pistol Style Oiler with Base 6 oz.

- Pistol style oil can with base
- Capacity: 6oz (180 ml)
- Flex spout
- 1-Year Warranty



KTI73902 Lever Oil Can with Flex Spout 1 Pint

- 1 pint (500ml) lever oil can
- Flex spout
- 1-Year Warranty



KTI74601-1 19-1/2" Long Rigid Funnel

- Super deluxe transmission funnel
- Large capacity prevents overflow
- 4-1/2" ID x 19-1/2" long

KTI74601-12 19-1/2" Long Rigid Funnel 12/Pk

KTI74602-1

Long Flexible Transmission Funnel

- Plastic
- With Flexible Hose

KTI74602-12

Long Flexible

Transmission Funnel 12/Pk

KTI74603

Funnel Pivoting

"The Guzzler"

Large capacity funnel directs flow without spilling. Features ball pivot at base.

KTI74604 Funnel for

55-gallon Drum

Large capacity funnel screws directly onto 55 gallon drums.

KTI74630 3-Piece

Funnel Set

KTI's "funnel for every job" set includes 3-1/2", 5-1/2" and 7-1/2" sizes.

MADE IN USA



KTI74651 5-Liter Translucent

Measuring Pitcher with Flexible Spout

- 5-Liter Measure Pitcher
- Flexible Spout
- Translucent

KTI74650

2-Liter Measure Pitcher with Flex Spout

KTI74652

Plastic Measure with Flex Spout - 8 Qt

- Translucent body
- Includes dust cover, flexible spout & cap
- Graduated in quarts & liters
- Covered by a 1-year warranty













KTI00023

60-Piece Grease Fitting Kit (SAE)

- Grease fitting assortment kit (SAE) includes 1/4-28 sizes
- The 1/4-28 thread fitting is used on cars, light trucks and industrial machinery
- Requires a tapped hole for installation
- Max pressure is 8.000 psi
- Kit contains 60 pieces of the top 4 sizes: straight, 45 elbow, 90 elbow and long straight fittings

Part #	Description	Qty	Refill
KTI04308	1/4" - 28 Straight	20	10
KTI04309	1/4" - 28 45°	15	10
KTI04310	1/4" - 28 90°	15	10
KTI04311	1/4" - 28 Straight (Long)	10	10





KTI00024

90-Piece Grease Fitting Kit (Metric)

- Grease fitting assortment kit (metric) includes 6 mm, 8 mm and 10 mm fittings in nine popular sizes
- Kit contains straight, 45° elbow, and 90° elbow fittings packaged in multicompartment, refillable plastic case
- Contains product assortment map for easy identification of components

Part #	Description	Qty	Refill
KTI04312	6mm x 1.0/Straight	10	10
KTI04313	6mm x 1.0/45°	10	10
KTI04314	6mm x 1.0/90°	10	10
KTI04315	8mm x 1.0/Straight	10	10
KTI04316	8mm x 1.0/45°	10	10
KTI04317	8mm x 1.0/90°	10	10
KTI04318	10mm x 1.0/Straight	10	10
KTI04319	10mm x 1.0/45°	10	10
KTI04320	10mm x 1.0/90°	10	10



KTI00096

110-Piece Metric

Grease Fitting Assortment

• 110-piece metric grease fitting assortment kit includes six popular sizes, ranging from 6mm to 10mm

Description	Qty	Description	Qty
6mm	30	10mm (90°)	20
6mm (45°)	15	10mm (45°)	15
6mm (90°)	15	10mm	15









- 110-piece hydraulic grease fitting assortment kit includes six popular sizes from 1/4"-28 to 1/8"-27
- Kit contains straight and 45° and 90° angled fittings

Description	Qty	Description	Qty
1/4"-28	30	1/8"-27 (90°)	15
1/4"-28 (45°)	15	1/8"-27 (45°)	15
1/4"-28 (90°)	15	1/8"-27	20



	Grease Fittings	
Part #	Description	Qty
KTI04319	Grease Fittings Metric 10MM 45° Elbow	10
KTI04320	Grease Fittings Metric 10MM 90° Elbow	10
KTI04318	Grease Fittings Metric 10MM Straight	10
KTI04313	Grease Fittings Metric 6MM 45° Elbow	10
KTI04314	Grease Fittings Metric 6MM 90° Elbow	10
KTI04312	Grease Fittings Metric 6MM Straight	10
KTI04316	Grease Fittings Metric 8MM 45° Elbow	10
KTI04317	Grease Fittings Metric 8MM 90° Elbow	10
KTI04315	Grease Fittings Metric 8MM Straight	10
KTI04309	Grease Fittings SAE 1/4-28 45° Elbow	10
KTI04310	Grease Fittings SAE 1/4-28 90° Elbow	10
KTI04311	Grease Fittings SAE 1/4-28 Long Straight	10
KTI04308	Grease Fittings SAE 1/4-28 Straight	10





BATTERY TESTERS AND BOOSTER CABLES

1.800.762.6002 www.ktoolinternational.com





Antifreeze Tester

- Hydrometer immediately and accurately tests strength of all permanent solutions (ethylene glycol), with engine hot or cold, and includes temperature adjustment scale for accurate interpretation of mixture strength
- Assists in preventing winter freezeup and summer boilover
- Two embedded scales show freeze point of radiator solution and boiling point of summer coolant
- 32°F thru -45°F

KTI70211

KTI70212

Battery Tester

- Hydrometer immediately and accurately tests battery life whether battery is hot or cold
- · Helps extend battery life and detects overcharge
- · Assists in preventing dead batteries
- Works on all 6-, 12- and 24-volt systems





KTI70210

Carbon Pile Load Tester 500 AMP

- KTI's 500 AMP carbon pile load tester is great for simulating actual cranking loads
- It tests 12 volt batteries rated as high as 1000 CCA or 160 AMP hour
- Quick 15 second test cycle with audible tone to indicate test completion
- Unit can also test alternators, regulators and starters
- Carbon pile load tester features 500 AMP side clamps and heavy-duty stranded copper cables
- The large, color-coded dual meters make the unit easy-to-use
- Also includes temperature compensation chart
- 1-year warranty; Repair or replace at discretion of repair center



KTI70215

Battery Tester 100 AMP

- · Extremely handy and portable way to load test suspected low charging batteries
- Internal 100 AMP loading capacity
- Test 6- and 12-volt batteries
- Tool checks battery voltage, starter current draw, charging voltage and battery condition
- Features extra-heavy nickel-plated ventilated case, heavy-duty cable, copper-plated clamps, and load safety switch to prevent arcing
- 1-year warranty; Repair or replace at discretion of repair center



KTI70216

Digital Battery Tester 125 AMP


- Extremely handy and portable way to load test suspected low charging batteries
- Internal 125 AMP loading capacity. Digital voltage indicator with LED battery status
- Tests 12-volt batteries on or off the vehicle. Load safety switch prevents arcing
- Features extra-heavy nickel-plated ventilated case, heavy-duty cable, copper-plated clamps, and load safety switch to prevent arcing
- 1-year warranty; Repair or replace at discretion of repair center

BATTERY TESTERS AND BOOSTER CABLES



KTI74500 Economy 12' Battery Booster Cables 250 AMP - 10 Gauge

- Durable rubber booster cables that resist extreme temperatures, oil and chemicals
- Light-duty
- 1-year limited warranty





16' Battery Booster Cables400 AMP - 6 GaugeKTI's durable rubber booster cables resist extreme temperatures,

- oil and chemicals, and meet or exceed all SAE standards
 Sixteen foot heavy-duty cables include side/top clamps
- Sixteen foot heavy-duty cables include side/top clamps and 6 gauge wires with 400 AMP clamps
- 1-year limited warranty

KTI74510 Heavy-duty



KTI74505 Medium-duty 12' Battery Booster Cables 250 AMP - 8 Gauge

- KTI's durable rubber booster cables resist extreme temperatures, oil and chemicals, and meet or exceed all SAE standards
- Twelve foot medium-duty cables include side/top clamps and 8 gauge wires with 250 AMP clamps
- 1-year limited warranty





KTI74530 Professional 25' Battery Booster Cables 500 AMP - 2 Gauge

- KTI's durable rubber booster cables resist extreme temperatures, oil and chemicals, and meet or exceed all SAE standards
- Twenty-five foot professional cables include parrot-jaw clamps and 2 gauge wires with 500 AMP clamps
- 1-year limited warranty



KTI74523 20' Heavy Duty

4 Gauge 500 Amp Clamps

- Booster cables have a tangle-free design
- Flexible to -40° Fahrenheit temperatures
- · Vinyl coated clamps help prevent rust and corrosion
- For side and top battery post



KTI74524 20' Heavy Duty

4 Gauge 400 Amp Clamps

- Booster cables have a tangle-free design
- Flexible to -40° Fahrenheit temperatures
- Vinyl coated clamps help prevent rust and corrosion
- For side and top battery post



KTI74521

Extra-Heavy-Duty 16' Battery Booster Cables 400 AMP - 4 Gauge

- KTI's durable rubber booster cables resist extreme temperatures, oil and chemicals, and meet or exceed all SAE standards
- Sixteen foot extra-heavy-duty cables include side/top clamps and 4 gauge wires with 400 AMP clamps
- 1-year limited warranty

BATTERY TESTERS AND BOOSTER CABLES



KTI74308 Automotive OBD2

Connector - Computer

Memory Saver

- KTI's OBDII Memory Saver retains a vehicle's electronic memory presets (radio, GPS, seats and accessories) while the vehicle battery is disconnected
- OBDII cord connects to any 12V portable power source
- Memory Saver will not interfere with the vehicle's fault codes
- A visual LED indicator illuminates when cord is properly connected to power source to ensure no loss of electronic memory due to improper connection
- An extra-long 8-foot cord makes it easy to use on any vehicle
- 1-year limited warranty



KTI74536 400 Amp Booster Cable Replacement Clamps

- · Vinyl coated clamps help prevent rust and corrosion
- Sold in pairs



KTI74537 500 Amp Booster Cable Replacement Clamps

- · Vinyl coated clamps help prevent rust and corrosion
- Sold in pairs



KTI74538 800 Amp Booster Cable Replacement Clamps

- Vinyl coated clamps help prevent rust and corrosion
- Sold in pairs



KTI74535 Booster Cable Replacement Clamps 500 AMP Parrot Jaw

- Replacement side terminal extension cable clamps for professional grade booster cables
- Sold in pairs

KTI01651 Battery Clips 30 Amp - Qty 2



KTI70220 Battery Terminal Cleaner

 All metal battery terminal cleaner promotes longer battery life





KTI01611

10 Amp Alligator Clips - Qty 2





KTI02411 **Battery Terminal** Top Mount - Qty 2



KTI02461 **Battery Terminal Side Mount Charging Post - Qty 2**



KTI02421 **Battery Terminal** Side Mount - Qty 2



KTI02471 **Battery Terminal Side Mount** Adapters - Qty 2



KTI02481 **Battery Terminal**

Side Mount

Charging Post Extenders - Qty 2

KTI02431 **Battery Terminal**

Heavy Duty Side Mount - Qty 2

KTI02491 **Battery Terminal Side Mount** Battery Bolt 3/8" - Qty 2



KTI02441 **Battery Terminal**

Heavy Duty Top Mount - Qty 2

KTI02511 Battery Bolt and Nut 3/8" - Qty 2





VEHICLE SPECIALTY

1.800.762.6002 | www.ktoolinternational.com



Vehicle Specialty I Flaring Tools



KTI70081

Professional Brake Flaring Tool

- Easily form 45-degree double, single and bubble flares in OE steel, stainless steel, and soft metal tubing
- Use with 3/16"-, 1/4"-, 5/16"- and 3/8"-diameter lines
- All the brake-flaring forming dies are mounted right on the turret
- T-handle screw clamp securely holds line in place during forming
- · Vise-mounted
- 1-Year Warranty



KTI70082

Hydraulic Flaring Tool Kit

- Create precision 45 degree double, single and bubble flares in seconds
- Brake flaring tool works with stainless steel, steel, and soft metal tubing
- Use for brake lines, transmission cooler lines, and fuel lines
- Kit contains: brake flare forming tool, 3/16" and 1/4" tube retaining dies, adapters, handle, user manual, and storage/carrying case

Hydraulic flaring tool kit can be used for brake lines, transmission cooling lines and fuel lines. Works with stainless steel, steel and soft metal tubing.

Warranty: 1 year on material and workmanship



KTI70085

ISO Flaring Tool

- Creates an ISO flare on brake lines without removing them from the vehicle
- Works on mild steel tubing (1.0 mm wall thickness)
- Packaged in blow-molded case Weight: 2.8 lbs.

Kit includes yoke assembly, flaring bar, gauge/wrench and four adapters (4.75 mm 6 mm, 8 mm and 10 mm).





LIFETIME WARRANTY*

KTI70060

Double Flaring Tool

- · Specially designed for double or single flare in copper, aluminum or soft steel brake line and brass tubing
- Includes seven adapters in sizes ranging from 3/16"-5/8"
- · Packaged in blow-molded case
- · Adapters available individually
- Weight: 2.25 lbs.

KTI70060-1 - Wing Nut KTI70061 - 3/16" Adapter KTI70062 - 1/4" Adapter KTI70063 - 5/16" Adapter KTI70064 - 3/8" Adapter

KTI70065 - 7/16" Adapter KTI70066 - 1/2" Adapter KTI70067 - 5/8" Adapter KTI70068 - Flaring Press KTI70069 - Sizing Clamp



KTI70080

- · Professional double flare tool kit for fabricating double-compression lines (brake lines) or single-compression lines (fuel lines) in copper, steel, or aluminum
- Kit features high-grade, alloy steel center screw; plated, heat-treated, precision-ground swivel, and drop-forged, heat-treated yoke
- · Each adapter is laser engraved for easy identification
- · Packaged in a blow molded case

VEHICLE SPECIALTY

Vehicle Specialty I Brake



KTI70131 Brake Spring Pliers

• For taking off and re-installing the heavy center springs





KTI70132

Brake Spring Tool

For taking off and re-installing the heavy center springs







KTI22802

3-Piece Brake Service

Torq Socket Set - 3/8" Drive

- Set includes T-40, T-45 and T-50 Torq bits
- Use on disc brake calipers to remove and install brake pads
- Bits are heat treated and precision machined

Set includes (also available individually):

KTI22840 - T40 torq socket **KTI22845** - T45 torq socket **KTI22850** - T50 torq socket



KTI27902

3-Piece Brake Caliper Hex Bit Set Metric - 3/8"Drive

- Set includes 7mm, 8 mm, 10 mm hex bits
- Use on disc brake calipers to remove and install brake pads
- · Bits are heat treated and precision machined

Set includes (also available individually):

KTI27907 - 7mm hex bit KTI27908 - 8mm hex bit

KTI27910 - 10mm hex bit





KTI22902

3-Piece Brake Caliper Hex Bit Set SAE - 3/8" Drive

- Set includes 1/4", 5/16", 3/8" hex bits
- Use on disc brake calipers to remove and install brake pads
- Bits are heat treated and precision machined

Set includes (also available individually):

KTI22908 - 1/4" hex bit KTI22910 - 5/16" hex bit KTI22912 - 3/8" hex bit







KTI70163

Disc Brake Piston tool

- Rotates pistons back into brake calipers when replacing brake pads on vehicles with rear wheel disc brakes
- Provides 6-drive pin configurations to fit most Chrysler, Ford and GM cars and light trucks
- 3/8" square drive







KTI72261

Automotive Test and Bleed Kit

- Brake bleeder and auto tune-up kit
- Allows a single technician to quickly and cleanly bleed automotive brake and hydraulic clutch systems
- Technician can get answers to hundreds of automotive diagnostic and mechanical tests
- Powerful piston-style pump features a one-finger trigger vacuum release patented contoured molded grip and durable, lightweight, non-corrosive PVC construction
- Integrated diaphragm-style gauge displays Hg and kpa units and can be easily read by either right- or left-handed users
- 1 Year Warranty on material and workmanship

Kit contains pump and all components needed for one-person operation.



KTI70816

Digital Disc Brake Caliper 0-6"

- Digital display from 0-6" (150 mm)
- Accuracy to plus/minus .001" (0.1 mm)
- Stainless steel construction and shockproof
- Thumb wheel for accuracy and ease of use
- English/metric readout







Brake Bleeder Screws / Copper Washers		
Part #	Description	Qty
KTI04033	Brake Bleeder Screws Ford Truck 3/8-24 Long	5
KTI04034	Brake Bleeder Screws GM, Ford, Chrysler Cars 3/8-24	5
KTI04035	Brake Bleeder Screws GM Cars 1/16-24	5
KTI04036	Brake Bleeder Screws GM Cars M10 x 1.0	5
KTI04037	Brake Bleeder Screws Chevy, Chrysler, Import Cars M10 x 1.0	5
KTI04038	Brake Bleeder Screws Ford Truck 7/16-20	5
KTI04039	Brake Bleeder Screw Repair Insert 1/4-18 NPT	5
KTI04039R	Brake Bleeder Screw Repair Insert 1/8-27 NPT	5
KTI04040	Brake Bleeder Copper Washers 29/64 I.D 11/16 O.D.	5
KTI04041	Brake Bleeder Copper Washers 25/64 I.D 5/8 O.D.	5
KTI04042	Brake Bleeder Copper Washers 7/16 I.D 13/16 O.D.	5

VEHICLE SPECIALTY



KTI00001

27 Piece Metric Brake Adapter Kit

- Multi-compartment plastic storage case
- Includes wide range of products
- Contains product assortment map
- Includes most popular sizesEasily moves from job to job

This 27-piece kit contains components ranging in nine different sizes: F-3/16" M-M 10 x 1.0; F-3/16" M-M 11 x 1.0; F-3/16" M-M 12 x 1.0; F-3/16" M-M 13 x 1.0; F-3/16" 4.762 (3/16") M-M 10 x 1.25; F 3/16" (M10 x 1.0) M-M 13 x 1.5; F 3/16" (M10 x 1.0) M-M 11 x 1.5; and F 3/16" (M10 x 1.0) M-M 12 x 1.5.

KTI00002 20 Piece Master Cylinder Adapter Assortment

- Multi-compartment plastic storage caseIncludes wide range of products
- Contains product assortment mapIncludes most popular sizes
- Easily moves from job to job



This 20-piece kit contains components ranging in nine different sizes: F-3/16" M-M 10 x 1.0; F 3/16" (M10 x 1.0) M-M 13 x 1.5; F 3/16" (M10 x 1.0) M-M 11 x 1.5; and F 3/16" (M10 x 1.0) M-M 12 x 1.5.



KTI00005

64 Piece Brake Line Fitting Kit

- Multi-compartment plastic storage case includes wide range of products
- · Contains product assortment map
- Includes most popular sizes
- · Easily goes from job to job

This 64-piece kit includes brake line nuts and brake line unions in standard and metric sizes: Brake Line Nut 3/16", Brake Line Nut 1/4", Brake Line Nut (Long) 3/16", Brake Line Nut (Long) 1/4", Brake Line Nut 5/16", Brake Line Union 3/16", Brake Line Union 1/4", Brake Line Union 5/16", Metric Brake Line Nut 10mm x 1.0 Standard Flare, Metric Brake Line Nut 10mm x 1.0 Bubble Flare, Metric Brake Line Nut 3/8"-24 Bubble Flare, Metric Brake Union Nut 3/8"-24 for 7802 Nut, Metric Brake Union Nut 3/8"-24 for 7801 Nut, Metric Brake Union Nut 10mm x 1.0 for 7800 Nut.



KTI00047

95 Piece Brake Line Fittings Assortment

- A general assortment of tubes nuts, unions and adapters
- Fittings include applications for British, European and Japanese systems
- Brake fitting assortments make it easy for any repair shop to keep the most popular fittings on hand and organized
- Save time and increase productivity
- Packaged in a refillable, multicompartment case featuring an easy-to-use product identification map







KTI00006

30 Piece Brake Bleeder Screw and Washer Assortment

- Multi-compartment plastic storage case
- Includes wide range of product
- Contains product assortment map
- Includes most popular sizes
- Easily goes from job to job

Kit Includes Brake Bleeder Screws and Brake Bleeder Copper Washers in different sizes: Brake Bleeder Screws Ford Truck 3/8-24 Long, Brake Bleeder Screws GM, Ford Chrysler Cars 3/8-24, Brake Bleeder Screws GM Cars 1/16-24, Brake Bleeder Screws GM Cars 1/16-24, Brake Bleeder Screws GM Cars M10 x 1.0, Brake Bleeder Screws Chevy, Chrysler, Import Cars M10 x 1.0, Brake Bleeder Screws Ford Truck 7/16-20, Brake Bleeder Screw Repair Insert 1/8-27 NPT, Brake Bleeder Copper Washers 29/64 I.D. 11/16 0.D., Brake Bleeder Copper Washers 7/16 I.D. 13/16 0.D.



KTI00048

86-piece Master Brake Fittings Assortment

- Consists of 20 different types of tube nuts and unions
- Works on most import and domestic brake lines
- Fittings include application for British, European and Japanese vehicles



KTI00049

3/16" Master Fittings Assortment

 Master Brake Line Assortment plus 25' length of 3/16" copper-nickel brake line



Master Fittings Assortment

 Master Brake Fitting Asst plus 25' length of 3/16" and 25' length of 1/4" copper-nickel brake line

Vehicle Specialty I Brake



Copper-nickel brake lines are easy to bend, corrosion resistant and provide an excellent flare seal.



PVF (poly vinyl fluoride) coated lines feature 30X corrosion resistance over plain galvanized lines. PVF coated lines provide significant protection against all road elements.

Brake Line - Copper Nickel / Galfan Coated / PVF Coated Quantity			
Part #	Description	Qty.	
KTI03970	Brake Line - Copper Nickel 3/16" - 25'	1	
KTI03971	Brake Line - Copper Nickel 1/4" - 25'	1	
KTI03963	Brake Line - Galfan Coated 3/16" x 25' Coil	1	
KTI03964	Brake Line - Galfan Coated 1/4" x 25' Coil	1	
KTI03965	Brake Line - Galfan Coated 5/16" x 25' Coil	1	
KTI03966	Brake Line - Galfan Coated 3/8" x 25' Coil	1	
KTI03967	Brake Line - PVF Coated 3/16" x 25' Coil	1	
KTI03968	Brake Line - PVF Coated 1/4" x 25' Coil	1	
KTI03969	Brake Line - PVF Coated 5/16 x 25' Coil	1	



Galfan coated brake lines provide extended corrosion and abrasion resistance by combining a hot dip coat of the alloy Galfan with an aluminum rich epoxy top coat.

Brake Line Fittings			
Part #	Description	Qty.	
KTI04023	3/16" Brake Line Nut 3/8"-24 Short Thread Inverted Flare	5	
KTI04024	3/16" Brake Line Nut 3/8"-24 Long Thread Inverted Flare	5	
KTI04025	1/4" Brake Line Nut 7/16"-24 Short Thread Inverted Flare	5	
KTI04026	1/4" Brake Line Nut 7/16"-24 Long Thread Inverted Flare	5	
KTI04027	5/16" Brake Line Nut 1/2"-20 Thread Inverted Flare	5	
KTI04008	3/16" Brake Line Nut Metric 10mm x 1.0 (Jap) Inverted Flare	5	
KTI04009	3/16" Brake Line Nut Metric 10mm x 1.0 (Eur) Bubble Flare	5	
KTI04010	3/16" Brake Line Nut 3/8"-24 (Brit) Bubble Flare	5	
KTI03972	3/16" Brake Line Nut Metric 11mm x 1.5 Bubble Flare	5	
KTI03973	3/16" Brake Line Nut Metric 12mm x 1.0 Bubble Flare	5	
KTI03974	3/16" Brake Line Nut Metric 13mm x 1.5 Bubble Flare	5	
KTI03975	3/16" Brake Line Nut 9/16"-18 Inverted Flare	5	
KTI03976	1/4" Brake Line Nut Metric 12mm x 1.0 Bubble Flare	5	
KTI03977	3/16" Brake Line Nut Metric 10mm x 1.0 Long Inverted Flare	5	
KTI03978	3/16" Brake Line Nut Metric 10mm x 1.0 Bubble Flare	5	
KTI03979	3/16" Brake Line Nut 7/16"-24 Inverted Flare	5	
KTI03980	3/16" Brake Line Nut 1/2"-20 Inverted Flare	5	
KTI03984	6mm Brake Line Nut Metric 12mm x 1.0 Bubble Flare	5	
KTI03985	6mm Brake Line Nut Metric 14mm x 1.5 Bubble Flare	5	







Brake Line Adapters				
Part #	Description	Qty		
KTI04000	Brake Master Cylinder Adapter 3/16" Male x 3/16" Female	5		
KTI04001	Brake Metric Adapter 3/16 (3/8"-24) Female Inv Flare x 10mm x 1.0 Male Bubble Flare	5		
KTI04002	Brake Metric Adapter 3/16 (3/8"-24) Female Inv Flare x 10mm x 1.0 Male Inv Flare	5		
KTI04003	Brake Metric Adapter 3/16 (3/8"-24) Female Inv Flare x 11mm x 1.5 Male Bubble Flare	5		
KTI04004	Brake Metric Adapter 3/16 (3/8"-24) Female Inv Flare x 12mm x 1.0 Male Bubble Flare	5		
KTI04005	Brake Metric Adapter 3/16 (3/8"-24) Female Inv Flare x M13 x 1.5 Bubble Inv Flare	5		
KTI04006	Brake Metric Adapter 3/16 (3/8"-24) Female Inv Flare x 10mm x 1.25 Male Bubble Flare	5		
KTI04011	Brake Master Cylinder Adapter 3/16 (3/8"-24) Female x 1/4 (7/16"-24) Male Inv Flare	5		
KTI04012	Brake Master Cylinder Adapter 1/4 (7/16"-24) Female Inv Flare x 3/16 (3/8"-24) Male Inv Flare	5		
KTI04013	Brake Master Cylinder Adapter 1/4 (7/16"-24) Female Inv Flare x 5/16 (1/2"-20) Male Inv Flare	5		
KTI04014	Brake Master Cylinder Adapter 3/16 (9/16"-18) Male Inv Flare x 1/4 Female (7/16"-24) Inv Flare	5		
KTI04015	Brake Master Cylinder Adapter 5/16 (1/2"-20) Male Inv Flare x 3/16 (3/8"-24) Female Inv Flare	5		
KTI04016	Brake Master Cylinder Adapter 3/16 (9/16"-20) Male Inv Flare x 3/16 (3/8"-24) Female Inv Flare	5		
KTI04017	Brake Master Cylinder Adapter 3/16 (9/16"-18) Male Inv Flare x 3/16 (3/8"-24) Female Inv Flare	5		
KTI04018	Brake Master Cylinder Adapter 3/16 (9/16"-18) Male Inv Flare x 3/16 (1/2-20) Female Inv Flare	5		
KTI04019	Brake Master Cylinder Adapter 1/4 Male x 5/16 Female Inv Flare	5		
KTI04020	Brake Metric Adapter 11mm x 1.5 Male Bubble Flare x 3/16 (10mm x 1.0) Female Inv Flare	5		
KTI04021	Brake Metric Adapter 12mm x 1.0 Male Bubble Flare x 3/16 (10mm x 1.0) Female Inv Flare	5		
KTI04022	Brake Metric Adapter 13mm x 1.5 Male Bubble x 3/16 (10mm x 1.0) Female Inv Flare	5		



Brake Line Unions				
Part #	Description	Qty		
KTI04029	3/16" Brake Line Union 3/8"-24 Inverted	5		
KTI04030	1/4" Brake Line Union 7/16"-24 Inverted	5		
KTI04031	5/16" Brake Line Union 1/2"-20 Inverted	5		
KTI04007	3/16" Brake Union British to British Line 3/8"-24 Bubble Flare	5		
KTI04028	3/16" Brake Union Euro to Euro Line M10 x 1.0 Bubble Flare	5		
KTI04032	3/16" Brake Union Japan to Japan Line M10 x 1.0 Inverted Flare	5		

Vehicle Specialty I Tire & Wheel



KTI89001

Digital Tire Inflator Gauge

- Rugged die-cast body and a range of 2 to 150 psi with 0.1 psi resolution
- · Programmed to work with various units of measurement (psi/bar/kpa/kg/cm2) and works on TPMS equipped wheels
- Features include a large face LCD digital display, anti-oil rubber casting and ergonomic grip
- . Boasts a dual head chuck and is accurate to within $\pm 1\% + 0.5$ psi at 100psi and $\pm 2\% + 0.5$ psi at 150psi
- Backlit monitor is powered by two replaceable 3V lithium batteries
- 1-year warranty; Repair or replace at discretion of repair center



Tire Inflator Gauge with Dual-head Chuck

- Pressure range from 10 to 120 lbs. shown in 2 lb. increments, 15" air hose with 1/4" female NPT, 6" chrome-plated dual-head chuck and 3/8" - 24 thread air inlet
- · Inflator gauge boasts a weatherproof aluminum body with corrosion-resistant brass valve
- Rugged construction to withstand everyday use and abuse
- Two steel washers provide an air-tight seal
- Gauge and valve cartridges are replaceable
- Easy-to-read and easy-to-use, magnifying bubble lens allows full view of scale
- · Angled tip makes it easy to inflate tires on trucks with dual wheels
- 1-year warranty; Repair or replace at discretion of repair center

KTI89002 - Packaged in color box KTI89003 - Packaged in color slip card



KTI71940

4-way Lugnut Wrench - Fractional

- Sizes: 11/16", 3/4", 13/16" and 7/8"
 Drop-forged and heat-treated for strength and durability.
- Cross design provides improved leverage and extra torque.





KTI71980

4-way Lugnut Wrench - Metric

- Sizes: 17mm, 19mm, 21mm and 23mm
- Drop-forged and heat-treated for strength and durability.
- Cross design provides improved leverage and extra torque.





KTI71930

57-Piece Tire Repair Kit

- Easily and guickly repair punctures in tubeless tires
- Components designed for professional use in rugged shop environments
- Used to repair tires on cars, trucks, RVs, motor homes and more
- Includes: 2 heavy duty zinc alloy T-handles; 2 Allen wrenches; 1 steel insertion needle; 1 steel spiral reamer; 1 50-pack 4" tire string plugs; 1 tube of tire plug lube all in a blow-molded carrying case

KTI71931 - Replacement Steel Plunger with T-Handle

KTI71932 - Replacement Steel Reamer with T-Handle

KTI71933 - Replacement 4" Strip 50-pack

KTI71934 - Replacement Tire Plug Lube









KTI71910

Lugnut Removing Set

- Removes locking lug nuts and locking hubcaps on most vehicles
- For use with impact wrenches
- Packaged in blow-molded case





KTI71920

7-Piece Wheel Bearing Locknut Set

- Includes locknut sockets: 55 mm hex; 2-3/8" hex; 2-1/2" hex; 2-1/2" rounded hex; 2-3/4" rounded hex; 2-9/16" rounded hex; and 2-3/8" rounded hex.
- Packaged in blow-molded case.
- · Sockets available individually.

LIFETIME WARRANTY*

Set includes (also available individually):

KTI71921 - 55mm hex KTI71922 - 2-3/8" hex KTI71923 - 2-1/2" hex KTI71924 - 2-1/2" round hex KTI71925 - 2-3/4" round hex KTI71926 - 2-9/16" round hex KTI71927 - 2-3/8" round hex



KTI35005

5-Piece Budd Wheel Socket Set

1" Drive

- · Remove both nut and stud with just one socket
- Use with 1" square drive impact wrench
- Set includes 33mm, 35mm, 38mm, 41mm and 11/2" hex Budd wheel sockets

Set includes (also available individually):

KTI35233 - 33mm KTI35235 - 35mm

KTI35238 - 38mm KTI35241 - 41mm KTI35028 - 1-1/2" - 13/16"



LIFETIME WARRANTY*



Impact Budd Wheel Sockets

• Chrome moly steel, heat-treated, short overall length

3/4" Drive

KTI34026 - 13/16" Square

KTI34027 - 13/16" Square x 11/2" Hex

KTI39233 - 33mm Deep

1" Drive

KTI35026 - 13/16" Square

KTI35027 - 13/16" Sq. x 11/2" Hex Limited

KTI33300 7-Piece 1/2" Drive **Thin Wall**

Protective Socket Set

- · Sockets made of chrome moly steel
- Complete set comes in a handy plastic case
- Set includes: 17mm blue color, 19mm gold color, 21mm red color, 13/16" purple color, 7/8" green color, 1" titanium color, 1-1/16" black color

Set includes (also available individually):

KTI33317	Thin Wall Protective Socket	17mm	Blue
KTI33319	Thin Wall Protective Socket	19mm	Gold
KTI33321	Thin Wall Protective Socket	21mm	Red
KTI33326	Thin Wall Protective Socket	13/16"	Purple
KTI33328	Thin Wall Protective Socket	7/8"	Green
KTI33332	Thin Wall Protective Socket	1"	Titanium
KTI33334	Thin Wall Protective Socket	1-1/16"	Black



ACC10-0314

4-Piece

AccuTorg® Set Application: Ford

Set includes (also available individually):

ACC10-0308	Gray	1/2" drive	19mm	100 ft./lbs.
ACC10-0310	Light Brown	1/2" drive	21mm	80 ft./lbs.
ACC10-0311	Brown	1/2" drive	21mm	100 ft./lbs.
ACC10-0313	Turquoise	1/2" drive	7/8"	140 ft./lbs.





ACC10-0317

5-Piece AccuTorq® Set

Set includes (also available individually):

out morados (also avallable marriadally).					
ACC10-0305	Red	1/2" drive	17mm	80 ft./lbs.	
ACC10-0307	Blue	1/2" drive	19mm	80 ft./lbs.	
ACC10-0308	Gray	1/2" drive	19mm	100 ft./lbs.	
ACC10-0310	Light Brown	1/2" drive	21mm	80 ft./lbs.	
ACC10-0311	Brown	1/2" drive	21mm	100 ft./lbs.	



7-Piece 1/2" Drive

Torque Extension Set

- For use with thin wall impact sockets.
- Prevent over torque of wheel nuts.
- Use with foreign or domestic cars and light trucks

Set includes (also available individually):

oot moladoo (c	aloo avanabio marviadany,.
KTI33351	1/2" Drive Torque Extension
KTI33352	1/2" Drive Torque Extension
KTI33353	1/2" Drive Torque Extension
KTI33354	1/2" Drive Torque Extension
KTI33355	1/2" Drive Torque Extension
KTI33356	1/2" Drive Torque Extension
KTI33357	1/2" Drive Torque Extension



WARRANTY*				
55 ft/lbs.	Red			
65 ft/lbs.	Yellow			
80 ft/lbs.	Green			
100 ft/lbs.	Lt. Blue			
120 ft/lbs.	White			
140 ft/lbs.	Black			
175 ft/lbs.	Orange			



ACC10-0315

4-Piece

AccuTorq® Set

Application: Cars, Vans

and Light Trucks

Set includes (also available individually):

ACC10-0306	Yellow	1/2" drive	19mm	65 ft./lbs.
ACC10-0307	Blue	1/2" drive	19mm	80 ft./lbs.
ACC10-0308	Gray	1/2" drive	19mm	100 ft./lbs.
ACC10-0311	Brown	1/2" drive	21mm	100 ft./lbs.





LIFETIME WARRANTY*

ACC10-0319

9-Piece

AccuTorq® Set

Set includes (also available individually):











ACC10-0321

8-Piece

AccuTorq® Set

Set includes (also available individually):

ACC10-0304	Green	1/2" drive	17mm	55 ft./lbs.
ACC10-0305	Red	1/2" drive	17mm	80 ft./lbs.
ACC10-0306	Yellow	1/2" drive	19mm	65 ft./lbs.
ACC10-0307	Blue	1/2" drive	19mm	80 ft./lbs.
ACC10-0308	Gray	1/2" drive	19mm	100 ft./lbs.
ACC10-0310	Light Brown	1/2" drive	21mm	80 ft./lbs.
ACC10-0311	Brown	1/2" drive	21mm	100 ft./lbs.
ACC10-0313	Turquoise	1/2" drive	7/8"	140 ft /lhs





ACC10-0324

5-Piece

AccuTorq® Set Application: Ford

Set includes (also available individually):

out morado (dioc available marriadally).					
ACC10-0308	Gray	1/2" drive	19mm	100 ft./lbs.	
ACC10-0310	Light Brown	1/2" drive	21mm	80 ft./lbs.	
ACC10-0311	Brown	1/2" drive	21mm	100 ft./lbs.	
ACC10-0313	Turquoise	1/2" drive	7/8"	140 ft./lbs.	
ACC10-0328	Charcoal	1/2" drive	21mm	147 ft /lhs	





100 ft./lbs.

80 ft./lbs. 100 ft./lbs.

140 ft./lbs.

147 ft./lbs.

160 ft./lbs.

19mm 21mm

21mm 7/8"

21mm

22mm

ACC10-0326

6-Piece

AccuTorq® Set Application: Ford

Set includes (also available individually):

set illulues (also a	valiable illulviuua	пу <i>)</i> .
ACC10-0308	Gray	1/2" drive
ACC10-0310	Light Brown	1/2" drive
ACC10-0311	Brown	1/2" drive
ACC10-0313	Turquoise	1/2" drive
ACC10-0328	Charcoal	1/2" drive
ACC10-3898	Light Purple	1/2" drive



Accutorq



ACC10-0322

10-Piece

AccuTorq® Set

Set includes (also available individually):

set iliciuues (aiso a	vanabie murviuua	шу <i>)</i> .		
ACC10-0304	Green	1/2" drive	17mm	55 ft./lbs.
ACC10-0305	Red	1/2" drive	17mm	80 ft./lbs.
ACC10-0306	Yellow	1/2" drive	19mm	65 ft./lbs.
ACC10-0307	Blue	1/2" drive	19mm	80 ft./lbs.
ACC10-0308	Gray	1/2" drive	19mm	100 ft./lbs.
ACC10-0310	Light Brown	1/2" drive	21mm	80 ft./lbs.
ACC10-0311	Brown	1/2" drive	21mm	100 ft./lbs.
ACC10-0312	White	1/2" drive	22mm	120 ft./lbs.
ACC10-0313	Turquoise	1/2" drive	7/8"	140 ft./lbs.
ACC10-3899	Light Green	1/2" drive	24mm	140 ft./lbs.





ACC10-0323

10-Piece

AccuTorq® Set

Set includes (also available individually):

Set includes (also a	ivaliable illulvidua	iiy):		
ACC10-0327	Light Blue	1/2" drive	22mm	100 ft./lbs.
ACC10-0328	Charcoal	1/2" drive	21mm	147 ft./lbs.
ACC10-0329	Off White	1/2" drive	17mm	90 ft./lbs.
ACC10-0334	Light Yellow	1/2" drive	17mm	113 ft./lbs.
ACC10-0336	Orange	1/2" drive	22mm	75 ft./lbs.
ACC10-0340	Mud	1/2" drive	14mm	80 ft./lbs.
ACC10-0341	Quartz	1/2" drive	19mm	120 ft./lbs.
ACC10-0342	Light Tan	1/2" drive	19mm	90 ft./lbs.
ACC10-0343	Red Orange	1/2" drive	21mm	110 ft./lbs.
ACC10-3898	Light Purple	1/2" drive	22mm	160 ft./lbs.





ACC10-0450

4-Piece

AccuTorg® Set

Application: Deep Well Truck

Set includes (also available individually):

ACC10-0312 White 1/2" drive 22mm 120 ft./lbs. 140 ft./lbs. ACC10-0313 Turquoise 1/2" drive 7/8" ACC10-0328 1/2" drive 147 ft./lbs. Charcoal 21mm ACC10-3899 Light Green 1/2" drive 24mm 140 ft./lbs.





ACC20-4100 4-Piece Heavy-duty AccuTorg® Set 3/4" Drive

Set includes (also available individually):

ACC20-3918	Red	3/4" drive	1-1/4"	250 ft./lbs.
ACC20-3919	Brown	3/4" drive	33mm	475 ft./lbs.
ACC20-3920	Black	3/4" drive	1-1/2"	475 ft./lbs.
ACC20-3921	Yellow	3/4" drive	13/16"	475 ft./lbs.





ACC20-4000

4-Piece Heavy-duty AccuTorg® Set

1" Drive

Set includes (also available individually):

ACC20-3908	Red	1" drive	1-1/4"	250 ft./lbs.
ACC20-3909	Brown	1" drive	33mm	475 ft./lbs.
ACC20-3910	Black	1" drive	1-1/2"	475 ft./lbs.
ACC20-3911	Yellow	1" drive	13/16"	475 ft./lbs.





ACC10-0455

5-Piece

AccuTorq® Set

Application: Light Truck

Set includes (also available individually):

ACC10-0312	White	1/2" drive	22mm	120 ft./lbs.
ACC10-0313	Turquoise	1/2" drive	7/8"	140 ft./lbs.
ACC10-0328	Charcoal	1/2" drive	21mm	147 ft./lbs.
ACC10-3898	Light Purple	1/2" drive	22mm	160 ft./lbs.
ACC10-3899	Light Green	1/2" drive	24mm	140 ft./lbs.



ACC10-0103

Torque Chart

Easy-to-read, color-coded torque chart. Lists applications for most foreign and domestic vehicles.



TORQUE CHART





4-Slot Heavy-Duty Storage Bracket

Heavy-duty wall bracket for convenient storage of heavy-duty torque sockets

ACC10-0100

5-Slot Storage Bracket







	1/2" Drive			3/4" Drive	
Part #	Size/Torque Rating	Color	Part #	Size/Torque Rating	Color
ACC10-0340	14mm - 80 ft/lbs.	Mud (1)	ACC20-3904	1" - 175 ft/lbs. (Heavy-duty)	Orange (29)
ACC10-0304	17mm - 55 ft/lbs.	Green (2)	ACC20-3921	13/16" sq 475 ft/lbs. (Heavy-duty)	Yellow (30)
ACC10-0305	17mm - 80 ft/lbs.	Red (3)	ACC20-3918	1-1/4" - 250 ft/lbs. (Heavy-duty	Red (31)
ACC10-0329	17mm - 90 ft/lbs.	Off White (4)	ACC20-3919	33mm - 475 ft/lbs. (Heavy-duty)	Brown (32)
ACC10-0334	17mm - 113 ft/lbs.	Light Yellow (5)	ACC20-3920	1-1/2" - 475 ft/lbs. (Heavy-duty)	Black (33)
ACC10-0306	19mm - 65 ft/lbs.	Yellow (6)		1" Drive	
ACC10-0307	19mm - 80 ft/lbs.	Blue (7)	Part #	Size/Torque Rating	Color
ACC10-0342	19mm - 90 ft/lbs.	Light Tan (8)	ACC20-3911	13/16" sq 475 ft/lbs. (Heavy-duty)	Yellow (34)
ACC10-0308	19mm - 100 ft/lbs.	Gray (9)	ACC20-3908	1-1/4"- 250 ft/lbs. (Heavy-duty)	Red (35)
ACC10-0335	19mm - 110 ft/lbs Deep Well	Purple	ACC20-3909	33mm - 475 ft/lbs. (Heavy-duty)	Brown (36)
ACC10-0341	19mm - 120 ft/lbs.	Quartz Gray (10)	ACC20-3910	1-1/2"- 475 ft/lbs. (Heavy-duty)	Black (37)
ACC10-0309	21mm - 60 ft/lbs.	Black (11)	ACC20-3045	30mm - 330 ft/lbs. (Heavy-duty)	Unpainted (3
ACC10-0310	21mm - 80 ft/lbs.	Light Brown (12)	ACC20-3055	30mm - 400 ft/lbs.	Unpainted (3
ACC10-0311	21mm - 100 ft/lbs.	Brown (13)	ACC20-3056	30mm - 400 ft/lbs. (Heavy-duty)	Light Blue (4
ACC10-0343	21mm - 110 ft/lbs.	Red Orange (14)	ACC20-3345	33mm - 330 ft/lbs. (Heavy-duty)	Unpainted (4
ACC10-0328	21mm - 148 ft/lbs.	Charcoal (15)	ACC20-3360	33mm - 440 ft/lbs. (Heavy-duty)	Unpainted (4
ACC10-3898	21mm - 160 ft/lbs.	Light Purple (16)	ACC20-3913	33mm - 550 ft/lbs. (Heavy-duty)	Greyline
ACC10-0337	22mm - 60 ft/lbs.	Dark Green (17)	ACC20-3914	33mm - 550 ft/lbs. (Heavy-duty) Extended Depth	Greyline
ACC10-0336	22mm - 75 ft/lbs.	Orange (18)	ACC20-4155	41mm - 400 ft/lbs. (Heavy-duty)	Unpainted (4
ACC10-0327	22mm - 100 ft/lbs.	Light Blue (19)			
ACC10-0312	22mm - 120 ft/lbs.	White (20)		ACCUTOrq	
ACC10-0313	22mm - 140 ft/lbs.	Turquoise (21)	Limiting Sockets		
ACC10-0338	22mm - 110 ft/lbs.	Copper (22)		y heat treated Swedish spring steel, making AccuTord socket in the world. Patented AccuTorg® strobe mar	
			accurate torque	SUCKEL III LIIE WULIU. FALEILLEU ACCULULUK SLIUDE IIIAN	กอ อเบม เนเเเเเน

Pink (23)

Purple (25)

Tan (26)

Olive (27)

Burgundy (28)

Light Green (24)

ACC10-0339

ACC10-3899

ACC20-3900

ACC20-3901

ACC20-3902

ACC20-3903

22mm - 154 ft/lbs.

24mm - 140 ft/lbs.

1-1/16" - 140 ft/lbs. (Medium-duty)

1-1/8" - 140 ft/lbs. (Medium-duty)

1-1/4" - 140 ft/lbs. (Medium-duty)

1" - 140 ft/lbs.

Made of specially heat treated Swedish spring steel, making AccuTorq® the most accurate torque socket in the world. Patented AccuTorq® strobe marks stop turning at precisely the correct torque EVERY time. There is NO guess work and no recalibration. Solid one-piece construction of AccuTorq® automotive and commercial truck sockets eliminates the wide torque variances unavoidable with socket extensions and adapters. Features deep well sockets for those special applications where regular socket depth is just not enough. AccuTorq®'s ultrasonic inspection of EACH socket and its ISO 9001 quality certification of manufacturing processes, make it possible for each AccuTorq to come with a lifetime guarantee. Made in Sweden.

Vehicle Specialty I **Steering & Suspension**





KTI70300

Pulley Puller and Installer Set

- Complete set removes and installs most power steering and alternator pulleys on domestic vehicles
- Works with traditional V-shaped pulleys and serpentine belt system pulleys
- · Packaged in blow-molded case
- Weight: 1.85 lbs



KTI70350

LIFETIME WARRANTY*

Long-Jaw Reversible Puller

- Five-ton reversible puller easily removes and installs pressed-on power steering, alternator and air pump pulleys
- Includes five-ton reversible puller that can be used as two or three-jaw puller in eight different combinations









KTI70330 Steering Wheel Puller

Pulls steering wheels on most common makes of automobiles and light/medium duty trucks

- . Tool designed to avoid damage to steering shaft threads
- Includes five sets of side bolts
- Made in the U.S.A.

KTI70348

Steering Wheel Puller

 Puller specially designed to prevent damage to steering shaft threads



KTI70360

Pitman Arm Puller

- Removes full-size Pitman arms from most cars and light trucks
- Features drop-forged frame and carbon-steel drive screw
- Opening: 1-5/16" (33 mm)
- Pull: 2-1/2" (64 mm)
- Weight: 1.85 lbs.

LIFETIME WARRANTY*



KTI70365

Pitman Arm Puller

U.S.-Made

- Provides steady, smooth pull of a screw-type puller needed when tackling tougher, bigger jobs
- Features heat-treated center screw and heat-treated, alloy steel, heavy-duty yoke
- Weight: 2.1 lbs.







KTI70372

Universal Strut Spring Compressor

- · Services a wide range of MacPherson struts without the need to use special adapter shoes
- Jaws are held in place by safety lock pins
- Tool can be driven by hand or with an impact wrench
- Compresses springs ranging from 4"-9" O.D. with wire diameters of 7/16"-11/16"
- Packaged in blow-molded storage case
 Weight: 21 lbs.










KTI71519

Tie Rod End Tool

- · Inexpensive and effective way
- · Able to remove the inner tie rod
- Simply slide the tool over the end and tighten the collar to allow access with a 3/8" drive extension





KTI81995

Tie Rod Separator Air Chisel

• Pneumatic Bit, 21/32" Tie Rod Separator for .401 Shank Air Hammers



• 15/16" Ball Joint Separator for .401 Shank Air Hammers



- · For removing and replacing ball joints
- Remove and replace universal joints by using the C-Frame press
- Includes one live center forcing screw, receiver tubes, and removing/installing adapters
- Packaged in a red blow-molded case for storage and carrying

Ball joint service tool and master adapter contains: all new receiver tubes and removing/installing adapters required to work on a press-fit upper and lower ball joints on most Ford, GM, and Dodge 2 and 4 wheel drive pickups, vans and sport utility vehicles through 1997.



Tie Rod and Ball Joint Separators KTI71501




- Use to replace worn out tie rods and separate shock absorber links
- Tine opening: 11/16" Overall length: 15-3/4"

KTI71502

- Use to replace worn out ball joints and remove CV drive shafts on FWD vehicles
- Tine opening: 15/16" Overall length: 11-3/4"

KTI71555 **Ball Joint Master Service**




 Works on press fit upper and lower ball joints





KTI71550

4-in-1 Ball Joint



- Takes out even rusted and corroded parts
- Includes three receiver tubes (2-3/4" ID x 3" OD, 2-1/4" ID x 2-1/2" OD and 1-3/4" ID x 2" OD)



LIFETIME WARRANTY*

KTI70500

Heavy-duty 10 lb. Dent Puller Kit

- Kit contains 10 lb. slide hammer, two pipes (two-hole and hex nut), and chain with hook and five-plate puller attachments
- Packaged in blow-molded case



Vehicle Specialty I **Steering & Suspension**



KTI70510

Slide Hammer Puller Kit



- \bullet Easily removes flange-type axles, oil seals, bearings and other press fit parts
- Includes: 5 lb. slide hammer; 8-function/3-jaw puller; 2-jaw puller; puller hook; rear axle puller; dent puller; and grip wrench adapter



KTI70370 MacPherson Strut Spring Compressor

- Works with most MacPherson strut assemblies to quickly assist in replacement of bent struts, strut tubes and damaged filters while on or off the vehicle
- Tool manufactured with Acme threaded screw for durability
- Fits most automobiles, but should not be used on GM "A," "C," "J" or "X" body cars
- · Weight: 7 lbs.

KTI70371 MacPherson Heavy-Duty Strut Spring Compressor

- Works with most MacPherson str. assemblies to quickly assist in replacement of bent struts, strut tubes and damaged filters while on or off the vehicle
 - sist in
 is, strut
 s while on

 LIFETIME
 WARRANTY*
- Tool manufactured with Acme threaded screw for durability
- Fits most automobiles, but should not be used on GM "A," "C," "J" or "X" body cars
- · Weight: 7 lbs.

KTI70375 Coil Spring Compressor

- Single action tool boasts strong, steel jaws that securely hook into coil springs for their removal and installation
- · Works with most domestic and some imported vehicles
- Should not be used on MacPherson struts
- Weight: 3.5 lbs.



Vehicle Specialty I **Drive Shaft & Axle**



KTI70390 MEGAHAMMER® 3-Piece Set

- Saves time and money while servicing 3/4 and 1 ton Chevrolet and Dodge pickups with Dana axles
- Unique 4-6-8 bolt head will accommodate most trucks
- Removes seized hubs & rotors
- · Eliminates damage removing captured rotors
- · Cut the job in half

The MEGAHAMMER™ is the ultimate contender for all your tough jobs. A must have tool to service all 4 - wheel drive vehicles with captured rotors. Use it for: Rotor Replacement, Hub and Bearing Work, Axle Service, and Ball joint service.

Over the years rust and corrosion will build up and make removal of a seized bearing assembly almost impossible. Technicians are left with little recourse other than time consuming and labor-intensive measures to attempt to remove the seized bearing assembly. Most methods of removal employed today risk damaging the vehicle which in turn will increase repair costs.



The MEGAHAMMER™ tool's unique, patented design cuts repair time in half by employing a less labor-intensive process and greatly reduces the risks of damaging the vehicle. The size and capabilities of MEGAHAMMER™ make even the most formidable jobs seem easy. Many shops will not provide service to 4-wheel drive vehicles with captured rotors because of the costs and risks involved.

Replacement parts:

KTI70395 - Replacement Slide and Stop Assembly

KTI70396 - Replacement Hammer Assembly

















CAUTION: Lock nut on hub removal tool must be tight to protect against thread damage. Slide shaft thread to be engaged into base late thread so it is flush with inside edge of base plate thread. Use countersunk holes ONLY for proper grip on studs. Use outboard support to help prevent tool and wheel assembly from dropping to floor. Do not stand behind tool when in use. Tool is heavy. Use extreme caution when lifting. Keep extremities clear of pinch points. Always wear eye protection when using hub removal tool. Locking pin must be in place when not in use. Not responsible for damage to vehicle.

WARNING: Please follow instructions carefully to reduce risk of personal injury or possible damage to the vehicle.





KTI70390KIT

MEGAHAMMER® Hub Removal Kit

- · Removes seized bearing assemblies and associated components from a vehicle chassis for maintenance and repair
- Minimizes cost and potential damage
- Compatible with 3/4- and 1-ton American made trucks with 4-, 6- or 8-bolt patterns

MEGAHAMMER kit includes 4-, 6-, and 8-bolt head, slide and stop assembly and hammer assembly. 38" length. This kit also contains a 5-bolt head for servicing 1/2-ton Ford, GM and Dodge trucks, 8-bolt head for servicing Ford Super Duty F250/F350 4x4 trucks, and 6-bolt head for use primarily with Dodge Durango and Chevy Trailblazer. It will however, accommodate any 6-bolt patterns with bolt circle diameters from 4" up to 6.75".











1 YEAR WARRANTY*



KTI70397

MEGAHAMMER® 4-Bolt Head

- Primarily for use with Honda vehicles with 4-bolt patterns
- Will fit 4-bolt patterns with bolt circle diameters from 4.2" up to 5.26"



KTI70391

MEGAHAMMER® 5-Bolt Head

- Services 1/2-ton Ford, GM and Dodge trucks
- 8" diameter, 17-1/2 lbs.



KTI70393 **MEGAHAMMER® 6-Bolt Head**

• For use primarily with Dodge Durango and Chevy Trailblazer

1 YEAR

• It will, however, accommodate any 6-bolt patterns with bolt circle diameters from 4" up to 6.75"





KTI70392

MEGAHAMMER® 8-Bolt Head

- Services Ford Super Duty F250/F350 4x4 trucks
- 8" diameter, 28-1/2 lbs.





KTI70394 **MEGAHAMMER®**

4-, 6-, 8-Bolt Head

- Services 3/4- and 1-ton American made trucks with 4-, 6- or 8-bolt patterns
- 8" diameter, 17-1/2 lbs.





KTI70356

Pilot Bearing Slide Hammer

- · Center rod spreads forged steel jaws, pushing them out against the bearing for quick and easy removal of bearings and other parts located in tight spaces
- Spread: 1/2" to 1-1/2"
- · Weight: 3.7 lbs



KTI70343

Harmonic Balancer Installer

- Easily installs balancers and drive pulleys that are pressed on the crankshaft
- Includes eight threaded adapters: 7/16"-20; 1/2"-20; 9/16"-20; 5/8"-20; 3/4"-16; M12-1.5; M14-1.5; and M16-2.0
- · Comes in a blow molded case
- Weight: 2.7 lbs.





KTI70382

Bearing Separator 0 to 4-1/4"

- · Removes generator gears, bearing cones, bearings and similar parts that puller jaws cannot reach
- Designed to reduce risk of damage to part
- · Flush knife-edge blades get behind work where most puller jaws cannot fit or grip
- •Manufactured with high quality, heat treated steel. Spread: 0"-4-1/4"
- Threaded holes: 5/8"-18"

KTI70383 **Puller and Bearing**

Separator 0 to 2-1/4"

- · Removes generator gears, bearing cones, bearings and similar parts that puller jaws cannot reach
- Designed to reduce risk of damage to part
- Flush knife-edge blades get behind work where most puller jaws cannot fit or grip

LIFETIME

LIFETIME

WARRANTY^{*}

- Manufactured with high quality, heat treated steel. Spread: 0"-2-1/4"
- Threaded holes: 3/8"-16"

KTI70384

Puller and Bearing Separator 0 to 4-1/4"

- · Removes generator gears, bearing cones, bearings and similar parts that puller jaws cannot reach
- Designed to reduce risk of damage to part
- · Flush knife-edge blades get behind where most puller jaws cannot fit or grip
- · Manufactured with high quality, heat treated steel
- Spread: 0"-4-1/4"
- Threaded holes: 5/8"-18"







Vehicle Specialty I **Engine Mechanical**



Adjustable Oil Filter Wrenches

- Removes oil filters in hard to reach areas
- . Tool features a swivel heat treated handle for easy access and durability and a unique yolk and link assembly for positive grip on filter

KTI73601 - Oil Filter Wrench Adjustable from 2-7/8" to 3-1/4"

KTI73602 - Oil Filter Wrench Adjustable from 3-7/16" to 3-3/4"

KTI73603 - Oil Filter Wrench Adjustable from 4" to 4-3/8"

KTI73605 - Oil Filter Wrench for Trucks Adjustable from 4-5/16" to 4-3/4"

KTI73606 - Oil Filter Wrench for Trucks Adjustable from 5-14" to 5-3/4"



LIFETIME

KTI73600

- Vinyl handle that provides strength and better grip, and swivel movement to clear obstructions
- · A wide studded band prevents crushed filters
- Mechanics who demand a tough and durable product can count on the 4-in-1's stainless, plated and easily interchangeable steel bands
- Includes bands sized from 2-3/8"-4-3/8" (61 mm-111 mm)



KTI73730

Filter Wrench Nylon Strap

- Fits all oil, air and fuel spin-on filters up to 6" diameter
- Tool can be turned by a 1/2" square drive ratchet or a 3/4" open end wrench

KTI73731

Heavy-duty Filter Wrench Nylon Strap

- Designed for high torque requirements of truck filters
- Forged steel handle, and extra length, sturdy strapping
- · A no-strip strap grips filters tightly
- Wrench adapts to spin filters up to 9"





KTI73620 **Oil Filter Pliers**



- Self adjusting spring action allows for a full range of filter applications
- Heavy-duty forged handles with textured grip for strength and leverage
- Use with 2-1/4" 6" filters.



Spring Loaded Truck/Tractor Filter Plier

- Truck and tractor filter pliers are capable of removing all agricultural and construction equipment and automotive canister-type filters
- They are ideal for loosening over-tightened or seized filters, providing superior leverage for high-torque applications
- Spring-loaded truck and tractor filter pliers work on auto filters as well as Cummins diesel filters
- Forged jaws and extra teeth ensure a strong, sure grip range 4" to 7"
- 17" extended-reach handles allow users to access the toughest areas



KTI73635

17 Piece Master Oil Filter Wrench Set

- 3/8" drive cap oil filter wrenches.
- Fits 95% of domestic and import automotive applications.
- Complete set comes in a handy 10" x 13" plastic case.
- Kit includes: 80mm 15 flutes, 82mm 15 flutes, 86mm 14 flutes, 65/67mm 14 flutes, 68mm 14 flutes, 73/74mm 14 flutes, 64/65mm 14 flutes. 74/76mm 15 flutes. 76mm 14 flutes. 93mm 15 flutes. 76mm 30 flutes, 86mm 16 flutes, 88.4mm 15 flutes, 93mm 36 flutes, 93mm 45 flutes, 96mm 18 flutes, 100mm 15 flutes.







Cap Filter Wrenches

Cap style design allows easy removal and installation from the end of the filter, even in tight locations. Use with 3/8" square drive.

KTI73628


KTI73627



Cap Filter Wrench 80mm 15-flute
Cap Filter Wrench 82mm 15-flute
Cap Filter Wrench 86mm 14-flute
Cap Filter Wrench 65/67mm 14-flute
Cap Filter Wrench 68mm 14 flute
Cap Filter Wrench 73/74mm 14 flute
Cap Filter Wrench 65mm 14 flute
Cap Filter Wrench 64/65mm 14 flute
Cap Filter Wrench 74/76mm 15 flute
Cap Filter Wrench 76mm 14 flute
Cap Filter Wrench 93mm 15 flute
Cap Filter Wrench 76mm 30-flute
Cap Filter Wrnch 86mm 16 flute
Cap Filter Wrench 88.4mm 15 flute
Cap Filter Wrench 93mm 36 flute
Cap Filter Wrench 93mm 45 flute
Cap Filter Wrench 96mm 18 flute
Cap Filter Wrench 100mm 15 flute

KTI73630 Oil Filter Wrench Toyota/Lexus





- 64.5mm diameter with 14 flutes
- Use with 3/8" square drive
- Fits Toyota, Lexus, Scion, Honda and Nissan filters

Works on several models including, Toyota: Avalon 05-08, Camry 07-09, RAV4 06-08, Sienna 07-08 3.5L, Tundra 07-08 5.7L, Corolla, Matrix 09-10, Scion CD 08-10, Truck 07-10 & Lexus: GS, IS, LC 06-10, ES, RX 07-10. Also fits the following filters: Honda filter #15400-PLM-A02 and Nissan filter #15208 65FOC.

LIFETIME WARRANTY*

Oil Filter Cap Sockets

Designed to handle a variety of applications, oil filter cap socket is rugged, laser marked and works even in confined areas. Use to remove housings with cartridge-type oil filters.

KTI73618 - Oil Filter Cap Socket 32mm

Applications: GM Ecotec 2.2L; Saturn: L-series (2001), Ion and Vue (2002-later); GM: Cavalier, Sunfire, Grand Am, Sonoma, S10, Allero (2002-later), Malibu (2002-2006); Pontiac: G6 and Solstice (2006); Chevrolet: HHR, Cobalt, Cobalt SS (2006); Saab: some models.

KT173619 - Oil Filter Cap Socket 35/36mm Applications: 6.0L Ford diesel; F250, F350, F450 pickups; Excursion.



KTI00009 60-Piece Drain Plug Gasket Kit Poly and Fiber

General purpose gasket kit includes the 7 most popular sizes of poly and fiber gaskets.



Part #	Description	Qty	Refill
KTI04134	1/2" Fiber Drain Plug Gasket	20	10
KTI04135	1/2" Poly Drain Plug Gasket	10	10
KTI04136	12mm Poly Drain Plug Gasket	10	10
KTI04137	14mm Poly Drain Plug Gasket	5	10
KTI04138	16mm Fiber Drain Plug Gasket	5	10
KTI04139	18mm Fiber Drain Plug Gasket	5	10
KTI04140	20mm Fiber Drain Plug Gasket	5	10

Vehicle Specialty I **Engine Mechanical**





Vacuum Caps				
Part #	Description	Qty		
KTI04262	Vacuum Caps 3/16"	10		
KTI04263	Vacuum Caps 1/4"	10		
KTI04264	Vacuum Caps 5/16"	10		
KTI04265	Vacuum Caps 3/8"	10		
KTI04266	Vacuum Caps 1/8"	10		



	Vacuum Tees	
Part #	Description	Qty
KTI04240	Vacuum Tees 1/8-1/8-1/8	10
KTI04241	Vacuum Tees 3/16-3/16-3/16	10
KTI04242	Vacuum Tees 1/4-1/4-1/4	10
KTI04243	Vacuum Tees 5/16-5/16-5/16	10
KTI04245	Vacuum Tees 3/16-3/16-1/8	10
KTI04247	Vacuum Tees 3/16-3/16-1/4	10
KTI04251	Vacuum Tees 3/16 x 3/16	10
KTI04252	Vacuum Tees 1/4 x 1/4	10
KTI04253	Vacuum Tees 5/16 x 5/16	10
KTI04260	Vacuum Tees 4-Way 3/16	10
KTI04261	Vacuum Tees 5-Way 3/16	10





KTI00058

40-Piece Drain Plug Assortment

Contains 12 of the most popular drain plugs which provides excellent coverage for most domestic and imported cars and light trucks. Application guide is included. Gaskets sold separately. Drain plug assortments make it easy for any repair shop to keep the most popular drain plugs on hand and organized.

Part #	Description	Qty	Refill
KTI04120	Drain Plug 12mm-1.75 Pilot Point with Gasket	3	5
KTI04121	Drain Plug 14mm-1.50 Pilot Point with Gasket	3	5
KTI04123	Drain Plug 14mm-1.50 Pilot Point with Gasket	5	5
KTI04124	Drain Plug 12mm-1.75 Pilot Point with Gasket	3	5
KTI04126	Drain Plug 14mm-1.50 Pilot Point with Gasket	3	5
KTI04188	Drain Plug 12mm-1.25 Standard Zinc	3	5
KTI04189	Drain Plug 12mm-1.75 Pilot Point	3	5
KTI04190	Drain Plug 14mm-1.50 Standard Zinc	3	5
KTI04193	Drain Plug 1/2-20 Pilot Point with Gasket	3	5
KTI04195	Drain Plug 14mm-1.50 Standard Zinc	3	5
KTI04196	Drain Plug 14mm-1.50 Pilot Point	3	5
KTI04198	Drain Plug 12mm-1.75 Pilot Point with Gasket	3	5



KTI00059 27-Piece Drain Plug Assortment



Contains 9 popular oversize drain plugs and gaskets for the repair of stripped drain pan threads. Six sizes including single, double and triple oversize plugs. Includes fiber gaskets. Contains a total of 12 drain plugs and 15 gaskets.

Part #	Description	Qty	Refill
KTI04125	Drain Plug M14-1.50 Single Oversize	2	5
KTI04141	Fiber Gasket 1/2" Double Oversize	5	10
KTI04142	Fiber Gasket 1/2" Single Oversize	5	10
KTI04168	Fiber Gasket M14	5	10
KTI04181	Drain Plug 1/2" Single Oversize	2	5
KTI04182	Drain Plug 1/2" Double Oversize	2	5
KTI04183	Drain Plug 1/2" Triple Oversize	2	5
KTI04184	Drain Plug 1/2" Single Oversize Piggyback	2	5
KTI04185	Drain Plug 1/2" Double Oversize Piggyback	2	5









75-Piece Vacuum Tee Cap Kit

Small vacuum tee assortment kit includes five popular diameters for capping lines and hoses while testing emission control systems, vacuum lines, etc.. Contains 1/8", 3/16", 1/4", 5/16" and 3/8" diameter caps.

Part #	Description	Qty	Refill
KTI04262	Vacuum Cap 3/16"	25	10
KTI04263	Vacuum Cap 1/4"	10	10
KTI04264	Vacuum Cap 5/16"	10	10
KTI04265	Vacuum Cap 3/8"	5	10
KTI04266	Vacuum Cap 1/8"	25	10





KTI00042

56-Piece Vacuum Tee Kit


Entry level vacuum tee assortment includes 13 different sizes of tees. These hard connectors are used with the soft flexible tubing found on today's vehicles.

Part #	Description	Qty	Refill
KTI04240	Vacuum Tee 1/8"x 1/8"x 1/8"	5	10
KTI04241	Vacuum Tee 3/16"x 3/16"x 3/16"	5	10
KTI04242	Vacuum Tee 1/4"x 1/4"x 1/4"	4	10
KTI04243	Vacuum Tee 5/16"x 5/16"x 5/16"	3	10
KTI04245	Vacuum Tee 3/16"x 3/16"x 1/8"	5	10
KTI04247	Vacuum Tee 3/16"x 3/16"x 1/4"	4	10
KTI04251 Vacuum Connector 3/16" x 3/16"		5	10
KTI04252 Vacuum Connector 1/4" x 3/16"		5	10
KTI04253	Vacuum Connector 5/16" x 3/16"	5	10
KTI04260	Vacuum Tee 4-Way 3/16"	5	10
KTI04261 Vacuum Tee 5-Way 3/16"		5	10
KTI04262	KTI04262 Vacuum Cap 3/16"		
KTI04263	Vacuum Cap 1/4"	5	10



KTI70380

Rear Axle Bearing Puller Kit



- Set includes three sizes to service most domestic cars
- · Use with standard slide hammer



KTI70344

Harmonic Balancer Puller

- Pulls harmonic balances on most automobiles
- Tool can be used on flywheels, gears, pulleys and other parts with tapped holes
- Includes five sets of side bolts
- · Weight: 2.7 lbs.



KTI70355

Pilot Bearing Puller

- Use to remove fly wheel pilot bearings up to 7-1/2" long in tight spaces where a slide hammer just won't fit
- Versatile tool also works as a bearing and bushing puller for generators and starters
- Spread: 1/2" to 1-1/2" I.D.
- · Weight: 2.3 lbs.



LIFETIME WARRANTY*







Reversible Puller 3"

KTI70301

2-Jaw 2-Ton 4" Spread 3-1/4" Reach

- Reversible jaws feature a wide face on one end and a narrow face on the other - it's like two tools in one
- · Grip tightens as pressure is applied
- Tool manufactured with heat-treated, drop-forged, alloy steel
- Spread: 4" Reach: 3-1/4"



KTI70303

Reversible Puller 4" 2-Jaw 5-Ton 6" Spread 3-1/4" Reach



- Reversible jaws feature a wide face on one end and a narrow face on the other - it's like two tools in one
- · Grip tightens as pressure is applied
- Tool manufactured with heat-treated, drop-forged, alloy steel
- Spread: 6" Reach: 3-1/4"



KTI70305

Reversible Puller 6" 2-Jaw 5-Ton 6" Spread 3-1/4" Reach



- Reversible jaws feature a wide face on one end and a narrow face on the other - it's like two tools in one
- · Grip tightens as pressure is applied
- Tool manufactured with heat-treated, drop-forged, alloy steel
- Spread: 6" Reach: 3-1/4"



KTI70302

Reversible Puller 3" 2- or 3-jaw 2-ton 4-3/4" Spread 3-1/2" Reach

- Reversible jaws feature a wide face on one end and a narrow face on the other - it's like two tools in one
- Grip tightens as pressure is applied
- Tool manufactured with heat-treated, drop-forged, alloy steel
- Spread: 4-3/4". Reach: 3-1/2".





KTI70304

Reversible Puller 4" 2- or 3-jaw 5-ton 7" Spread 3-1/4" Reach

 Reversible jaws feature a wide face on one end and a narrow face on the other - it's like two tools in one

Grip tightens as pressure is applied

- Tool manufactured with heat-treated, drop-forged, alloy steel
- Spread: 7". Reach: 3-1/4".





KTI70306

Reversible Puller 6" 2- or 3-jaw 5-ton 6" Spread 3-1/4" Reach

- Reversible jaws feature a wide face on one end and a narrow face on the other - it's like two tools in one
- Grip tightens as pressure is applied
- Tool manufactured with heat-treated, drop-forged, alloy steel
- Spread: 6". Reach: 3-1/4".







KTI70311

Adjustable Puller 4"

- 2-jaw 2-ton 4" Spread 3-1/2" Reach
 Ideal for light duty gear pulling, such as electric motors and refrigeration applications
- Spread: 4". Reach: 3-1/2"
- Capacity: 2 tons.







KTI70313

Adjustable Puller 7"

2-jaw 5-ton 7" Spread 5-1/2" Reach

- Ideal for most medium duty gear pulling tasks
- Offers a wide range of reach. Spread: 7". Reach: 5-1/2". Capacity: 5 tons.







KTI70322

Reversible Puller 7"

2- or 3-jaw 5-ton 7" Spread 3-1/2" Reach

- Tool complete with versatile combination yoke that can be assembled to make either a 2-3 jaw puller
- Reversible jaws for internal or external pulls
- A 3-point pull provides extra power and stability when needed
- Spread: 7". Reach: 3-1/2". Capacity: 5 tons.





KTI70312 Adjustable Puller 6"

6" Spread 3-1/2" Reach

- Ideal for most medium duty gear pulling tasks
- · Designed for maximum utility
- Reversible jaws have a wide face on one end and a narrow face on the other
- Spread: 6". Reach: 3-1/2". Capacity: 5 tons.



2-jaw 5-ton





KTI70321

Adjustable Puller 4"

3-jaw 2-ton 4" Spread 3-1/2" Reach

- Three jaws provide extra stability, making this puller ideal for light duty gear pulling applications
- Spread: 4". Reach: 3-1/2". Capacity: 2 tons.







KTI70323

Adjustable Puller 8"

2- or 3-jaw 5-ton 8" Spread 5-1/2" Reach

- Tool complete with versatile combination yoke that can be assembled to make either a 2-3 jaw puller
- A 3-point pull provides extra power and stability when needed
- Spread: 8". Reach: 5-1/2". Capacity: 5 tons.









KTI71100

Hose Pinch-off Pliers

- · Eliminates the need to drain coolant when servicing cooling systems
- Pliers squeeze shut heater or radiator hoses
- Jaws swivel for parallel clamping
- · Features automatic locking ratchet and can also be used with vacuum and fuel lines

KTI71103

2-Piece Flexible Line Clamp Set


- Squeezes heater, radiator, vacuum or any flexible hose to assist with repairs or problem diagnosis
- · Clamps lock in place
- · Set includes one large and one small clamp

Set includes (also available individually):

KTI71105 - small KTI71106 - large



KTI71108 Specialty Hose Clamp Plier



· Pincers are held parallel to the hose







4-Piece

Radiator Disconnect Tool Set

- · Set includes 4 sizes to depress clips ranging from 5/8" to 1"
- · Contains a GM-, Ford-, large- and extra-large radiator disconnect tools
- The tool is designed to completely fill the void in the connector to easily release the fastener
- Unique 40° offset design allows users to work around obstructions in tight spaces

Set includes (also available individually):

KTI75321 - Ford Disconnect Removal Tool

KTI75322 - GM Disconnect Removal Tool

KTI75323 - Large Disconnect Removal Tool

KTI75324 - X-Large Disconnect Removal Tool

KTI70600

Distributor Wrench

• Wrench is 3/8" drive and 1/2" x 9/16"




KTI70732

Tru-Grip Serpentine Belt Tool

- Clamping jaw allows user to position serpentine belt without the belt slipping from the tool's grip
- Tru-grip and long reach allows belt routing in limited-access areas
- · Constructed of lightweight alloy steel for durability and strength
- · Ergonomic handle for comfort and ease of use

KTI70720

Serpentine Belt Tool · Removes and installs serpentine belts



· Provides extra coverage for most applications

Set includes (also available individually):

KTI70721 - Long Wrench

KTI70722 - Short Wrench KTI70723 - 13MM U-Type Wrench

KTI70724 - 14MM U-Type Wrench

KTI70725 - 15MM U-Type Wrench

LIFETIME

KTI70730 Stretch Belt

Installation Tool

- · Stretch belt installation tool is ideal for installing newer, patented Gates Micro-V Stretch Fit belts
- · Stretch belts are found on many models of vehicles with drive systems that do not require a tensioner (i.e. power steering, air conditioning, water pumps)
- · Installs belts without twisting or breaking internal belt fibers
- · Durable construction features anodized aluminum body for corrosion resistance and a hardened steel pulley pivot

KTI70731

WARRANTY **European Stretch Belt Installation Tool**

- · Stretch belt installation tool is ideal for installing stretch belts
- For use on vehicles with larger pulleys primarily found on European vehicles

LIFETIME

- · Stretch belts are found on many models of vehicles with drive systems that do not require a tensioner (i.e. power steering, air conditioning, water pumps)
- · Installs belts without twisting or breaking internal belt fibers
- Durable construction features anodized aluminum body for corrosion resistance and a hardened steel pulley pivot









KTI70726 - 15MM Socket

KTI70727 - 16MM Socket

KTI70728 - 18MM Socket

LIFETIME



KTI00071

150-piece Hitch Pin Assortment

- Assortment includes 150 hitch pins in six popular sizes from 5/32" x 2-15/16" to 3/32" x 1-3/16"
- Manufactured with chrome plated spring steel



Description	Qty	Description	Qty
5/32" x 2-15/16"	8	5/64" x 1-9/16"	25
9/64" x 1-3/4"	20	5/64" x 1-15/16"	30
7/64" x 1-5/8"	25	3/32" x 1-3/16"	42

KTI00072

300-piece E-clip Assortment

• Assortment includes 300 pieces in 9 sizes from 1/16" to 7/8"



Description	Qty	Description	Qty
1/16"	30	1/2"	40
1/8"	30	5/8"	40
3/16"	40	3/4"	40
1/4"	50	7/8"	40
3/8"	50		

KTI00075

555-piece Cotter Pin Assortment

• Assortment kit includes six popular sizes from 1/16" x 1" to 5/32" x 2-1/2"



Description	Qty	Description	Qty
1/16" x 1"	150	1/8" x 1-1/4"	75
3/32" x 1"	150	1/8" x 2"	50
3/32" x 1-1/2"	100	5/32" x 2-1/2"	30



10 Pack Blue A/C O-Rings

KTI04458 - Air Conditioning O-Rings (Blue) - Qty 10

KTI04471 - Air Conditioning O-Rings Compressor Switch Port/Oil Plug - Qty 10

KTI00078

144-piece Cotter Pin Assortment

• Assortment kit includes six popular products in six different sizes, ranging from 1/8" x 2" to 5/16" x 2-1/2"



Description	Qty	Description	Qty
1/8" x 2"	50	1/4" x 2"	20
5/32" x 2-1/2"	30	1/4" x 3"	16
3/16" x 3"	20	5/16" x 2-1/2"	8



KTI00077

300-piece Snap Ring

Assortment (18 different sizes)

· Assortment kit includes 300 pieces of six popular products in 18 different sizes, ranging from 1/8" to 1-1/4"

Description	Qty	Description	Qty
1/8"	20	1/2"	25
5/32"	10	1-1/8"	10
3/16"	15	9/16"	15
1/4"	25	5/8"	20
5/16"	15	3/4"	25
3/8"	20	13/16"	15
7/16"	15	7/8"	20
1-1/4"	5	1"	15
15/32"	15	1-1/16"	15



KTI00084 170-piece U-clip and Screw Assortment

• 170-piece U-clip and screw assortment kit includes nine popular products in variety of sizes

Description	Qty	Description	Qty
#6 x 5/16" (3 x 8mm)	40	#6 (3mm) *large	20
#8 x 5/8" (4 x 16mm)	20	#8 (4mm)	20
#10 x 1/2" (5 x 13mm)	15	#10 (5mm)	15
1/4" x 3/4" (6 x 19mm)	10	1/4" (6mm)	10
#6 (3mm) *small	20		



KTI00085 200-piece Hex

Washer Drill Assortment

• Kit includes eight popular sizes, ranging from #8 x 3/4" to to #10 x 1"

Description	Qty	Description	Qty
#8 x 3/4"	30	#10 x 1/2"	20
#8 x 1"	30	#10 x 5/8"	20
#8 x 1/2"	30	#10 x 3/4"	20
#8 x 5/8"	30	#10 x 1"	20



KTI00086 270-piece HNBR

O-Ring Assortment

• Includes wide variety of green 0-rings in 18 sizes used in A/C applications

Description	Qty	Description	Qty
7/32" x 1/16" (5.29 x 1.78)	20	7/16" x 5/64" (11.00 x 2.00)	15
1/4" x 1/16" (6.07 x 1.78)	20	1/2" x 5/64" (12.00 x 2.00)	15
9/32" x 5/64" (6.80 x 1.90)	20	3/8" x 5/64" (10.00 x 2.00)	10
5/16" x 1/16" (7.65 x 1.78)	20	9/16" x 1/16" (13.90 x 1.80)	10
5/16" x 5/64" (7.80 x 1.90)	20	9/16" x 3/32" (13.95 x 2.62)	10
5/16" x 5/64" (8.00 x 2.00)	20	5/8" x 5/64" (15.00 x 2.00)	10
11/32" x 5/64" (8.80 x 1.90)	20	11/16" x 5/64" (17.00 x 2.00)	10
7/16" x 1/16" (10.82 x 1.78)	15	11/16" x 1/16" (17.17 x 1.78)	10
7/16" x 3/32" (10.77 x 2.62)	15	11/16" x 1/8" (17.04 x 3.53)	10



KTI00089 110-piece

Copper Washer Assortment

• Kit includes six popular products, ranging from 1/4" to 5/8"

Description	Qty	Description	Qty
1/4"	30	7/16"	15
5/16"	25	1/2"	10
3/8"	20	5/8"	10



KTI00091 125-piece

Grommet Assortment

• Kit includes 18 popular products, ranging from 1/8"x 1/4" to 1"

Description	Qty	Description	Qty
1/8" x 1/4"	15	5/8" x 31/32"	3
7/32" x 5/16"	10	3/4" x 15/16"	2
9/32" x 1/2"	7	9/32"	20
1/2" x 19/32"	3	3/8"	20
3/8" x 15/32"	6	1/2"	10
3/8" x 1/2"	5	5/8"	5
5/16" x 9/16"	3	3/4"	4
3/8" x 13/16"	3	7/8"	3
7/16" x 3/4"	4	1"	2





KTI00095 419-piece Metric O-ring Assortment

• Huge assortment includes 32 different products, ranging in size from 3mm to 50mm ID

Description	Qty	Description	Qty
3mm x 1.5mm	20	20mm x 3.5mm	10
4.4mm x 2mm	20	22mm x 3.5mm	10
5mm x 2mm	18	23.5mm x 3.5mm	10
7mm x 1.5mm	23	25mm x 3.5mm	10
10mm x 1.5mm	23	26.5mm x 3.5mm	10
13mm x 1.5mm	23	28mm x 3.5mm	10
10mm x 2.5mm	14	30mm x 3.5mm	10
11mm x 2.5mm	13	31mm x 3.5mm	10
13mm x 2.5mm	14	33mm x 3.5mm	10
14mm x 2.5mm	13	34.5mm x 3.5mm	10
16mm x 2.5mm	14	36mm x 3.5mm	10
18mm x 2.5mm	14	38mm x 3.5mm	10
19mm x 2.5mm	13	41mm x 3.5mm	10
21mm x 2.5mm	14	44mm x 3.5mm	10
22mm x 2.5mm	13	47mm x 3.5mm	10
18mm x 3.5mm	10	50mm x 3.5mm	10

KTI00093 120-piece Roll Pin Assortment

• 120-piece roll pin assortment kit includes 30 of the most popular sizes

500" 688"	1/4" x 5/8"			\$190" exis"	10" + 10"
NOT'S T	108" 4 5-108"			190"+1"	19" x 2".
8/88" x 5-8/8"	10" 11-10"			335 x 545°	10"+1-19
99(14)	Oractes.	3/16" v 3/6" 5/16" v 3/6"	88" 184" 88" 1548"	Q101144	Stat Fee.
New star	1/16" 6 3/16"	\$/\$6" a 6"	69"49"	X105" + 510"	174"4114"
\$166" X 1/2"	5/16" 9:5/16"			9/89" + 5:50"	8/167 6 1"
\$166" a 6"	1/16" x 3/4"			TOTAL	876" +3-10"
- Que non	don't en	Str. non.	Ster Tax.	dre ton	Ow tea



KTI00094 407-piece Universal O-ring Assortment

 407-piece universal O-ring kit. Huge assortment includes 32 different products, ranging in size from 1/8" to 2" ID and 1/4" to 2-1/4" OD



Description	Qty	Description	Qty
5/32" x 5/8"	4	3/8" x 3/4"	2
5/32" x 1"	4	3/8" x 1-1/2"	2
5/32" x 1-1/2"	4	3/8" x 2"	2
1/4" x 5/8"	4	3/32" x 5/8"	4
1/4" x 1-1/4"	4	3/32" x 1"	4
1/4" x 1-3/4"	4	3/32" x 1-1/4"	4
5/64" x 1/4"	4	7/32" x 5/8"	4
5/64" x 1/2"	4	7/32" x 1-1/4"	4
5/64" x 1"	4	7/32" x 1-3/4"	4
1/16" x 3/16"	4	1/8" x 5/8"	4
1/16" x 5/16"	4	1/8" x 1"	2
1/16" x 3/4"	4	1/8" x 1-1/4"	2
5/16" x 3/4"	4	3/16" x 5/8"	2
5/16" x 1-1/2"	4	3/16" x 1"	4
5/16" x 2"	4	3/16" x 1-1/4"	4

Vehicle Specialty I **Tubing, Cutting & Bending**



Tubing Bender Heavy-duty Pliers

• Bends 3/16", 1/4", 5/16" and 3/8" diameter copper and steel tubing without collapsing or kinking





KTI72345



KTI72355

Ratcheting Hose and Pipe Cutter

- . KTI's ratcheting hose and pipe cutting pliers accommodate a variety of materials up to 1-1/2" in diameter
- The ratcheting action makes cutting smooth and easy
- · A one-touch, quick release lever opens pliers instantly
- Built-in clasp securely locks handles when not in use for added safety
- Cuts industrial air hose, multipurpose hose, heater and washer vacuum hose, non-metallic fuel line hose, PVC pipe, battery cables and much more
- · Lifetime warranty

Replacement parts:

KTI72355-1 - Replacement blade





LIFETIME WARRANTY*

• Bends 1/4", 5/16" and 3/8" OD aluminum, steel and copper tubing

KTI70715 **Universal Nut Splitter**

- Medium Duty Nut Splitter
- · Rugged drop forged frame
- Splits rusted or frozen nuts 1/8" to 15/16" across flats
- · Parallel action of pusher cracks nuts on one side without damage to bolt threads
- · Compound angle design with 360° rotating cutter allows use in difficult to reach locations

Cutters never touch the bolt. A few turns of power screw with a 3/4" hand wrench cuts nut for easy removal. Length: 6-1/4".



KTI00022

Retainer Clip

Quick Disconnect Kit - 60 Piece

• 60-piece quick disconnect repair clip assortment kit includes parts for GM, Ford and Chrysler vehicles



LIFETIME WARRANTY*

Description	Qty	Description	Qty
GM/Chrysler/Ford 3/8"	5	Chrysler 5/16"	5
GM/Chrysler/Ford 5/16"	5	Ford 1/2"	5
Ford 5/16"	5	Ford 10.5mm	5
Ford 3/8"	5	Ford 13mm	5
Ford 1/4"	5	GM/Ford 5/8"	5
Ford 5/16"	5	GM 3/4"	5

KTI72310

Tube Cutter Mini -Range 1/8" to 5/8" OD

- Cuts 1/8" to 5/8" OD tubing
- Compact size for use in confined areas
- · Features rollers to ease operation



Tubing Cutter Heavy-duty

- Cuts 1/8" to 1-1/8" OD tubing
- Heavy-duty rollers smooth operation





KTI72320

Tubing Bender - U.S.-made

- Bends 3/16", 1/4", 5/16" and 3/8" diameter tubing
- Features aluminum mandrel










Vehicle Specialty I Inspection



- Retriever goes where human hands cannot
- Extendable magnet easily picks up and retrieves dropped items
- Tool features an ergonomic grip, a bendable shapeable wire flex shaft, powder-coated steel casings to reduce side pull, and a powerful, lightweight magnet to reach tight places
- Length: 21". Pull: 8 lbs.







KTI70903

Magnet Telescopic

Tool Straight 14lb. Pull

- Retriever goes where human hands cannot
- Extendable magnet easily picks up and retrieves dropped items
- Tool features an ergonomic grip, a telescopic shaft, powder-coated steel casings to reduce side pull, and a powerful, lightweight magnet to reach tight places
- Length: 6-1/2" to 32". Pull: 14 lbs.







- Pocket size retriever features a telescoping shaft that extends from 5-1/4" to 24"
- Pull: 3-1/2 lbs.







- · Retriever goes where human hands cannot
- Extendable magnet easily picks up and retrieves dropped items
- Tool features an ergonomic grip, a 180 swivel head, a telescopic shaft, powder-coated steel casings to reduce side pull, and a powerful, lightweight magnet to reach tight places
- Length: 6-1/2" to 32". Pull: 14 lbs.







KTI70904

Magnet Telescopic

Tool Straight 5lb. Pull

- Retriever goes where human hands cannot
- Extendable magnet easily picks up and retrieves dropped items
- . Tool features an ergonomic grip, a telescopic shaft, powdercoated steel casings to reduce side pull, and a powerful, lightweight magnet to reach tight places
- Length: 6-1/2" to 32". Pull: 5 lbs.







KTI70909

Super-duty **Magnet Telescoping**

Tool Straight 30lb. Pull

- · Super-duty retriever goes where human hands cannot • Extendable magnet easily picks up and retrieves dropped items
- . Tool features an ergonomic grip, a telescopic shaft, powder-coated steel casings to reduce side pull, and a powerful, lightweight magnet to reach tight places
- Length: 16" to 28". Pull: 30 lbs.







- Magnetic telescoping pickup tool extends from 5-1/4" to 22-3/4"
- · Handy pocket-clip keeps the tool right at your fingertips!



KTI70920 **Mirror Glass Telescoping Tool** Rectangular



- Tool goes where human eyes cannot
- Highly polished and protected mirror is attached to an expandable telescopic, ergonomic handle for user convenience
- Rectangular mirror measures 1-1/4" x 2-1/4". Length: 6-1/2" to 32".







KTI70922 Mirror Glass

Telescoping Tool Round

- Tool goes where human eyes cannot
- Highly polished and protected mirror is attached to an expandable telescopic, ergonomic handle for user convenience
- Round mirror measures 3-3/4". Length: 20" to 31"







KTI70999

Magnetic Parts Dish Stainless Steel

 Keeps small parts from spilling, Round, non-rusting stainless steel dish measures 5-3/4" diameter



- Telescoping shaft is capable of lifting 3.5 pounds
- There isn't a lost nut or bolt this tool can't pick up!





KTI70921

Mirror Glass Telescoping Tool Square

- Tool goes where human eyes cannot
- · Highly polished and protected mirror is attached to an expandable telescopic, ergonomic handle for user convenience
- Square mirror measures 1-3/4" x 1-3/4"
- Length: 6-1/2" to 32"







KTI70099

Two Way Radio

- 22 channels each with 38 privacy codes
- Up to 18 mile range
- Operating frequency 462.5625 MHz-462.7250 MHz
- Vox/DCM/Monitor/Scan/Squelch
- Roger beep & key tone on/off
- · Adjustable volume control
- 5 ringing tones
- Key lock function
- · Automatic battery save
- Ear/mic/charger jack
- Belt clip
- 1 Year Warranty on material and workmanship



Vehicle Specialty I Fuel



KTI75305 Mini Fuel Line **Installation Tool**

- Tool easily attaches all fuel line assemblies to original fuel lines
- Includes ratcheting 9/16" wrench
- Completely portable, moves from vehicle to vehicle
- · Designed to fit in tight work areas

Warranty information: One-year warranty.



KTI75310

2-Piece Universal Fuel Line Disconnect Set

- Designed to remove stubborn fuel lines from high-tech cars and trucks
- Constructed of aircraft-grade aluminum for durability, yet makes them extremely lightweight and easy to use
- The low-profile design provides access to the tightest spaces
- The opening at the widest point is 3/4" and narrows to only 1/8"
- Set features a 90° fuel line disconnect tool and a straight fuel line disconnect tool

Set includes (also available individually):

KTI75311 - 90 Degree Universal Tool, from 1/8" to 3/4" KTI75312 - Straight Universal Tool, from 1/8" to 3/4"





KTI04626

88-Piece Fuel Line Connector Assortment

- This kit contains everything you need to replace fuel line connectors on both steel and nylon line
- Assortment includes quick connectors (straight and 90°), brass connectors, compression unions, clamps, viton o-rings and connector removal tool

Part#	Description	Qty	Refill
KTI05100	Fuel Line Quick Connect Straight: F1/4 - M5/16	2	5
KTI05101	Fuel Line Quick Connect Straight: F5/16 - M5/16	2	5
KTI05102	Fuel Line Quick Connect Straight: F3/8 - M3/8	2	5
KTI05103	Fuel Line Quick Connect Straight: F5/16 - M3/8	2	5
KTI05104	Fuel Line Quick Connect Straight: F3/8 - M5/16	2	5
KTI05105	Fuel Line Quick Connect 90 Degree: F5/16 - M5/16	2	5
KTI05106	Fuel Line Quick Connect 90 Degree: F3/8 - M3/8	2	5
KTI05107	Fuel Line Quick Connect 90 Degree: F3/8 - M5/16	2	5
KTI05108	Fuel Line Quick Connect 90 Degree: F5/16 - M3/8	2	5
KTI05109	Fuel Line Connector Brass 1/4"	2	5
KTI05110	Fuel Line Connector Brass 5/16"	5	5
KTI05111	Fuel Line Connector Brass 3/8"	5	5
KTI05112	Brass Compression Union 1/4" Nylon to Nylon	2	5
KTI05113	Brass Compression Union 5/16" Nylon to Nylon	2	5
KTI05114	Brass Compression Union 3/8" Nylon to Nylon	2	5
KTI05115	Brass Compression Union 1/4" Nylon to Steel	2	5
KTI05116	Brass Compression Union 5/16" Nylon to Steel	2	5
KTI05117	Brass Compression Union 3/8" Nylon to Steel	2	5
KTI05118	Fuel Line Clamp 360 Degree 1/4"	5	10
KTI05119	Fuel Line Clamp 360 Degree 5/16"	10	10
KTI05120	Fuel Line Clamp 360 Degree 3/8"	10	10
KTI05186	Fuel System Connector Removal Tool 3/8" and 5/16"	1	5
KTI05257	Fuel Line Viton 0-ring 3/8"	10	10
KTI05259	Fuel Line Viton 0-ring 5/16"	10	10



KTI75300

Fuel Line Quick Disconnect Press Kit

- Tool easily attaches fuel line (straight or 90°) connectors to OEM nylon fuel lines
- Includes four adapters
- Features large handle for smooth operation
- Can be moved from vehicle to vehicle or bench mounted





KTI75306

Steel Line Stopper Kit

- Universal steel line stopper
- 5/16", 3/8", 1/2", and banjo fittings (10.4mm and 18mm)
- Suitable for clamping and sealing steel lines for all automotive fluids
- Provides an effective seal to steel lines when disconnected
- · Prevents fluid loss and contamination of the work area



Description


All Vehicles Size 3/8"





KTI04627

Fuel Line Assortment with OEM





5

Qty

Description

All Vehicles Size 5/16" & 3/8"

Qty

1









	Fuel Line Quick Connect - Straight / 90-degree	
Part #	Description	Qty
KTI05100	Fuel Line Quick Connect Straight: Female 1/4" - Male 5/16"	5
KTI05101	Fuel Line Quick Connect Straight: Female 5/16" - Male 5/16"	5
KTI05104	Fuel Line Quick Connect Straight: Female 3/8" - Male 5/16"	5
KTI05103	Fuel Line Quick Connect Straight: Female 5/16" - Male 3/8"	5
KTI05202	Fuel Line Quick Connect Straight: Female 5/16" - Male 3/8" Ford OE Style	5
KTI05102	Fuel Line Quick Connect Straight: Female 3/8" - Male 3/8"	5
KTI05124	Fuel Line Quick Connect Posi-Lock Straight Female 5/16" -Male 5/16"	5
KTI05125	Fuel Line Quick Connect Posi-Lock Straight Female 3/8" - Male 3/8"	5
KTI05105	Fuel Line Quick Connect 90-degree: Female 5/16" - Male 5/16"	5
KTI05107	Fuel Line Quick Connect 90-degree: Female 3/8" - Male 5/16"	5
KTI05108	Fuel Line Quick Connect 90-degree: Female 5/16" - Male 3/8"	5
KTI05106	Fuel Line Quick Connect 90-degree: Female 3/8" - Male 3/8"	5
KTI05126	Fuel Line Quick Connect Posi-Lock Bent Female 5/16" - Male 5/16"	5
KTI05127	Fuel Line Quick Connect Posi-Lock Bent Female 3/8" - Male 3/8"	5













	Fuel Line Retainer Clips	
Part #	Description	Qty
KTI05375	Fuel Line Retainer Clip 3/8" GM	10
KTI05376	Fuel Line Retainer Clip 5/16" GM	10
KTI05377	Fuel Line Retainer Clip 5/16" Ford	10
KTI05378	Fuel Line Retainer Clip 3/8" Ford	10
KTI05379	Fuel Line Retainer Clip 1/4" Ford	10
KTI05380	Fuel Line Retainer Clip 1/2" Ford	10
KTI05381	Fuel Line Retainer Clip 10.5mm Ford Truck	10
KTI05382	Fuel Line Retainer Clip 13mm Ford Truck	10
KTI05383	Fuel Line Retainer Clip 5/16" Ford (White)	10
KTI05384	Fuel Line Retainer Clip 3/8" Ford (Black)	10

Nylon Fuel Line			
Part #	Description	Qty	
KTI05205	Fuel System #12 Rated Nylon Fuel Line 1/4" - 25 Foot Roll	1	
KTI05206	Fuel System #12 Rated Nylon Fuel Line 3/8" - 25 Foot Roll	1	
KTI05207	Fuel System #12 Rated Nylon Fuel Line 5/16" - 25 Foot Roll	1	





Fuel Sender Adapters			
Part #	Description	Qty	
KTI05370	Fuel Sender Adapter to Rubber Fuel Line Female 14mm to Male 5/16"	5	
KTI05371	Fuel Sender Adapter to Rubber Fuel Line Female 16mm to Male 3/8"	5	
KTI05226	Fuel Sender Adapter to Nylon Fuel Line Female 14mm to Male 5/16"	5	
KTI05228	Fuel Sender Adapter to Nylon Fuel Line Female 16mm to Male 3/8"	5	



Fuel Line Viton O-Ring		
Part #	Description	Qty
KTI05257	Fuel Line Viton 0-Ring 3/8" GM	2
KTI05259	Fuel Line Viton 0-Ring 5/16" GM	2



	Fuel Line Clamps	
Part #	Description	Qty
KTI05118	Fuel Line Clamp 360° 1/4" for Nylon & Rubber Hose	10
KTI05119	Fuel Line Clamp 360° 5/16" (8mm) for Nylon & Rubber Hose	10
KTI05120	Fuel Line Clamp 360° 3/8" (10mm) for Nylon & Rubber Hose	10
KTI05177	Fuel System Fuel Injection Hose Clamps 1/4"	10
KTI05179	Fuel System Fuel Injection Hose Clamps 5/16" (8mm)	10
KTI05181	Fuel System Fuel Injection Hose Clamps 3/8" (10mm)	10



Fuel Filter Repair Lines		
Part #	Part # Description	
KTI05225	Fuel Filter Repair Lines 180° 3/8" x 6-1/2" 16mm GM	5









Fuel Line Fittings		
Part #	Description	Qty
KTI05111	Fuel Line Connector Brass 3/8"	5
KTI05112	Brass Compression Union 1/4" Nylon to Nylon	5
KTI05113	Brass Compression Union 5/16" Nylon to Nylon	5
KTI05114	Brass Compression Union 3/8" Nylon to Nylon	5
KTI05115	Brass Compression Union 1/4" Nylon to Steel	5
KTI05116	Brass Compression Union 5/16" Nylon to Steel	5
KTI05117	Brass Compression Union 3/8" Nylon to Steel	5
KTI05109	Fuel Line Connector Brass 1/4"	5
KTI05110	Fuel Line Connector Brass 5/16"	2
KTI05111	Fuel Line Connector Brass 1/4"	5
KTI05159	Nylon Fuel Line Brass Splice Joiner 3/8"	1
KTI05165	Fuel System Rubber Hose Barbed Connector 3/16"	5
KTI05167	Fuel System Rubber Hose Barbed Connector 1/4"	5
KTI05169	Fuel System Rubber Hose Barbed Connector 5/16"	5
KTI05171	Fuel System Rubber Hose Barbed Connector 3/8"	5





	Fuel System Adapters		
Part #	Description	Qty	
KTI05136	Fuel System Adapter Steel to Rubber or Nylon Line 1/4"	5	
KTI05138	Fuel System Adapter Steel to Rubber or Nylon Line 5/16"	5	
KTI05141	Fuel System Adapter Steel to Rubber or Nylon Line 3/8"	5	
KTI05143	Fuel System Adapter GM 14mm to 5/16" to Nylon or Rubber Line	5	
KTI05145	Fuel System Adapter GM 16mm to 3/8" to Nylon or Rubber Line	5	
KTI05149	Fuel System Adapter 3/8" Nylon to 3/8" Rubber	5	



Fuel Filter Line Repair Kits		
Part #	Description	Qty
KTI05209	Steel Fuel Line Repair Kit w/14mm Fitting and 0-ring 5/16 Line x 9" Length	5
KTI05211	Steel Fuel Line Repair Kit w/14mm Fitting and 0-ring 5/16 Line x 18" Length	5
KTI05213	Steel Fuel Line Repair Kit w/14mm Fitting and 0-ring 5/16 Line x 36" Length	5
KTI05215	Steel Fuel Line Repair Kit w/16mm Fitting and 0-ring 3/8 Line x 9" Length	5
KTI05217	Steel Fuel Line Repair Kit w/16mm Fitting and 0-ring 3/8 Line x 18" Length	5
KTI05219	Steel Fuel Line Repair Kit w/16mm Fitting and 0-ring 3/8 Line x 36" Length	5
KTI05221	Steel Fuel Line Repair Kit w/Quick Disconnect 5/16" x 18 - GM/Ford	5
KTI05372	Nylon Fuel Line Repair Kit Straight 12" Length Female 3/8" x Male 5/16"	5
KTI05235	Nylon Fuel Line Repair Kit Straight 12" Length Female 3/8" x Male 3/8"	5
KTI05243	Nylon Fuel Line Repair Kit Straight 12" Length Female 5/16" x Male 5/16"	5
KTI05233	Nylon Fuel Line Repair Kit Straight 12" Length Female 5/16" x Male 3/8"	5
KTI05237	Nylon Fuel Line Repair Kit 90° 12" Length Female 3/8" to Male 3/8"	5
KTI05245	Nylon Fuel Line Repair Kit 90° 12" Length Female 5/16" to Male 5/16"	5
KTI05373	Nylon Fuel Line Repair Kit 90° 12" Length Female 3/8" x Male 5/16"	5
KTI05374	Nylon Fuel Line Repair Kit 90° 12" Length Female 5/16" x Male 3/8"	5
KTI05253	Fuel Line Nylon Splice 3/8 Line x 12" Long - GM/Ford/Chrysler	5
KTI05255	Fuel Line Nylon Splice 5/16 Line x 12" Long - GM/Ford/Chrysler	5





Vehicle Specialty I **Electrical Service**

KTI70750 **Spark Plug Boot Plier** · Plier features insulated grips

- Overall length: 8"





KTI75201

Ford Triton Spark Plug Extractor Set

- . KTI's spark plug extractor set is a must-have for servicing Ford Triton engines model year 2004 and later
- This set easily extracts frozen and broken off spark plug sleeves from cylinder heads without removing the actual heads
- · A specially machined guide works with extra-long tap and extractor to ensure the job is done right
- Avoid engine damage by using the KTI spark plug porcelain extractor set (KTI75202) to remove broken porcelain before extracting spark plug sleeve

KTI73701 **Universal Spark Plug** Gap Tool

• Measures in increments of one thousandth from .020 through .100

KTI73701-50 - 50-piece bulk pack



Specialty Sockets - 3/8" Drive

Spark Plug Sockets:

6-point with rubber plug holder, hex top for wrench in tight areas.

KTI22221 - 5/8"

KTI22227 - 13/16"





Flex Spark Plug Sockets:

Flex joint 3/8" drive, chrome plated, chrome vanadium steel, heat-treated.

KTI22521 - 5/8" KTI22527 - 13/16"







KTI22133

3/8" Drive "2-in-1" Oil Sender Socket

· For oil sending units or stoplight switch replacement





KTI32229

3/8" Drive Oxygen Sensor Socket

 Used to remove and install oxygen sensors on most domestic and some imported vehicles







Fuse Holders

Qty:

KTI01671

Fuse Puller

Pull Auto, Glass and Mini Fuses



LIFETIME WARRANTY*

KTI75202

Ford Porcelain Spark Plug Exractor Set

- . KTI's spark plug porcelain extractor set works in conjunction with the KTI spark plug extractor set (KTI75201)
- It is a must-have set for servicing Ford Triton engines model year 2004 and later
- This set easily extracts broken porcelain from spark plug sleeves
- Set uses a special bonding agent to extract porcelain from spark plug sleeve without pushing on the broken plug and potentially pushing it into the cylinder causing engine damage
- Meets Ford TSB specifications





ATO Fuses/ATO Glo Fuses

 ATO fuses are color coded for amperage, have a recognizable body design, and standard footprint. ATO fuses snap into place without the need for special tools

Part #	Description	Qty
KTI04282	10 Amp Glo-Fuse	5
KTI04283	15 Amp Glo-Fuse	5
KTI04284	20 Amp Glo-Fuse	5
KTI04285	25 Amp Glo-Fuse	5
KTI04286	30 Amp Glo-Fuse	5

Part #	Description	Qty
KTI04209	3 Amp Fuses	5
KTI04210	5 Amp Fuses	5
KTI04211	7.5 Amp Fuses	5
KTI04212	10 Amp Fuses	5
KTI04213	15 Amp Fuses	5
KTI04214	20 Amp Fuses	5
KTI04215	25 Amp Fuses	5
KTI04216	30 Amp Fuses	5





Mini Fuses / Low Profile Mini Fuses / Glo Mini Fuses



- The mini fuse style blade fuse is quickly becoming a new standard in the automotive industry
- The mini fuse allows for more circuits to be fused in the same space as either an ATO or ATC style fuse
- Mini fuses are offered in 2 to 30 amp current ratings

Part #	Description	Qty
KTI04199	Fuses Mini 2 Amp	5
KTI04200	Fuses Mini 3 Amp	5
KTI04201	Fuses Mini 4 Amp	5
KTI04202	Fuses Mini 5 Amp	5
KTI04203	Fuses Mini 7.5 Amp	5
KTI04204	Fuses Mini 10 Amp	5
KTI04205	Fuses Mini 15 Amp	5
KTI04206	Fuses Mini 20 Amp	5
KTI04207	Fuses Mini 25 Amp	5
KTI04208	Fuses Mini 30 Amp	5
KTI04270	Low Profile Mini Fuse - 5 Amp	10
KTI04271	Low Profile Mini Fuse - 7.5 Amp	10
KTI04272	Low Profile Mini Fuse - 10 Amp	10
KTI04273	Low Profile Mini Fuse - 15 Amp	10
KTI04274	Low Profile Mini Fuse - 20 Amp	10
KTI04275	Low Profile Mini Fuse - 25 Amp	10
KTI04276	Low Profile Mini Fuse - 30 Amp	10
KTI04277	Mini Glo-Fuse 10 Amp	5
KTI04278	Mini Glo-Fuse 15 Amp	5
KTI04279	Mini Glo-Fuse 20 Amp	5
KTI04280	Mini Glo-Fuse 25 Amp	5
KTI04281	Mini Glo-Fuse 30 Amp	5





	Maxi Fuses	
Part #	Description	Qty
KTI04234	Fuses Maxi 20 Amp	3
KTI04235	Fuses Maxi 30 Amp	3
KTI04236	Fuses Maxi 40 Amp	3
KTI04237	Fuses Maxi 50 Amp	3
KTI04238	Fuses Maxi 60 Amp	3
KTI04239	Fuses Maxi 80 Amp	3





Glass Fuses

- Although still used in older-model cars, glass fuses are found primarily in automotive accessory applications today
- Glass fuses are widely used in electronic and electrical applications where proper fuse selection is critical to performance
- Sold as a package of 5

Part #	Description	Qty
KTI00811	Fuses Glass 10 Amp	5
KTI00821	Fuses Glass 15 Amp	5
KTI00831	Fuses Glass 20 Amp	5
KTI00841	Fuses Glass 25 Amp	5
KTI00851	Fuses Glass 30 Amp	5
KTI00861	Fuses Glass 5 Amp	5













Jcase Fuses		IN USA
Part #	Description	Qty
KTI04220	Jcase Fuse - 20 Amp	5
KTI04221	Jcase Fuse - 30 Amp	5
KTI04222	Jcase Fuse - 40 Amp	5
KTI04223	Jcase Fuse - 50 Amp	5
KTI04224	Jcase Fuse - 60 Amp	5



KTI00020

118-piece Master Plug-in Style Fuse Kit

 This comprehensive 118-piece assortment contains the most popular 24 numbers of plug-in fuses - ATO, ATM and MAXI

Part #	Size/Type	Qty	Refill
KTI04199	2A mini plug-in fuse	5	5
KTI04200	3A mini plug-in fuse	5	5
KTI04201	4A mini plug-in fuse	5	5
KTI04202	5A mini plug-in fuse	5	5
KTI04203	7.5A mini plug-in fuse	5	5
KTI04204	10A mini plug-in fuse	5	5
KTI04205	15A mini plug-in fuse	5	5
KTI04206	20A mini plug-in fuse	5	5
KTI04207	25A mini plug-in fuse	5	5
KTI04208	30A mini plug-in fuse	5	5
KTI04209	3A plug-in fuse	5	5
KTI04210	5A plug-in fuse	5	5
KTI04211	7.5A plug-in fuse	5	5
KTI04212	10A plug-in fuse	5	5
KTI04213	15A plug-in fuse	10	5
KTI04214	20A plug-in fuse	10	5
KTI04215	25A plug-in fuse	5	5
KTI04216	30A plug-in fuse	5	5
KTI04234	20A maxi plug-in fuse	3	3
KTI04235	30A maxi plug-in fuse	3	3
KTI04236	40A maxi plug-in fuse	3	3
KTI04237	50A maxi plug-in fuse	3	3
KTI04238	60A maxi plug-in fuse	3	3
KTI04239	80A maxi plug-in fuse	3	3













	200	\sim
Lo	w Profile Jcase Fuses	E IN USA
Part #	Description	Qty
KTI04226	Low Profile Jcase Fuse - 20 Amp	5
KTI04227	Low Profile Jcase Fuse - 25 Amp	5
KTI04228	Low Profile Jcase Fuse - 30 Amp	5
KTI04229	Low Profile Jcase Fuse - 40 Amp	5
KTI04230	Low Profile Jcase Fuse - 50 Amp	5
KTI04231	Low Profile Jcase Fuse - 60 Amp	5





KTI00021

Fuse Kit- ATO Fuse 80 Pieces

- 80-piece ATO fuse assortment kit includes ten each of eight popular sizes from 3 to 30 amp
- Packaged in multicompartment, refillable plastic case Contains product assortment map for easy identification of components

Part #	# Size		Refill
KTI04209	3A plug-in fuse	10	5
KTI04210	5A plug-in fuse	10	5
KTI04211	7.5A plug-in fuse	10	5
KTI04212	10A plug-in fuse	10	5
KTI04213	15A plug-in fuse	10	5
KTI04214	104214 20A plug-in fuse		5
KTI04215	CTI04215 25A plug-in fuse		5
KTI04216	30A plug-in fuse		5



KTI00080

120-Piece Auto Fuse Assortment (color-coded fuses)

Kit includes auto fuses sized from 5A to 30A

Description	Qty	Description	Qty
5A Auto Fuses	20	20A Auto Fuses	20
10A Auto Fuses 20 25A Auto Fuses		25A Auto Fuses	20
15A Auto Fuses	20	30A Auto Fuses	20



KTI00028

75-Piece Mini Fuse Kit

- Mini fuse kit contains 75 total pieces of 10 sizes including 2A, 3A, 4A, 5A, 7.5A, 10A, 15A, 20A, 25A and 30A fuses
- ATM mini fuses are used in many late-model OEM applications

Part #	Description	Qty	Refill
KTI04199	2A mini fuse	10	5
KTI04200	KTI04200 3A mini fuse		5
KTI04201	4A mini fuse	5	5
KTI04202 5A mini fuse		10	5
KTI04203	7.5A mini fuse	5	5
KTI04204	10A mini fuse	10	5
KTI04205	15A mini fuse	10	5
KTI04206	KTI04206 20A mini fuse		5
KTI04207	25A mini fuse	5	5
KTI04208	T104208 30A mini fuse		5

KTI00081 120-Piece Mini Auto Fuse Assortment (color-coded fuses)

• Kit includes mini fuses sized from 2A to 30A



Description	Qty	Description	Qty
5A Auto Fuses	20	20A Auto Fuses	20
10A Auto Fuses	20	25A Auto Fuses	20
15A Auto Fuses	20	30A Auto Fuses	20

KTI00082 56-Piece Maxi Auto Fuse Assortment (color-coded fuses)

 Includes maxi fuses sized from 20A to 100A



	Description	Qty	Description	Qty
	20A Auto Fuses	7	60A Auto Fuses	7
	30A Auto Fuses	7	70A Auto Fuses	7
Ì	40A Auto Fuses	7	80A Auto Fuses	7
ĺ	50A Auto Fuses	7	100A Auto Fuses	7

KTI00027

16-Piece Maxi Fuse Kit

- Maxi fuse kit contains16 pieces in the most popular 5 sizes including 20A, 30A, 40A, 50A and 60A
- Maxi fuses are used to protect circuits in the wiring harness - usually found under the hood, in a fuse panel or supplementary panel near the battery
- Primarily used in domestic cars, MAXI fuses also have some applications in imported models
- OEM applications currently range up to 60 amps, however, some aftermarket accessories require protection up to 80 amps



Part #	Description	Qty	Refill
KTI04234	20A maxi plug-in fuse	3	10
KTI04235	30A maxi plug-in fuse	4	10
KTI04236	KTI04236 40A maxi plug-in fuse		10
KTI04237	KTI04237 50A maxi plug-in fuse		10
KTI04238	KTI04238 60A maxi plug-in fuse		10







25-Piece ATO Glo-Fuse Assortment

- Finding open fuses is easy with these fuses that use LED technology to show that a fuse has opened - making them easy to spot in fuse panels tucked up under dark dashboards
- Same color coding and amp ratings as the ATO fuses
- Includes 25 pieces of the top 5 sizes including 10A, 15A, 20A, 25A and 30A

Part #	Description	Qty
KTI04282	ATO Glo-Fuse 10 Amp	5
KTI04283	ATO Glo-Fuse 15 Amp	5
KTI04284	ATO Glo-Fuse 20 Amp	5
KTI04285	ATO Glo-Fuse 25 Amp	5
KTI04286	ATO Glo-Fuse 30 Amp	5



KTI00068

30-Piece Low Profile Mini Fuse Assortment

- This is a low profile version of the ATM mini fuses
- Same color code and amp ratings
- Includes 30 pieces of the top 6 sizes 7.5A, 10A, 15A, 20A, 25A and 30A

Part #	Description	Qty
KTI04270	Low Profile Mini Fuse - 5 Amp	NA
KTI04271	Low Profile Mini Fuse - 7.5 Amp	5
KTI04272	Low Profile Mini Fuse - 10 Amp	5
KTI04273	Low Profile Mini Fuse - 15 Amp	5
KTI04274	Low Profile Mini Fuse - 20 Amp	5
KTI04275	Low Profile Mini Fuse - 25 Amp	5
KTI04276	Low Profile Mini Fuse - 30 Amp	5



KTI00067

95-Piece AGC Glass Fuse Assortment

- These glass tube fuses are used in older-model cars and found primarily in automotive accessory applications
- Includes 95 total pieces of 6 popular sizes of AGC, AGW, SFE and GBC type fuses

Part #	Description	Qty
KTI00811	10A glass fuse	10
KTI00821	15A glass fuse	20
KTI00831	20A glass fuse	20
KTI00841	25A glass fuse	20
KTI00851	30A glass fuse	20
KTI00861	5A glass fuse	5



KTI00069

25-Piece ATM Glo-Fuse Assortment

- Finding open fuses is easy with these fuses that use LED technology to show that a fuse has opened - making them easy to spot in fuse panels tucked up under dark dashboards
- Same color coding and amp ratings as the ATM mini blade fuses
- Includes 25 pieces of the top 5 sizes including 10A, 15A, 20A, 25A and 30A

Part #	Description	Qty
KTI04277	ATM Glo-Fuse 10 Amp	5
KTI04278	ATM Glo-Fuse 15 Amp	5
KTI04279	ATM Glo-Fuse 20 Amp	5
KTI04280	ATM Glo-Fuse 25 Amp	5
KTI04281	ATM Glo-Fuse 30 Amp	5



VEHICLE SPECIALTY



KTI00026

10-piece Jcase Fuse Assortment

- These high amp fuses are currently on many new domestic and Japanese model vehicles. Same color code and amp ratings
- Includes 10 pieces total of the most popular 5 sizes

Part #	Description	Qty	Refill
KTI04220	Jcase Fuse - 20 Amp	2	5
KTI04221	Jcase Fuse - 30 Amp	2	5
KTI04222	Jcase Fuse - 40 Amp	2	5
KTI04223	Jcase Fuse - 50 Amp	2	5
KTI04224	Jcase Fuse - 60 Amp	2	5



KTI00045

12-piece Low Profile Jcase Fuse Assortment

- This is the low profile version of the JCASE high amp fuses
- Same color code and amp ratings
- Includes 12 pieces total of the most popular 6 sizes

Part #	Description	Qty	Refill
KTI04226	Low Profile Jcase Fuse - 20 Amp	2	5
KTI04227	Low Profile Jcase Fuse - 25 Amp	2	5
KTI04228	Low Profile Jcase Fuse - 30 Amp	2	5
KTI04229	Low Profile Jcase Fuse - 40 Amp	2	5
KTI04230	Low Profile Jcase Fuse - 50 Amp	2	5
KTI04231	Low Profile Jcase Fuse - 60 Amp	2	5



KTI00037


180-piece Solderless Terminal Kit

Solderless terminal kit includes 180 pieces of the most popular terminal rings, spades, male and female disconnects and butt connectors

Part #	Description	Qty
KTI04057	Ring Terminal Wire Size: 22-18 Stud Size: 10	10
KTI04058	Ring Terminal Wire Size: 16-14 Stud Size: 6	10
KTI04059	Ring Terminal Wire Size: 16-14 Stud Size: 10	10
KTI04062	Ring Terminal Wire Size: 12-10 Stud Size: 10	10
KTI04063	Ring Terminal Wire Size: 12-10 Stud Size: 1/4	10
KTI04065	Spade Terminal Wire Size: 22-18 Stud Size: 10	10
KTI04067	Spade Terminal Wire Size: 16-14 Stud Size: 10	10
KTI04068	Ring Terminal Wire Size: 12-10 Stud Size: 10	10
KTI04069	Butt Connector Wire Size: 22-18	10
KTI04070	Butt Connector Wire Size: 16-14	10
KTI04071	Butt Connector Wire Size: 12-10	10
KTI04072	Male Slide Terminal Wire Size: 22-18 Tab Size: .250	10
KTI04073	Female Slide Terminal Wire Size: 22-18 Tab Size: .250	10
KTI04074	Male Slide Terminal Wire Size: 16-14 Tab Size: .250	10
KTI04075	Female Slide Terminal Wire Size: 16-14 Tab Size: .250	10
KTI04076	Male Slide Terminal Wire Size: 12-10 Tab Size: .250	10
KTI04077	Female Slide Terminal Wire Size: 12-10 Tab Size: .250	10
KTI04497	Ring Terminal Wire Size: 22-18 Stud Size: 6	10



KTI00039 360-piece Professional Terminal Assortment



Part #	Description	Qty	Refill
KTI04057	Ring Terminal Wire Size: 22-18 Stud Size: 10	20	10
KTI04058	Ring Terminal Wire Size: 16-14 Stud Size: 6	20	10
KTI04059	Ring Terminal Wire Size: 16-14 Stud Size: 10	20	10
KTI04060	Ring Terminal Wire Size: 16-14 Stud Size: 1/4	10	10
KTI04061	Ring Terminal Wire Size: 16-14 Stud Size 3/8	10	10
KTI04062	Ring Terminal Wire Size: 12-10 Stud Size: 10	10	10
KTI04063	Ring Terminal Wire Size: 12-10 Stud Size: 1/4	10	10
KTI04064	Ring Terminal Wire Size: 12-10 Stud Size: 3/8	10	10
KTI04066	Spade Terminal Wire Size: 16-14 Stud Size: 6	20	10
KTI04067	Spade Terminal Wire Size: 16-14 Stud Size: 10	20	10
KTI04068	Spade Terminal Wire Size: 12-10 Stud Size: 10	10	10
KTI04069	Butt Connector 22-18	20	10
KTI04070	Butt Connector 16-14	20	10
KTI04071	Butt Connector 12-10	10	10
KTI04074	Male Slide Terminal 16-14 Stud Size .250	20	10
KTI04075	Female Slide Terminal 16-14 Stud Size .250	20	10
KTI04078	Female Bullet 16-14 Stud Size .157	20	10
KTI04079	Male Bullet 16-14 Stud Size .157	10	10
KTI04080	3-Way 16-14	10	10
KTI04081	2-way Female Bullet 16-14 .157	10	10
KTI04082	Female Slide 16-14 Stud Size .250 Brass	20	10
KTI04083	Male Slide 16-14 Stud Size .250 Brass	20	10
KTI04084	Ins. Male Slide 16-14 Stud Size .250	10	10
KTI04085	Ins. Female Slide 16-14 Stud Size .250	10	10

KTI00087 360-piece


Terminal Assortment

Kit contains 360 insulated PVC-sleeve, zinc-plated wire terminals and connectors. Essential for automotive, small-engine, appliance and electrical repair. Includes 13 of the most common wire connection sizes and styles.



Description	Qty	Description	Qty
10-32 ring 16-14 ga.	30	Butt connector 16-14 ga.	15
3/8" ring 16-14 ga.	20	Butt connector 12-10 ga	15
1/4" ring 16-14 ga.	20	Male bullet 16-14 ga.	10
10-32 ring 12-10 ga.	20	Female bullet 16-14 ga.	10
3/8" ring 12-10 ga.	15	Two-way line connector	10
1/4" ring 12-10 ga.	15	Male disconnect 18-14 ga.	10
10 spade 16-14 ga.	30	Female disconnect 18-14 ga.	10
10 spade 12-10 ga.	20	Male ins. disconnect 18-14	10
Butt connector 22-16 ga.	30	Female ins. disconnect 18-14	10

KTI00038 120-piece Shrink Tube Solderless Terminal Kit



• Heat shrink butt connectors make connections weatherproof

Part #	Description	Qty
KTI04086	Ring Terminal 22-18 Stud Size 10	5 5
KTI04087	Ring Terminal 16-14 Stud Size 6	5
KTI04087	Ring Terminal 16-14 Stud Size 10	5
KTI04089	Ring Terminal 12-10 Stud Size 10	5
KTI04069 KTI04090	Ring Terminal 12-10 Stud Size 10	5
KTI04090 KTI04091	<u> </u>	_
	Ring Terminal 12-10 Stud Size 3/8"	5
KTI04092	Spade Terminal 16-14 Stud Size 10	5
KTI04093	Spade Terminal 12-10 Stud Size 10	5
KTI04094	Butt Connector Heat Shrink 22-18	5
KTI04095	Butt Connector Solder Seal 22-18	5
KTI04096	Butt Connector Heat Shrink 16-14	5
KTI04097	Butt Connector Solder Seal 16-14	5
KTI04098	Butt Connector Heat Shrink 12-10	5
KTI04099	Butt Connector Solder Seal 12-10	5
KTI04100	Male Slide Terminal 22-18 Stud Size .250	5
KTI04101	Female Slide Terminal 22-18 Stud Size .250	5
KTI04102	Male Slide Terminal 16-14 Stud Size .250	5
KTI04103	Female Slide Terminal 16-14 Stud Size .250	5
KTI04104	Male Slide Terminal 12-10 Stud Size .250	5
KTI04105	Female Slide Terminal 12-10 Stud Size .250	5
KTI04106	Ins. Slide 16-14 Stud Size .250	5
KTI04107	Ins. Slide 16-14 Stud Size .250	5
KTI04108	Ins. Slide 12-10 Stud Size .250	5
KTI04109	Ins. Slide 12-10 Stud Size .250	5



VEHICLE SPECIALTY

	Electrical Solderless Terminals	
Part #	Description	Qty
KTI04068	Electrical Solderless Terminals 12-10 #10 Spade	10
KTI04071	Electrical Solderless Terminals 12-10 Butt Connector	10
KTI04077	Electrical Solderless Terminals 12-10 Female Disconnect	10
KTI04109	Electrical Solderless Terminals 12-10 Female Full Insulted Weatherproof	5
KTI04076	Electrical Solderless Terminals 12-10 Male Disconnect	10
KTI04108	Electrical Solderless Terminals 12-10 Male Disconnect Full Insulated Weatherproof	5
KTI04063	Electrical Solderless Terminals 12-10, 1/4" Ring	10
KTI04064	Electrical Solderless Terminals 12-10, 3/8" Ring	10
KTI04062	Electrical Solderless Terminals 12-10 #10 Ring	10
KTI04066	Electrical Solderless Terminals 16-14 #6 Spade	10
KTI04067	Electrical Solderless Terminals 16-14 #10 Spade	10
KTI04081	Electrical Solderless Terminals 16-14 2-Way Snap Plug Receptacle	10
KTI04080	Electrical Solderless Terminals 16-14 3-Way Connector	10
KTI04070	Electrical Solderless Terminals 16-14 Butt Connector	10
KTI04075	Electrical Solderless Terminals 16-14 Female Disconnect	10
KTI04082	Electrical Solderless Terminals 16-14 Female Disconnect for Contact Body	10
KTI04084	Electrical Solderless Terminals 16-14 Female Disconnect Full Insulated	10
KTI04106	Electrical Solderless Terminals 16-14 Female Disconnect Full Insulated Weatherproof	5
KTI04074	Electrical Solderless Terminals 16-14 Male Disconnect	10
KTI04083	Electrical Solderless Terminals 16-14 Male Disconnect for Contact Body	10
KTI04085	Electrical Solderless Terminals 16-14 Male Disconnect Full Insulated	10
KTI04107	Electrical Solderless Terminals 16-14 Male Disconnect Full Insulated Weatherproof	5
KTI04079	Electrical Solderless Terminals 16-14 Universal Female Snap Plug	10
KTI04078	Electrical Solderless Terminals 16-14 Universal Snap Plug	10
KTI04060	Electrical Solderless Terminals 16-14, 1/4 Ring	10
KTI04061	Electrical Solderless Terminals 16-14, 3/8 Ring	10
KTI04058	Electrical Solderless Terminals 16-14 #6 Ring	10
KTI04059	Electrical Solderless Terminals 16-14 #10 Ring	10
KTI04057	Electrical Solderless Terminals 22-18 #10 Ring	10
KTI04065	Electrical Solderless Terminals 22-18 #10 Spade	10
KTI04497	Electrical Solderless Terminals 22-18 #6 Ring	10
KTI04069	Electrical Solderless Terminals 22-18 Butt Connector	10
KTI04073	Electrical Solderless Terminals 22-18 Female Disconnect	10
KTI04072	Electrical Solderless Terminals 22-18 Male Disconnect	10







KTI00641



KTI00611



KTI00621



KTI00651



KTI00661







- **40-piece Copper Lug Terminal Assortment** Copper lug terminal assortment kit includes five each of eight popular sized crimp-on copper lugs for use on 1 to 6 gauge wire

 • Used for large cable applications like battery cables and grounding cables

Part #	Description	Qty	Refill
KTI04049	Wire Size: 2 ga. Stud Size: 3/8"	5	10
KTI04050	Wire Size: 4 ga. Stud Size: 3/8"	5	10
KTI04051	Wire Size: 2 ga. Stud Size: 5/16"	5	10
KTI04052	Wire Size: 4 ga. Stud Size: 5/16"	5	10
KTI04053	Wire Size: 6 ga. Stud Size: 3/8"	5	10
KTI04054	Wire Size: 1 ga. Stud Size: 3/8"	5	10
KTI04055	Wire Size: 1 ga. Stud Size: 5/16"	5	10
KTI04056	Wire Size: 6 ga. Stud Size: 5/16"	5	10





Electrical Copper Lugs				
Part #	Part # Description			
KTI04054	Electrical Copper Lugs 1 Gauge x 3/8	10		
KTI04055	Electrical Copper Lugs 1 Gauge x 5/16	10		
KTI04049	Electrical Copper Lugs 2 Gauge x 3/8	10		
KTI04051	Electrical Copper Lugs 2 Gauge x 5/16	10		
KTI04050	Electrical Copper Lugs 4 Gauge x 3/8	10		
KTI04052	Electrical Copper Lugs 4 Gauge x 5/16	10		
KTI04053	Electrical Copper Lugs 6 Gauge x 3/8	10		
KTI04056	Electrical Copper Lugs 6 Gauge x 5/16	10		



Electrical	Shrink Tube Connectors / Te	rminals
Part #	Description	Qty
KTI04098	Electrical Shrink Tube Butt Connector Heat Shrink 12-10	5
KTI04096	Electrical Shrink Tube Butt Connector Heat Shrink 16-14	5
KTI04094	Electrical Shrink Tube Butt Connector Heat Shrink 22-18	5
KTI04099	Electrical Shrink Tube Butt Connector Solder Seal 12-10	5
KTI04097	Electrical Shrink Tube Butt Connector Solder Seal 16-14	5
KTI04095	Electrical Shrink Tube Butt Connector Solder Seal 22-18	5
KTI04105	Electrical Shrink Tube Female Slide Terminal 12-10 Stud Size .250	5
KTI04103	Electrical Shrink Tube Female Slide Terminal 16-14 Stud Size .250	5
KTI04101	Electrical Shrink Tube Female Slide Terminal 22-18 Stud Size .250	5
KTI04104	Electrical Shrink Tube Male Slide Terminal 12-10 Stud Size .250	5
KTI04102	Electrical Shrink Tube Male Slide Terminal 16-14 Stud Size .250	5
KTI04100	Electrical Shrink Tube Male Slide Terminal 22-18 Stud Size .250	5
KTI04090	Electrical Shrink Tube Ring Terminal 12-10 Stud Size 1/4"	5
KTI04089	Electrical Shrink Tube Ring Terminal 12-10 Stud Size 10	5
KTI04091	Electrical Shrink Tube Ring Terminal 12-10 Stud Size 3/8"	5
KTI04088	Electrical Shrink Tube Ring Terminal 16-14 Stud Size 10	5
KTI04087	Electrical Shrink Tube Ring Terminal 16-14 Stud Size 6	5
KTI04086	Electrical Shrink Tube Ring Terminal 22-18 Stud Size 6	5
KTI04093	Electrical Shrink Tube Spade Terminal 12-10 Stud Size 10	5
KTI04092	Electrical Shrink Tube Spade Terminal 16-14 Stud Size 10	5

VEHICLE SPECIALTY



216-Piece Heat Shrink Tubing Assortment Set

- Protection and insulation of component and wires
- · Color coordinated sizes
- · Quick and simple to shrink by heat gun
- Shrink ratio 2:1

KTI00033

Assortment includes sizes ranging from 2.5mm to 20mm

Description	Qty	Description	Qty
2.5mm x 45mm, Color black	50	6mm x 45mm, Color red	5
2.5mm x 45mm, Color red	20	10mm x 45mm, Color black	10
3.5mm x 45mm, Color black	30	10mm x 45mm, Color red	10
3.5mm x 45mm, Color red	15	13mm x 45mm, Color black	10
4.5mm x 45mm, Color black	20	13mm x 45mm, Color red	10
4.5mm x 45mm, Color red	10	20mm x 75mm, Color black	8
6mm x 45mm, Color black	10	20mm x 75mm, Color red	8



KTI00035

85-piece Heat Shrink Tube Kit

- Shrink tube assortment kit includes five popular sizes
- Ideal for weathertight seal of all electrical connections
- Use for insulating, jacketing, bundling and identification
- . It is mechanically tough and has good abrasion and solvent resistance
- Shrink temp 250°F. Shrink ratio 2:1

Kit contains five sizes (1/8", 3/16", 1/4", 3/8" and 1/2") for a total of 85 pieces

Part #	Description	Qty
KTI02611	1/8" shrink tube	20
KTI02621	3/16" shrink tube	20
KTI02631	1/4" shrink tube	30
KTI02641	3/8" shrink tube	10
KTI04494	1/2" shrink tube	5



KTI02651

Heat Shrink Tubing Assortment - Qty 8

- A high quality material which shrinks to 1/3 its size
- It can be stored for extended periods of time without shrinkage
- It remains flame retardant, and is very flexible
- When heated, the sealant flows and physically encapsulates, creating a waterproof connection

Includes (2) each of the following diameters: 1/8", 3/16", 1/4" and 3/8"



KTI00097

157-piece Electric Wire Solderless Terminal Kit

- 157-piece electric wire solderless terminal kit includes 17 popular sizes for 10-18 gauge wire
- Products are color-coded for convenience

Description	Qty	Description	Qty
#8 ring terminal 16-14 ga.	11	Female connector 16-14 ga.	11
#10 ring terminal 16-14 ga.	11	Male connector 12-10 ga.	4
1/4" ring terminal 16-14 ga.	11	Female connector 12-10 ga.	4
5/16" ring terminal 12-10 ga.	8	Male bullet 16-14 ga.	11
3/8" ring terminal 12-10 ga.	4	Female bullet 16-14 ga.	11
Butt connect 22-18 ga.	11	#8 spade terminal 16-14 ga.	11
Butt connect 16-14 ga.	22	Quick splice and tap 16-14 ga	4
Butt connect 12-10 ga.	8	Quick splice and tap 22-18 ga	4
Male connector 16-14 ga.	11		





105-Piece Dual-Wall

Heat Shrink Tubing Assortment Set

- Protection and insulation of component and wires
- Use for auto, marine, plane, home, industrial, computer, etc.
- Quick and simple to shrink by heat gun
- Waterproof; Shrink ration: 3:1
- Assortment includes sizes ranging from 3.2mm to 25.4mm

Description	Qty
3.2mm x 45mm, Color black	28
3.2mm x 45mm, Color red	12
4.8mm x 45mm, Color black	16
4.8mm x 45mm, Color red	8
6.4mm x 45mm, Color black	7
6.4mm x 45mm, Color red	4
9.5mm x 45mm, Color black	6
9.5mm x 45mm, Color red	3
12.7mm x 75mm, Color black	5
12.7mm x 75mm, Color red	3
19.1mm x 75mm, Color black	3
19.1mm x 75mm, Color red	2
25.4mm x 75mm, Color black	4
25.4mm x 75mm, Color red	4



KTI00003

100-piece Butt Connector Kit

• Vinyl solderless butt connector assortment kit includes three popular sizes for use on 10 to 22 gauge wire

Part #	Description	Qty
KTI04069	Butt Connectors Vinyl 22-18 Gauge	20
KTI04070	Butt Connectors Vinyl 16-14 Gauge	60
KTI04071	Butt Connectors Vinyl 12-10 Gauge	20



KTI07740

235-piece Heat Shrink Tube Kit • 8 sizes, 3/32" to 3/4", 6" long

- 2:1 shrink ratio inside diameter is measured before shrinking
- Heat rating: 257-degrees Fahrenheit (125-degrees Celsius)
- All sizes are provided in 6" lengths and can be cut to fit

Size: 1/8"	Qty	Size: 3/8"	Qty
Blue	11	Blue	2
Black	11	Black	2
Orange	11	Orange	2
Green	11	Green	2
Yellow	11	Yellow	2
Size: 3/32"	Qty	Size: 1/2"	Qty
Blue	8	Blue	2
Black	8	Black	2
Orange	8	Orange	2
Green	8	Green	2
Yellow	8	Yellow	2
Size: 3/16"	Qty	Size: 5/8"	Qty
Size: 3/16" Blue	Qty 11	Size: 5/8" Blue	Qty
Blue	11	Blue	1
Blue Black	11 11	Blue Black	1
Blue Black Orange	11 11 11	Blue Black Orange	1 1 1
Blue Black Orange Green	11 11 11 11	Blue Black Orange Green	1 1 1
Blue Black Orange Green Yellow	11 11 11 11 11	Blue Black Orange Green Yellow	1 1 1 1
Blue Black Orange Green Yellow Size: 1/4"	11 11 11 11 11 Qty	Blue Black Orange Green Yellow Size: 3/4"	1 1 1 1 1 Qty
Blue Black Orange Green Yellow Size: 1/4" Blue	11 11 11 11 11 Qty	Blue Black Orange Green Yellow Size: 3/4" Blue	1 1 1 1 1 Qty 1
Blue Black Orange Green Yellow Size: 1/4" Blue Black	11 11 11 11 11 Qty 11 11	Blue Black Orange Green Yellow Size: 3/4" Blue Black	1 1 1 1 1 Qty 1 1

VEHICLE SPECIALTY





60-piece Butt Connector Kit with Shrink Tube

- · Vinyl butt with shrink fit connector assortment kit includes three popular sizes for use in many applications including automoive and marine
- Heat shrink butt connectors make connections weatherproof

Part #	Description	Qty
KTI04094	Butt Conn. Shrink Tubing 22-18Ga.	15
KTI04096	Butt Conn. Shrink Tubing 16-14Ga.	30
KTI04098	Butt Conn. Shrink Tubing 12-10Ga.	15



- Wire cutter, bolt cutter, and wire stripper in one
- Crimps insulated and open barrel terminals





- Wire cutter, bolt cutter, and wire stripper in one
- Crimps open barrel terminals
- 3.2mm thickness



LIFETIME WARRANTY*

KTI56203

Professional Crimping Tool -0.5/1.5/2.5/4.0/6.0 MM2

- Crimps non-insulated terminals
- · Easy to grip handles



KTI56205

8.7" Ratcheting Terminal Crimper

- 8.7" Ratchet Crimper for insulated terminal
- Polypropylene and thermoplastic rubber handle
- Tool capacity: Red 22-18 AWG, Blue 16-14 AWG, Yellow 12-10 AWG
- Carbon steel head · Adjusted by screwdriver
- Ratcheting Terminal Crimper





- · Wire cutter, bolt cutter, wire stripper, and bending wire
- · Crimps insulated, non-insulated, and pin terminals





Dyna Loom - Split Wire Loom				
Part #	Part # Size			
KTI02751	1/2" I.D. Split Wire Loom	7'		
KTI02761	1/4" I.D. Split Wire Loom	10'		
KTI02771	3/4" I.D. Split Wire Loom	5'		
KTI02781	3/8" I.D. Split Wire Loom	10'		
KTI02791	5/8" I.D. Split Wire Loom	6'		



Dyna Loom - Routing Clips			
Part # Description Qty			
KTI02742	1/4" Wire Loom Clips	10	
KTI02743	3/8" Wire Loom Clips	10	
KTI02744	1/2" Wire Loom Clips	10	
KTI02745	5/8" and 3/4" Wire Loom Clips	10	









Primary Wire					
Part #	Color	Gauge	Length		
KTI01912	Red	10 Gauge	8'		
KTI01920	Black	10 Gauge	8'		
KTI01939	White	10 Gauge	8'		
KTI02012	Red	12 Gauge	10'		
KTI02020	Black	12 Gauge	10'		
KTI02039	White	12 Gauge	10'		
KTI02112	Red	14 Gauge	15'		
KTI02127	Yellow	14 Gauge	15'		
KTI02130	Black	14 Gauge	15'		
KTI02149	White	14 Gauge	15'		
KTI02212	Red	16 Gauge	25'		
KTI02227	Yellow	16 Gauge	25'		
KTI02230	Black	16 Gauge	25'		
KTI02249	White	16 Gauge	25'		
KTI02312	Red	18 Gauge	30'		
KTI02327	Yellow	18 Gauge	30'		
KTI02330	Black	18 Gauge	30'		
KTI02349	White	18 Gauge	30'		



Mini Heavy-duty Circuit Tester

- Tester is 5" long and includes 2" tempered probe and replaceable bulb Works on 6 or 12 volt systems
- Features 60" heavy-duty flexible wire lead with ground clip

Replacement parts:

KTI72781 - Replacement bulb for models 72765, 72780, 72790, 72791 and 72792





KTI72782

Heavy-duty Circuit Tester with 10' Retractable Wire and Clip

- · Can be used on cars, trucks, SUVs, boats, trailers, vans, RVs, motorcycles, snowmobiles and airplanes
- Use the heavy-duty circuit tester to check electrical circuits and accessories on all 6 and 12 volt systems
- Tester features a 10' retractable wire and battery clip, spring-supported strain relief, extra-sharp probe and a heavy-duty battery clip



KTI72780

Heavy-duty Circuit Tester

- Tester features 5' heavy-duty flexible wire, ground clips, tempered probe and replaceable bulb
- Works on 6 or 12 volt systems. Spring strain relief on cord

Replacement parts:

KTI72781 - Replacement bulb for models 72765, 72780, 72790, 72791 and 72792



KTI72770

Circuit Tester

Tester features 48" extra long leads. Works on 6 or 12 volt systems.

Replacement parts:

KTI72771 - Replacement bulb for model 72770



Extra-long Circuit Testers

- · Specially designed to enable technicians to test hard to reach circuits that would not be accessible with standard testers
- Features extra long, colored, insulated 7-1/2" probe and 60" heavy gauge flexible wire
- . Works on 6 or 12 volt systems

Sold separately:

KTI72790 - Blue

KTI72791 - Yellow

KTI72792 - Red

KTI72781 - Replacement bulb for models

72765, 72780, 72790, 72791 and 72792

LIFETIME WARRANTY*



PAINT & BODY TOOLS

1.800.762.6002 | www.ktoolinternational.com



PBE | Paint

KTI80955

Touch-up Paint Gun

Includes plastic cup. For touch up, edging, shading or precision detail painting.

Warranty: Repair only up to 1 year



KTI80995

Deluxe Spray Gun

This deluxe spray gun features a siphon feed, external mix, built-in regulator and dripless cup. Gun works with all types of automotive refinishing materials.

Warranty: Repair only up to 1 year



KTI89194

2-pack Spray Gun Filters



KTI89195

Filter Regulator & Lubricator, 2 Piece

- Miniature Filter regulator and lubricator
 2 piece space saving combination
- 40 micron sintered bronze filter element, polycarbonate bowl with metal bowl guard
- 1/4" NPT, maxium flow 18 CFM (500 LPM)
- Semi automatic night time drain
- Pressure range: 7-145 PSI
- 1-Year Warranty



KTI80998 Deluxe Production Spray Gun

Professional quality gun provides superior atomization of high solid base coats, clear coats, acrylic enamels, acrylic lacquers, and metallic and other coatings. Includes dripless cup.

Warranty: Repair only up to 1 year



KTI80996 Dripless Spray Gun Cup



Air Regulators

KTI89191

1/4 inch Air Regulator



KTI89193

1/4 inch Air Regulator with Gauge





KTI80989

Paint Spray Gun Cleaning Kit

Contains all necessary brushes and tools to effectively clean spray guns. Safe to use with chemicals and solvents.

PAINT & BODY TOOLS



5-Piece Upholstery Clip Remover Set

This set combines the most popular individual upholstery tools into one master set. Includes both "U" and "V" clip styles of tools as well as a reverse U-blade door panel clip removal tool. This is a complete set for anyone working on car upholstery or for removing panels from dash or door. Comes in a thermoformed tray for easy storage in any tool box. Available individually.

Set includes (also available individually):

KTI70032 - "V" Blade Door Panel Tool with Stainless Steel Blade
KTI70033 - "U" Blade Door Panel Tool with Stainless Steel Blade
KTI70034 - "U" Blade Mini Trim Panel Tool with Stainless Steel Blade
KTI70035 - "V" Blade Mini Trim Panel Tool with Stainless Steel Blade
KTI70036 - Reverse "U" Blade Door Panel Tool with Stainless Steel Blade



These specially designed, patented pliers will remove almost any clip found on trim, bumpers and other areas of the vehicle. The steel levers are enclosed in PMS plastic to prevent scratches. Specially sized and angled tip make these pliers the most versatile clip removal tool. Body clip pliers remove clips found on almost every vehicle - inside and out! Lifetime warranty.



Facilitates removal of windshields and backlights by cutting sealant around windows. Each tool includes an extra replacement blade.



Replacement parts: **KTI70541** - Replacement blade



Features professional-grade construction from heavy-duty steel and aluminum. Knife is lightweight and easy-to-use. Extra-long reach to cut hardened urethane all the way down to the dash line and offers increased leverage and greater control for a safer, smoother cut. The padded, ergonomic handle also features storage space for replacement blades. Blades can be easily changed by releasing a simple one-screw retaining clip.



Replacement parts: **KTI70546** - Replacement blades 6-pack



Features four different nose pieces to secure rivets: 3/32" (2.4 mm), 1/8" (3.2 mm), 5/32" (4.0 mm) and 3/16" (4.8 mm). Includes rivet samples.



Super Heavy-Duty Riveter

Tool's 17" handles provide the leverage needed to effortlessly secure five different rivets: 1/8" (3.2 mm), 5/32" (4.0 mm), 3/16" (4.8 mm), 7/32" (6.0 mm) and 1/4" (6.4 mm).







Clip Lifter

- Clip lifter for plastic fasteners, upholstery, door panels, plastic clips
- Tool length: 7"
- Tool width: 3/4"
- Red rubber handle
- Covered by a 1-Year Warranty



KTI70037-10

Clip Lifter

- Clip lifter for plastic fasteners, upholstery, door panels, plastic clips
- Tool length: 7" Tool width: 3/4"
- Red rubber handle
- Covered by a 1-Year Warranty



KTI70038

Combi Wedge

- Heavy duty universal combination wedge tool
- Use on dashboards and door cover clips
- · Color: Red
- Tool length: 8.5", width: 1", height: 1"
- Covered by a 1 year warranty



KTI70038-10

Combi Wedge 10 Pack



- Counter display 10 pack of the heavy duty universal combination wedge tool
- Use on dashboards and door cover clips
- Color: Red
- Tool length: 8.5", width: 1", height: 1"
- Covered by a 1 year warranty
- Counter display measures: Height: 7.0" Width: 11.750", Depth: 7.50"



KTI70550

Sanding Pen

Over 20,000 glass fibers in a pen point reach where normal sand paper cannot. Includes one extra sanding point in rear cap.

Replacement parts:

KTI70551 - 2-pack refill for sanding pen







1.800.762.6002 www.ktoolinternational.com



Displays I Wall

KTI0805

1/4" Drive Tools & SocketsDisplay assortments include the following hardware:



- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)

1/4" Drive Tool	s & SocketsQty
KTI21000	1/4" DR SOCKET SET
KTI21002	1/4" DR 2" EXTENSION
KTI21004	1/4" DR 4" EXTENSION
	1/4" DR 6" EXTENSION
	1/4" DR EXTENSION 10"
	1/4" DR EXTENSION 14"
KTI21014	4" WOBBLE EXTENSION 1/4" DR
KTI21044	1/4" DR 44PC SOCKET SET
	6" WOBBLE EXTENSION 1/4" DR
	9" WOBBLE EXTENSION 1/4" DR
	1/4" DR UNIVERSAL JOINT
	1/4" DR SPINNER HANDLE
	1/4" DR 6" FLEX HANBLE
	1/4" DR 9" FLEX HANBLE
	1/4" PRO RATCHET
	1/4" DR SHORT SOCKET 3/16"
KII21107	1/4" DR SHORT SOCKET 7/32"
	1/4" DR SHORT SOCKET 1/4"
	1/4" DR SHORT SOCKET 9/32"
	1/4" DR SHORT SOCKET 5/16"
	1/4" DR SHORT SOCKET 11/32"
	1/4" DR SHORT SOCKET 3/8"
	1/4" DR SHORT SOCKET 7/16"
	1/4" DR SHORT SOCKET 1/2"
	1/4" DR 6 POINT SHORT SOCKET 9/16"
	1/4" DR DEEP SOCKET 3/16"
	1/4" DR DEEP SOCKET 7/32"
KTI21208	1/4" DR DEEP SOCKET 1/4"
KTI21209	1/4" DR DEEP SOCKET 9/32"
KTI21210	1/4" DR DEEP SOCKET 5/16"
KTI21211	1/4" DR DEEP SOCKET 11/32"
KTI21212	1/4" DR DEEP SOCKET 3/8"
	1/4" DR DEEP SOCKET 7/16"
	1/4" DR DEEP SOCKET 1/2"
	1/4" DR 6 POINT DEEP SOCKET 9/16"
	1/4" DR METRIC SOCKET SET
	1/4" DR SHORT SOCKET 4MM
	1/4" DR SHORT SOCKET 5MM
	1/4" DR SHORT SOCKET 6MM
	1/4" DR SHORT SOCKET 7MM
	1/4" DR SHORT SOCKET 7MM
	1/4" DR SHORT SOCKET 9MM
	1/4" DR SHORT SOCKET 10MM
	1/4" DR SHORT SOCKET 11MM
	1/4" DR 6 POINT SHORT SOCKET 14MM
	1/4" DR 6 POINT SHORT SOCKET 15MM
K1126155	1/4" DR SHORT SOCKET 5.5MM



KTI26206	1/4" DR DEEP	SOCKET	6MM		 	. 1
KTI26207	1/4" DR DEEP	SOCKET	7MM		 	. 1
KTI26208	1/4" DR DEEP	SOCKET	8MM		 	. 1
KTI26209	1/4" DR DEEP	SOCKET	9MM		 	. 1
KTI26210						
KTI26211	1/4" DR DEEP	SOCKET	11MM		 	. 1
KTI26212						
KTI26213	1/4" DR DEEP	SOCKET	13MM		 	. 1
KTI26214	1/4" DR 6 POIN	NT SHORT	T SOCKE	T 14MM.	 	. 1
KTI26215	1/4" DR 6 POIN	NT DEEP :	SOCKET	15MM	 	. 1
KTI26255	1/4" DR DEEP	SOCKET	5.5MM.		 	. 1
KTI089						
KTIH00K11	PLASTIC HOOK	S			 	12
KTIH00K2						
KTIH00K3	H00KS				 	. 2
KTI0L0805	DISPLAY OVER	LAY			 	. 1
KTI0LF04333	OVERLAY FAST	ENERS (6	PACK).		 	. 1



KTI0806

3/8" Drive Tools

- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)



3/8" Drive Tools	s Qty
KTI21055	1/4" F X 3/8" M ADAPTER 1
KTI22000	3/8" DR SOCKET SET 1
KTI22002	3/8" DR EXTENSION 2" 1
KTI22003	3/8" DR EXTENSION 3"
KTI22005	3/8" DR EXTENSION 5"
KTI22006	3/8" DR EXTENSION 6" 1
	3/8" DR EXTENSION 8" 1
KTI22010	3/8" DR EXTENSION 10" 1
KTI22012	3/8" DR EXTENSION 12" 1
KTI22018	3/8" DR EXTENSION 18" 1
KTI22024	3/8" DR EXTENSION 24"
KTI22043	3/8" DR WOBBLE EXTENSION 3"
KTI22046	3/8" DR WOBBLE EXTENSION 6"
KTI22047	3/8" DR 47PC SOCKET SET 6 POINT
KTI22048	3/8" DR WOBBLE EXTENSION 8"
KTI22050	1/2" F X 3/8" M ADAPTER 1
KTI22055	3/8" F X 1/2" M ADAPTER 1
KTI22060	3/8" F X 1/4" M ADAPTER 1
KTI22071	3/8" DR SPEED HANDLE 1
KTI22080	8" FLEX HANDLE 1
KTI22091	3/8" DR PUSH BUTTON RATCHET 1
KTI22092	3/8" PRO RATCHET 1
	3/8" DR FLEX HEAD RATCHET 1
KTI22095	LONG HANDLE 3/8" DR RATCHET 1
KTI22133	3/8" DR 2in1 SOCKET 1-1/16" DEEP 1
KTI22219	EXTRA DEEP 5/8" SPARK PLUG SKT 1
	3/8" DR SPARKPLUG SKT 6PT 5/8" 1
KTI22227	3/8" DR SPARKPLUG SKT 6PT 13/16" 1
KTI22500	UNIVERSAL JOINT 3/8" DR 1
KTI22521	5/8" SPARKPLUG SKT 3/8" DR UNIV 1
KTI22527	13/16" SPARKPLUG SKT 3/8" DR UNV 1
KTI27000	3/8" DR METRIC SOCKET SET 1
KTI089	3" EXTENSION BAR 1
KTIH00K2	HOOKS
KTIH00K3	HOOKS 4
KTIH00K11	PLASTIC HOOKS
KTI0L0806	DISPLAY OVERLAY 1
KTI0LF04333	OVERLAY FASTENERS (6 PACK)









3/8" Drive Sockets



- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)

(1122110	3/8" DR SHORT SOCKET 5/16"
(TI22112	3/8" DR SHORT SOCKET 3/8"
	3/8" DR SHORT SOCKET 7/16"
	3/8" DR SHORT SOCKET 1/2"
	3/8" DR SHORT SOCKET 9/16"
	3/8" DR SHORT SOCKET 5/8"
	3/8" DR SHORT SOCKET 11/16"
	3/8" DR SHORT SOCKET 3/4"
	3/8" DR SHORT SOCKET 13/16"
	3/8" DR SHORT SOCKET 7/8"
	3/8" DR 6 POINT SOCKET 15/16"
(TI22132	3/8" DR 6 POINT SOCKET 1"
	3/8" DR DEEP SOCKET 5/16"
	3/8" DR DEEP SOCKET 3/8"
	3/8" DR DEEP SOCKET 7/16"
	3/8" DR DEEP SOCKET 1/2"
	3/8" DR DEEP SOCKET 9/16"
	3/8" DR DEEP SOCKET 5/8"
	3/8" DR DEEP SOCKET 11/16"
	3/8" DR DEEP SOCKET 3/4"
	3/8" DR DEEP SOCKET 13/16"
	3/8" DR DEEP SOCKET 7/8"
	3/8" DR 6 POINT SOCKET 15/16"
	3/8" DR 6 POINT DEEP SOCKET 1"
	3/8" DR 12PT DEEP SOCKET 1/4"
	3/8" DR 12PT DEEP SOCKET 5/16"
	3/8" DR 12PT DEEP SOCKET 3/8"
(TI22412(TI22414	3/8" DR 12PT DEEP SOCKET 7/16"
	3/8" DR 12PT DEEP SOCKET 1/2"
	3/8" DR 12PT DEEP SOCKET 9/16"
	3/8" DR 12PT DEEP SOCKET 5/8"
	3/8" DR 12PT DEEP SOCKET 1/16"
	3/8" DR 12PT DEEP SOCKET 11/16
	3/8" DR 12PT DEEP SOCKET 13/16"
	3/8" DR 12PT DEEP SOCKET 7/8"
	3/8" DR 12PT DEEP SOCKET 17/6"
	3/8" DR 12PT DEEP SOCKET 1"
	3/8" DR 12PT SHORT SOCKET 1/4"
	3/8 DR 12PT SHORT SOCKET 1/4
	3/8 DR 12PT SHORT SOCKET 3/16
\\\\Z\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	3/8 DR 12PT SHORT SOCKET 3/8
	3/8 DR 12PT SHORT SOCKET //16
	3/8 DR 12P1 SHORT SOCKET 1/2
\IIZZƏ1Ö	

(TIOOEOO	GocketsQ
	3/8" DR 12PT SHORT SOCKET 11/16"
	3/8" DR 12PT SHORT SOCKET 13/16"
	3/8" DR 12PT SHORT SOCKET 7/8"
TI22530	3/8" DR 12PT SHORT SOCKET 15/16"
	3/8" DR 12PT SHORT SOCKET 1"
	3/8" DR SHORT SOCKET 7MM.
	3/8" DR SHORT SOCKET 8MM
TI27109	3/8" DR SHORT SOCKET 9MM
TI27110	3/8" DR SHORT SOCKET 10MM
	3/8" DR SHORT SOCKET 11MM
	3/8" DR SHORT SOCKET 12MM
	3/8" DR SHORT SOCKET 13MM
TI27114	3/8" DR SHORT SOCKET 14MM
(TI27115	3/8" DR SHORT SOCKET 15MM
(TI27116	3/8" DR SHORT SOCKET 16MM
	3/8" DR SHORT SOCKET 17MM
	3/8" DR SHORT SOCKET 18MM
(TI27119	3/8" DR SHORT SOCKET 19MM
TI27120	3/8" DR SHORT SOCKET 20MM
TI27121	3/8" DR SHORT SOCKET 21MM
	3/8" DR 6 POINT SHORT SOCKET 22MM
	3/8" DR 6 POINT SHORT SOCKET 23MM
	3/8" DR 6 POINT SHORT SOCKET 24MM
	3/8" DR 6 POINT SHORT SOCKET 25MM
	3/8" DR 6 POINT SHORT SOCKET 26MM
	3/8" DR DEEP SOCKET 7MM
	3/8" DR DEEP SOCKET 8MM
	3/8" DR DEEP SOCKET 9MM
	3/8" DR DEEP SOCKET 10MM
(TI27211	3/8" DR DEEP SOCKET 11MM
(TI27212	3/8" DR DEEP SOCKET 12MM
	3/8" DR DEEP SOCKET 13MM
	3/8" DR DEEP SOCKET 14MM
	3/8" DR DEEP SOCKET 15MM
(TI27216	3/8" DR DEEP SOCKET 16MM
(TI27217	3/8" DR DEEP SOCKET 17MM
	3/8" DR DEEP SOCKET 18MM
	3/8" DR DEEP SOCKET 19MM
	3/8" DR 6 POINT DEEP SOCKET 20MM
(TI27221	3/8" DR 6 POINT DEEP SOCKET 21MM
(TI27222	3/8" DR 6 POINT DEEP SOCKET 22MM
(TI27223	3/8" DR 6 POINT DEEP SOCKET 23MM
	3/8" DR 6 POINT DEEP SOCKET 24MM
	3/8" DR 6 POINT DEEP SOCKET 25MM
	3/8" DR 6 POINT DEEP SOCKET 26MM
(TI27407	3/8" DR 12PT DEEP SOCKET 7MM
(TI27408	3/8" DR 12PT DEEP SOCKET 8MM
	3/8" DR 12PT DEEP SOCKET 9MM
	3/8" DR 12PT DEEP SOCKET 10MM
	3/8" DR 12PT DEEP SOCKET 11MM
	3/8" DR 12PT DEEP SOCKET 12MM
(TI27413	3/8" DR 12PT DEEP SOCKET 13MM
	3/8" DR 12PT DEEP SOCKET 14MM
	3/8" DR 12PT DEEP SOCKET 15MM
	3/8" DR 12PT DEEP SOCKET 17MM
TI27418	3/8" DR 12PT DEEP SOCKET 18MM
	3/8" DR 12PT DEEP SOCKET 19MM
	3/8" DR 12PT DEEP SOCKET 20MM
	3/8" DR 12PT DEEP SOCKET 21MM
	3/8" DR 12PT SHORT SOCKET 7MM
	3/8" DR 12PT SHORT SOCKET 8MM
TI27509	3/8" DR 12PT SHORT SOCKET 9MM
	3/8" DR 12PT SHORT SOCKET 10MM
	3/8" DR 12PT SHORT SOCKET 11MM
	3/8" DR 12PT SHORT SOCKET 12MM
	3/8" DR 12PT SHORT SOCKET 13MM
	3/8" DR 12PT SHORT SOCKET 14MM
TI27515	3/8" DR 12PT SHORT SOCKET 15MM
	3/8" DR 12PT SHORT SOCKET 16MM
	3/8" DR 12PT SHORT SOCKET 17MM
	3/8" DR 12PT SHORT SOCKET 18MM
TI27519	3/8" DR 12PT SHORT SOCKET 19MM
	3/8" DR 12PT SHORT SOCKET 20MM
TI27521	3/8" DR 12PT SHORT SOCKET 21MM
TI27521 TIH00K2	



1/2" Drive Tools & Sockets
Display assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)

1/2" Drive Tools	& SocketsQty
KTI22075	CHROME ADAPTER 1/2"F X 3/4" M
	1/2" DR 3" EXTENSION
	1/2" DR 5" EXTENSION
	1/2" DR 10" EXTENSION
	1/2" DR EXTENSION 15"
	1/2" DR EXTENSION 20"
	1/2" DR SLIDING T-HANDLE
	1/2" DR 17" BREAKER BAR
	1/2" DR 24" BREAKER BAR
	1/2" DR EXTENDING BREAKER BAR
	1/2" DR 10" FLEX HANDLE
	1/2" DR PUSH BUTTON RATCHET
	1/2" PRO RATCHET
	PRO SERIES 1/2 LONG RATCHET
	1/2" DR 6 POINT SHORT SOCKET 3/8"
	1/2" DR SHORT SOCKET 7/16"
KTI23116	1/2" DR SHORT SOCKET 1/2"
	1/2" DR SHORT SOCKET 9/16"
	1/2" DR SHORT SOCKET 5/8"
	1/2" DR SHORT SOCKET 11/16"
	1/2" DR SHORT SOCKET 3/4"
	1/2" DR SHORT SOCKET 13/16"
	1/2" DR SHORT SOCKET 7/8"
	1/2" DR SHORT SOCKET 15/16"
	1/2" DR SHORT SOCKET 1"
	1/2" DR SHORT SOCKET 1-1/16"
	1/2" DR SHORT SOCKET 1-1/8"
	1/2" DR SHORT SOCKET 1-1/4"
	1/2" DR 6 POINT SHORT SOCKET 1-5/16"
	1/2" DR 6 POINT SHORT SOCKET 1-3/8"
	1/2" DR 6 POINT SHORT SOCKET 1-7/16"
	1/2" DR 6 POINT SHORT SOCKET 1-1/2"
	1/2" DR 6 POINT DEEP SOCKET 7/16"
	1/2" DR DEEP 6 PT.SOCKET 1/2"
	1/2" DR DEEP 6 PT.SOCKET 9/16"
	1/2" DR DEEP 6 PT.SOCKET 5/8"
	1/2" DR DEEP 6 PT.SOCKET 11/16"
	1/2" DR DEEP 6 PT.SOCKET 3/4"
	1/2" DR DEEP 6 PT.SOCKET 13/16"
	1/2" DR DEEP 6 PT.SOCKET 7/8"
	1/2" DR DEEP 6 PT.SOCKET 15/16"
	1/2" DR 6 POINT DEEP SOCKET 1"
	1/2" DR 6 POINT DEEP SOCKET 1-1/16"
	1/2" DR 6 POINT DEEP SOCKET 1-1/8"
	1/2" DR 6 POINT DEEP SOCKET 1-1/4"
	1/2" DR 6 POINT DEEP SOCKET 1-5/16"
	1/2" DR 6 POINT DEEP SOCKET 1-3/8"
	1/2" DR 6 POINT DEEP SOCKET 1-7/16"
	1 1/2" HEATING ELEMENT SOCKET
	1/2" DR. UNIVERSAL
	1/4" STUD REMOVER 1/2"DR
	5/16" STUD REMOVER 1/2"DR
	3/8" STUD REMOVER 1/2"DR
KTI23814	7/16" STUD REMOVER 1/2"DR
	6 MM STUD REMOVER 1/2"DR
	8 MM STUD REMOVER 1/2"DR
	10 MM STUD REMOVER 1/2"DR
	12 MM STUD REMOVER 1/2"DR
	.3/4" F X 1/2" M ADAPTER
	1/2" DR 6 POINT SHORT SOCKET 10MM
	1/2" DR 6 POINT SHORT SOCKET 11MM
	1/2" DR 6 POINT SHORT SOCKET 12MM
	1/2" DR 6 POINT SHORT SOCKET 13MM
KTI28114	1/2" DR 6 POINT SHORT SOCKET 14MM



1/2" Drive Tools & Sockets	Qty
KTI28115 1/2" DR SHORT S	SOCKET 15MM 1
KTI28116 1/2" DR SHORT S	SOCKET 16MM 1
KTI281171/2" DR SHORT S	SOCKET 17MM 1
KTI281181/2" DR SHORT S	SOCKET 18MM 1
KTI28119 1/2" DR SHORT S	SOCKET 19MM 1
KTI28120 1/2" DR SHORT S	SOCKET 20MM 1
KTI281211/2" DR SHORT S	SOCKET 21MM 1
KTI281221/2" DR SHORT S	SOCKET 22MM 1
KTI28123 1/2" DR SHORT S	SOCKET 23MM 1
KTI28124 1/2" DR SHORT S	SOCKET 24MM 1
	SOCKET 25MM 1
KTI28126 1/2" DR SHORT S	SOCKET 26MM 1
	SOCKET 27MM 1
	SOCKET 28MM 1
	DEEP SOCKET 10MM 1
	DEEP SOCKET 11MM 1
	DEEP SOCKET 12MM 1
	DEEP SOCKET 13MM 1
	DEEP SOCKET 14MM 1
	OCKET 15MM1
	OCKET 16MM1
	OCKET 17MM1
	OCKET 18MM1
	OCKET 19MM1
	OCKET 20MM 1
	OCKET 21MM 1
	OCKET 22MM 1
	OCKET 23MM 1
	OCKET 24MM 1
	DEEP SOCKET 25MM 1
	DEEP SOCKET 26MM 1
	DEEP SOCKET 27MM 1
	DEEP SOCKET 28MM 1
	AR3
	23
	34
	Υ1
KTIOLF04333 OVERLAY FASTEN	NERS (6 PACK)



Screwdrivers #1



Display assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)

Screwdrivers #	#1Qtv
	T-10 TORQ SCREWDRIVER
KTI11315	T-15 TORQ SCREWDRIVER
KTI11320	T-20 TORQ SCREWDRIVER
KTI16001	5 PC SLOTTED SCREWDRIVER SET
KTI16002	5 PC PHILLIPS SCREWDRIVER SET 1
KTI16113	#1 PHILLIPS SCREWDRIVER
KTI16121	#2 STUBBY PHILLIPS SCREWDRIVER
	#2 PHILLIPS SCREWDRIVER
KTI16129	#2 LONG PHILLIPS SCREWDRIVER 1
KTI16136	#3 PHILLIPS SCREWDRIVER
KTI16201	STUBBY SLOTTED SCREWDRIVER
KTI16203	3" STANDARD SCREWDRIVER
	4" STANDARD SCREWDRIVER
	6" STANDARD SCREWDRIVER
	8" STANDARD SCREWDRIVER
	8 PC SCREWDRIVER SET BLACK
	#1 PHILLIPS SCREWDRIVER BLACK
	#2 PHILLIPS SCREWDRIVER STUBBY
	#2 PHILLIPS SCREWDRIVER BLACK
	STUBBY SCREWDRIVER BLACK
	3" STANDARD SCREWDRIVER BLACK 2
	4" STANDARD SCREWDRIVER BLACK
	6" STANDARD SCREWDRIVER BLACK
	8" STANDARD SCREWDRIVER BLACK
	HOOKS21
	HOOKS
	DISPLAY OVERLAY 1
KTIOLF04333	OVERLAY FASTENERS (6 PACK)



KTI0850

Screwdrivers #2



- Hooks, printed overlay, overlay fasteners
- Display boards must be purchased separately (KTI098)



Screwdrivers #2Qtv
KTI18000 BITS SET 12 Piece
KTI11001 SCREWDRIVER SQUARE S1" x 4"
KTI11002 SCREWDRIVER SQUARE S2" x 4"
KTI11003 SCREWDRIVER SLOTTED 1/8" x 3"
KTI11005 SCREWDRIVER SLOTTED 5/32" x 4"
KTI11006 SCREWDRIVER SLOTTED 3/16" x 6"
KTI11008 SCREWDRIVER SET 8 Piece
KTI11009 SCREWDRIVER SLOTTED 5/16" x 6"
KTI11010 SCREWDRIVER SLOTTED 1/4" x 1-1/2"
KTI11011SCREWDRIVER SLOTTED 1/4" x 4"
KTI11012 SCREWDRIVER SLOTTED 3/16" x 3"
KTI11211 SCREWDRIVER TORX T10 x 4"
KTI11215 SCREWDRIVER TORX T15 x 4"
KTI11220 SCREWDRIVER TORX T20 X 4"
KTI11221 SCREWDRIVER PHILLIPS #2 x 1-1/2"
KTI11223 SCREWDRIVER PHILLIPS #1 x 3"
KTI11224 SCREWDRIVER PHILLIPS #2 x 4"
KTI11225 SCREWDRIVER TORX T25 x 4"
KTI11226 SCREWDRIVER PHILLIPS #3 x 6"
KTI11229 SCREWDRIVER PHLLIPS #0 x 3"
KTI11230 SCREWDRIVER PHILLIPS #1 x 6"
KTI18009 BITS DRIVER
KTIH00K2H00KS22
KTIH00K8 H00KS 1
KTIOL0850 DISPLAY OVERLAY
KTIOLF04333 OVERLAY FASTENERS (6 PACK)



KTI0810



Torq & Hex SocketsDisplay assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)



Torq & Hex Soc	ketsQty .1/4" DR TORQ BIT T-102
KTI21810	.1/4" DR TORQ BIT T-10
KTI21815	. 1/4" DR TORQ BIT T-15
	. 1/4" DR TORQ BIT T-20
	. 1/4" DR TORQ BIT T-25
	. 1/4" DR TORQ BIT T-27
KTI21830	. 1/4" DR TORQ BIT T-30
KTI22800	.9PC TORQ SOCKET SET 1
	.12PC.TORQ SOCKET SET
KTI22840	.3/8" DR TORQ BIT T-40
	.3/8" DR TORQ BIT T-45
	.3/8" DR TORQ BIT T-47
	.3/8" DR TORQ BIT T-50
	.3/8" DR TORQ BIT T-55
	.3/8" DR TORQ BIT T-60
KTI22870	.EXTERNAL TORQ SOCKET SET 1
	.EXTERNAL TORQ E-4 1/4" DR 1
	.EXTERNAL TORQ E-5 1/4" DR 1
	.EXTERNAL TORQ E-6 1/4" DR 1
	.EXTERNAL TORQ E-7 1/4" DR 1
	.EXTERNAL TORQ E-8 1/4" DR 1
	.EXTERNAL TORQ E-10 3/8" DR 1
KTI22882	.EXTERNAL TORQ E-12 3/8" DR 1
KTI22884	.EXTERNAL TORQ E-14 3/8" DR 1
	.EXTERNAL TORQ E-16 3/8" DR 1
	.EXTERNAL TORQ E-18 3/8" DR 1
	.HEX BIT 1/8" 1
	.HEX BIT 5/32 1
	.HEX BIT 3/16 1
KTI22907	.HEX BIT 7/32 1
KTI22908	.HEX BIT 1/4" 1
KTI22910	HEX BIT 1/4" 1 HEX BIT 5/16" 1
K1122912	.HEX BIT 3/8" 1
	.7PC 3/8" DR HEX BIT SET FRACT1
	.METRIC HEX BIT 3 MM
	.METRIC HEX BIT 4 MM 1
	.METRIC HEX BIT 5 MM 1
	.METRIC HEX BIT 6 MM
	.METRIC HEX BIT 7 MM 1
	.METRIC HEX BIT 8 MM
	.METRIC HEX BIT 10 MM
K112/955	.METRIC HEX BIT 5.5MM
	.7PC 3/8" DR HEX BIT SET METRIC
	.H00KS
	DISPLAY OVERLAY
K110LF04333	OVERLAY FASTENERS (6 PACK)



KTI0811



Torx & Hex Sockets
Display assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
- Display boards must be purchased separately (KTI098)

Torx & Hex S	SocketsQty
KTI21500	MASTER TAMPER PROOF TORX SET 12 PC
	1/4" DR TORX BIT T-10 USA
	1/4" DR TORX BIT T-15 USA
KTI21620	1/4" DR TORX BIT T-20 USA
KTI21625	1/4" DR TORX BIT T-25 USA
KTI21627	1/4" DR TORX BIT T-27 USA
	1/4" DR TORX BIT T-30 USA
	12PC TORX BIT SET T10-T60 USA
KTI22640	3/8" DR TORX BIT T-40 USA
KTI22645	3/8" DR TORX BIT T-45 USA
KTI22647	3/8" DR. TORX BIT T-47 USA
KTI22650	3/8" DR. TORX BIT T-50 USA
KTI22655	3/8" DR TORX BIT T-55 USA
	1/2" DR TORX BIT T-60 USA
KTI22670	1/2" DR T-70 TORX SOCKET USA
KTI22671	EXTERNAL TORQ SOCKET SET
KTI22675	EXTERNAL TORQ E-5 1/4" DR
KTI22676	EXTERNAL TORQ E-6 1/4" DR
KTI22677	EXTERNAL TORQ E-7 1/4" DR
KTI22678	EXTERNAL TORQ E-8 1/4" DR
KTI22680	EXTERNAL TORQ E-10 3/8" DR
	EXTERNAL TORQ E-12 3/8" DR
KTI22684	EXTERNAL TORQ E-14 3/8" DR
	EXTERNAL TORQ E-16 3/8" DR
KTI22688	EXTERNAL TORQ E-18 3/8" DR
	EXTERNAL TORQ E-20 3/8" DR
KTI22904	HEX BIT 1/8"
KTI22905	HEX BIT 5/32
	HEX BIT 3/16
	HEX BIT 7/32 1
	HEX BIT 1/4" 1
	HEX BIT 5/16"
	HEX BIT 3/8"
KTI22970	7PC 3/8" DR HEX BIT SET FRACT 1
	METRIC HEX BIT 3MM 1
	METRIC HEX BIT 4MM
KTI27905	METRIC HEX BIT 5MM 1
KTI27906	METRIC HEX BIT 6MM 1
	METRIC HEX BIT 7MM 1
KTI27908	METRIC HEX BIT 8MM 1
	METRIC HEX BIT 10MM 1
	METRIC HEX BIT 5.5MM 1
	7PC 3/8" DR HEX BIT SET METRIC
	H00KS
	DISPLAY OVERLAY
KTI0LF04333	OVERLAY FASTENERS (6 PACK)





- Wrenches
 Display assortments include the following hardware:

 Hooks, printed overlay, overlay fasteners

 Display boards must be purchased separately (KTI098)

KTI41110	COMBINATION WRENCH 5/16"	1
	COMBINATION WRENCH 3/8"	
KTI41114	COMBINATION WRENCH 7/16"	2
KTI41116	COMBINATION WRENCH 1/2"	3
	COMBINATION WRENCH 9/16"	
	COMBINATION WRENCH 5/8"	
	COMBINATION WRENCH 11/16"	
	COMBINATION WRENCH 3/4"	
	COMBINATION WRENCH 13/16"	
	COMBINATION WILLNOT 19/10	
	COMBINATION WRENCH 15/16"	
	COMBINATION WRENCH 19/10	
	COMBINATION WRENCH 1	
	COMBINATION WRENCH 1-1/8"	
	COMBINATION WRENCH 1-1/4"	
	JUMBO COMBO WRENCH 1-5/16"	
	3/8" SHORT COMBINATON WRENCH	
	7/16" SHORT COMBINATION WRENCH	
	1/2" SHORT COMBINATION WRENCH	
	9/16" SHORT COMBINATION WRENCH	
	5/8" SHORT COMBINATION WRENCH	
	11/16" SHORT COMBINATION WRENCH	
	3/4" SHORT COMBINATION WRENCH	
KTI41308	1/4" HIGH POLISH COMB.WRENCH	1
KTI41310	5/16" HIGH POLISH COMB.WRENCH	1
KTI41311	11/32" HIGH POLISH COMB.WRENCH	1
KTI41312	3/8" HIGH POLISH COMB.WRENCH	2
	7/16" HIGH POLISH COMB.WRENCH	
KTI41316	1/2" HIGH POLISH COMB. WRENCH	2
KTI41318	9/16" HIGH POLISH COMB.WRENCH	2
	5/8" HIGH POLISH COMB. WRENCH	
	11/16" HIGH POLISH COMB. WRENCH	
	3/4" HIGH POLISH COMB. WRENCH	
	13/16" HIGH POLISH COMB.WRENCH	
	7/8" HIGH POLISH COMB. WRENCH	
	15/16" HIGH POLISH COMB.WRENCH	
	1" HIGH POLISH COMB. WRENCH	
	1-1/16" HIGH POLISH COMB. WRENCH	
	1-1/18" HIGH POLISH COMB.WRENCH	
	1-1/8 HIGH POLISH COMB.WRENCH	
	1-5/16" HIGH POLISH COMB.WRENCH	
	1-3/8" HIGH POLISH COMB.WRENCH	
	1-7/16" HIGH POLISH COMB.WRENCH	
	1-1/2" HIGH POLISH COMB.WRENCH	
	6PT COMBINATION WRENCH 3/8"	
	6PT COMBINATION WRENCH 7/16"	
	6PT COMBINATION WRENCH 1/2"	
	6PT COMBINATION WRENCH 9/16"	
	6PT COMBINATION WRENCH 5/8"	
	6PT COMBINATION WRENCH 11/16"	
	6PT COMBINATION WRENCH 3/4"	
	3/8" x 7/16" FLARE NUT WRENCH	
KTI44416	1/2" x 9/16" FLARE NUT WRENCH	1
	5/8" x 11/16" FLARE NUT WRENCH	
	3" EXTENSION BAR	
	HOOKS	
	PLASTIC HOOKS	
	DISPLAY OVERLAY	
	OVERLAY FASTENERS (6 PACK)	



- Metric Wrenches
 Display assortments include the following hardware:
- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)

Metric Wrenche		
KTI41607	METRIC COMB WRENCH 7MM	1
KTI41608	METRIC COMB WRENCH 8MM	. 1
KTI41609	METRIC COMB WRENCH 9MM	. 1
KTI41610	METRIC COMB WRENCH 10MM	. 2
KTI41611	METRIC COMB WRENCH 11MM	. 2
KTI41612	METRIC COMB WRENCH 12MM	. 2
KTI41613	METRIC COMB WRENCH 13MM	. 2
KTI41614	METRIC COMB WRENCH 14MM	. 2
KTI41615	METRIC COMB WRENCH 15MM	. 2
KTI41616	METRIC COMB WRENCH 16MM	. 1
KTI41617	METRIC COMB WRENCH 17MM	. 1
KTI41618	METRIC COMB WRENCH 18MM	. 1
KTI41619	METRIC COMB WRENCH 19MM	. 1
KTI41708	8MM SHORT COMBINATION WRENCH	. 1
KTI41710	10MM SHORT COMBINATION WRENCH	1
KTI41712	12MM SHORT COMBINATION WRENCH	. 1
KTI41713	13MM SHORT COMBINATION WRENCH	. 1
KTI41714	14MM SHORT COMBINATION WRENCH	. 1
KTI41715	15MM SHORT COMBINATION WRENCH	. 1
KTI41717	17MM SHORT COMBINATION WRENCH	. 1
KTI41718	18MM SHORT COMBINATION WRENCH	. 1
KTI41807	7MM HIGH POLISH COMB.WRENCH	. 1
KTI41808	8MM HIGH POLISH COMB. WRENCH	. 1
KTI41809	9MM HIGH POLISH COMB. WRENCH	. 1
KTI41810	10MM HIGH POLISH COMB. WRENCH	. 2
KTI41811	11MM HIGH POLISH COMB. WRENCH	. 1
KTI41812	12MM HIGH POLISH COMB. WRENCH	. 2
KTI41813	13MM HIGH POLISH COMB. WRENCH	. 2
	14MM HIGH POLISH COMB. WRENCH	
KTI41815	15MM HIGH POLISH COMB. WRENCH	. 2
	16MM HIGH POLISH COMB. WRENCH	
	17MM HIGH POLISH COMB. WRENCH	
	18MM HIGH POLISH COMB. WRENCH	
	19MM HIGH POLISH COMB. WRENCH	
	METRIC COMB WRENCH 20MM (BULK)	
	METRIC COMB WRENCH 21MM (BULK)	
	METRIC COMB WRENCH 22MM (BULK)	
	METRIC COMB WRENCH 23MM (BULK)	
	METRIC COMB WRENCH 24MM (BULK)	
	METRIC COMB WRENCH 25MM (BULK)	
	METRIC COMB WRENCH 26MM (BULK)	
K1141827	METRIC COMB WRENCH 27MM (BULK)	. 1
KTI41828	METRIC COMB WRENCH 28MM (BULK)	1
KTI41829	METRIC COMB WRENCH 29MM (BULK)	. 1
K1141830	METRIC COMB WRENCH 30MM (BULK)	. 1
KII41831	METRIC COMB WRENCH 31MM (BULK)	. 1
	METRIC COMB WRENCH 32MM (BULK)	
	METRIC COMB WRENCH 33MM (BULK)	
	METRIC COMB WRENCH 34MM (BULK)	
	METRIC COMB WRENCH 35MM (BULK)	
	METRIC COMB WRENCH 36MM (BULK)	
	FLARE NUT WRENCH 10MM x 12MM	
	FLARE NUT WRENCH 13MM x 14MM	
	FLARE NUT WRENCH 15MM x 17MM	
KIIHUUKI I	PLASTIC HOOKS	1/
VTIOL 0012	HOOKSDISPLAY OVERLAY	4U
KIIOLUO I 3	OVERLAY FASTENERS (6 PACK)	. I
NIIULFU4333	UVLINEMI FASTENENS (U FAUN)	. І







Jumbo Wrenches



Display assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)



Jumbo WrenchesQty
KTI41144 JUMBO COMBO WRENCH 1-3/8"
KTI41146 JUMBO COMBO WRENCH 1-7/16"
KTI41148 JUMBO COMBO WRENCH 1-1/2" 1
KTI41152 JUMBO COMBO WRENCH 1-5/8" 1
KTI41156 JUMBO COMBO WRENCH 1-3/4" 1
KTI41160 JUMBO COMBO WRENCH 1-7/8" 1
KTI41164 JUMBO COMBO WRENCH 2"
KTI41168 JUMBO COMBO WRENCH 2-1/8" (BULK)
KTI41172 JUMBO COMBO WRENCH 2-1/4" (BULK)
KTI41176 JUMBO COMBO WRENCH 2-3/8" (BULK)
KTI41180 JUMBO COMBO WRENCH 2-1/2" (BULK)
KTI089 3" EXTENSION BAR
KTIHOOK11PLASTIC HOOKS5
KTIH00K2 H00KS 6
KTIOL0814 DISPLAY OVERLAY
KTIOLF04333 OVERLAY FASTENERS (6 PACK)

KTI0815

Nylon Ties



- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)



Nylon Ties	Qty
KTI76000NYLON TIE TOOL	1
KTI76040 4" CABLE TIE NATURAL 100 PACK	2
KTI760707" CABLE TIE NATURAL 100 PACK	2
KTI76110 11" CABLE TIE NATURAL 100 PACK	2
KTI76140 14" CABLE TIE NATURAL 100 PACK	2
KTI76145 14" HD CABLE TIE NATUR.100 PACK	1
KTI770707" NATURAL MT.HEAD 100 PACK	1
KTI7714014" NATURAL MT.HEAD 100 PACK	1
KTI78040 4" CABLE TIE BLACK 100 PACK	2
KTI780707" CABLE TIE BLACK 100 PACK	2
KTI7811011" CABLE TIE BLACK 100 PACK	2
KTI78140 14" CABLE TIE BLACK 100 PACK	2
KTI78145 14" HD CABLE TIE BLACK 100 PACK	1
KTIH00K2H00KS	8
KTIOL0815 DISPLAY OVERLAY	1
KTIOLF04333 OVERLAY FASTENERS (6 PACK)	1

KTI0816

Pliers

Display assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)



Pliers	Qty	
KTI51006	6" NEEDLE NOSE CHROME VANADIUM 1	
KTI51007	7" NEEDLE NOSE CHROME VANADIUM 1	
KTI51008	8" NEEDLE NOSE CHROME VANADIUM 1	
KTI51111	11" NEEDLE NOSE PLIER 90 DEG	
	11" NEEDLE NOSE PLIER 45 DEG 1	
KTI51311	11" NEEDLE NOSE PLIER "S"	
KTI52006	6" DIAGONALS CHROME VANADIUM 1	
KTI52007	7" DIAGONALS CHROME VANADIUM 1	
	7" H.D. DIAGONALS CHROME VAN 1	
	4" CHROME PLIERS RED HANDLES 1	
KTI53006	6" CHROME PLIERS RED HANDLES	
	8" CHROME PLIERS RED HANDLES 1	
	6" GROOVE JOINT PLIER 1	
KTI54010	10" GROOVE JOINT PLIER	
KTI54012	12" GROOVE JOINT PLIER 1	
KTIH00K2	H00KS	
KTI0L0816	DISPLAY OVERLAY 1	
KTI0LF04333	OVERLAY FASTENERS (6 PACK)	

KTI0817

Adjustable Wrenches & Locking Pliers/Clamps Display assortments include the following hardware: • Hooks, printed overlay, overlay fasteners • Display boards must be purchased separately (KTI098)





Adjustable Wrenches & Locking Pliers/Clamps Qty
KTI48004 4" ADJUSTABLE WRENCH 1
KTI48006 6" ADJUSTABLE WRENCH
KTI48008 8" ADJUSTABLE WRENCH 1
KTI48010
KTI48012 12" ADJUSTABLE WRENCH 1
KTI48015 15" ADJUSTABLE WRENCH 1
KTI48018 18" ADJUSTABLE WRENCH 1
KTI58705 5" Locking Plier Curved Jaws
KTI587077" Locking Plier Curved Jaws
KTI58710 10" Locking Plier Curved Jaws
KTI587177" Locking Plier Straight Jaws
KTI58809 9" Welding Locking Clamp
KTI5881111" Locking C-Clamp Plier
KTIH00K2H00KS20
KTIH00K8 H00KS 1
KTIOL0817 DISPLAY OVERLAY
KTIOLF04333 OVERLAY FASTENERS (6 PACK)





Files & Scrapers
Display assortments include the following hardware:



- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)



Files & ScrapersQty
KTI70020LONG HANDLED SCRAPER
KTI70023 4 PC SCRAPER SET - USA
KTI70024
KTI70025 1-1/2" FLEXIBLE SCRAPER
KTI70026 1-1/2" CHISEL EDGE STIFF SCRAPER 1
KTI70028 1-1/2" CHISEL SCRAPER 1
KTI70029 3" FLEX SCRAPER 1
KTI72505 FILE SET 5 PIECE
KTI72512 6" MILL FILE 1
KTI72514 10" MILL FILE 1
KTI72523 8" BASTARD FILE 1
KTI72543 8" HALF ROUND FILE
KTI72553 8" ROUND FILE
KTIH00K2H00KS14
KTIOL0819 DISPLAY OVERLAY
KTIOLF04333 OVERLAY FASTENERS (6 PACK)

KTI0820

Hammers



- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)



HammersQty
KTI71700
KTI71704 4 OZ. BALL PEIN HAMMER
KTI71708 8 OZ. BALL PEIN HAMMER 1
KTI71714 16 OZ. BRASS HAMMER,HICKORY 1
KTI71715 24 OZ. BRASS HAMMER,HICKORY 1
KTI71716 16 OZ. BALL PEIN HAMMER 1
KTI71724 4 LB. CROSS-PEIN HAMMER
KTI71725 24 OZ. BALL PEIN HAMMER 1
KTI71732 32 OZ. BALL PEIN HAMMER
KTI71733 32 OZ. BRASS HAMMER,HICKORY 1
KTI71751 24 OZ. RUBBER MALLET 1
KTIH00K2H00KS21
KTIOL0820 DISPLAY OVERLAY
KTIOLF04333 OVERLAY FASTENERS (6 PACK)

KTI0821

- Snap Ring Pliers
 Display assortments include the following hardware:

 Hooks, printed overlay, overlay fasteners

 Display boards must be purchased separately (KTI098)













Tie Downs & Tow StrapsDisplay assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)



Tie Downs & Tow Straps	Qtv
KTI73801 1-7/8" X 10' TOW STRAP 7000LBS	1
KTI738021-3/4" X 15' TOW STRAP 10,000LB	1
KTI73803 1-3/4" X 25' TOW STRAP 10,000LB	1
KTI738611" X 13' RATCHET TIE DOWN,HOOK	1
KTI73862 1" X 13' RATCHET TIE DOWN,LOOP	1
KTI738641" X 6' MOTORCYCLE TIE DOWN	1
KTI73870 4 PACK 1" X 10' RATCH.TIE DOWN	1
KTI738711" X 10' UNIVERSAL TIE DOWN	1
KTI73873 2 PACK 1" X 13'BUCKLE TIE DOWN	1
KTIH00K2H00KS	
KTIOL0822DISPLAY OVERLAY	1
KTIOLF04333 OVERLAY FASTENERS (6 PACK)	1

KTI0831

Punches & Chisels



- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)



	els(
	. AUTOMATIC CENTER PUNCH	-
	. 6 PC PIN PUNCH SET	
= 00	. 15PC PUNCH & CHISEL SET	
KTI72911	. 3/32" PIN PUNCH	. 1
KTI72912	. 1/8" PIN PUNCH	. 1
KTI72913	. 5/32" PIN PUNCH	. 1
KTI72914	. 3/16" PIN PUNCH	. 1
KTI72915	. 1/4" PIN PUNCH	. 1
KTI72916	. 5/16" PIN PUNCH	. 1
KTI72921	. 3/32" TAPER PUNCH	. 1
KTI72922	. 1/8" TAPER PUNCH	. 1
KTI72923	. 5/32" TAPER PUNCH	. 1
KTI72924	. 3/16" TAPER PUNCH	. 1
KTI72925	. 1/4" TAPER PUNCH	. 1
KTI72931	. 1/8" CENTER PUNCH	. 1
KTI72932	. 3/16" CENTER PUNCH	. 1
KTI72982	. 3/8" BRASS PUNCH	. 1
KTI72984	. 1/2" BRASS PUNCH	. 1
KTI72986	. 5/8" BRASS PUNCH	. 1
KTI72988	. 3/4" BRASS PUNCH	. 1
KTI73000	. 5 PC CHISEL SET	.1
KTI73012	. 3/8" COLD CHISEL	. 1
KTI73016	. 1/2" COLD CHISEL	. 1
KTI73020	. 5/8" COLD CHISEL	. 1
KTI73024	. 3/4" COLD CHISEL	. 1
KTI73028	. 7/8" COLD CHISEL	. 1
KTIH00K2	. HOOKS	29
	DISPLAY OVERLAY	
	. OVERLAY FASTENERS (6 PACK)	
	- (/	

KTI0832

Pneumatic Bits

Display assortments include the following hardware:



- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)



KTI81900	4 PC. PNEUMATIC BIT SET	1
KTI81956	DOUBLE CUT BODY RIPPER	1
KTI81958	SLOTTED PANEL CUTTER	2
KTI81959	SHEET METAL TRIMMER	2
KTI81968	TAIL PIPE CUT OFF	1
KTI81972	6" COLD CHISEL	2
	8" COLD CHISEL	
	10" COLD CHISEL	
	RIVET & BOLT CUTTER	
	SCRAPER	
	TAPER PUNCH SHARP POINT	
	3/8" TAPER PUNCH	
	HAMMER	
	18" COLD CHISEL	
	TIE ROD SEPARATOR-PNEUMATIC	
	BALL JOINT SEPARATOR-PNEUMATIC	
	1/8" TAPER PUNCH	
	SPRING RETAINER FOR AIR TOOLS	
	SAFETY CHUCK	
	QUICK COUPLER RETAINER	
	H00KS	
	DISPLAY OVERLAY	
KTI0LF04333	OVERLAY FASTENERS (6 PACK)	1

KTI0833

Pullers





- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)



Pullers		Qty
	4" TWO JAW ADJUSTABLE PULLER	
KTI70312	6" TWO JAW REVERSIBLE PULLER	1
KTI70313	7" TWO JAW ADJUSTABLE PULLER	1
KTI70321	4" THREE JAW ADJUSTABLE PULLER	1
KTI70322		1
KTI70323	8" 2-3 JAW ADJUSTABLE PULLER	1
KTI70330	Steering wheel puller - USA	1
	HARMONIC BALANCER PULLER - USA	
KTI70365	PITMAN ARM PULLER - USA	1
	BEARING SEPARATOR 1-1/4" - 2-1/4"	
KTI70384	BEARING SEPARATOR 3" - 4-1/2"	1
	H00KS	
KTI0L0833	DISPLAY OVERLAY	1
KTI0LF04333	OVERLAY FASTENERS (6 PACK)	1







Popular Tools #1
Display assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)

KTI21002	1/4" DR 2" EXTENSION
<ti21004< th=""><th> 1/4" DR 4" EXTENSION</th></ti21004<>	1/4" DR 4" EXTENSION
KTI21006	1/4" DR 6" EXTENSION
KTI21050	UNIVERSAL JOINT 1/4" DR
KTI21055	ADAPTER 1/4" F X 3/8" M
KTI21060	1/4" DR SPINNER HANDLE
	1/4" DR RATCHET
	1/4" DR PRO RATCHET
	1/4" DR SHORT SOCKET 3/16"
	1/4" DR SHORT SOCKET 7/32"
	1/4" DR SHORT SOCKET 1/4"
	1/4" DR SHORT SOCKET 9/32"
	1/4" DR SHORT SOCKET 5/16"
	1/4" DR SHORT SOCKET 1/32"
	1/4" DR SHORT SOCKET 1/32
	1/4" DR SHORT SOCKET 7/16"
	1/4" DR SHORT SOCKET 1/2"
	1/4" DR SHORT SOCKET 9/16"
	1/4" DR DEEP SOCKET 3/16"
	1/4" DR DEEP SOCKET 7/32"
	1/4" DR DEEP SOCKET 1/4"
	1/4" DR DEEP SOCKET 9/32"
	1/4" DR DEEP SOCKET 5/16"
KTI21211	1/4" DR DEEP SOCKET 11/32"
<ti21212< td=""><td> 1/4" DR DEEP SOCKET 3/8"</td></ti21212<>	1/4" DR DEEP SOCKET 3/8"
<ti21214< td=""><td> 1/4" DR DEEP SOCKET 7/16"</td></ti21214<>	1/4" DR DEEP SOCKET 7/16"
	1/4" DR DEEP SOCKET 1/2"
	1/4" DR DEEP SOCKET 9/16"
	3/8" DR EXTENSION 3"
	3/8" DR EXTENSION 6"
	3/8" DR EXTENSION 8"
	ADAPTER 1/2" F X 3/8" M
	ADAPTER 3/8" F X 1/2" M
	ADAPTER 3/8" F X 1/4" M
	ADAPTER 1/2" F X 3/4" M
	3/8" DR PUSH BUTTON RATCHET
	3/8" DR PRO RATCHET
	3/8" DR SHORT SOCKET 5/16"
	3/8" DR SHORT SOCKET 3/8"
	3/8" DR SHORT SOCKET 7/16"
	3/8" DR SHORT SOCKET 1/2"
	3/8" DR SHORT SOCKET 9/16"
	3/8" DR SHORT SOCKET 5/8"
	3/8" DR SHORT SOCKET 11/16"
<ti22124< p=""></ti22124<>	3/8" DR SHORT SOCKET 3/4"
<ti22126< p=""></ti22126<>	3/8" DR SHORT SOCKET 13/16"
(TI22128	3/8" DR SHORT SOCKET 7/8"
	3/8" DR SHORT SOCKET 15/16"
	3/8" DR SHORT SOCKET 1"
	3/8" DR DEEP SOCKET 3/8"
	3/8" DR DEEP SOCKET 7/16"
	3/8" DR DEEP SOCKET 1/2"
	3/8" DR DEEP SOCKET 1/2
	3/8" DR DEEP SOCKET 9/16
\112222U	3/8" DR DEEP SOCKET 1/16"
	3/8" DR DEEP SOCKET 3/4"
	3/8" DR DEEP SOCKET 13/16"
	3/8" DR DEEP SOCKET 7/8"
	3/8" DR DEEP SOCKET 15/16"
	3/8" DR DEEP SOCKET 1"
	UNIVERSAL JOINT 3/8" DR
KTI23003	1/2" DR 3" EXTENSION
KTI23005	1/2" DR 5" EXTENSION
	1/2" DR PUSH BUTTON RATCHET



Popular Tools	#1Qty
KTI23092	1/2" DR PRO RATCHET 1
KTI23116	1/2" DR SHORT SOCKET 1/2"
KTI23118	1/2" DR SHORT SOCKET 9/16"
KTI23120	1/2" DR SHORT SOCKET 5/8"
KTI23122	1/2" DR SHORT SOCKET 11/16"
KTI23124	1/2" DR SHORT SOCKET 3/4"
KTI23126	1/2" DR SHORT SOCKET 13/16"
KTI23128	1/2" DR SHORT SOCKET 7/8"
KTI23130	1/2" DR SHORT SOCKET 15/16"
KTI23132	1/2" DR SHORT SOCKET 1"
KTI23134	1/2" DR SHORT SOCKET 1-1/16"
	1/2" DR SHORT SOCKET 1-1/8"
	1/2" DR SHORT SOCKET 1-1/4"
	1/2" DR DEEP SOCKET 1/2"
	1/2" DR DEEP SOCKET 9/16"
	1/2" DR DEEP SOCKET 5/8"
KTI23222	1/2" DR DEEP SOCKET 11/16"
	1/2" DR DEEP SOCKET 3/4"
	1/2" DR DEEP SOCKET 13/16"
	1/2" DR DEEP SOCKET 7/8" 1
	1/2" DR DEEP SOCKET 15/16"
	1/2" DR DEEP SOCKET 1"
	1/2" DR DEEP SOCKET 1-1/16"
	1/2" DR DEEP SOCKET 1-1/8"
	1/2" DR DEEP SOCKET 1-1/4" 1
	UNIVERSAL JOINT 1/2" DR1
	3" EXTENSION BAR 1
	HOOKS
	PLASTIC HOOKS11
	DISPLAY OVERLAY 1
KTI0LF04333	OVERLAY FASTENERS (6 PACK)

Popular Tools #2
Display assortments include the following hardware:



- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)

	2 Qty
KTI22221	. SPARK PLUG SOCKET 3/8" DR 5/8" 1
	. SPARK PLUG SOCKET 3/8" DR 13/16" 1
KTI26105	. 1/4" DR SHORT SOCKET 5MM 1
	. 1/4" DR SHORT SOCKET 6MM
KTI26107	. 1/4" DR SHORT SOCKET 7MM
KTI26108	. 1/4" DR SHORT SOCKET 8MM
KTI26109	. 1/4" DR SHORT SOCKET 9MM
KTI26110	. 1/4" DR SHORT SOCKET 10MM
	. 1/4" DR SHORT SOCKET 11MM
KTI26112	. 1/4" DR SHORT SOCKET 12MM
	. 1/4" DR SHORT SOCKET 13MM
KTI26114	. 1/4" DR SHORT SOCKET 14MM
KTI26115	. 1/4" DR SHORT SOCKET 15MM
	. 1/4" DR SHORT SOCKET 5.5MM
	. 1/4" DR DEEP SOCKET 6MM
	. 1/4" DR DEEP SOCKET 7MM
	. 1/4" DR DEEP SOCKET 8MM
	. 1/4" DR DEEP SOCKET 9MM
	. 1/4" DR DEEP SOCKET 10MM
	. 1/4" DR DEEP SOCKET 11MM
	. 1/4" DR DEEP SOCKET 12MM
	. 1/4" DR DEEP SOCKET 13MM
	. 1/4" DR DEEP SOCKET 14MM
	. 1/4" DR DEEP SOCKET 15MM
	. 1/4" DR DEEP SOCKET 5.5MM
	. 3/8" DR SHORT SOCKET 8MM
	3/8" DR SHORT SOCKET 9MM
	. 3/8" DR SHORT SOCKET 10MM
	. 3/8" DR SHORT SOCKET 11MM
	. 3/8" DR SHORT SOCKET 17MM
	. 3/8" DR SHORT SOCKET 13MM
	. 3/8" DR SHORT SOCKET 13MM
	. 3/8" DR SHORT SOCKET 14MM
	. 3/8" DR SHORT SOCKET 16MM
	. 3/8" DR SHORT SOCKET 17MM
	. 3/8" DR SHORT SOCKET 18MM
	. 3/8" DR SHORT SOCKET 19MM
	. 3/8" DR DEEP SOCKET 10MM
	. 3/8" DR DEEP SOCKET 12MM
	. 3/8" DR DEEP SOCKET 13MM
	. 3/8" DR DEEP SOCKET 14MM
	. 3/8" DR DEEP SOCKET 15MM
	. 3/8" DR DEEP SOCKET 16MM
	. 3/8" DR DEEP SOCKET 17MM
	. 3/8" DR DEEP SOCKET 18MM
	. 3/8" DR DEEP SOCKET 19MM
	. 1/2" DR SHORT SOCKET 10MM 1
	. 1/2" DR SHORT SOCKET 11MM 1
	. 1/2" DR SHORT SOCKET 12MM 1
	. 1/2" DR SHORT SOCKET 13MM 1
	. 1/2" DR SHORT SOCKET 14MM 1
	. 1/2" DR SHORT SOCKET 15MM 1
	. 1/2" DR SHORT SOCKET 16MM 1
	. 1/2" DR SHORT SOCKET 17MM 1
	. 1/2" DR SHORT SOCKET 18MM 1
	. 1/2" DR SHORT SOCKET 19MM 1
	. 1/2" DR SHORT SOCKET 20MM 1
	. 1/2" DR SHORT SOCKET 21MM 1
KTI28210	. 1/2" DR DEEP SOCKET 10MM
KTI28211	. 1/2" DR DEEP SOCKET 11MM
KTI28212	. 1/2" DR DEEP SOCKET 12MM
KTI28213	. 1/2" DR DEEP SOCKET 13MM
KTI28214	. 1/2" DR DEEP SOCKET 14MM 1
KTI28215	. 1/2" DR DEEP SOCKET 15MM



	#ZQly
	1/2" DR DEEP SOCKET 16MM
	1/2" DR DEEP SOCKET 17MM
	1/2" DR DEEP SOCKET 18MM 1
	1/2" DR DEEP SOCKET 19MM 1
KTI28220	1/2" DR DEEP SOCKET 20MM 1
	1/2" DR DEEP SOCKET 21MM 1
	COMBINATION WRENCH 1/4"
KTI41110	COMBINATION WRENCH 5/16"
KTI41112	COMBINATION WRENCH 3/8""
	COMBINATION WRENCH 7/16"
	COMBINATION WRENCH 1/2"
KTI41118	COMBINATION WRENCH 9/16"
	COMBINATION WRENCH 5/8"
	COMBINATION WRENCH 11/16"
KTI41124	COMBINATION WRENCH 3/4"
KTI41126	COMBINATION WRENCH 13/16"
	COMBINATION WRENCH 7/8"
	COMBINATION WRENCH 15/16"
	COMBINATION WRENCH 1"
	COMBINATION WRENCH 1-1/16"
KTI41136	COMBINATION WRENCH 1-1/8"
KTI41608	COMBINATION WRENCH 8MM 1
KTI41609	COMBINATION WRENCH 9MM 1
	COMBINATION WRENCH 10MM2
KTI41611	COMBINATION WRENCH 11MM2
KTI41612	COMBINATION WRENCH 12MM2
KTI41613	COMBINATION WRENCH 13MM2
KTI41614	COMBINATION WRENCH 14MM2
KTI41615	COMBINATION WRENCH 15MM2
	COMBINATION WRENCH 16MM2
KTI41617	COMBINATION WRENCH 17MM2
	COMBINATION WRENCH 18MM2
KTI41619	COMBINATION WRENCH 19MM2
	3/8" X 7/16" FLARE NUT WRENCH
	1/2" X 9/16" FLARE NUT WRENCH 1
	5/8" X 11/16" FLARE NUT WRENCH 1
	3" EXTENSION BAR 1
	HOOKS
	PLASTIC HOOKS14
	DISPLAY OVERLAY 1
KTI0LF04333	OVERLAY FASTENERS (6 PACK)





Nutdrivers & Hex Keys
Display assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)



Nutdrivers & Hex KeysQty	,
KTI14400 7-PIECE FRACTIONAL NUTDRIVER SET	
KTI14406 3/16" x 3" FRACTIONAL NUTDRIVER 1	
KTI14408 1/4" x 3" FRACTIONAL NUTDRIVER 1	
KTI14410 5/16" x 3" FRACTIONAL NUTDRIVER 1	
KTI14411 11/32" x 3" FRACTIONAL NUTDRIVER	
KTI14412 3/8" x 3" FRACTIONAL NUTDRIVER 1	
KTI14414 7/16" x 3" FRACTIONAL NUTDRIVER 1	
KTI14416 1/2" x 3" FRACTIONAL NUTDRIVER 1	
KTI145007-PIECE METRIC NUTDRIVER SET	
KTI14505 5MM x 75MM METRIC NUTDRIVER 1	
KTI14506 6MM x 75MM METRIC NUTDRIVER 1	
KTI14507 7MM x 75MM METRIC NUTDRIVER 1	
KTI14508 8MM x 75MM METRIC NUTDRIVER 1	
KTI14509 9MM x 75MM METRIC NUTDRIVER 1	
KTI14510 10MM x 75MM METRIC NUTDRIVER 1	
KTI14511 11MM x 75MM METRIC NUTDRIVER 1	
KTI70040 SPIRAL EXTRACTOR SET 1	
KTI70070 4-PIECE PICK SET (NEON ORANGE) 1	
KTI70075 4-PIECE PICK SET (NEON GREEN) 1	
KTI71400 HEX KEY SET 1/8" - 3/8" FOLDING 1	
KTI71420 HEX KEY SET 1/16" - 3/8" ON A RING 1	
KTI71475 HEX KEY SET 2.5MM - 10MM FOLDING 1	
KTI71480 HEX KEY SET 1.5MM - 10MM ON A RING 1	
KTIH00K2H00KS20	
KTIOL0836 DISPLAY OVERLAY	
KTIOLF04333 OVERLAY FASTENERS (6 PACK)	

KTI0837

Oil Filter Wrenches



- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)



Oil Filter Wrend	ches	. Qtv
KTI73600	4-IN-1 FILTER WRENCH	1
KTI73601	OIL FILTER WRENCH FOR TRUCKS ADJ FROM 2-7/8"-3-1/4"	1
KTI73602	OIL FILTER WRENCH FOR TRUCKS ADJ FROM 3-7/16"-3-3/4"	1
KTI73603	OIL FILTER WRENCH FOR TRUCKS ADJ FROM 4"-4-3/8"	1
KTI73605	OIL FILTER WRENCH FOR TRUCKS ADJ FROM 4-5/16"-4-3/4"	1
KTI73606	OIL FILTER WRENCH FOR TRUCKS ADJ FROM 5-1/4"-5-3/4"	1
KTI73618	OIL FILTER CAP SOCKET 32MM	1
	OIL FILTER CAP SOCKET 35-36MM	
KTI73620	OIL FILTER PLIERS - ADJUSTABLE	1
KTI73621	TRUCK AND TRACTOR FILTER PLIER	1
	OIL FILTER WRENCH TOYOTA/LEXUS	
	17 PC MASTER OIL FILTER WRENCH KIT	
KTI73730	FILTER WRENCH NYLON STRAP 1/2"	1
KTI73731	HEAVY-DUTY STRAP OIL FILTER WRENCH	1
KTI089	3" EXTENSION BAR	1
KTIH00K2	H00KS	11
KTIH00K11	PLASTIC HOOKS	5
KTI0L0837	DISPLAY OVERLAY	1
KTI0LF04333	OVERLAY FASTENERS (6 PACK)	1



KTI0838

Pullers & SeparatorsDisplay assortments include the following hardware:



- Hooks, printed overlay, overlay fasteners
- Display boards must be purchased separately (KTI098)



Pullers & SeparatorsQty
KTI70301 3" TWO-JAW TWO-TON PULLER
KTI70302 3" TWO/THREE-JAW TWO-TON PULLER
KTI70303 4" TWO-JAW FIVE-TON PULLER 1
KTI70304 3" TWO/THREE-JAW FIVE-TON PULLER
KTI70305 6" TWO-JAW FIVE-TON PULLER 1
KTI70306 6" TWO/THREE-JAW FIVE-TON PULLER
KTI70348 STEERING WHEEL PULLER
KTI70383 BEARING SEPARATOR 1 1/4"-2 1/4" 1
KTI70384 BEARING SEPARATOR 3"-4 1/2" 1
KTIH00K2H00KS11
KTIOL0838 DISPLAY OVERLAY
KTIOLF04333OVERLAY FASTENERS (6 PACK)1

KTI0839

3/8" & 1/2" Drive Impact Sockets Display assortments include the following hardware:



- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)



3/8" & 1/2" Drive Impact Sockets	Qty
KTI32012Impact Universal Joint 3/8" Drive	1
KTI32016 3/8" Female x 1/2" Male Impact Adapter	1
KTI32110 Socket Impact 3/8" Drive 5/16"	1
KTI32112 Socket Impact 3/8" Drive 3/8"	1
KTI32114 Socket Impact 3/8" Drive 7/16"	1
KTI32116 Socket Impact 3/8" Drive 1/2"	1
KTI32118 Socket Impact 3/8" Drive 9/16"	
KTI32120 Socket Impact 3/8" Drive 5/8"	1
KTI32122 Socket Impact 3/8" Drive 11/16"	
KTI32124 Socket Impact 3/8" Drive 3/4"	
KTI32126 Socket Impact 3/8" Drive 13/16"	1
KTI32128 Socket Impact 3/8" Drive 7/8"	
KTI32210 Socket Impact Deep 3/8" Drive 5/16"	1
KTI32212 Socket Impact Deep 3/8" Drive 3/8"	
KTI32214 Socket Impact Deep 3/8" Drive 7/16"	1
KTI32216 Socket Impact Deep 3/8" Drive 1/2"	
KTI32218 Socket Impact Deep 3/8" Drive 9/16"	
KTI32220Socket Impact Deep 3/8" Drive 5/8"	
KTI32222 Socket Impact Deep 3/8" Drive 11/16"	
KTI32224 Socket Impact Deep 3/8" Drive 3/4"	
KTI32226 Socket Impact Deep 3/8" Drive 13/16"	
KTI32228 Socket Impact Deep 3/8" Drive 7/8"	
KTI330031/2" Drive Impact Extension 3"	
KTI330061/2" Drive Impact Extension 6"	1
KTI330121/2" Female x 3/8" Male Impact Adapter	
KTI330161/2" Drive Universal Joint Impact	
KTI33024 1/2" Female x 3/4" Male Impact Adapter	
KTI330411/2" Female x 3/8" Male Wobble Adapter	
KTI33050 Socket Impact 1/2" Drive Flip 3/4" x 13/16"	1



3/8" & 1/2"	Drive Impact SocketsQ
KTI33112	Socket 1/2" Drive Short Impact 3/8"
	Socket 1/2" Drive Short Impact 7/16"
KTI33116	Socket 1/2" Drive Short Impact 1/2"
KTI33118	Socket 1/2" Drive Short Impact 9/16"
	Socket 1/2" Drive Short Impact 5/8"
	Socket 1/2" Drive Short Impact 11/16"
	Socket 1/2" Drive Short Impact 3/4"
	Socket 1/2" Drive Short Impact 13/16"
	Socket 1/2" Drive Short Impact 7/8"
	Socket 1/2" Drive Short Impact 15/16"
	Socket 1/2" Drive Short Impact 1"
	Socket 1/2" Drive Short Impact 1-1/16"
	Socket 1/2" Drive Short Impact 1-1/8"
	Socket 1/2" Drive Short Impact 1-3/16"
	Socket 1/2" Drive Short Impact 1-1/4"
	Socket 1/2" Drive Short Impact 1-5/16"
	Socket 1/2" Drive Short Impact 1-3/8"
	Socket 1/2" Drive Short Impact 1-7/16"
	Socket 1/2" Drive Short Impact 1-1/2"
	Socket 1/2" Drive Impact Deep 3/8"
	Socket 1/2" Drive Impact Deep 7/16"
	Socket 1/2" Drive Impact Deep 1/2"
	Socket 1/2" Drive Impact Deep 9/16"
	Socket 1/2" Drive Impact Deep 5/8"
KTI33222	Socket 1/2" Drive Impact Deep 11/16"
	Socket 1/2" Drive Impact Deep 3/4"
	Socket 1/2" Drive Impact Deep 13/16"
	Socket 1/2" Drive Impact Deep 13/10
	Socket 1/2" Drive Impact Deep 15/16"
	Socket 1/2" Drive Impact Deep 13/10
	Socket 1/2" Drive Impact Deep 1 -1/16"
	Socket 1/2" Drive Impact Deep 1-1/8"
	Socket 1/2" Drive Impact Deep 1-3/16"
K1133240	Socket 1/2" Drive Impact Deep 1-1/4"
K1133242	Socket 1/2" Drive Impact Deep 1-5/16"
	Socket 1/2" Drive Impact Deep 1-3/8"
	Socket 1/2" Drive Impact Deep 1-7/16"
	Socket 1/2" Drive Impact Deep 1-1/2"
KTI34016	3/4" Female x 1/2" Male Impact Adapter
	Socket Impact Metric Short 3/8" Drive 8mm
KTI37109	Socket Impact Metric Short 3/8" Drive 9mm
	Socket Impact Metric Short 3/8" Drive 10mm
KTI37111	Socket Impact Metric Short 3/8" Drive 11mm
	Socket Impact Metric Short 3/8" Drive 12mm
	Socket Impact Metric Short 3/8" Drive 13mm
	Socket Impact Metric Short 3/8" Drive 14mm
	Socket Impact Metric Short 3/8" Drive 15mm
	Socket Impact Metric Short 3/8" Drive 16mm
	Socket Impact Metric Short 3/8" Drive 17mm
	Socket Impact Metric Short 3/8" Drive 17mm
	Socket Impact Metric Short 3/8" Drive 19mm
	Socket Deep Impact 3/8" Drive 8mm
	Socket Deep Impact 3/8" Drive 9mm
K1137210	Socket Deep Impact 3/8" Drive 10mm
	Socket Deep Impact 3/8" Drive 11mm
	Socket Deep Impact 3/8" Drive 12mm
	Socket Deep Impact 3/8" Drive 13mm
KTI37214	Socket Deep Impact 3/8" Drive 14mm
	Socket Deep Impact 3/8" Drive 15mm
	Socket Deep Impact 3/8" Drive 16mm

3/8" & 1/2"	Drive Impact SocketsQ
KTI37217	Socket Deep Impact 3/8" Drive 17mm
KTI37218	Socket Deep Impact 3/8" Drive 18mm
KTI37219	Socket Deep Impact 3/8" Drive 19mm
KTI38050	Socket Impact 1/2" Drive Flip 19mm x 21mm
KTI38110	Socket 1/2" Drive Short Impact 10mm
	Socket 1/2" Drive Short Impact 11mm
	Socket 1/2" Drive Short Impact 12mm
	Socket 1/2" Drive Short Impact 13mm
	Socket 1/2" Drive Short Impact 14mm
	Socket 1/2" Drive Short Impact 15mm
	Socket 1/2" Drive Short Impact 16mm
	Socket 1/2" Drive Short Impact 17mm
	Socket 1/2" Drive Short Impact 18mm
	Socket 1/2" Drive Short Impact 19mm
(1130113 /TI20120	Socket 1/2" Drive Short Impact 1911111
	Socket 1/2" Drive Short Impact 2011111
	Socket Impact Metric 1/2" Drive 22mm
	Socket Impact Metric 1/2 Drive 23mm
	Socket Impact Metric 1/2" Drive 24mm
	Socket Impact Metric 1/2" Drive 25mm
	Socket Impact Metric 1/2" Drive 26mm
(1138127	Socket Impact Metric 1/2" Drive 27mm
(1138128	Socket Impact Metric 1/2" Drive 28mm
	Socket Impact Metric 1/2" Drive 29mm
	Socket Impact Metric 1/2" Drive 30mm
	Socket Impact Metric 1/2" Drive 32mm
	Socket Impact Metric 1/2" Drive 33mm
	Socket Impact Metric 1/2" Drive 34mm
(TI38135	Socket Impact Metric 1/2" Drive 35mm
	Socket Impact Metric 1/2" Drive 36mm
<ti38210< p=""></ti38210<>	Socket 1/2" Drive Impact Deep 10mm
<ti38211< p=""></ti38211<>	Socket 1/2" Drive Impact Deep 11mm
(TI38212	Socket 1/2" Drive Impact Deep 12mm
(TI38213	Socket 1/2" Drive Impact Deep 13mm
(TI38214	Socket 1/2" Drive Impact Deep 14mm
(TI38215	Socket 1/2" Drive Impact Deep 15mm
	Socket 1/2" Drive Impact Deep 16mm
	Socket 1/2" Drive Impact Deep 17mm
	Socket 1/2" Drive Impact Deep 18mm
	Socket 1/2" Drive Impact Deep 19mm
	Socket 1/2" Drive Impact Deep 20mm
	Socket 1/2" Drive Impact Deep 21mm
T138222	Socket 1/2" Drive Impact Deep 22mm
	Socket 1/2" Drive Impact Deep 23mm
	Socket 1/2" Drive Impact Deep 24mm
	Socket 1/2" Drive Impact Deep 25mm
	Socket 1/2" Drive Impact Deep 27mm
	Socket 1/2" Drive Impact Deep 28mm
1138229	Socket 1/2" Drive Impact Deep 29mm
	Socket 1/2" Drive Impact Deep 30mm
	Socket Impact Metric Deep 1/2" Drive 32mm
	Socket Impact Metric Deep 1/2" Drive 33mm
	Socket Impact Metric Deep 1/2" Drive 34mm
	Socket Impact Metric Deep 1/2" Drive 35mm
	Socket Impact Metric Deep 1/2" Drive 36mm
(TIH00K2	H00KS
(TIOL0839	DISPLAY OVERLAY
	OVERLAY FASTENERS (6 PACK)



KTI0840

3/4" Drive Impact Sockets



- Hooks, printed overlay, overlay fasteners
- Display boards must be purchased separately (KTI098)

KT134026 13/16" Square Budd Wheel Socket 3/4" Drive 1 KT134027 1-1/2" - 13/16" Budd Wheel Socket 3/4" Drive 1 KT134032 3/4" Female x 1" Male Impact Adapter 1 KT134030 Universal Joint 3/4" Drive Impact 1 1 KT134030 Universal Joint 3/4" Drive Short Impact 1 1 KT134132 Socket 3/4" Drive Short Impact 1 1-1/16" 1 KT134134 Socket 3/4" Drive Short Impact 1 1-1/16" 1 KT134136 Socket 3/4" Drive Short Impact 1 1-1/16" 1 KT134140 Socket 3/4" Drive Short Impact 1 1-1/4" 1 KT134141 Socket 3/4" Drive Short Impact 1 1-3/16" 1 KT134142 Socket 3/4" Drive Short Impact 1 1-3/16" 1 KT134143 Socket 3/4" Drive Short Impact 1 1-3/16" 1 KT134144 Socket 3/4" Drive Short Impact 1 1-7/16" 1 KT134145 Socket 3/4" Drive Short Impact 1 1-7/16" 1 KT134150 Socket 3/4" Drive Short Impact 1 1-9/16" 1 KT134151 Socket 3/4" Drive Short Impact 1 1-5/16" 1 KT134152 Socket 3/4" Drive Short Impact 1 1-5/16" 1 KT134153 Socket 3/4" Drive Short Impact 1 1-3/4" 1 KT134156 Socket 3/4" Drive Short Impact 1 1-3/4" 1 KT134156 Socket 3/4" Drive Short Impact 1 1-3/4" 1 KT134160 Socket 3/4" Drive Short Impact 1 1-3/16" 1 KT134160 Socket 3/4" Drive Short Impact 1 1-3/16" 1 KT134161 Socket 3/4" Drive Short Impact 1 1-3/16" 1 KT134162 Socket 3/4" Drive Short Impact 1 1-3/16" 1 KT134163 Socket 3/4" Drive Short Impact 1 1-17/16" 1 KT134164 Socket 3/4" Drive Short Impact 1 1-17/16" 1 KT134165 Socket 3/4" Drive Short Impact 1 1-17/16" 1 KT134160 Socket 3/4" Drive Short Impact 1 1-17/16" 1 KT134161 Socket 3/4" Drive Short Impact 1 1-17/16" 1 KT134162 Socket 3/4" Drive Short Impact 1 1-17/16" 1 KT134163 Socket 3/4" Drive Short Impact 1 1-17/16" 1 KT134164 Socket 3/4" Drive Short Impact 2 1-1/16" 1 KT134165 Socket 3/4" Drive Short Impact 2 1-1/16" 1 KT134166 Socket 3/4" Drive Short Impact 2 1-1/16" 1 KT134167 Socket 3/4" Drive Short Impact 2 1-1/16" 1 KT134168 Socket 3/4" Drive Deep Impact 1 1-1/16" 1 KT13423 Socket 3/4" Drive Deep Impact 1 1-1/16" 1 KT134240 Socket 3/4" Drive Deep Impact 1 1-1/16" 1 KT134240 Socket 3/4" Drive Deep Impact 1 1-1/16" 1 KT134240 Socket 3/4" D	3/4" Drive Impa	act SocketsQty
KTI34027	KTI34026	13/16" Square Budd Wheel Socket
KT134032		
KTI34050 Universal Joint 3/4" Drive Impact 1 KTI34132 Socket 3/4" Drive Short Impact 1" KTI34134 Socket 3/4" Drive Short Impact 1-1/6" 1 KTI34136 Socket 3/4" Drive Short Impact 1-1/6" 1 KTI34136 Socket 3/4" Drive Short Impact 1-1/4" 1 KTI34140 Socket 3/4" Drive Short Impact 1-1/4" 1 KTI34141 Socket 3/4" Drive Short Impact 1-5/16" 1 KTI34144 Socket 3/4" Drive Short Impact 1-5/16" 1 KTI34148 Socket 3/4" Drive Short Impact 1-7/16" 1 KTI34149 Socket 3/4" Drive Short Impact 1-7/16" 1 KTI34149 Socket 3/4" Drive Short Impact 1-7/16" 1 KTI34150 Socket 3/4" Drive Short Impact 1-9/16" 1 KTI34151 Socket 3/4" Drive Short Impact 1-9/16" 1 KTI34152 Socket 3/4" Drive Short Impact 1-1/16" 1 KTI34155 Socket 3/4" Drive Short Impact 1-1/16" 1 KTI34156 Socket 3/4" Drive Short Impact 1-1/16" 1 KTI34156 Socket 3/4" Drive Short Impact 1-1/16" 1 KTI34160 Socket 3/4" Drive Short Impact 1-1/16" 1 KTI34160 Socket 3/4" Drive Short Impact 1-1/16" 1 KTI34162 Socket 3/4" Drive Short Impact 1-1/16" 1 KTI34163 Socket 3/4" Drive Short Impact 1-1/76" 1 KTI34164 Socket 3/4" Drive Short Impact 2-1/16" 1 KTI34165 Socket 3/4" Drive Short Impact 2-1/16" 1 KTI34166 Socket 3/4" Drive Short Impact 2-1/16" 1 KTI34167 Socket 3/4" Drive Short Impact 2-1/16" 1 KTI34168 Socket 3/4" Drive Short Impact 2-1/16" 1 KTI34169 Socket 3/4" Drive Short Impact 2-1/16" 1 KTI34160 Socket 3/4" Drive Short Impact 2-1/16" 1 KTI34161 Socket 3/4" Drive Short Impact 2-1/16" 1 KTI34162 Socket 3/4" Drive Short Impact 2-1/16" 1 KTI34168 Socket 3/4" Drive Short Impact 2-1/16" 1 KTI34169 Socket 3/4" Drive Short Impact 2-1/16" 1 KTI34160 Socket 3/4" Drive Deep Impact 1-1/16" 1 KTI34234 Socket 3/4" Drive Deep Impact 1-1/16" 1 KTI34244 Socket 3/4" Drive Deep Impact 1-1/16" 1 KTI34240 Socket 3/4" Drive Deep Impact 1-1/16" 1 KTI34250 Socket 3/4" Drive Deep Impact 1-1/16" 1 KTI34260 Socket 3/4" Drive Deep Impact 1-1/16" 1 KTI34250 Socket 3/4" Drive Deep Impact 1-1/16" 1 KTI34260 Socket 3/4" Drive Deep Impact 1-1/16" 1 KTI34260 Socket 3/4" Drive Deep	KTI34032	3/4" Female x 1" Male Impact Adapter
KTI34132		
KTI34134		
KTI34136	KTI34134	Socket 3/4" Drive Short Impact 1-1/16"
KT134140 Socket 3/4" Drive Short Impact 1-1/4"		
KT134142		
KT134144 Socket 3/4" Drive Short Impact 1-3/8" 1 KT134146 Socket 3/4" Drive Short Impact 1-7/16" 1 KT134148 Socket 3/4" Drive Short Impact 1-1/2" 1 KT134150 Socket 3/4" Drive Short Impact 1-9/16" 1 KT134151 Socket 3/4" Drive Short Impact 1-9/16" 1 KT134152 Socket 3/4" Drive Short Impact 1-1/16" 1 KT134154 Socket 3/4" Drive Short Impact 1-11/16" 1 KT134156 Socket 3/4" Drive Short Impact 1-3/4" 1 KT134158 Socket 3/4" Drive Short Impact 1-13/16" 1 KT134150 Socket 3/4" Drive Short Impact 1-15/16" 1 KT134160 Socket 3/4" Drive Short Impact 1-15/16" 1 KT134161 Socket 3/4" Drive Short Impact 1-17/8" 1 KT134164 Socket 3/4" Drive Short Impact 2" 1 KT134166 Socket 3/4" Drive Short Impact 2-1/16" 1 KT134168 Socket 3/4" Drive Short Impact 2-1/16" 1 KT134172 Socket 3/4" Drive Short Impact 2-1/4" 1 KT134174 Socket 3/4" Drive Short Impact 2-1/4" 1 KT134123 Socket 3/4" Drive Short Impact 2-1/4" 1 KT134234 Socket 3/4" Drive Deep Impact 1-1/16" 1 KT134234 Socket 3/4" Drive Deep Impact 1-1/16" 1 KT134234 Socket 3/4" Drive Deep Impact 1-1/16" 1 KT134240 Socket 3/4" Drive Deep Impact 1-1/16" 1 KT134244 Socket 3/4" Drive Deep Impact 1-1/16" 1 KT134244 Socket 3/4" Drive Deep Impact 1-1/16" 1 KT134244 Socket 3/4" Drive Deep Impact 1-1/16" 1 KT134250 Socket 3/4" Drive Deep Impact 1-1/16" 1 KT134260 Socket 3/4" Drive Deep Impact 1-1/16" 1 KT134250 Socket 3/4" Drive Deep Impact 1-1/16" 1 KT134260 Socket 3/4" Drive Deep Impact 1-1/16" 1 KT13502		
KT134146 Socket 3/4" Drive Short Impact 1-7/16" 1 KT134150 Socket 3/4" Drive Short Impact 1-9/16" 1 KT134152 Socket 3/4" Drive Short Impact 1-9/16" 1 KT134152 Socket 3/4" Drive Short Impact 1-1/16" 1 KT134154 Socket 3/4" Drive Short Impact 1-11/16" 1 KT134156 Socket 3/4" Drive Short Impact 1-11/16" 1 KT134158 Socket 3/4" Drive Short Impact 1-13/16" 1 KT134160 Socket 3/4" Drive Short Impact 1-13/16" 1 KT134162 Socket 3/4" Drive Short Impact 1-17/8" 1 KT134163 Socket 3/4" Drive Short Impact 1-7/8" 1 KT134164 Socket 3/4" Drive Short Impact 2" 1 KT134166 Socket 3/4" Drive Short Impact 2-1/16" 1 KT134168 Socket 3/4" Drive Short Impact 2-1/16" 1 KT134172 Socket 3/4" Drive Short Impact 2-1/4" 1 KT134174 Socket 3/4" Drive Short Impact 2-1/4" 1 KT134175 Socket 3/4" Drive Short Impact 2-1/4" 1 KT134176 Socket 3/4" Drive Deep Impact 1-1/16" 1 KT134234 Socket 3/4" Drive Deep Impact 1-1/16" 1 KT134234 Socket 3/4" Drive Deep Impact 1-1/16" 1 KT134236 Socket 3/4" Drive Deep Impact 1-1/16" 1 KT134240 Socket 3/4" Drive Deep Impact 1-1/4" 1 KT134244 Socket 3/4" Drive Deep Impact 1-1/4" 1 KT134244 Socket 3/4" Drive Deep Impact 1-1/4" 1 KT134244 Socket 3/4" Drive Deep Impact 1-1/4" 1 KT134250 Socket 3/4" Drive Deep Impact 1-1/16" 1 KT134260 Socket 3/4" Drive Deep Impact 1-1/16" 1 KT134260 Socket 3/4" Drive Deep Impact 1-1/16" 1 KT134260 Socket 3/4" Drive Deep Impact 1-1/16" 1 KT135027 Socket 3/4"		
KT134148 Socket 3/4" Drive Short Impact 1-1/2" 1 KT134150 Socket 3/4" Drive Short Impact 1-9/16" 1 KT134152 Socket 3/4" Drive Short Impact 1-9/16" 1 KT134154 Socket 3/4" Drive Short Impact 1-11/16" 1 KT134156 Socket 3/4" Drive Short Impact 1-13/16" 1 KT134158 Socket 3/4" Drive Short Impact 1-13/16" 1 KT134160 Socket 3/4" Drive Short Impact 1-15/16" 1 KT134162 Socket 3/4" Drive Short Impact 1-15/16" 1 KT134164 Socket 3/4" Drive Short Impact 1-7/8" 1 KT134166 Socket 3/4" Drive Short Impact 2" 1 KT134168 Socket 3/4" Drive Short Impact 2-1/16" 1 KT134172 Socket 3/4" Drive Short Impact 2-1/8" 1 KT134174 Socket 3/4" Drive Short Impact 2-1/8" 1 KT134175 Socket 3/4" Drive Short Impact 2-3/8" 1 KT134232 Socket 3/4" Drive Short Impact 2-3/8" 1 KT134234 Socket 3/4" Drive Deep Impact 1-1/16" 1 KT134236 Socket 3/4" Drive Deep Impact 1-1/16" 1 KT134240 Socket 3/4" Drive Deep Impact 1-1/16" 1 KT134240 Socket 3/4" Drive Deep Impact 1-1/16" 1 KT134244 Socket 3/4" Drive Deep Impact 1-1/16" 1 KT134244 Socket 3/4" Drive Deep Impact 1-1/16" 1 KT134246 Socket 3/4" Drive Deep Impact 1-1/16" 1 KT134250 Socket 3/4" Drive Deep Impact 1-5/16" 1 KT134250 Socket 3/4" Drive Deep Impact 1-1/16" 1 KT134260 Socket 3/	KTI34146	Socket 3/4" Drive Short Impact 1-7/16"
KTI34150 Socket 3/4" Drive Short Impact 1-9/16" 1 KTI34152. Socket 3/4" Drive Short Impact 1-5/8" 1 KTI34154. Socket 3/4" Drive Short Impact 1-11/16" 1 KTI34156. Socket 3/4" Drive Short Impact 1-13/16" 1 KTI34158. Socket 3/4" Drive Short Impact 1-13/16" 1 KTI34160. Socket 3/4" Drive Short Impact 1-15/16" 1 KTI34162. Socket 3/4" Drive Short Impact 1-7/8" 1 KTI34164. Socket 3/4" Drive Short Impact 2" 1 KTI34166. Socket 3/4" Drive Short Impact 2" 1 KTI34168. Socket 3/4" Drive Short Impact 2-1/16" 1 KTI34168. Socket 3/4" Drive Short Impact 2-1/8" 1 KTI34172. Socket 3/4" Drive Short Impact 2-1/8" 1 KTI34176. Socket 3/4" Drive Short Impact 2-1/8" 1 KTI34232. Socket 3/4" Drive Deep Impact 1" 1 KTI34234. Socket 3/4" Drive Deep Impact 1" 1 KTI34236. Socket 3/4" Drive Deep Impact 1" 1 KTI34240. Socket 3/4" Drive Deep Impact 1-1/8" 1 KTI34240. Socket 3/4" Drive Deep Impact 1-1/8" 1 KTI34242. Socket 3/4" Drive Deep Impact 1-1/8" 1 KTI34244. Socket 3/4" Drive Deep Impact 1-1/8" 1 KTI34244. Socket 3/4" Drive Deep Impact 1-1/6" 1 KTI34245. Socket 3/4" Drive Deep Impact 1-1/6" 1 KTI34246. Socket 3/4" Drive Deep Impact 1-1/6" 1 KTI34250. Socket 3/4" Drive Deep Impact 1-1/6" 1 KTI34250. Socket 3/4" Drive Deep Impact 1-7/16" 1 KTI34250. Socket 3/4" Drive Deep Impact 1-1/16" 1 KTI34250. Socket 3/4" Drive Deep Impact 1-1/2" 1 KTI34250. Socket 3/4" Drive Deep Impact 1-1/2" 1 KTI34250. Socket 3/4" Drive Deep Impact 1-1/2" 1 KTI34260. Socket 3/4" Drive Deep Impact 1-1/2" 1 KTI34260. Socket 3/4" Drive Deep Impact 1-1/2" 1 KTI34260. Socket 3/4" Drive Deep Impact 1-1/2" 1 KTI35027. Socket Impact 1" Drive 1-1/2" - 13/16" Budd Wheel 1 KTI3502		
KTI34152 Socket 3/4" Drive Short Impact 1-5/8"		
KTI34154		
KTI34156 Socket 3/4" Drive Short Impact 1-3/4" 1 KTI34158 Socket 3/4" Drive Short Impact 1-13/16" 1 KTI34160 Socket 3/4" Drive Short Impact 1-15/16" 1 KTI34162 Socket 3/4" Drive Short Impact 1-7/8" 1 KTI34164 Socket 3/4" Drive Short Impact 2" 1 KTI34166 Socket 3/4" Drive Short Impact 2-1/16" 1 KTI34168 Socket 3/4" Drive Short Impact 2-1/16" 1 KTI34168 Socket 3/4" Drive Short Impact 2-1/4" 1 KTI34172 Socket 3/4" Drive Short Impact 2-1/4" 1 KTI34176 Socket 3/4" Drive Short Impact 2-1/4" 1 KTI34232 Socket 3/4" Drive Deep Impact 1" 1 KTI34234 Socket 3/4" Drive Deep Impact 1-1/16" 1 KTI34234 Socket 3/4" Drive Deep Impact 1-1/16" 1 KTI34234 Socket 3/4" Drive Deep Impact 1-1/8" 1 KTI34240 Socket 3/4" Drive Deep Impact 1-1/8" 1 KTI34242 Socket 3/4" Drive Deep Impact 1-3/8" 1 KTI34244 Socket 3/4" Drive Deep Impact 1-3/8" 1 KTI34245 Socket 3/4" Drive Deep Impact 1-3/8" 1 KTI34246 Socket 3/4" Drive Deep Impact 1-3/8" 1 KTI34250 Socket 3/4" Drive Deep Impact 1-1/16" 1 KTI34250 Socket 3/4" Drive Deep Impact 1-1/16" 1 KTI34250 Socket 3/4" Drive Deep Impact 1-1/16" 1 KTI34256 Socket 3/4" Drive Deep Impact 1-1/16" 1 KTI34260 Socket 3/4" Drive Deep Impact 1-1/16" 1 KTI35026 Socket 3/4" Drive Deep Impact 1-1/16" 1 KTI35026. Socket 3/4" Drive Deep Impact 1-1/16" 1 KTI35026. Socket 3/4" Drive Deep Impact 1		
KTI34158 Socket 3/4" Drive Short Impact 1-13/16" 1 KTI34160 Socket 3/4" Drive Short Impact 1-15/16" 1 KTI34162 Socket 3/4" Drive Short Impact 1-7/8" 1 KTI34164 Socket 3/4" Drive Short Impact 2" 1 KTI34166 Socket 3/4" Drive Short Impact 2-1/16" 1 KTI34168 Socket 3/4" Drive Short Impact 2-1/16" 1 KTI34172 Socket 3/4" Drive Short Impact 2-1/4" 1 KTI34174 Socket 3/4" Drive Short Impact 2-1/4" 1 KTI34175 Socket 3/4" Drive Short Impact 2-3/8" 1 KTI34232 Socket 3/4" Drive Deep Impact 1" 1 KTI34234 Socket 3/4" Drive Deep Impact 1-1/16" 1 KTI34236 Socket 3/4" Drive Deep Impact 1-1/16" 1 KTI34240 Socket 3/4" Drive Deep Impact 1-1/4" 1 KTI34240 Socket 3/4" Drive Deep Impact 1-1/6" 1 KTI34244 Socket 3/4" Drive Deep Impact 1-5/16" 1 KTI34246 Socket 3/4" Drive Deep Impact 1-3/8" 1 KTI34246 Socket 3/4" Drive Deep Impact 1-7/16" 1 KTI34248 Socket 3/4" Drive Deep Impact 1-1/16" 1 KTI34250 Socket 3/4" Drive Deep Impact 1-1/16" 1 KTI34260 Socket 3/4" Drive Deep Impact 1-1/16" 1 KTI34260 Socket 3/4" Drive Deep Impact 1-13/16" 1 KTI34260 Socket 3/4" Drive Deep Impact 1-13/16" 1 KTI34260 Socket 3/4" Drive Deep Impact 1-13/16" 1 KTI35027. Socket Impact 1" Drive 1-1/2" - 13/16" Budd Wheel 1 KTI35027. Socket Impact 1" Drive 1-1/2" - 13/16" Budd Wheel 1 KTIHOUR8 PLEXIGLASS SHELF 6 KTIHOUR8 PLE		
KTI34160 Socket 3/4" Drive Short Impact 1-15/16" 1 KTI34162. Socket 3/4" Drive Short Impact 1-7/8" 1 KTI34164. Socket 3/4" Drive Short Impact 2" 1 KTI34166. Socket 3/4" Drive Short Impact 2-1/16" 1 KTI34168. Socket 3/4" Drive Short Impact 2-1/8" 1 KTI34172. Socket 3/4" Drive Short Impact 2-1/4" 1 KTI34176. Socket 3/4" Drive Short Impact 2-3/8" 1 KTI34232. Socket 3/4" Drive Deep Impact 1" 1 KTI34234. Socket 3/4" Drive Deep Impact 1" 1 KTI34236. Socket 3/4" Drive Deep Impact 1-1/16" 1 KTI34240. Socket 3/4" Drive Deep Impact 1-1/8" 1 KTI34241. Socket 3/4" Drive Deep Impact 1-1/8" 1 KTI34242. Socket 3/4" Drive Deep Impact 1-1/6" 1 KTI34244. Socket 3/4" Drive Deep Impact 1-5/16" 1 KTI34244. Socket 3/4" Drive Deep Impact 1-7/16" 1 KTI34248. Socket 3/4" Drive Deep Impact 1-7/16" 1 KTI34250. Socket 3/4" Drive Deep Impact 1-7/16" 1 KTI34250. Socket 3/4" Drive Deep Impact 1-1/2" 1 KTI34254. Socket 3/4" Drive Deep Impact 1-1/16" 1 KTI34254. Socket 3/4" Drive Deep Impact 1-1/16" 1 KTI34254. Socket 3/4" Drive Deep Impact 1-1/16" 1 KTI34256. Socket 3/4" Drive Deep Impact 1-1/16" 1 KTI34258. Socket 3/4" Drive Deep Impact 1-13/16" 1 KTI34260. Socket 3/4" Drive Deep Impact 1-13/16" 1 KTI35027. Socket Impact 1" Drive 13/16" Square Budd Wheel 1 KTI35027. Socket Impact 1" Drive 1-1/2" - 13/16" Budd Wheel 1 KTI35028. PLEXIGLASS SHELF 6 KTI0L0840. DISPLAY OVERLAY 1		
KT134162 Socket 3/4" Drive Short Impact 2" 1 KT134164 Socket 3/4" Drive Short Impact 2" 1 KT134166 Socket 3/4" Drive Short Impact 2-1/16" 1 KT134168 Socket 3/4" Drive Short Impact 2-1/4" 1 KT134172 Socket 3/4" Drive Short Impact 2-3/8" 1 KT134176 Socket 3/4" Drive Deep Impact 2-3/8" 1 KT134232 Socket 3/4" Drive Deep Impact 1" 1 KT134234 Socket 3/4" Drive Deep Impact 1-1/6" 1 KT134236 Socket 3/4" Drive Deep Impact 1-1/8" 1 KT134240 Socket 3/4" Drive Deep Impact 1-1/4" 1 KT134242 Socket 3/4" Drive Deep Impact 1-5/6" 1 KT134244 Socket 3/4" Drive Deep Impact 1-5/6" 1 KT134248 Socket 3/4" Drive Deep Impact 1-7/16" 1 KT134248 Socket 3/4" Drive Deep Impact 1-1/2" 1 KT134250 Socket 3/4" Drive Deep Impact 1-5/6" 1 KT134250 Socket 3/4" Drive Deep Impact 1-5/8" 1 KT134254 Socket 3/4" Drive Deep Impact 1-1/6" 1 KT134256	KTI34160	Socket 3/4" Drive Short Impact 1-15/16"
KTI34164. Socket 3/4" Drive Short Impact 2". 1 KTI34166. Socket 3/4" Drive Short Impact 2-1/16". 1 KTI34168. Socket 3/4" Drive Short Impact 2-1/4". 1 KTI34172. Socket 3/4" Drive Short Impact 2-1/4". 1 KTI34176. Socket 3/4" Drive Short Impact 2-3/8". 1 KTI34232. Socket 3/4" Drive Deep Impact 1". 1 KTI34234. Socket 3/4" Drive Deep Impact 1-1/16". 1 KTI34236. Socket 3/4" Drive Deep Impact 1-1/4". 1 KTI34240. Socket 3/4" Drive Deep Impact 1-5/16". 1 KTI34242. Socket 3/4" Drive Deep Impact 1-5/16". 1 KTI34244. Socket 3/4" Drive Deep Impact 1-7/16". 1 KTI34244. Socket 3/4" Drive Deep Impact 1-7/16". 1 KTI34250. Socket 3/4" Drive Deep Impact 1-1/2". 1 KTI34250. Socket 3/4" Drive Deep Impact 1-9/16". 1 KTI34254. Socket 3/4" Drive Deep Impact 1-1/16". 1 KTI34254. Socket 3/4" Drive Deep Impact 1-13/16". 1 KTI34258. Socket 3/4" Drive Deep Impact 1-17/6". 1 KTI34260. Socket 3/4" Drive Deep Impact 1-17/6".		
KTI34166 Socket 3/4" Drive Short Impact 2-1/16" 1 KTI34168 Socket 3/4" Drive Short Impact 2-1/8" 1 KTI34172 Socket 3/4" Drive Short Impact 2-1/4" 1 KTI34176 Socket 3/4" Drive Short Impact 2-1/4" 1 KTI34232 Socket 3/4" Drive Short Impact 2-3/8" 1 KTI34234 Socket 3/4" Drive Deep Impact 1" 1 KTI34234 Socket 3/4" Drive Deep Impact 1-1/16" 1 KTI34236 Socket 3/4" Drive Deep Impact 1-1/8" 1 KTI34240 Socket 3/4" Drive Deep Impact 1-1/8" 1 KTI34242 Socket 3/4" Drive Deep Impact 1-5/16" 1 KTI34244 Socket 3/4" Drive Deep Impact 1-3/8" 1 KTI34244 Socket 3/4" Drive Deep Impact 1-7/16" 1 KTI34246 Socket 3/4" Drive Deep Impact 1-7/16" 1 KTI34250 Socket 3/4" Drive Deep Impact 1-1/2" 1 KTI34250 Socket 3/4" Drive Deep Impact 1-1/6" 1 KTI34252 Socket 3/4" Drive Deep Impact 1-1/6" 1 KTI34254 Socket 3/4" Drive Deep Impact 1-1/16" 1 KTI34256 Socket 3/4" Drive Deep Impact 1-1/16" 1 KTI34258 Socket 3/4" Drive Deep Impact 1-13/16" 1 KTI34260 Socket 3/4" Drive Deep Impact 1-13/16" 1 KTI34260 Socket 3/4" Drive Deep Impact 1-1-7/8" 1 KTI34260 Socket 3/4" Drive Deep Impact 1-17/8" 1 KTI34260 Socket 3/4" Drive Deep Impact 1-15/16" 1 KTI35026 Socket 13/4" Drive Deep Impact 1-15/16" 1 KTI35027. Socket 13/4" Drive Deep Impact 1-1/2" - 13/16" Budd Wheel 1 KTI		
KT134168. Socket 3/4" Drive Short Impact 2-1/8" 1 KT134172. Socket 3/4" Drive Short Impact 2-1/4" 1 KT134176. Socket 3/4" Drive Short Impact 2-1/4" 1 KT134232. Socket 3/4" Drive Deep Impact 1" 1 KT134232. Socket 3/4" Drive Deep Impact 1-1/16" 1 KT134234. Socket 3/4" Drive Deep Impact 1-1/18" 1 KT134236. Socket 3/4" Drive Deep Impact 1-1/18" 1 KT134240. Socket 3/4" Drive Deep Impact 1-5/16" 1 KT134242. Socket 3/4" Drive Deep Impact 1-3/16" 1 KT134244. Socket 3/4" Drive Deep Impact 1-7/16" 1 KT134246. Socket 3/4" Drive Deep Impact 1-1/16" 1 KT134248. Socket 3/4" Drive Deep Impact 1-1/2" 1 KT134250. Socket 3/4" Drive Deep Impact 1-9/16" 1 KT134252. Socket 3/4" Drive Deep Impact 1-1/16" 1 KT134254. Socket 3/4" Drive Deep Impact 1-13/16" 1 KT134256. Socket 3/4" Drive Deep Impact 1-13/16" 1 KT134260. Socket 3/4" Drive Deep Impact 1-17/6" 1		
KT134172 Socket 3/4" Drive Short Impact 2-1/4" 1 KT134176 Socket 3/4" Drive Short Impact 2-3/8" 1 KT134232 Socket 3/4" Drive Deep Impact 1" 1 KT134234 Socket 3/4" Drive Deep Impact 1-1/16" 1 KT134234 Socket 3/4" Drive Deep Impact 1-1/16" 1 KT134236 Socket 3/4" Drive Deep Impact 1-1/14" 1 KT134240 Socket 3/4" Drive Deep Impact 1-1/14" 1 KT134242 Socket 3/4" Drive Deep Impact 1-5/16" 1 KT134244 Socket 3/4" Drive Deep Impact 1-7/16" 1 KT134246 Socket 3/4" Drive Deep Impact 1-7/16" 1 KT134248 Socket 3/4" Drive Deep Impact 1-1/10" 1 KT134250 Socket 3/4" Drive Deep Impact 1-9/16" 1 KT134252 Socket 3/4" Drive Deep Impact 1-5/8" 1 KT134254 Socket 3/4" Drive Deep Impact 1-13/16" 1 KT134258 Socket 3/4" Drive Deep Impact 1-13/16" 1 KT134260 Socket 3/4" Drive Deep Impact 1-15/16" 1 KT134262 Socket 3/4" Drive Deep Impact 1-17/16" 1 KT	KTI34168	Socket 3/4" Drive Short Impact 2-1/8"
KTI34176. Socket 3/4" Drive Short Impact 2-3/8" 1 KTI34232. Socket 3/4" Drive Deep Impact 1" 1 KTI34234. Socket 3/4" Drive Deep Impact 1-1/16" 1 KTI34236. Socket 3/4" Drive Deep Impact 1-1/18" 1 KTI34240. Socket 3/4" Drive Deep Impact 1-1/4" 1 KTI34242. Socket 3/4" Drive Deep Impact 1-5/16" 1 KTI34244. Socket 3/4" Drive Deep Impact 1-3/8" 1 KTI34248. Socket 3/4" Drive Deep Impact 1-7/16" 1 KTI34250. Socket 3/4" Drive Deep Impact 1-1/2" 1 KTI34252. Socket 3/4" Drive Deep Impact 1-5/8" 1 KTI34254. Socket 3/4" Drive Deep Impact 1-5/8" 1 KTI34256. Socket 3/4" Drive Deep Impact 1-11/16" 1 KTI34256. Socket 3/4" Drive Deep Impact 1-13/16" 1 KTI34260. Socket 3/4" Drive Deep Impact 1-15/16" 1 KTI34260. Socket 3/4" Drive Deep Impact 1-17/8" 1 KTI34264. Socket 3/4" Drive Deep Impact 1-17/8" 1 KTI35024. 1" Female x 3/4" Male Impact Adapter 1		
KT134232 Socket 3/4" Drive Deep Impact 1" 1 KT134234 Socket 3/4" Drive Deep Impact 1-1/16" 1 KT134236 Socket 3/4" Drive Deep Impact 1-1/4" 1 KT134240 Socket 3/4" Drive Deep Impact 1-1/4" 1 KT134242 Socket 3/4" Drive Deep Impact 1-5/16" 1 KT134244 Socket 3/4" Drive Deep Impact 1-3/8" 1 KT134246 Socket 3/4" Drive Deep Impact 1-7/16" 1 KT134228 Socket 3/4" Drive Deep Impact 1-1/2" 1 KT134250 Socket 3/4" Drive Deep Impact 1-5/8" 1 KT134252 Socket 3/4" Drive Deep Impact 1-5/8" 1 KT134254 Socket 3/4" Drive Deep Impact 1-11/16" 1 KT134256 Socket 3/4" Drive Deep Impact 1-13/16" 1 KT134260 Socket 3/4" Drive Deep Impact 1-15/16" 1 KT134262 Socket 3/4" Drive Deep Impact 1-15/16" 1 KT134264 Socket 3/4" Drive Deep Impact 1-17/8" 1 KT134260 Socket 3/4" Drive Deep Impact 1-17/8" 1 KT134262 Socket 3/4" Drive Deep Impact 1-7/8" 1 KT135024	KTI34176	Socket 3/4" Drive Short Impact 2-3/8"
KT134234. Socket 3/4" Drive Deep Impact 1-1/16". 1 KT134236. Socket 3/4" Drive Deep Impact 1-1/8". 1 KT134240. Socket 3/4" Drive Deep Impact 1-1/4". 1 KT134242. Socket 3/4" Drive Deep Impact 1-5/16". 1 KT134244. Socket 3/4" Drive Deep Impact 1-3/8". 1 KT134246. Socket 3/4" Drive Deep Impact 1-7/16". 1 KT134250. Socket 3/4" Drive Deep Impact 1-9/16". 1 KT134252. Socket 3/4" Drive Deep Impact 1-9/16". 1 KT134254. Socket 3/4" Drive Deep Impact 1-11/16". 1 KT134256. Socket 3/4" Drive Deep Impact 1-3/4". 1 KT134258. Socket 3/4" Drive Deep Impact 1-13/16". 1 KT134260. Socket 3/4" Drive Deep Impact 1-15/16". 1 KT134262. Socket 3/4" Drive Deep Impact 1-7/8". 1 KT134264. Socket 3/4" Drive Deep Impact 1-7/8". 1 KT135024. 1" Female x 3/4" Male Impact Adapter. 1 KT135026. Socket Impact 1" Drive 13/16" Square Budd Wheel. 1 KT135027. Socket Impact 1" Drive 1-1/2" - 13/16" Budd Wheel. <td>KTI34232</td> <td> Socket 3/4" Drive Deep Impact 1"</td>	KTI34232	Socket 3/4" Drive Deep Impact 1"
KTI34236 Socket 3/4" Drive Deep Impact 1-1/8" 1 KTI34240 Socket 3/4" Drive Deep Impact 1-1/4" 1 KTI34242 Socket 3/4" Drive Deep Impact 1-5/16" 1 KTI34244 Socket 3/4" Drive Deep Impact 1-3/8" 1 KTI34246 Socket 3/4" Drive Deep Impact 1-7/16" 1 KTI34248 Socket 3/4" Drive Deep Impact 1-1/2" 1 KTI34250 Socket 3/4" Drive Deep Impact 1-9/16" 1 KTI34252 Socket 3/4" Drive Deep Impact 1-5/8" 1 KTI34254 Socket 3/4" Drive Deep Impact 1-11/16" 1 KTI34256 Socket 3/4" Drive Deep Impact 1-13/16" 1 KTI34258 Socket 3/4" Drive Deep Impact 1-13/16" 1 KTI34260 Socket 3/4" Drive Deep Impact 1-15/16" 1 KTI34262 Socket 3/4" Drive Deep Impact 1-7/8" 1 KTI35024 1" Female x 3/4" Male Impact Adapter 1 KTI35026 Socket Impact 1" Drive 13/16" Square Budd Wheel 1 KTI35027 Socket Impact 1" Drive 1-1/2" - 13/16" Budd Wheel 1 KTI35028 Socket Impact 1" Drive 33mm Hex Budd Wheel 1 <td>KTI34234</td> <td>Socket 3/4" Drive Deep Impact 1-1/16"</td>	KTI34234	Socket 3/4" Drive Deep Impact 1-1/16"
KTI34240. Socket 3/4" Drive Deep Impact 1-1/4". 1 KTI34242. Socket 3/4" Drive Deep Impact 1-5/16". 1 KTI34244. Socket 3/4" Drive Deep Impact 1-7/16". 1 KTI34248. Socket 3/4" Drive Deep Impact 1-7/16". 1 KTI34250. Socket 3/4" Drive Deep Impact 1-9/16". 1 KTI34252. Socket 3/4" Drive Deep Impact 1-5/8". 1 KTI34254. Socket 3/4" Drive Deep Impact 1-11/16". 1 KTI34256. Socket 3/4" Drive Deep Impact 1-13/16". 1 KTI34258. Socket 3/4" Drive Deep Impact 1-13/16". 1 KTI34260. Socket 3/4" Drive Deep Impact 1-15/16". 1 KTI34262. Socket 3/4" Drive Deep Impact 1-17/8". 1 KTI34264. Socket 3/4" Drive Deep Impact 1-17/8". 1 KTI35024. 1" Female x 3/4" Male Impact Adapter 1 KTI35026. Socket Impact 1" Drive 13/16" Square Budd Wheel. 1 KTI35027. Socket Impact 1" Drive 1-1/2" - 13/16" Budd Wheel. 1 KTIH00K8. HOKS. 30 KTI088. PLEXIGLASS SHELF. 6 <td< td=""><td></td><td></td></td<>		
KTI34242. Socket 3/4" Drive Deep Impact 1-5/16". 1 KTI34244. Socket 3/4" Drive Deep Impact 1-3/8". 1 KTI34246. Socket 3/4" Drive Deep Impact 1-7/16". 1 KTI34248. Socket 3/4" Drive Deep Impact 1-1/2". 1 KTI34250. Socket 3/4" Drive Deep Impact 1-9/16". 1 KTI34252. Socket 3/4" Drive Deep Impact 1-5/8". 1 KTI34254. Socket 3/4" Drive Deep Impact 1-11/16". 1 KTI34256. Socket 3/4" Drive Deep Impact 1-13/4". 1 KTI34258. Socket 3/4" Drive Deep Impact 1-15/16". 1 KTI34260. Socket 3/4" Drive Deep Impact 1-15/16". 1 KTI34262. Socket 3/4" Drive Deep Impact 1-7/8". 1 KTI34264. Socket 3/4" Drive Deep Impact 1-7/8". 1 KTI35024. 1" Female x 3/4" Male Impact Adapter 1 KTI35026. Socket Impact 1" Drive 13/16" Square Budd Wheel. 1 KTI35027. Socket Impact 1" Drive 1-1/2" - 13/16" Budd Wheel. 1 KTIHO0K8. HOOKS. 30 KTORB. PLEXIGLASS SHELF. 6 KTI		
KTI34244 Socket 3/4" Drive Deep Impact 1-3/8" 1 KTI34246 Socket 3/4" Drive Deep Impact 1-7/16" 1 KTI34248 Socket 3/4" Drive Deep Impact 1-1/2" 1 KTI34250 Socket 3/4" Drive Deep Impact 1-9/16" 1 KTI34252 Socket 3/4" Drive Deep Impact 1-5/8" 1 KTI34254 Socket 3/4" Drive Deep Impact 1-11/16" 1 KTI34256 Socket 3/4" Drive Deep Impact 1-3/4" 1 KTI34258 Socket 3/4" Drive Deep Impact 1-15/16" 1 KTI34260 Socket 3/4" Drive Deep Impact 1-15/16" 1 KTI34262 Socket 3/4" Drive Deep Impact 1-7/8" 1 KTI34264 Socket 3/4" Drive Deep Impact 1-7/8" 1 KTI35024 1" Female x 3/4" Male Impact Adapter 1 KTI35024 1" Female x 3/4" Male Impact Adapter 1 KTI35027 Socket Impact 1" Drive 13/16" Square Budd Wheel 1 KTI35033 Socket Impact 1" Drive 33mm Hex Budd Wheel 1 KTIHOUR8 HOKS 30 KT088 PLEXIGLASS SHELF 6 KTIOL0840 DISPLAY OVERLAY <td></td> <td></td>		
KTI34246. Socket 3/4" Drive Deep Impact 1-7/16". 1 KTI34248. Socket 3/4" Drive Deep Impact 1-1/2". 1 KTI34250. Socket 3/4" Drive Deep Impact 1-9/16". 1 KTI34252. Socket 3/4" Drive Deep Impact 1-5/8". 1 KTI34254. Socket 3/4" Drive Deep Impact 1-11/16". 1 KTI34256. Socket 3/4" Drive Deep Impact 1-3/4". 1 KTI34258. Socket 3/4" Drive Deep Impact 1-13/16". 1 KTI34260. Socket 3/4" Drive Deep Impact 1-15/16". 1 KTI34262. Socket 3/4" Drive Deep Impact 1-7/8". 1 KTI34264. Socket 3/4" Drive Deep Impact 2". 1 KTI35024. 1" Female x 3/4" Male Impact Adapter. 1 KTI35026. Socket Impact 1" Drive 13/16" Square Budd Wheel. 1 KTI35233. Socket Impact 1" Drive 1-1/2" - 13/16" Budd Wheel. 1 KTIH00K8 HOKS. 30 KT108.8 PLEXIGLASS SHELF. 6 KTIOL0840 DISPLAY OVERLAY 1		
KTI34248. Socket 3/4" Drive Deep Impact 1-1/2" 1 KTI34250. Socket 3/4" Drive Deep Impact 1-9/16" 1 KTI34252. Socket 3/4" Drive Deep Impact 1-5/8" 1 KTI34254. Socket 3/4" Drive Deep Impact 1-11/16" 1 KTI34256. Socket 3/4" Drive Deep Impact 1-13/4" 1 KTI34258. Socket 3/4" Drive Deep Impact 1-13/16" 1 KTI34260. Socket 3/4" Drive Deep Impact 1-15/16" 1 KTI34262. Socket 3/4" Drive Deep Impact 1-7/8" 1 KTI34264. Socket 3/4" Drive Deep Impact 2" 1 KTI35024. 1" Female x 3/4" Male Impact Adapter 1 KTI35026. Socket Impact 1" Drive 13/16" Square Budd Wheel 1 KTI35027. Socket Impact 1" Drive 1-1/2" - 13/16" Budd Wheel 1 KTIH00K8 HOKS 30 KTI088 PLEXIGLASS SHELF 6 KTIOL0840 DISPLAY OVERLAY 1		
KT134250 Socket 3/4" Drive Deep Impact 1-9/16" 1 KT134252 Socket 3/4" Drive Deep Impact 1-5/8" 1 KT134254 Socket 3/4" Drive Deep Impact 1-11/16" 1 KT134256 Socket 3/4" Drive Deep Impact 1-13/4" 1 KT134258 Socket 3/4" Drive Deep Impact 1-13/16" 1 KT134260 Socket 3/4" Drive Deep Impact 1-15/16" 1 KT134262 Socket 3/4" Drive Deep Impact 1-7/8" 1 KT134264 Socket 3/4" Drive Deep Impact 2" 1 KT135024 1" Female x 3/4" Male Impact Adapter 1 KT135026 Socket Impact 1" Drive 13/16" Square Budd Wheel 1 KT135027 Socket Impact 1" Drive 1-1/2" - 13/16" Budd Wheel 1 KT135233 Socket Impact Deep 1" Drive 33mm Hex Budd Wheel 1 KT1H00K8 HOKS 30 KT1088 PLEXIGLASS SHELF 6 KT10L0840 DISPLAY OVERLAY 1	KTI34248	Socket 3/4" Drive Deep Impact 1-1/2" 1
KTI34254 Socket 3/4" Drive Deep Impact 1-11/16" 1 KTI34256 Socket 3/4" Drive Deep Impact 1-3/4" 1 KTI34258 Socket 3/4" Drive Deep Impact 1-13/16" 1 KTI34260 Socket 3/4" Drive Deep Impact 1-15/16" 1 KTI34262 Socket 3/4" Drive Deep Impact 1-7/8" 1 KTI34264 Socket 3/4" Drive Deep Impact 2" 1 KTI35024 1" Female x 3/4" Male Impact Adapter 1 KTI35026 Socket Impact 1" Drive 13/16" Square Budd Wheel 1 KTI35027 Socket Impact 1" Drive 1-1/2" - 13/16" Budd Wheel 1 KTI35233 Socket Impact Deep 1" Drive 33mm Hex Budd Wheel 1 KTIHOUS8 HOOKS 30 KT088 PLEXIGLASS SHELF 6 KT10L0840 DISPLAY OVERLAY 1	KTI34250	Socket 3/4" Drive Deep Impact 1-9/16"
KTI34254 Socket 3/4" Drive Deep Impact 1-11/16" 1 KTI34256 Socket 3/4" Drive Deep Impact 1-3/4" 1 KTI34258 Socket 3/4" Drive Deep Impact 1-13/16" 1 KTI34260 Socket 3/4" Drive Deep Impact 1-15/16" 1 KTI34262 Socket 3/4" Drive Deep Impact 1-7/8" 1 KTI34264 Socket 3/4" Drive Deep Impact 2" 1 KTI35024 1" Female x 3/4" Male Impact Adapter 1 KTI35026 Socket Impact 1" Drive 13/16" Square Budd Wheel 1 KTI35027 Socket Impact 1" Drive 1-1/2" - 13/16" Budd Wheel 1 KTI35233 Socket Impact Deep 1" Drive 33mm Hex Budd Wheel 1 KTIHOUS8 HOOKS 30 KT088 PLEXIGLASS SHELF 6 KT10L0840 DISPLAY OVERLAY 1	KTI34252	Socket 3/4" Drive Deep Impact 1-5/8" 1
KTI34258 Socket 3/4" Drive Deep Impact 1-13/16" 1 KTI34260 Socket 3/4" Drive Deep Impact 1-15/16" 1 KTI34262 Socket 3/4" Drive Deep Impact 1-7/8" 1 KTI34264 Socket 3/4" Drive Deep Impact 2" 1 KTI35024 1" Female x 3/4" Male Impact Adapter 1 KTI35026 Socket Impact 1" Drive 13/16" Square Budd Wheel 1 KTI35027 Socket Impact 1" Drive 1-1/2" - 13/16" Budd Wheel 1 KTI35233 Socket Impact Deep 1" Drive 33mm Hex Budd Wheel 1 KTIH00K8 HOKS 30 KT088 PLEXIGLASS SHELF 6 KTIOL0840 DISPLAY OVERLAY 1	KTI34254	Socket 3/4" Drive Deep Impact 1-11/16"
KTI34260 Socket 3/4" Drive Deep Impact 1-15/16" 1 KTI34262 Socket 3/4" Drive Deep Impact 1-7/8" 1 KTI34264 Socket 3/4" Drive Deep Impact 2" 1 KTI35024 1" Female x 3/4" Male Impact Adapter 1 KTI35026 Socket Impact 1" Drive 13/16" Square Budd Wheel 1 KTI35027 Socket Impact 1" Drive 1-1/2" - 13/16" Budd Wheel 1 KTI35233 Socket Impact Deep 1" Drive 33mm Hex Budd Wheel 1 KTIH00K8 HOOKS	KTI34256	Socket 3/4" Drive Deep Impact 1-3/4" 1
KTI34262 Socket 3/4" Drive Deep Impact 1-7/8"	KTI34258	Socket 3/4" Drive Deep Impact 1-13/16"
KTI34264. Socket 3/4" Drive Deep Impact 2" 1 KTI35024. 1" Female x 3/4" Male Impact Adapter 1 KTI35026. Socket Impact 1" Drive 13/16" Square Budd Wheel 1 KTI35027. Socket Impact 1" Drive 1-1/2" - 13/16" Budd Wheel 1 KTI35233. Socket Impact Deep 1" Drive 33mm Hex Budd Wheel 1 KTIH00K8 H00KS 30 KT1088. PLEXIGLASS SHELF 6 KTIOL0840. DISPLAY OVERLAY 1	KTI34260	Socket 3/4" Drive Deep Impact 1-15/16"
KTI35024. 1" Female x 3/4" Male Impact Adapter 1 KTI35026. Socket Impact 1" Drive 13/16" Square Budd Wheel 1 KTI35027. Socket Impact 1" Drive 1-1/2" - 13/16" Budd Wheel 1 KTI35233. Socket Impact Deep 1" Drive 33mm Hex Budd Wheel 1 KTIHOOK8. HOOKS 30 KTI088. PLEXIGLASS SHELF 6 KTIOL0840. DISPLAY OVERLAY 1	KTI34262	Socket 3/4" Drive Deep Impact 1-7/8"
KTI35026 Socket Impact 1" Drive 13/16" Square Budd Wheel 1 KTI35027. Socket Impact 1" Drive 1-1/2" - 13/16" Budd Wheel 1 KTI35233. Socket Impact Deep 1" Drive 33mm Hex Budd Wheel 1 KTIH00K8. H00KS 30 KT1088. PLEXIGLASS SHELF 6 KT10L0840. DISPLAY OVERLAY 1	KTI34264	Socket 3/4" Drive Deep Impact 2"
KTI35026 Socket Impact 1" Drive 13/16" Square Budd Wheel 1 KTI35027. Socket Impact 1" Drive 1-1/2" - 13/16" Budd Wheel 1 KTI35233. Socket Impact Deep 1" Drive 33mm Hex Budd Wheel 1 KTIH00K8. H00KS 30 KT1088. PLEXIGLASS SHELF 6 KT10L0840. DISPLAY OVERLAY 1	KTI35024	1" Female x 3/4" Male Impact Adapter 1
KTI35027	KTI35026	Socket Impact 1" Drive 13/16" Square Budd Wheel
KTI35233		
KTIHOOK8 HOOKS 30 KTI088 PLEXIGLASS SHELF 6 KTIOL0840 DISPLAY OVERLAY 1		
KTI088PLEXIGLASS SHELF		
KTIOL0840 DISPLAY OVERLAY		
KTIOLF04333 OVERLAY FASTENERS (6 PACK)	KTI0L0840	DISPLAY OVERLAY
	KTI0LF04333	OVERLAY FASTENERS (6 PACK)











Reversible Ratcheting Wrenches Display assortments include the following hardware:



- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)

Reversible Rat	cheting WrenchesQty
	Wrench Metric Ratcheting Reversible 8mm
KTI45609	Wrench Metric Ratcheting Reversible 9mm
	Wrench Metric Ratcheting Reversible 10mm
KTI45611	Wrench Metric Ratcheting Reversible 11mm
KTI45612	Wrench Metric Ratcheting Reversible 12mm 1
KTI45613	Wrench Metric Ratcheting Reversible 13mm
KTI45614	Wrench Metric Ratcheting Reversible 14mm 1
KTI45615	Wrench Metric Ratcheting Reversible 15mm
KTI45616	Wrench Metric Ratcheting Reversible 16mm 1
KTI45617	Wrench Metric Ratcheting Reversible 17mm 1
	Wrench Metric Ratcheting Reversible 18mm1
	Wrench Metric Ratcheting Reversible 19mm
	Wrench Metric Ratcheting Reversible 20mm 1
	Wrench Metric Ratcheting Reversible 21mm1
	Wrench Metric Ratcheting Reversible 22mm
KTI45624	Wrench Metric Ratcheting Reversible 24mm 1
KTI45908	Wrench SAE Ratcheting Reversible 1/4" 1
	Wrench SAE Ratcheting Reversible 5/16"1
	Wrench SAE Ratcheting Reversible 3/8"1
	Wrench SAE Ratcheting Reversible 7/16"1
	Wrench SAE Ratcheting Reversible 1/2"
	Wrench SAE Ratcheting Reversible 9/16"1
	Wrench SAE Ratcheting Reversible 5/8"1
	Wrench SAE Ratcheting Reversible 11/16"
	Wrench SAE Ratcheting Reversible 3/4"
	Wrench SAE Ratcheting Reversible 13/16"
KTI45928	Wrench SAE Ratcheting Reversible 7/8"
KTI45930	Wrench SAE Ratcheting Reversible 15/16"
	Wrench SAE Ratcheting Reversible 1"
	3" EXTENSION BAR
	HOOKS
	PLASTIC HOOKS
	DISPLAY OVERLAY 1
KTI0LF04333	OVERLAY FASTENERS (6 PACK)

KTI0843

Electrical & Hardware Component Assortment Display assortments include the following hardware:

Display board, overlay, fastener and shelves must be purchased separately (KTI005)





Electrical & Hardware Component Assortment
KTI00072 E Clip Assortment (300 Piece)
KTI00074 Hydraulic Grease Fitting Assortment (110 Piece)
KTI00075 Cotter Pin Assortment (555 Piece)
KTI00078 Cotter Pin Assortment (144 Piece) 1
KTI00080 Auto Fuse Assortment (120 Piece) 1
KTI00081 Mini Fuse Assortment (120 Piece)
KTI00086 0-Ring Assortment HNBR (270 Piece)
KTI00087Terminal Assortment (360 Piece)1
KTI00089 Washer Assortment Copper (110 Piece)
KTI00093 Roll Pin Assortment (120 Piece)
KTI00094 0-Ring Assortment Universal (407 Piece)
KTI00095 Metric O-Ring Assortment (419 Piece)
KTI00096 Grease Fitting Assortment Metric (110 Piece)
KTI00097 Electric Wire Solderless Terminal Kit (157 Piece)
KTI07740 Heat Shrink Tube Kit (235 Piece) 1

KTI0844

Pipe Wrenches

Display assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)





Pipe Wrenches.	Qty
	8" PIPE WRENCH
KTI49010	10" PIPE WRENCH
KTI49012	12" PIPE WRENCH
KTI49014	14" PIPE WRENCH 1
KTI49018	18" PIPE WRENCH
KTI49024	24" PIPE WRENCH 1
KTI49112	12" Aluminum Pipe Wrench
	14" Aluminum Pipe Wrench
KTI49118	18" Aluminum Pipe Wrench1
KTI49124	24" Aluminum Pipe Wrench
	H00KS10
KTI0L0844	DISPLAY OVERLAY
KTI0LF04333	OVERLAY FASTENERS (6 PACK)

KTI0845

Wire Tools



- Hooks, printed overlay, overlay fasteners
- Display boards must be purchased separately (KTI098)





Wire Loois	Q	ŧγ
KTI00003	. Butt Connector Kit - 100 Piece	1
KTI00004	. Butt Connector Kit with Shrink	1
KTI00035	. Shrink Tube Kit- 85 Pieces	1
KTI00037	. Solderless Terminal Kit-180Pc	1
KTI56201	. Multi Purpose Crimper & Wire Str 9"	1
KTI56202	. Multi Purpose Crimper & Wire Str 8.5"	1
KTI56203	. Professional Crimping Tool 0.5-6.0 MM	1
KTI56204	. Professional Crimping Tool 1.5-16.0 MM	1
KTI56205	. Ratcheting Terminal Crimper	1
KTI56207	. 8-in-1 Wire Stripper	1
KTI56208	. Wire Stripper - Self Adjusting	1
	. HOOKS 1	
KTI0L0845	. DISPLAY OVERLAY	1
KTI0LF04333	. OVERLAY FASTENERS (6 PACK)	1





KTI0846

Torches

Display assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
- Display boards must be purchased separately (KTI098)



Torches		Qty
KTI70048	Micro Butane Turbo-Lite	2
KTI70052	Pocket Style Butane Torch	2
KTI70054	Mini Butane Torch with Solder	2
KTI70056	Swivel Tube Propane Torch Head	2
KTI70057	Self Igniting Propane Torch	2
KTI70058	Hand-Held Pro Butane Torch	2
KTI70440	PYRO Torch Shield 10x18	2
KTIH00K2	H00KS	7
KTI0L0846	DISPLAY OVERLAY	1
KTI0LF04333	OVERLAY FASTENERS (6 PACK)	1

KTI0847

NEW



LightingDisplay assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
- Display boards must be purchased separately (KTI098)





LightingQty
KTI73379
KTI73387 Recharg Worklight 3W COB with piv head
KTI73388 Rechargeable Worklight 3W COB 1
KTI73389LED Slimline Inspection Light
KTI73394 Rechargeable 60LED Worklight 1
KTI73396 Flashlight 16LED AAA Aluminum 1
KTI73398 Headlamp 14 LED AAA Batteries
KTI73399LED Rechargeable Worklight 12SMD1
KTIH00K2H00KS13
KTIH00K3 H00KS 1
KTIOL0847 DISPLAY OVERLAY 1
KTIOLF04333 OVERLAY FASTENERS (6 PACK) 1



DISPLAYS

KTI0848

W* **3/4" Drive Tools** Display assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
- Display boards must be purchased separately (KTI098)






3/4" Drive Tools	sQty
KTI22075	1/2" FEMALE x 3/4" MALE ADAPTER
KTI24004	3/4" DR SOCKET EXTENSION 4"
	3/4" DR SOCKET EXTENSION 8"
KTI24016	3/4" DR CHROME EXTENSION 16"
KTI24050	3/4" FEMALE x 1/2" MALE ADAPTER
KTI24070	3/4" DR SOCKET T-HANDLE SLIDING
KTI24080	3/4" DR BREAKER BAR 20"1
	3/4" DR RATCHETING ADAPTER
KTI24092	3/4" DR RATCHET HD PRO
	3/4" DR 6 PT SOCKET 3/4"1
	3/4" DR 6 PT SOCKET 7/8"
	3/4" DR 6 PT SOCKET 15/16"
	3/4" DR 6 PT SOCKET 1"
	3/4" DR 6 PT SOCKET 1-1/16"1
	3/4" DR 6 PT SOCKET 1-1/8"1
	3/4" DR 6 PT SOCKET 1-3/16"1
	3/4" DR 6 PT SOCKET 1-1/4"1
	3/4" DR 6 PT SOCKET 1- 5/16"1
	3/4" DR 6 PT SOCKET 1-3/8"1
	3/4" DR 6 PT SOCKET 1-7/16"1
KTI24148	3/4" DR 6 PT SOCKET 1-1/2"1
KTI24152	3/4" DR 6 PT SOCKET 1-5/8"1
	3/4" DR 6 PT SOCKET 1-3/4"1
	3/4" DR 6 PT SOCKET 1-7/8"1
	3/4" DR 6 PT SOCKET 2"1
	3/4" DR 6 PT SOCKET 2-1/16"1
	3/4" DR 6 PT SOCKET 2-1/8"1
	3/4" DR 6 PT SOCKET 2-3/16"1
	3/4" DR 6 PT SOCKET 2-1/4"1
	3/4" DR 6 PT SOCKET 2-3/8"
	3/4" DR UNIVERSAL JOINT
	HOOKS23
	HOOKS
	HOOKS
	. DISPLAY OVERLAY1
K110LF04333	OVERLAY FASTENERS (6 PACK)1



KTI0849











1" Drive Impac	t ToolsQty
KTI35005	1" DR BUDD WHEEL SERVICE SET 5Pc
	1" DR IMPACT EXTENSION 7"
	1" DR IMPACT EXTENSION 13"
	1"F X 3/4"M IMPACT ADAPTOR
	1" DR SKT IMPACT 13/16" SO BDWHL
	1" DR SKT IMPACT 1-3/10" 3Q BDWHL
	1 DR 3K1 IWIFACT 1-1/2 -13/10 BDWHL
	1 DR 1 1/2 -13/16 BODD SKI DP 1 1" DR SKT IMPACT SHORT 3/4" 1
	1 DR SKT IMPACT SHORT 3/4
	1" DR SKT IMPACT SHORT 7/8"
	1" DR SKT IMPACT SHORT 1"
	1" DR SKT IMPACT SHORT 1-1/16"
	1" DR SKT IMPACT SHORT 1-1/8" 1
	1" DR SKT IMPACT SHORT 1-3/16" 1
	1" DR SKT IMPACT SHORT 1-1/4" 1
	1" DR SKT IMPACT SHORT 1-5/16" 1
	1" DR SKT IMPACT SHORT 1-7/16" 1
	1" DR SKT IMPACT SHORT 1-1/2" 1
	1" DR SKT IMPACT SHORT 1-5/8" 1
	1" DR SKT IMPACT SHORT 1-11/16" 1
KTI35158	1" DR SKT IMPACT SHORT 1-13/16" 1
KTI35160	1" DR SKT IMPACT SHORT 1-7/8" 1
KTI35164	1" DR SKT IMPACT SHORT 2"
KTI35166	1" DR SKT IMPACT SHORT 2-1/16"
KTI35172	1" DR SKT IMPACT SHORT 2-1/4"
KTI35178	1" DR SKT IMPACT SHORT 2-7/16"
KTI35184	1' DR SKT IMPACT SHORT 2-5/8'
KTI35196	1" DR SKT IMPACT SHORT 3"
KTI35233	1" DR SKT IMPACT DEEP 33MM HEXBDWHL 1
	1" DR SKT IMPACT DEEP 1-1/16"
	1" DR SKT IMPACT DEEP 35MM HEXBDWHL
	1" DR SKT IMPACT DEEP 1-1/8"
	1" DR SKT IMPACT DEEP 38MM HEXBDWHL
	1" DR SKT IMPACT DEEP 1-1/4"
	1" DR SKT IMPACT DEEP 41MM HEXBDWHL
	1" DR SKT IMPACT DEEP 1-5/16"
	HOOKS 2
	HOOKS
	PLEXIGLASS SHELF 4
	DISPLAY OVERLAY
	OVERLAY FASTENERS (6 PACK)
K110LF04333	UVERLAT FASTENERS (6 PACK)



KTI0852



Lubrication Display assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
- Display boards must be purchased separately (KTI098)



Lubrication		Qty
KTI73903	Needle Nose Dispenser 1-1/2" Narrow	2
KTI73912	Grease Gun Hose 12"	2
KTI73918	Grease Gun Hose 18"	2
KTI73919	Suction Gun w/12" Vinyl Hose	1
KTI73930	Mini Pistol Grease Gun 3 oz	1
KTI73933	HD Pistol Grip Grease Gun 14 oz	1
KTI73942	HD Level Grease Gun 14 oz	1
KTI73952	Prof 4 Jaw Grease Gun Coupler	2
KTI73957	Grease Injector Needle	2
KTI73959	Right Angle Grease Gun Coupler	2
KTIH00K2	. HOOKS	11
KTI0L0852	DISPLAY OVERLAY	1
KTI0LF04333	OVERLAY FASTENERS (6 PACK)	1





ACC0881



AccuTorq
Display assortments include the following hardware:

- Hooks, printed overlay, overlay fasteners
 Display boards must be purchased separately (KTI098)



Qty
Green 1/2 Dr 17MM 55 Ft lbs
Red 1/2 Dr 17MM 80 Ft lbs 1
Yellow 1/2 Dr 19MM 65 ft lbs
Blue 1/2 Dr 19MM 80 ft lbs 1
Gray 1/2 Dr 19MM 100 ft lbs
Light Brown 1/2 Dr 21MM 80 ft 1
Brown 1/2 Dr 21MM 100 ft lbs
White 1/2 Dr 22MM 120 ft lbs 1
Turq 1/2 Dr 7/8 140 ft lbs 1
Lt Green 1/2 Dr 24MM 140 Ft lb 1
8.5" x 11" ACCUTORQ CHART 1
Socket Thnwll Prtctv 17MM Blue 1
Socket Thnwll Prtctv 19MM Gold 1
Socket Thnwll Prtctv 21MM Red 1
Socket Thnwll Prtctv 13/16 Pur
Socket Thnwll Prtctv 7/8 Green
Socket Thnwll Prtctv 1 Titanim
Socket Thnwll Prtctv 1-1/16 Bk
Torque Ext 55 ft.lbs. Red
Torque Ext 65 ft.lbs. Yellow 1
Torque Ext 80 ft.lbs. Green
Torque Ext 100 ft.lbs. Lt Blue
Torque Ext 120 ft.lbs. White1
Torque Ext 140 ft.lbs. Black
Torque Ext 175 ft.lbs. Orange1
1/2" DR DIGITAL TORQUE ADAPTER 1
4" CABLE TIE BLACK 1
HOOKS9
HOOKS
DISPLAY OVERLAY 1
OVERLAY FASTENERS (6 PACK)



DISPLAYS

Displays I Accessories

KTIHOOK7

1" Wide Round Closed Hook



KTIOLF04333

Display Overlay Fasteners (6 pack)



KTIHOOK11

1-1/2" Plastic Hook




KTIHOOK2

2" Single Short Hook



KTIHOOK3

6" Disc-Single Long Hook



KTI087

Slanted Wire Shelf 6" x 23.5" x 12.5"



KTI088

Black Acrylic Plexiglass Shelves

- Each Shelf Dimension 24" x 3-9/16" X 3/16"
- · Quantity: 1 shelf
- · Hooks not included



KTI005

Assortment

Display Hardware

- Electrical & Hardware Component Assortment must be purchased separately (KTI0843)
- *NOTE: Only hardware, product shown not included

Assortment	Display Hardware	Qtv
	Slanted Wire Shelf - 6" x 23.5" each	
KTI098	Blank Board	1
KTI0L0843	Display Overlay	1
KTIUI EUV333	Overlay Factoners (6 Pack)	1








KTI089

3" Display Extension Bar

Add more room to any display with the 3" extension bar. Larger product can be displayed behind the display bar with plenty of clearance for easy shopping and visual appeal. Place smaller product on the extension to maximize display space and sales!



KTI098 Blank Display Board

Display boards can be used with any of the display overlay and merchandising kits or to create customize d in-store merchandising programs. Blank display board measures 23.5" x 32".



KTI001 8-board

Rotary Merchandiser

KTI's rotary merchandiser is the perfect way to display a maximum amount of product in a minimal amount of space. Rotary merchandiser will hold up to eight (8) displays! The rotary display requires a minimal amount of space - only 36" x 36". Display is complete with four (4) durable casters for added mobility. A must-have for professional, effective merchandising. Boards (KTI-098) sold separately.

*NOTE: Some displays are not recommended for use on the rotary merchandiser due to weight restrictions.



KTI004

Acrylic Counter Display

Acrylic counter display features a 15-11/16" x 15-13/16" display area to maximize product exposure. Compact design requires a minimal footprint (8" x 15-11/16"). A great way to generate 'impulse' buys. Utilizes 'dead' space behind point-of-sale terminals or computer monitors for additional merchandising area. Featuring two heightadjustable legs, the display area has a tilt range from 75-degrees to 87-degrees.

DISPLAYS

Displays | Floor & Counter

KTIPREPACKQ1

W*

Hand Tools Floor Display Prepack Q1

- · Floor Display consisting of five prepacked KTI hand tool sets (2 each)
- (2) KTI19000 8Pc Screwdriver Set (Black)
- (2) KTI21044 44Pc Socket Set, 1/4" Drive, SAE & Metric, Shallow & Deep
- (2) KTI22047 47Pc Socket Set, 6 Point, 3/8" Drive SAE & Metric
- Two Wrench Sets; (2) KTI41300 9pc High Polish, Smooth Finish, Sizes 3/8" to 7/8" and (2) KTI41800 - 13Pc High Polish, Smooth Finish, Sizes 7mm to 19mm

Display setup size: Height: 40.9, Width: 26.3", Depth:16.7". All hand tools are covered by a Lifetime Warranty.













BUSITO RUBBER AIR HOSE



 BluBird air hoses are heavy duty, ultra light weight and super strong. Stay flexible in temperatures from -50 to 190° fahrenheit. Ozone, UV & abrasion resistant. Covered by a 10 year warranty BluBird Oil Shield air hoses are ultra lightweight, extreme durability resists abrasion and ultra high strength exceeds RMA IP-2. Stay flexible in extreme conditions from -30 to 190° fahrenheit. Oil resistance core tube and cover meets RMA Class A oil resistance. Covered by a 3 year warranty

KTI71005

BluBird And Oil Shield Air Hose Promo Pack

Contains 8 air hoses:

- (2) KTI72015 BluBird 3/8" x 50'
- (2) KTI72018 Oil Shield 3/8" x 50'
- (1) KTI72049 BluBird 3/8" x 35'
- (1) **KTI72017** Oil Shield 3/8" x 35' • (1) - **KTI72014** - BluBird 3/8" x 25'
- (1) K1172014 BluBird 3/8 x 25 • (1) - KT172048 - Oil Shield 3/8" x 25"
- Size of promotional pack on display: Width: 24", Depth: 11", Height: 26"





KTI90003 Q-Bond Adhesive Kit, 10 Pack with Display

- Ultra-strong adhesive and reinforcing powders
- Repairs almost anything!
- Rock solid in 10 seconds
- Q-Bond repairs are able to be grinded, filed, sanded and even painted
- Hang tabs for pegboard and rack displays
- Display measures: 11.5" x 6.25" x 6.5".

New package design with 10 kits in this display. Q-BOND can be used just as an adhesive or with the reinforcing powders that will help to repair almost anything. Q-BOND repairs can be grinded, filed, sanded, and even painted. Each Q-BOND kit includes two (2) bottles Q-BOND adhesive (0.35oz/10ml); one (1) bottle black reinforcing powder for plastics; one (1) bottle grey reinforcing powder for metals.

KTI90003C

Q-Bond Adhesive Kit - 10 Pack Display for Canada

• Display measures: 11.5" x 6.25" x 6.5".





KTI73910

Lube Combo Display Shelf Pack

- Pack includes:
 - 3 each: Heavy Duty Pistol Grip Grease Guns (KTI73933) 3 each: Heavy Duty Lever Grease Guns (KTI73942)
- Aluminium die cast grease gun head
- Lever grease gun develops up to 10,000 PSI; pistol grease gun up to 5000 PSI
- For use with 14 oz. grease cartridges
- Lever gun (KTI73942) includes 6" bent steel extension & coupler; pistol gun (KTI73933) includes 18" flexible grease hose & coupler
- · Covered by a 1-year warranty
- Display shelf pack measures: 6" x 11.5" x 16"

Cut case shelf pack includes K-Tool International's most popular lever & pistol grip grease guns. Each pack includes 3 of each grease gun type.



- 6.000 PSI
- · For use with hand grease guns only
- 1-Year Warranty
- Counter display measures: 5.5" x 4.5" x 4.25"





KTI70038-10

Combi Wedge 10 Pack

- Counter display 10 pack of the heavy duty universal combination wedge tool
- Use on dashboards and door cover clips
- Color: Red
- Tool length: 8.5", width: 1", height: 1"
- · Covered by a 1 year warranty
- Counter display measures: Height: 7.0" Width: 11.750", Depth: 7.50"



KTI70037-10

Clip Lifter

- Clip lifter for plastic fasteners, upholstery, door panels, plastic clips
- Tool length: 7" Tool width: 3/4"
- · Red rubber handle
- Counter display measures: 9-1/2" wide, 7" deep and 5" high
- Covered by a 1-Year Warranty

Part #	Page#
ABD6-102	118: 119: 122: 123
ABD6-102 ABD6-103	118: 119: 122: 123
ABD6-106	118: 122: 123
ABD6-106 ABD6-108	.118: 119: 122: 123
ABD6-109	118: 119: 121:
	100, 100
ARD6-110	118: 119: 121:
ABD6-110	122: 123
ABD6-111	118: 119: 122: 123
ABD6-111ABD6-112	118: 123
ABD6-115 ABD6-116	118: 119: 122: 123
ABD6-116	118: 119: 122: 123
ABD6-117 ABD6-120	118; 123
ABD6-120	118; 119; 122; 123
ABD6-122	118; 119; 122; 123
ABD6-122 ABD6-125	118; 123
ABD6-127	.118; 119; 122; 123 .119; 123
ABD6-129	119; 123
ABD6-138 ABD6-139	119; 122; 123
ABD6-139	.119; 122; 123
ABD6-201	.120
ABD6-203	.120; 121; 123
ABD6-204	.120; 121; 123
ABD6-205	.120: 121: 123
ABD6-206B ABD6-207A	.120; 121; 123
ABD6-207A	119; 120; 121;
	122: 123
ABD6-208	.120: 121: 123
ABD6-209	.120; 121; 123
ABD6-210	.120
ABD6-211	.120; 121; 123
ABD6-213	
ABD6-218	.120; 121
ABD6-220	.120; 121
ABD6-221	
ABD6-222	.120; 121
ABD6-223	
ABD6-225	
ABD6-228S	.120; 121; 123
ABD6-231C	
ABD6-236	
ABD6-240	
ABD6-241	
ABD6-242	
ABD6-243	117, 100
ABDDVT-1000 ABDDVT-1001H	117, 123
ABDDVT-1001H	117, 122, 123
ABDDVT-1003A ABDDVT-1004A	117, 122, 123
ABDDVT-1004A	
ABDDVT-1005	117, 122, 123
ABDDVT-1000	117, 122, 123
ABDDVT-12SK	
ABDDVT-493	
ABDDVT-802	
ABDDVT-806	
ABDDVT-APP	122: 123
ABDDVT-CV-1	
ABDDVT-SK12VS	
ABDDVT-SV-1	
ABDDY-001A	124
ABDDY-002A	
ABDDY-128B	
ABDDY-128G	
ABDDY-1400	119; 122

Part # F	Page#
ABDDY-150	
ABDDY-158	
ABDDY-164 ABDDY-172	
ABDDY-172ABDDY-2116	
ABDDY-2416	
ABDDY-312	
ABDDY-32VNT	
ABDDY-7 ABDDYN-0513	
ABDDY-S11	
ABDDY-S12	
ABDDY-TPMS-13	122
ABDDY-TPMS-16	
ABDDY-TPMS-16VS ABDTPMS-72	
ACC0881	
ACC10-0100	
ACC10-0103	-
ACC10-0103D	
ACC10-0304 ACC10-0305	150; 151; 153; 219
ACC10-0306	150; 151; 153; 219
ACC10-0307	150; 151; 153; 219
ACC10-0308	150; 151; 153; 219
ACC10-0309	
ACC10-0310	150; 151; 153; 219
ACC10-0311ACC10-0312	150; 151; 153; 219
A0010-0312	153; 219
ACC10-0313	150; 151; 152;
	153; 219
ACC10-0314	
ACC10-0315	
ACC10-0317ACC10-0319	
ACC10-0321	
ACC10-0322	
ACC10-0323	
ACC10-0324	
ACC10-0326ACC10-0327	-
ACC10-0328	
ACC10-0329	
ACC10-0334	151; 153
ACC10-0335	
ACC10-0336ACC10-0337	
ACC10-0337	
ACC10-0339	
ACC10-0340	151; 153
ACC10-0341	
ACC10-0342	
ACC10-0343ACC10-0450	
ACC10-0455	
ACC10-3898	151; 152; 153
ACC10-3899	151; 152; 153; 219
ACC20-3045	
ACC20-3055ACC20-3056	
ACC20-3030	
ACC20-3345	
ACC20-3360	
ACC20-3900	
ACC20-3901	100

Part # P	age#
ACC20-3902	153
ACC20-3903	
ACC20-3904	
ACC20-3908ACC20-3909	
ACC20-3910	
ACC20-3911	152; 153
ACC20-3913	153
ACC20-3914	153
ACC20-3918	
ACC20-3919	
ACC20-3920ACC20-3921	
ACC20-4000	
ACC20-4100	
ACC20-4155	
ACC2597Y1290	
KTD72004 KTD72502	
KTD72502KTD74003	
KTD74003	
KTD74503	
KTD76003	
KTD76503	
KTD77601	
KTD77604	
KTD77610 KTD77621	
KTD77622	
KTI00001	
KTI00002	
KTI00003	187; 216
KTI00004	
KTI00005 KTI00006	
KTI00006	
KTI00009	
KTI00020	
KTI00021	
KTI00022	
KT100023	
KTI00024 KTI00026	
KTI00027	
KTI00028	
KTI00033	186
KTI00034	
KTI00035 KTI00037	113; 186; 216
KTI00038 KTI00039	
KTI00033	
KTI00042	
KTI00045	
KTI00047	
KT100048	
KTI00049 KTI00050	
KTI00050	
KTI00059	
KTI00067	
KTI00068	181
KTI00069	
KTI00070	
KTI00071 KTI00072	165: 215
K110001 Z	100, 410

Part	#	 Pag	ge#
KT1000 KT1000	74.	 13	3; 215
KT1000	17 J. 177	 10 16	5, 215 5
KTIOOO	78	16	5. 215
KTI000	80.	 18	0; 215
KTI000	81.	 18	0; 215
KT1000	82.	 18	0
KT1000			
KTI000	85.	 16	6
KT1000 KT1000	186.	 16	6; 215
KT1000	107. 120	 ۱۵ ۱۶	3; Z13 6: 215
KT1000	191	 16	6, 213 6
KTI000			
KTI000	94.	 16	7; 215
KTI000	95.	 16	7; 215
KTI000	96.	 13	2; 215
KTI000	97.	 18	6; 215
KT1001			
KTI004 KTI005			
KT1008			
KTI008	21.	 17	8: 181
KTI008	31.	 17	8; 181
KTI008	41.	 17	8; 181
KTI008	51.	 17	8; 181
KTI008			
KTI016 KTI016			
KTI016			
KTI016			
KTI016			
KTI019			
KTI019			
KTI019			
KTI020 KTI020			
KTI020			
KTI020			
KTI021			
KTI021	30.	 18	9
KTI021			
KTI022			
KTI022 KTI022			
KTI022			
KTI023	12	 18	9
KTI023			
KTI023			
KTI023			
KTI024			
KTI024 KTI024			
KTI024			
KTI025 KTI026			
KTI026			
KTI027	42.	 18	8



Part # Page#	Part # Page#	Part # Page#	Part # Page#
KTI02743188	KTI04038143	KTI04109183; 184	KTI04242160; 161
KTI02744188	KTI04038143	KTI04109160	KTI04243160; 161
KTI02745188	KTI04039R143	KTI04121160	KTI04245160; 161
KTI02743188	KTI040331143	KTI04123160	KTI04247160; 161
KTI02761188	KTI04041143	KTI04124160	KTI04251160; 161
KTI02771188	KTI04042143	KTI04125160	KTI04252160; 161
KTI02771188	KTI04049185	KTI04126160	KTI04253160; 161
KTI02791188	KTI04050185	KTI04134159	KTI04260160; 161
KTI03963146	KTI04051185	KTI04135159	KTI04261160; 161
KTI03964146	KTI04052185	KTI04136159	KTI04262160; 161
KTI03965146	KTI04053185	KTI04137159	KTI04263160; 161
KTI03966146	KTI04054185	KTI04138159	KTI04264160; 161
KTI03967146	KTI04055185	KTI04139159	KTI04265160; 161
KTI03968146	KTI04056185	KTI04140159	KTI04266160; 161
KTI03969146	KTI04057182; 183; 184	KTI04141160	KTI04270178; 181
KTI03970146	KTI04058182; 183; 184	KTI04142160	KTI04271178; 181
KTI03971146	KTI04059182; 183; 184	KTI04168160	KTI04272178; 181
KTI03972146	KTI04060183; 184	KTI04181160	KTI04273178; 181
KTI03973146	KTI04061183; 184	KTI04182160	KTI04274178; 181
KTI03974146	KTI04062182; 183; 184	KTI04183160	KTI04275178; 181
KTI03975146	KTI04063182; 183; 184	KTI04184160	KTI04276178; 181
KTI03976146	KTI04064183; 184	KTI04185160	KTI04277178; 181
KTI03977146	KTI04065182; 184	KTI04188160	KTI04278178; 181
KTI03978146	KTI04066183; 184	KTI04189160	KTI04279178; 181
KTI03979146	KTI04067182; 183; 184	KTI04190160	KTI04280178; 181
KTI03980146	KTI04068182; 183; 184	KTI04193160	KTI04281178; 181
KTI03984146	KTI04069182; 183; 184; 187	KTI04195160	KTI04282178; 181
KTI03985146	KTI04070182; 183; 184; 187	KTI04196160	KTI04283178; 181
KTI04000147	KTI04071182; 183; 184; 187	KTI04198160	KTI04284178; 181
KTI04001147	KTI04072182; 184	KTI04199178; 179; 180	KTI04285178; 181
KTI04002147	KTI04073182; 184	KTI04200178; 179; 180	KTI04286178; 181
KTI04003147	KTI04074182; 183; 184	KTI04201178; 179; 180	KTI04308132; 133
KTI04004147	KTI04075182; 183; 184	KTI04202178; 179; 180	KTI04309132; 133
KTI04005147	KTI04076182; 184	KTI04203178; 179; 180	KTI04310132; 133
KTI04006147	KTI04077182; 184	KTI04204178; 179; 180	KTI04311132; 133
KTI04007147	KTI04078183; 184	KTI04205178; 179; 180	KTI04312132; 133
KTI04008146	KTI04079183; 184	KTI04206178; 179; 180	KTI04313132; 133
KTI04009146	KTI04080183; 184	KTI04207178; 179; 180	KTI04314132; 133
KTI04010146	KTI04081183; 184	KTI04208178; 179; 180	KTI04315132; 133
KTI04011147	KTI04082183; 184	KTI04209178; 179	KTI04316132; 133
KTI04012147	KTI04083183; 184	KTI04210178; 179	KTI04317132; 133
KTI04013147	KTI04084183; 184	KTI04211178; 179	KTI04318132; 133
KTI04014147	KTI04085183; 184	KTI04212178; 179	KTI04319132; 133
KTI04015147	KTI04086183; 185	KTI04213178; 179	KTI04320132; 133
KTI04016147	KTI04087183; 185	KTI04214178; 179	KTI04458165
KTI04017147	KTI04088183; 185	KTI04215178; 179	KTI04471165
KTI04018147	KTI04089183; 185	KTI04216178; 179	KTI04494186
KTI04019147	KTI04090183; 185	KTI04220179; 182	KTI04497182; 184
KTI04020147	KTI04091183; 185	KTI04221179; 182	KTI04626171
KTI04021147	KTI04092183; 185	KTI04222179; 182	KTI04627172
KTI04022147	KTI04093183; 185	KTI04223179; 182	KTI05100171; 173
KTI04023146	KTI04094183; 185; 188	KTI04224179; 182	KTI05101171; 173
KTI04024146	KTI04095183; 185	KTI04226179; 182	KTI05102171; 173
KTI04025146	KTI04096183; 185; 188	KTI04227179; 182	KTI05103171; 173
KTI04026146	KTI04097183; 185	KTI04228179; 182	KTI05104171; 173
KTI04027146	KTI04098183; 185; 188	KTI04229179; 182	KTI05105171; 173
KTI04028147	KTI04099183; 185	KTI04230179; 182	KTI05106171; 173
KTI04029147	KTI04100183; 185	KTI04231179; 182	KTI05107171; 173
KTI04030147	KTI04101183; 185	KTI04234178; 179; 180	KTI05108171; 173
KTI04031147	KTI04102183; 185	KTI04235178; 179; 180	KTI05109171; 175
KTI04032147	KTI04103183; 185	KTI04236178; 179; 180	KTI05110171; 175
KTI04033143	KTI04104183; 185	KTI04237178; 179; 180	KTI05111171; 175
KTI04034143	KTI04105183; 185	KTI04238178; 179; 180	KTI05112171; 175
KTI04035143	KTI04106183; 184	KTI04239178; 179	KTI05113171; 175
KTI04036143	KTI04107183; 184	KTI04240160; 161	KTI05114171; 175
KTI04037143	KTI04108183; 184	KTI04241160; 161	KTI05115171; 175

Part # Page#	Part # Page#	Part # Page#	Part # Page#
KTI05116171; 175	KTI0808198	KTI1120628	KTI1890228
KTI05117171; 175	KTI0809199	KTI1120728	KTI1890328
KTI05118171; 174	KTI0810200	KTI1120828	KTI1890428
KTI05119171; 174	KTI0811200	KTI1120928	KTI1890528
KTI05120171; 174	KTI0812201	KTI1121028	KTI1890628
KTI05124173	KTI0814	KTI1121128; 199	KTI1890728
KTI05125173	KTI0814203	KTI1121528; 199	KTI1891028
KTI05126173 KTI05127173	KTI0815203 KTI0816204	KTI1122028; 199 KTI1122128; 199	KTI1891528 KTI1892028
KTI05127175	KTI0817204	KTI1122128, 199	KTI1892528
KTI05138175	KTI0819205	KTI1122428; 199	KTI1899249
KTI05141175	KTI0820205	KTI1122528; 199	KTI1900029; 30; 199; 222
KTI05143175	KTI0821206	KTI1122628; 199	KTI1911329; 199
KTI05145175	KTI0822207	KTI1122728	KTI1912129; 199
KTI05149175	KTI0831207	KTI1122828	KTI1912429; 199
KTI05159175	KTI0832208	KTI1122928; 199	KTI1913830
KTI05165175	KTI0833208	KTI1123028; 199	KTI1920129; 199
KTI05167175	KTI0834209	KTI1123128	KTI1920329; 199
KTI05169175	KTI0835210	KTI1131030; 199	KTI1920429; 199
KTI05171175	KTI0836211	KTI1131530; 199	KTI1920629; 199
KTI05177174	KTI0837211	KTI1132030; 199	KTI1920829; 199
KTI05179174	KTI0838212	KTI1421930	KTI1920932
KTI05181174	KTI0839212	KTI1440031; 211	KTI1921232
KTI05186171	KTI0840214	KTI1440631; 211	KTI1921832
KTI05202173 KTI05205174	KTI0842215	KTI1440831; 211	KTI1922432 KTI1924032
KTI05205174 KTI05206174	KTI0843215 KTI0844216	KTI1441031; 211	KTI1924029
KTI05206174 KTI05207174	KTI0845216	KTI1441131; 211 KTI1441231; 211	KTI1970029
KTI05207174 KTI05209176	KTI0846217	KTI1441431; 211	KTI1970129
KTI05253176	KTI0847217	KTI1441631; 211	KTI1970429
KTI05213176	KTI0848218	KTI1450031; 211	KTI1970629
KTI05215176	KTI0849218	KTI1450531; 211	KTI1970829
KTI05217176	KTI0850199	KTI1450631; 211	KTI1971329
KTI05219176	KTI0852219	KTI1450731; 211	KTI1972129
KTI05221176	KTI087220	KTI1450831; 211	KTI1972429
KTI05225174	KTI088214; 218; 220	KTI1450931; 211	KTI1980029
KTI05226174	KTI089195; 196; 198;	KTI1451031; 211	KTI1980129
KTI05228174	201; 202; 203;	KTI1451131; 211	KTI1980329
KTI05233176	209; 210; 211;	KTI1600029	KTI1980429
KTI05235176	215; 221	KTI1600129; 199	KTI1980629
KTI05237176	KTI098220; 221	KTI1600229; 199	KTI1980829
KTI05243176	KTI1001095	KTI1611329; 199	KTI1981329
KTI05245176 KTI05253176	KTI1021095 KTI1021595	KTI1612129; 199	KTI1982129 KTI1982429
KTI05255176 KTI05255176	KTI1021371	KTI1612429; 199 KTI1612929; 199	KTI1902429 KTI1990029
KTI05257176 KTI05257171; 174	KTI103071 KTI1100128; 199	KTI1613629; 199	KTI1990129
KTI05257171; 174 KTI05259171; 174	KTI1100128, 199	KTI1620129; 199	KTI1990329
KTI05370174	KTI1100328; 199	KTI1620329; 199	KTI1990429
KTI05371174	KTI1100428	KTI1620429; 199	KTI1990629
KTI05372176	KTI1100528; 199	KTI1620629; 199	KTI1990829
KTI05373176	KTI1100628; 199	KTI1620829; 199	KTI1991329
KTI05374176	KTI1100728	KTI1800028; 49; 199	KTI1992129
KTI05375173	KTI1100828; 199	KTI1800749	KTI1992429
KTI05376173	KTI1100928; 199	KTI1800826	KTI200456
KTI05377173	KTI1101028; 199	KTI1800928; 199	KTI202106; 10
KTI05378173	KTI1101128; 199	KTI1801226	KTI202126; 10
KTI05379173	KTI1101228; 199	KTI1801349	KTI202146; 10
KTI05380173	KTI1101828	KTI1801449	KTI202166; 10
KTI05381173	KTI1103528	KTI1870247	KTI202186; 10
KTI05382173 KTI05383173	KTI1110030	KTI1870347	KTI202206; 10
	KTI1111030	KTI1880147 KTI1880247	KTI202226; 10 KTI202246; 10
KTI05384173 KTI07740113; 187; 215	KTI1120128 KTI1120228	KTI1880247 KTI18810116	KTI202246; 10 KTI202266; 10
KTI07740113; 167; 215 KTI0805195	KTI1120228	KTI18820116	KTI202286; 10
KTI0806196	KTI1120328	KTI1890028	KTI202266; 10
KTI0807197	KTI1120428	KTI1890128	KTI203116; 10
	200	2001	20011



Part # Page#

Part # F	Page#
KTI20312	6; 10
KTI20313	6; 10
KTI20314	6; 10
KTI20315	6; 10
KTI20316	6; 10
KTI20317	6; 10
KTI20318	6; 10
KTI20319	6; 10
KTI20412	6; 10
KTI20414	6; 10
KTI20416	b; 10 0: 10
KTI20418 KTI20420	b; 10 c. 10
KTI20420	0; 10 6: 10
KTI20424	0, 10 6: 10
KTI20426	
KTI20428	
KTI20707	
KTI20708	
KTI20709	
KTI20710	6: 10
KTI20711	6: 10
KTI20712	6: 10
KTI20713	6: 10
KTI20714	6: 10
KTI20715	6; 10
KTI20715 KTI20716	6; 10
KTI20717	6: 10
KTI20718	6: 10
KTI20719 KTI21000	6; 10
KTI21000	5; 195
KTI21002 KTI21004	5; 20; 195; 209
KTI21004	5; 20; 195; 209
KTI21006	5; 20; 195; 209
KTI21010	20; 195
KTI21014	
KTI21040	
KTI21043	20; 195 5, 20, 105, 222
KTI21044	
KTI21046 KTI21048	20, 195 20: 105
KTI21050	20, 193 5: 20: 105: 200
KTI21055	20, 193, 209 20: 196: 209
KTI21060	5. 20. 195. 209
KTI21061	
KTI21070	
KTI21080	20: 195
KTI21091	5: 20: 195: 209
KTI21091 KTI21092	5; 20; 195; 209
KTI21092RK	20
KTI21095	
KTI21100	6
KTI21106	5: 6: 195: 209
KTI21107 KTI21108	5; 6; 195; 209
KTI21108	5; 6; 195; 209
KTI21109 KTI21110	5; 6; 195; 209
KTI21110	5; 6; 195; 209
KTI21111 KTI21112	5; 195; 209
KTI21112	5; 6; 195; 209
KTI21114 KTI21116	5; 6; 195; 209
K1121116	5; 6; 195; 209
KTI21118	5; 195; 209 c
KTI21200	b 5. 105. 200

KTI21206.....5; 195; 209

KTI21207......5; 6; 195; 209

KTI21208......5; 6; 195; 209

Part # l	Page#
KTI21209	.5; 6; 195; 209
KTI21210	.5; 6; 195; 209
KTI21211	.5; 6; 195; 209
KTI21212	.5: 6: 195: 209
KTI21214	.5: 6: 195: 209
KTI21216	5: 6: 195: 209
KTI21218	
KTI21500	26. 200
KTI21510	
KTI21515	
KTI21520	
KTI21525	
KTI21527	
KTI21530	
KTI21540	
KTI21545	
KTI21550	
KTI21555	
KTI21610	
KTI21615	.25; 26; 200
KTI21620	.25; 26; 200
KTI21625	
KTI21627	.25; 26; 200
KTI21630	.25; 26; 200
KTI21810	.26; 200
KTI21815	.26: 200
KTI21820	26: 200
KTI21825	26: 200
KTI21827	26: 200
KTI21830	26: 200
KTI22000	
KTI22001	
KTI22002	.7; 21; 190
KTI22003	.6; 7; 21; 196; 209
KTI22005	.21; 196
KTI22006	
./	196; 209
KTI22008	.21; 196; 209
KTI22010	.21; 196
KTI22012	.8; 21; 196
KTI22018	.21; 196
KTI22023	.8
KTI22024	.21; 196
KTI22041	.21
KTI22043	.21; 196
KTI22046	
KTI22047	
KTI22048	.21: 196
KTI22050	.22: 196: 209
KTI22055	21: 196: 209
KTI22060	21: 196: 209
KTI22070	
KTI22071	
KTI22071A	.0, 21, 130
KTI22075	
K1122073	.22, 190, 209, 210
KTI22080	.0, 21; 190
KTI22091	.7, 8, 21, 196, 209
KTI22092	
KTI22092RK	.21
KTI22093	.21; 196
KTI22095	
KTI22100	
KTI22108	.7; 10
KTI22110KTI22112	.7; 8; 10; 197; 209
KTI22112	7.8.10.107.200

KTI22112.....7; 8; 10; 197; 209

KTI22114.....7; 8; 10; 197; 209

Part # Page# KTI22116......7; 8; 10; 197; 209 KTI22118.....7; 8; 10; 197; 209 KTI22120......7; 8; 10; 197; 209 KTI22122......7; 8; 10; 197; 209 KTI22124.....7; 8; 10; 197; 209 KTI22126......7; 8; 10; 197; 209 KTI22128.....7; 8; 10; 197; 209 KTI22130.....10; 197; 209 KTI22132.....10; 197; 209 KTI22133.....9; 177; 196 KTI22201.....9 KTI22208.....10 KTI22210......10; 197 KTI22212......7; 9; 10; 197; 209 KTI22214.....7; 9; 10; 197; 209 KTI22216......7; 9; 10; 197; 209 KTI22218......7; 9; 10; 197; 209 KTI22219.....7; 196 KTI22220......7; 9; 10; 197; 209 KTI22221......9; 177; 196; 210 KTI22222.....7; 9; 10; 197; 209 KTI22224......7; 9; 10; 197; 209 KTI22226.....7; 9; 10; 197; 209 KTl22227......9; 177; 196; 210 KTI22228......7; 9; 10; 197; 209 KTI22230......10; 197; 209 KTI22232.....10; 197; 209 KTI22300.....39 KTI22312.....39 KTI22314.....39 KTI22316.....39 KTI22318.....39 KTI22320.....39 KTI22322.....39 KTI22324.....39 KTI22328.....39 KTI22401.....9 KTI22408.....9; 10; 197 KTI22410.....9; 10; 197 KTI22412.....7; 9; 10; 197 KTI22414.....7; 9; 10; 197 KTI22416......7; 8; 9; 10; 197 KTI22418.....7; 8; 9; 10; 197 KTI22420......7; 8; 9; 10; 197 KTI22422......7; 8; 9; 10; 197 KTI22424......7; 8; 9; 10; 197 KTI22426......7; 8; 9; 10; 197 KTI22428.....7; 9; 10; 197 KTI22430.....9; 10; 197 KTI22432.....9; 10; 197 KTI22500.....8; 21; 196; 209 KTI22501.....8 KTI22508......7; 8; 10; 197 KTI22510.....7; 8; 10; 197 KTI22512.....7; 8; 10; 197 KTI22514.....7; 8; 10; 197 KTI22516.....7; 8; 10; 197 KTI22518.....7; 8; 10; 197 KTI22520.....7; 8; 10; 197 KTI22521.....9; 177; 196 KTI22522.....7; 8; 10; 197 KTI22524.....7; 8; 10; 197 KTI22526......7; 8; 10; 197 KTI22527......9; 177; 196 KTI22528.....7; 8; 10; 197

KTI22530.....8; 10; 197

KTI225328; 10; 197
KTI225477
KTI2260025
KTI2260125; 200
KTI2264025; 26; 200
KTI2264525; 26; 200
KTI2264725; 26; 200
KTI2265025; 26; 200
KTI2265525; 26; 200
KTI2266025; 26; 200
KTI2267026; 200
KTI2267125; 200
KTI2267525; 200
KTI2267625; 200
KTI2267725; 200
KTI2267825; 200
KTI2268025; 200
KTI2268225; 200
KTI2268425; 200
KTI2268625; 200
KTI2268825; 200
KTI2268925; 200
KTI227009
KTI227109
KTI227129
KTI227149
KTI227168; 9
KTI227188; 9
KTI227209
KTI227229
KTI227249
KTI2280026; 200
KTI2280126; 200
KTI2280225; 142
KTI2280225; 142
KTI2280225; 142
KTI2280225; 142 KTI2284025; 26; 142; 200 KTI2284525; 26; 142; 200
KTI2280225; 142 KTI2284025; 26; 142; 200 KTI2284525; 26; 142; 200 KTI2284726; 200
KTI2280225; 142 KTI2284025; 26; 142; 200 KTI2284525; 26; 142; 200 KTI2284726; 200 KTI2285025; 26; 142; 200
KTI2280225; 142 KTI2284025; 26; 142; 200 KTI2284525; 26; 142; 200 KTI2284726; 200 KTI2285025; 26; 142; 200 KTI2285526; 200
KTI2280225; 142 KTI2284025; 26; 142; 200 KTI2284525; 26; 142; 200 KTI2284726; 200 KTI2285025; 26; 142; 200 KTI2285526; 200 KTI2286026; 200
KTI22802

Part # Page#	
KTI2302022; 198	
KTI2307022; 198	
KTI2308013; 22; 198	
KTI2308122; 198 KTI2308222; 198	
KTl2308322; 198 KTl2309113; 22; 198; 209	n
KTI2309222; 198; 209	J
KTI23092RK22	
KTI2309522; 198	
KTI2311013	
KTI2311214; 198	
KTI2311413; 14; 198	
KTI2311613; 14; 198; 209 KTI2311813; 14; 198; 209	9
KII2311813; 14; 198; 209	J
KTI2312013; 14; 198; 209 KTI2312213; 14; 198; 209	J n
KTI23124 13: 14: 190, 20:	a
KTI2312413; 14; 198; 209 KTI2312613; 14; 198; 209	9
KTI2312813; 14; 198; 209	9
KTI2312813; 14; 198; 209 KTI2313013; 14; 198; 209	9
KTI2313213; 14; 198; 209 KTI2313413; 14; 198; 209	9
KTI2313413; 14; 198; 209	9
KTI2313613; 14; 198; 209 KTI2314013; 14; 198; 209	9
KTI2314013; 14; 198; 209	9
KTI2314214; 198	
KTI2314414; 198 KTI2314614; 198	
KTI2314814; 198	
KTI2320013	
KTI2321414; 198	
KTI2321613; 14; 198; 209 KTI2321813; 14; 198; 209	9
KTI2321813; 14; 198; 209	9
KTI2322013; 14; 198; 209 KTI2322213; 14; 198; 209	9
K112322213; 14; 198; 209	J
KTI2322413; 14; 198; 209 KTI2322613; 14; 198; 209	d D
KTI23228 13: 14: 198: 200	q
KTI2323013; 14; 198; 209	9
KTI2323214; 198; 209	_
KTI2323214; 198; 209 KTI2323414; 198; 209	
KTI2323614; 198; 209 KTI2324014; 198; 209	
KTI2324014; 198; 209	
KTI2324214; 198 KTI2324414; 198	
K112324414; 198	
KTI2324614; 198 KTI2324822; 198	
KTI2330849	
KTI2334814	
KTI2350022; 198; 209	
KTI2351214	
KTI2351614	
KTI2380013	
KTI2380813; 198	
KTI2381013; 198 KTI2381213; 198	
KTI2381413; 198	
KTI2390013	
KTI2390613; 198	
KTI2390813; 198	
KTI2391013; 198	
KTI2391213: 198	
KTI2400417; 23; 218	
KTI2400817; 23; 218	
KTI2401623; 218 KTI24050 23: 108: 218	
KTI2405023; 198; 218	

Part #	Page#
KTI24070	17: 23: 218
KTI24070B	23
KTI24080	
KTI24085	
KTI24090	
KTI24090RK	22
KTI24092	
KTI24105	
KTI24121	
KTI24124	
KTI24128	
KTI24130 KTI24132	
KTI24134	
KTI24136	
KTI24138	
KTI24140	
KTI24142	
KTI24144	17; 218
KTI24146	
KTI24148	
KTI24152	
KTI24156	
KTI24160	
KTI24164	
KTI24166 KTI24168	
KTI24170	
KTI24170	
KTI24173	
KTI24176	
KTI24500	
KTI26000	5; 195
KTI26100	
KTI26104	
KTI26105	
KTI26106	
KTI26107 KTI26108	
KTI26109	
KTI26110	
KTI26111	
KTI26112	5; 6; 210
KTI26113	5; 6; 210
KTI26114	5; 195; 210
KTI26115	5; 195; 210
KTI26155	
KTI26200	
KTI26206	5; 6; 195; 210
KTI26207 KTI26208	5; 6; 195; 210 5: 6: 105: 210
KTI26209	5. 6. 195. 210
KTI26210	5: 6: 195: 210
KTI26211	5: 6: 195: 210
KTI26212	5; 6; 195; 210
KTI26213	5; 6; 195; 210
KTI26214	5; 195; 210
KTI26215	5; 195; 210
KTI26255	
KTI27000	
KTI27101	
KTI27106	/; IU 7: 0: 10: 107
KTI27107	1, 0; 10; 19/ 7: 8: 10: 107: 210
KTI27100	7; 8; 10; 197; 210 7; 8; 10; 197; 210
KTI27110	7; 8; 10; 197; 210
	, 5, 15, 151, 210

Part # l	Page#
KTI27111 KTI27112	.7; 8; 10; 197; 210
KTI27113	
KTI27114	
KTI27115	
KTI27116 KTI27117	.7; 8; 10; 197; 210 7: 9: 10: 107: 210
KTI27117	7. 8. 10. 197, 210
KTI27119	.7: 8: 10: 197: 210
KTI27120	.7; 10; 197
KTI27121	.7; 10; 197
KTI27122	
KTI27123 KTI27124	. 10; 197 10: 107
KTI27125	
KTI27126	
KTI27201	.9
KTI27206	
KTI27207	
KTI27208	
KTI27209 KTI27210	
KTI27211	7: 9: 10: 197: 210
KTI27212	
KTI27213	.7; 9; 10; 197; 210
KTI27214	.7; 9; 10; 197; 210
KTI27215	
KTI27216	.7; 9; 10; 197; 210
KTI27217 KTI27218	.7; 9; 10; 197; 210 7: 0: 10: 107: 210
KTI27219	7· 10· 197· 210
KTI27220	
KTI27221	
KTI27222	
KTI27223	
KTI27224 KTI27225	. 10; 197 10: 107
KTI27226	
KTI27300	
KTI27310	.39
KTI27311	.39
KTI27312	
KTI27313 KTI27314	
KTI27315	
KTI27316	
KTI27317	.39
KTI27318	.39
KTI27319	
KTI27401 KTI27407	
KTI27407	.9, 10, 197 9: 10: 197
KTI27409	
KTI27410	
KTI27411	.7; 9; 10; 197
KTI27412	
KTI27413 KTI27414	
KTI27414	. 7; 9; 10; 197 . 7: 9: 10: 197
KTI27416	.7; 9; 10; 197
KTI27417	.7; 9; 10; 197
KTI27418	.7; 9; 10; 197
KTI27419	.7; 9; 10; 197
KTI27420	.9; 10; 19/ .0: 10: 107
KTI27421 KTI27501	
11127 001	

Part #	Page#
KTI27506	.7; 10
KTI27507 KTI27508	.7; 8; 10; 197
KTI27509	.7; 8; 10; 197
KTI27510	.7; 8; 10; 197
KTI27511 KTI27512	.7; 8; 10; 197
KTI27512 KTI27513	.7; 8; 10; 197
KTI27514	.7; 8; 10; 197
KTI27515 KTI27516	.7; 8; 10; 197
KTI27510 KTI27517	.7, 8, 10, 197 .7: 8: 10: 197
KTI27518	.7; 8; 10; 197
KTI27519 KTI27520	.7; 8; 10; 197
KTI27520 KTI27521	.8; 10; 197 .8: 10: 197
KTI27902	.24; 142
KTI27903	.24; 200
KTI27904 KTI27905	. 24; 200 24: 200
KTI27906	.24; 200
KTI27907	.24; 142; 200
KTI27908 KTI27910	.24; 142; 200 24: 142: 200
KTI27955	.24; 200
KTI27970	.24; 200
KTI28000 KTI28100	.13
KTI28110	.14; 198; 210
KTI28111	.14: 198: 210
KTI28112 KTI28113	.14; 198; 210
KTI28114	.14; 198; 210
KTI28115	.13; 14; 198; 210
KTI28116 KTI28117	.13; 14; 198; 210
KTI28117 KTI28118	.13; 14; 198; 210
KTI28119	.13; 14; 198; 210
KTI28120 KTI28121	.13; 14; 198; 210
KTI28121	.13; 14; 198, 210
KTI28123	.13; 14; 198
KTI28124 KTI28125	.13; 14; 198
KTI28125 KTI28126	.13, 14, 196
KTI28127	.13; 14; 198
KTI28128 KTI28200	.13; 14; 198
KTI28200 KTI28210	
KTI28211	.14; 198; 210
KTI28212	.14; 198; 210
KTI28213 KTI28214	.14; 198; 210 .14; 198; 210
KTI28215	.13: 14: 198: 210
KTI28216	.13; 14; 198; 210
KTI28217 KTI28218	
KTI28219	.13: 14: 198: 210
KTI28220	.13; 14; 198; 210
KTI28221 KTI28222	.13; 14; 198; 210 .13; 14; 198
KTI28223	.13; 14; 198
KTI28224	.13; 14; 198
KTI28225 KTI28226	.14; 198 .14; 198
KTI28227	.14; 198



Part # Page#

Part # Pa	age#	F
KTI2822814	; 198	K
KTI3142012		Κ
KTI3200311	; 23	K
KTI3201223		K
KTI3201311		K
KTI3201623	; 212	K
KTI3210011		K
KTI3211011	; 12; 212	K
KTI3211211	; 12; 212	K
KTI3211411	; 12; 212	K
KTI3211611	; 12; 212	K
KTI3211811	; 12; 212	K
KTI3212011	; 12; 212	K
KTl3212211 KTl3212411	12,212	K
KTI3212611	, 12, 212 · 12· 212	K
KTI3212811	· 12· 212	K
KTI3220011	, 12, 212	K
KTI3221011	: 12: 212	K
KTI3221211	: 12: 212	K
KTI3221411	: 12: 212	K
KTI3221611	; 12; 212	K
KTI3221811	; 12; 212	Κ
KTI3222011	: 12: 212	K
KTI3222211	; 12; 212	K
KTI3222411	: 12: 212	K
KTI3222611	; 12; 212	K
KTI3222811	; 12; 212	K
KTI322299;	177	K
KTI3240012		K
KTI3241412		K
KTI3241612 KTI3241812		K
KTI3241012		K
KTI3242212		K
KTI3242412		K
KTI3250012		K
KTI3251412		K
KTI3251612		Κ
KTI3251812		K
KTI3252012		K
KTI3252212		K
KTI3252412		K
KTI3300323		K
KTI3300623		K
KTI3301223		K
KTl3301623 KTl3302423	, 212	K
KTI3304123	, 212	K
KTI3305016		K
KTI3310014	, 212	K
KTI3310114		K
KTI3310414		K
KTI3311214	; 16; 213	K
KTI3311414	; 16; 213	K
KTI3311614	; 16; 213	K
KTI3311814	; 16; 213	K
KTI3312014	; 16; 213	K
KTI3312214	; 16; 213	K
KTI3312414	; 16; 213	K
KTI3312614	; 10; 213	K
KTI3312814 KTI3313014	, 10, 213 · 16· 212	K
KTI3313014	, 10, 413 · 16· 213	K
KTI3313414	, 10, 213 · 16· 213	K
KTI3313614	: 16: 213	K

KTI33136.....14; 16; 213

Part # Page#
KTI3313814; 16; 213
KTl3314014; 16; 213
KTI3314214; 16; 213
KTI3314414; 16; 213
KTI3314614; 16; 213
KTI3314814; 16; 213
KTI3320015
KTI3320215
KTI3320415
KTI3321215; 16; 213
KTI3321415; 16; 213
KTI3321615; 16; 213
KTI3321815; 16; 213
KTI3322015; 16; 213
KTI3322215; 16; 213
KTI3322415; 16; 213
KTI3322615; 16; 213
KTI3322815; 16; 213
KTI3323015; 16; 213
KTI3323215; 16; 213
KTI3323415; 16; 213
KTI3323615; 16; 213
KTI3323815; 16; 213
KTI3324015; 16; 213
KTI3324215; 16; 213
KTI3324415; 16; 213
KTI3324615; 16; 213
KTI3324815; 16; 213
KTI33300150
KTI33317150; 219
KTI33319150; 219
KTI33321150; 219
KTI33326150; 219
KTI33328150; 219
KTI33332150; 219
KTI33334150; 219
KTI33350150
KTI33351150; 219
KTI33352150; 219
KTI33353150; 219
KTI33354150; 219
KTI33355150; 219
KTI33356150; 219
KTI33357150; 219
KTI3350016
KTI3351616
KTI3351816
KTI3352016
KTI3352216
KTI3352416
KTI3352616
KTI3352816
KTI3379A65
KTI3401624; 213
KTI34026149; 214
KTI34027149; 214
KTI3403224; 214
KTI3405024; 214
KTI3410018
KTI3410118
KTI3413218; 19; 214
KTI3413418; 19; 214
KTI3413618; 19; 214
KTI3414018; 19; 214
KTI3414218; 19; 214
KTI3414418; 19; 214

Part #	F	Page#
KTI34146		18; 19; 214
KTI34148		
KTI34150		
KTI34152		
KTI34154		
KTI34156 KTI34158		18; 19; 214
KTI34160		
KTI34162		
KTI34164		
KTI34166		
KTI34168		18; 19; 214
KTI34172		
KTI34176		
KTI34200		
KTI34201		18
KTI34232		
KTI34234		
KTI34236		
KTI34240 KTI34242		
KTI34242		
KTI34246		
KTI34248		
KTI34250		
KTI34252		
KTI34254		
KTI34256		
KTI34258		
KTI34260		18; 19; 214
KTI34262		
KTI34264		18; 19; 214
KTI35001		
KTI35002		
KTI35003 KTI35004		
KTI35004 KTI35005		140· 218
KTI35005		19; 24; 218
KTI35013		19; 24; 218
KTI35024		24; 214; 218
KTI35026		149: 214: 218
KTI35027		149: 214: 218
KTI35028		
KTI35100		
KTI35113		
KTI35124		19; 218
KTI35126		
KTI35128		
KTI35130		
KTI35132 KTI35134		19, 210
KTI35134		
KTI35138		
KTI35140		
KTI35142		19; 218
KTI35146		19; 218
KTI35148		19; 218
KTI35152		19; 218
KTI35154		
KTI35158		
KTI35160		
KTI35164		19; 218
KTI35166		
KTI35172 KTI35178		13, 410 10: 212
KTI35176		

KTI35184.....19; 218

3
KTI3519619; 218
KTl35233149; 214; 218
KTI3523419; 218
KTI35235149; 218
KTI3523619; 218
KTI35238149; 218
KTI3524019; 218
KTI35241149; 218
KTI3524219; 218
KTI3704211
KTI3710011
KTI3710811; 12; 213
KTI3710911; 12; 213
KTI3711011; 12; 213
KTI3711111; 12; 213
KTI3711211, 12, 213
KTI3711311; 12; 213
KTI3711411; 12; 213
KTI3711511; 12; 213
KTI3711611; 12; 213
KTI3711711; 12; 213
KTI3711811; 12; 213
KTI3711911; 12; 213
KTI3720011
KTI3720811; 12; 213
KTI3720911; 12; 213
KTI3721011; 12; 213
KTI3721111; 12; 213
KTI3721211; 12; 213
KTI3721311; 12; 213
KTI3721411; 12; 213
KTI3721511; 12; 213
KTI3721611; 12; 213
KTI3721711: 12: 213
KTI3721811; 12; 213
KTI3721911; 12; 213
KTI3740012
KTI3741012
KTI3741112
KTI3741212
KTI3741312
KTI3741412
KTI3741512 KTI3741612
KTI3741012 KTI3741712
KTI3741812
KTI3741912
KTI3750012
KTI3751012
KTI3751112
KTI37512 12
KTI3751212
KTI3751212 KTI3751312
KTI3751212 KTI3751312 KTI3751412
KTI3751212 KTI3751312
KTI3751212 KTI3751312 KTI3751412 KTI3751512 KTI3805016; 213
KTI3751212 KTI3751312 KTI3751412 KTI3751512
KTI3751212 KTI3751312 KTI3751412 KTI3751512 KTI3805016; 213 KTI3810015 KTI3810115
KTI3751212 KTI3751312 KTI3751412 KTI3751512 KTI3805016; 213 KTI3810015 KTI3810115 KTI3811015; 16; 213
KTI3751212 KTI3751312 KTI3751412 KTI37515
KTI37512

	-1-71		
Part # Page#	Part # Page#	Part # Page#	Part # Page#
KTI3811915; 16; 213	KTI3913518; 19	KTI4133238; 201	KTI4182838; 202
KTl3812015; 16; 213	KTl3913618; 19	KTI4133438; 201	KTI4182938; 202
KTl3812115; 16; 213	KTI3913818; 19	KTI4133638; 201	KTI4183038; 202
KTI3812215; 16; 213	KTl3914018; 19	KTI4133838	KTI4183138; 202
KTI3812315; 16; 213	KTl3914618; 19	KTI4134038; 201	KTI4183238; 202
KTI3812415; 16; 213	KTI39233149	KTI4134238; 201	KTI4183338; 202
KTI3812515; 16; 213	KTI4100437	KTI4134438; 201	KTI4183438; 202
KTI3812615; 16; 213	KTI4100637	KTI4134638; 201	KTI4183538; 202
KTI3812715; 16; 213	KTI4101136	KTI4134838; 201	KTI4183638; 202
KTI3812815; 16; 213	KTI4101336	KTI4135038	KTI4703036
KTI3812915; 16; 213	KTI4101437	KTI4135238	KTI4231836
KTI3813015; 16; 213	KTI4101437	KTI4137238	KTI4237036
KTI3813215; 16; 213	KTI4110838; 210	KTI4141238; 201	KTI4234836
KTI3813315; 16; 213	KTI4111038; 201; 210	KTI4141438; 201	KTI4281836
KTI3813415; 16; 213	KTI4111238; 201; 210	KTI4141638; 201	KTI4281044
KTI3813515; 16; 213	KTI4111438; 201; 210	1	KTI4310044
	KTI4111638; 201; 210	KTI4141838; 201 KTI4142038; 201	KTI4311244
KTl3813615; 16; 213 KTl3820015	KTI4111838; 201; 210	KTI4142238; 201	KTI4311044
	KTI4117838; 201; 210		
KTI3820115	KTI4112038; 201; 210	KTI4142438; 201	KTI4312444
KTl3820215 KTl3821015; 16; 213		KTI4151336 KTI4160735; 202	KTI4350044
	KTI4112438; 201; 210		KTI4351044
KTI3821115; 16; 213	KTI4112638; 201; 210	KTI4160835; 202; 210	KTI4351344
KTI3821215; 16; 213	KTI4112838; 201; 210	KTI4160935; 202; 210	KTI4351544
KTI3821315; 16; 213	KTI4113038; 201; 210	KTI4161035; 202; 210	KTI4351844
KTI3821415; 16; 213	KTI4113238; 201; 210	KTI4161135; 202; 210	KTI4351944
KTI3821515; 16; 213	KTI4113438; 201; 210	KTI4161235; 202; 210	KTI4400339
KTI3821615; 16; 213	KTI4113638; 201; 210	KTI4161335; 202; 210	KTI4441239; 201; 210
KTI3821715; 16; 213	KTI4114038; 201	KTI4161435; 202; 210	KTI4441639; 201; 210
KTI3821815; 16; 213	KTI4114237; 201	KTI4161535; 202; 210	KTI4442039; 201; 210
KTI3821915; 16; 213	KTI4114437; 203	KTI4161635; 202; 210	KTI4450039
KTI3822015; 16; 213	KTI4114637; 203	KTI4161735; 202; 210	KTI4491039; 202
KTI3822115; 16; 213	KTI4114837; 203	KTI4161835; 202; 210	KTI4491339; 202
KTI3822215; 16; 213	KTI4115237; 203	KTI4161935; 202; 210	KTI4491739; 202
KTI3822315; 16; 213	KTI4115637; 203	KTI4170036	KTI4520843
KTI3822415; 16; 213	KTI4115837	KTI4170838; 202	KTI4521243
KTI3822515; 16; 213	KTI4116037; 203	KTI4171038; 202	KTI4521643
KTI3822615; 16; 213	KTI4116437; 203	KTI4171238; 202	KTI4522043
KTI3822715; 16; 213	KTI4116837; 203	KTI4171338; 202	KTI4531842
KTl3822815; 16; 213	KTI4117237; 203	KTI4171438; 202	KTI4540042
KTI3822915; 16; 213	KTI4117637; 203	KTI4171538; 202	KTI4541042
KTl3823015; 16; 213	KTI4118037; 203	KTI4171738; 202	KTI4541242
KTl3823215; 16; 213	KTI4120035	KTI4171838; 202	KTI4541442
KTl3823315; 16; 213	KTI4121238; 201	KTI4180030; 35; 222	KTI4541642
KTI3823415; 16; 213	KTI4121438; 201	KTI4180136	KTI4541842
KTI3823515; 16; 213	KTI4121638; 201	KTI4180235	KTI4542042
KTI3823615; 16; 213	KTI4121838; 201	KTI4180738; 202	KTI4542442
KTI3850016	KTI4122038; 201	KTI4180838; 202	KTI4550042
KTI3851316	KTI4122238; 201	KTI4180938; 202	KTI4550842
KTI3851416	KTI4122438; 201	KTI4181038; 202	KTI4551042
KTI3851516	KTI4130030; 34; 222	KTI4181138; 202	KTI4551242
KTI3851716	KTI4130135	KTI4181238; 202	KTI4551342
KTI3851816	KTI4130434	KTI4181338; 202	KTI4551442
KTI3851916	KTI4130535	KTI4181438; 202	KTI4551542
KTI3900118	KTI4130838; 201	KTI4181538; 202	KTI4551842
KTI3900318	KTI4131038; 201	KTI4181638; 202	KTI4560042
KTI3910018	KTI4131138; 201	KTI4181738; 202	KTI4560142
KTI3911718; 19	KTI4131238; 201	KTI4181838; 202	KTI4560242
KTI3911918; 19	KTI4131438; 201	KTI4181938; 202	KTI4560843; 215
KTl3912018; 19	KTI4131638; 201	KTI4182038; 202	KTI4560943; 215
KTl3912218; 19	KTI4131838; 201	KTI4182138; 202	KTI4561043; 215
KTI3912418; 19	KTI4132038; 201	KTI4182238; 202	KTI4561143; 215
KTI3912718; 19	KTI4132238; 201	KTI4182338; 202	KTI4561243; 215
KTI3913018; 19	KTI4132438; 201	KTI4182438; 202	KTI4561343; 215
KTI3913118; 19	KTI4132638; 201	KTI4182538; 202	KTI4561443; 215
KTI3913218; 19	KTI4132838; 201	KTI4182638; 202	KTI4561543; 215
KTI3913418; 19	KTI4133038; 201	KTI4182738; 202	KTI4561643; 215



Part # Page#	Part # Page#	Part # Page#	Part # Page#
KTI4561743; 215	KTI5200952	KTI62110105	KTI7002133
KTI4561843; 215	KTI5210752; 204	KTI62114105	KTI7002233
KTI4561943; 215	KTI5300449; 204	KTI62115106	KTI7002333; 205
KTI4562043; 215	KTI5300649; 204	KTI62116105	KTI7002433; 205
KTI4562143; 215	KTI53006T49	KTI6309898	KTI7002533; 205
KTI4562243; 215	KTI5300849; 204	KTI6309998	KTI7002633; 205
KTI4562443; 215	KTI5400649; 204	KTI6310098	KTI7002733
KTI4590043	KTI5401049; 204	KTI6310199	KTI7002833; 205
KTI4590143	KTI5401249; 204	KTI6310398	KTI7002933; 205
KTI4590243	KTI5405052	KTI6310599	KTI70031192
KTI4590843; 215	KTI5405550	KTI6313198	KTI70032192
KTI4591043; 215	KTI5500151	KTI6313399	KTI70033192
KTI4591243; 215	KTI5501251	KTI63134102	KTI70034192
KTI4591443; 215	KTI5503451	KTI63136102	KTI70035192
KTI4591643; 215	KTI5511251; 206	KTI6315599	KTI70036192
KTI4591843; 215	KTI5512051; 206	KTI6318699	KTI70037193
KTI4592043; 215	KTI5512151; 206	KTI63194100	KTI70037-10193; 223
KTI4592243; 215	KTI5512251; 206	KTI63194COMB0100	KTI70038193
KTI4592443; 215	KTI5512351; 206	KTI63198100	KTI70038-10193; 223
KTI4592643; 215	KTI5513051; 206	KTI6320197	KTI7004072; 211
KTI4592843; 215	KTI5513151; 206	KTI6320797	KTI7004572
KTI4593043; 215	KTI5513251; 206	KTI6321397	KTI70048113; 217
KTI4593243; 215	KTI5513351; 206	KTI6321497	KTI70050114
KTI4800440; 204	KTI5514051; 206	KTI6322197	KTI70052113; 217
KTI48004T40	KTI5514151; 206	KTI6322497	KTI70054114; 217
KTI4800640; 204	KTI5514251; 206	KTI6322898	KTI70056114; 217
KTI4800840; 204	KTI5514351; 206	KTI6323097	KTI70057114; 217
KTI48008T40	KTI5591251	KTI6325097	KTI70058114; 217
KTI4801040; 204	KTI5593451	KTI63414106	KTI70060141
KTI4801240; 204	KTI5620151; 188; 216	KTI63421106	KTI70060-1141
KTI48012BTW40	KTI5620251; 188; 216	KTI63427106	KTI70061141
KTI48012T40	KTI5620352; 188; 216	KTI63500101	KTI70062141 KTI70063141
KTI4801540; 204 KTI4801840; 204	KTI5620452; 216 KTI5620552; 188; 216	KTI63502101 KTI63505101	KTI70064141
KTI48018T40, 204 KTI48018T40	KTI5620751; 188; 216	KTI63505101 KTI63515102	KTI70064141
KTI4900040	KTI5620851; 216	KTI63517102	KTI70066141
KTI4900840; 216	KTI5620952	KTI63611108	KTI70067141
KTI4901040; 216	KTI5712474	KTI63619108	KTI70068141
KTI4901240; 216	KTI5713074	KTI63703107	KTI70069141
KTI4901440; 216	KTI5713674	KTI63709107	KTI7007031; 211
KTI4901840; 216	KTI5722474	KTI63716107	KTI7007131
KTI4902440; 216	KTI5723674	KTI63800110	KTI7007231
KTI4903640	KTI5731874	KTI63820110	KTI7007331
KTI4911240; 216	KTI5732452; 74	KTI64001126	KTI7007431
KTI4911440; 216	KTI5733074	KTI64005126	KTI7007531; 211
KTI4911840; 216	KTI5733674	KTI64006126	KTI7007631
KTI4912440; 216	KTI5741474	KTI64008126	KTI7007731
KTI4913640	KTI5742474	KTI64105126	KTI7007831
KTI4930940	KTI5743674	KTI64106126	KTI7007931
KTI4931540	KTI5751474	KTI64108126	KTI70080141
KTI4940046	KTI5870550; 204	KTI7000234; 207	KTI70081141
KTI4940546	KTI5870750; 204	KTI7000432	KTI70082141
KTI50201192	KTI5871050; 204	KTI7000532	KTI70085141
KTI5100650; 204	KTI5871750; 204	KTI7000632; 33	KTI70099170
KTI51006T50	KTI5880950; 204	KTI7000732; 33	KTI70131142
KTI5100750; 204	KTI5881150; 204	KTI7000832; 33	KTI70132142
KTI5100850; 204 KTI5110349	KTI5900053 KTI60060108	KTI7000932; 33 KTI7001076	KTI70163142 KTI70182126
KTI5110349 KTI5111149; 204	KTI61002104	KTI7001076	KTI70183126
The state of the s	KTI61002104 KTI61076104	K17001377 KTI7001432; 33	KTI70184126
KTI5120650 KTI5121149; 204	KTI61076104	KTI7001432, 33	KTI70186126
KTI5121149, 204 KTI5131149; 204	KTI61202103	KTI7001673	KTI70188126
KTI5200652; 204	KTI61205103	KTI7001732; 33	KTI70210135
KTI52006T52	KTI61211103	KTI7001832; 33	KTI70211135
KTI5200752; 204	KTI61222103	KTI7001933	KTI70212135
KTI52007T52	KTI62108105	KTI7002033; 205	KTI70215135
	1	1	1

Part # Page#	Part # Page#	Part # Page#	Part # Page#
KTI70216135	KTI70750177	KTI7175147; 205	KTI7204792
KTI70220138	KTI70816143	KTI7177147	KTI7204890; 92
KTI70300154	KTI70900169	KTI7178247	KTI7204990
KTI70301162; 212	KTI70901169	KTI7178347	KTI7205090
KTI70302162; 212	KTI70903169	KTI71910149	KTI72079125
KTI70303162; 212	KTI70904169	KTI71920149	KTI72080125
KTI70304162; 212	KTI70905169	KTI71921149	KTI72081125
KTI70305162; 212	KTI70909169	KTI71922149	KTI72082125
KTI70306162; 212	KTI70910170	KTI71923149	KTI72083125
KTI70311163; 208	KTI70915170	KTI71924149	KTI72084125
KTI70312163; 208	KTI70920170	KTI71925149	KTI72085125
KTI70313163; 208	KTI70921170	KTI71926149	KTI7210045
KTI70321163; 208	KTI70922170	KTI71927149	KTI7210145
KTI70322163; 208	KTI70999170	KTI71930148	KTI7210245
KTI70323163; 208	KTI7100094	KTI71931148	KTI7211745
KTI70330154; 208	KTI7100194	KTI71932148	KTI72118A45
KTI70343157	KTI7100294	KTI71933148	KTI72120A45
KTI70344161; 208	KTI7100394	KTI71934148	KTI72121A45
KTI70348154; 212	KTI7100593; 222	KTI71940148	KTI72125A45
KTI70350154	KTI7101089	KTI71980148	KTI72126A45
KTI70355161	KTI7101189	KTI71981116	KTI7213046
KTI70356157	KTI7101189	KTI71982116	KTI7213046
KTI70360157	KTI7101389	KTI71989115	KTI7213246
			KTI7213346
KTI70365154; 208	KTI7101589 KTI7101689	KTI71990A115	
KTI70370156		KTI71991115	KTI7213546
KTI70371156	KTI7102594 KTI71100164	KTI71992116	KTI7213846; 219 KTI7214045
KTI70372154		KTI71993116	
KTI70375156	KTI71103164	KTI71996116	KTI7214145
KTI70380161	KTI71105164	KTI71997116	KTI7214245
KTI70382157	KTI71106164	KTI71999115	KTI7214345
KTI70383157; 208; 212	KTI71108164	KTI7200093	KTI7214545
KTI70384157; 208; 212	KTI7120071	KTI7200190	KTI7214946
KTI70390156	KTI7123372	KTI7200290	KTI7217545
KTI70390KIT157	KTI7123572	KTI7200390	KTI72176A45
KTI70391157	KTI7123672	KTI7200490	KTI7218030
KTI70392157	KTI7123772	KTI7200590	KTI7219046
KTI70393157	KTI7130077	KTI7200690	KTI72200129
KTI70394157	KTI7130177	KTI7200793	KTI72205129
KTI70395156	KTI7130377	KTI7200893	KTI72210129
KTI70396156	KTI7130677	KTI7200993	KTI72215129
KTI70397157	KTI7140027; 211	KTI7201090	KTI72250129
KTI70440114; 217	KTI7142027; 211	KTI7201190	KTI72261143
KTI70450114	KTI7142527	KTI7201290	KTI7231073; 168
KTI70461114	KTI7147527; 211	KTI7201390	KTI7232073; 168
KTI70500155	KTI7148027; 211	KTI7201490	KTI7233073; 168
KTI70510156	KTI71501155	KTI7201590	KTI7234073; 168
KTI70540192	KTI71502155	KTI7201690	KTI7234573; 168
KTI70541192	KTI71519155	KTI7201792	KTI7235573; 168
KTI70545192	KTI71550155	KTI7201892	KTI72355-173; 168
KTI7054673; 192	KTI71555155	KTI7201992	KTI7238052; 76
KTI70550193	KTI71556155	KTI7202092	KTI7245057
KTI70551193	KTI7160032	KTI7202192	KTI7245157
KTI70600164	KTI7160632	KTI7202292	KTI7246057
KTI70715168	KTI7161232	KTI7202392	KTI7246557
KTI70720164	KTI7161632	KTI7202590	KTI7247058
KTI70721164	KTI7162032	KTI7203590	KTI7247158
KTI70722164	KTI7170047; 205	KTI7203690	KTI7247258
KTI70723164	KTI7170447; 205	KTI7203790	KTI7247358
KTI70724164	KTI7170847; 205	KTI7203890	KTI7247558
KTI70725164	KTI7171447; 205	KTI7203992	KTI7247658
KTI70726164	KTI7171547; 205	KTI7204192	KTI7247758
KTI70727164	KTI7171647; 205	KTI7204292	KTI7247858
KTI70728164	KTI7172447; 205	KTI7204392	KTI7250534; 205
KTI70730164	KTI7172547; 205	KTI7204493	KTI7251234; 205
KTI70731164	KTI7173247; 205	KTI7204593	KTI7251434; 205
KTI70732164	KTI7173347; 205	KTI7204694	KTI7252334; 205



Part # Page#	Part # Page#	Part # Page#	Part # Page#
KTI7254334; 205	KTI7333067	KTI73623159	KTI7410777
KTI7255334; 205	KTI7333368	KTI73624159	KTI7410877
KTI7260653	KTI7333567; 68	KTI73625159	KTI74308138
KTI7260853	KTI7334069	KTI73626159	KTI74500136
KTI7261053	KTI7334168	KTI73627159	KTI74505136
KTI7261253	KTI7334269	KTI73628159	KTI74510136
KTI7261653	KTI7334369	KTI73630159; 211	KTI74521137
KTI7262553	KTI7334569	KTI73635158; 211	KTI74523137
KTI7264453	KTI7334669	KTI73701177	KTI74524137
KTI72765189	KTI7334869	KTI73701-50177	KTI74530137
KTI72703189	KTI7334967	KTI73701-30177 KTI73730158; 211	KTI74535138
KTI72771189	KTI7335064	KTI73730138, 211	KTI74536138
KTI72771189	KTI7335164	VTI72001 110, 207	KTI74537138
		KTI73801110; 207	KTI74538138
KTI72781189	KTI7335564	KTI73802110; 207	
KTI72782189	KTI7335665	KTI73803110; 207	KTI74601-1131
KTI72790189	KTI7335765	KTI73810110	KTI74601-12131
KTI72791189	KTI7335864	KTI73811110	KTI74602-1131
KTI72792189	KTI7335964	KTI73812110	KTI74602-12131
KTI7280176	KTI7336064	KTI73813110	KTI74603131
KTI7280276	KTI7336264	KTI73814110	KTI74604131
KTI7290033; 207	KTI7336367	KTI73818111	KTI74605130
KTI7290133; 207	KTI7337066	KTI73819111	KTI74606130
KTI72901K33	KTI7337168	KTI73822111	KTI74607130
KTI7291133; 34; 207	KTI7337266	KTI73823111	KTI74608130
KTI7291233; 34; 207	KTI7337363	KTI73824111	KTI74609130
KTI7291333; 34; 207	KTI7337463	KTI73825111	KTI74610130
KTI7291433; 34; 207	KTI7337566	KTI73830111	KTI74611130
KTI7291533; 34; 207	KTI73379217	KTI73831111	KTI74612130
KTI7291633; 34; 207	KTI7338069	KTI73832111	KTI74613130
KTI7292133; 34; 207	KTI7338169	KTI73833111	KTI74630131
KTI7292233; 34; 207	KTI7338662	KTI73834111	KTI74640130
KTI7292333; 34; 207	KTI7338761; 217	KTI73849111	KTI74641130
KTI7292433; 34; 207	KTI7338862; 217	KTI73850111	KTI74645131
KTI7292533; 34; 207	KTI7338961; 217	KTI73851111	KTI74647131
KTI7293133; 34; 207	KTI73394217	KTI73861112; 207	KTI74650131
KTI7293233; 34; 207	KTI7339662; 217	KTI73862112; 207	KTI74651131
KTI7298033	KTI7339765	KTI73864112; 207	KTI74652131
KTI7298233; 34; 207	KTI73398217	KTI73870112; 207	KTI74951109
KTI7298433; 34; 207	KTI73398A62	KTI73871112; 207	KTI74956109
KTI7298633; 34; 207	KTI7339961; 217	KTI73873112; 207	KTI74957109
KTI7298833; 34; 207	KTI7340076	KTI73900128	KTI74958109
KTI7300034; 207	KTI73510127	KTI73901131	KTI74959109
KTI7301233; 34; 207	KTI73550127	KTI73902131	KTI74961109
KTI7301633; 34; 207	KTI73560127	KTI73903129; 219	KTI74971109
KTI7302033; 34; 207	KTI73600158; 211	KTI73905128	KTI74981109
KTI7302434; 207	KTI73601158; 211	KTI73910128; 223	KTI7510555
KTI7302834; 207	KTI73602158; 211	KTI73912129; 219	KTI7514056
KTI7310272	KTI73603158; 211	KTI73918129; 219	KTI7514156
KTI7310372	KTI73605158; 211	KTI73919128; 219	KTI7514256
KTI7310473	KTI73606158; 211	KTI73930128; 219	KTI7514256
KTI7310473 KTI73104-173		KTI73933128; 219	KTI7514556
	KTI73607159		KTI7514655
KTI7310573 KTI7311072	KTI73608159	KTI73942128; 219	
	KTI73609159	KTI73952129; 219	KTI75201177
KTI7315072	KTI73610159	KTI73952-54129; 223	KTI75202177
KTI7315572	KTI73611159	KTI73957129; 219	KTI75300172
KTI73201109	KTI73612159	KTI73959128; 219	KTI75305171
KTI73202109	KTI73613159	KTI73962128	KTI75306172
KTI7330364	KTI73613N159	KTI73993129	KTI75310171
KTI7330464	KTI73614159	KTI7400577	KTI75311171
KTI7330565	KTI73615159	KTI7401077	KTI75312171
KTI7330665	KTI73616159	KTI7401577	KTI75320164
KTI7330768	KTI73617159	KTI7402077	KTI75321164
KTI7331165	KTI73618159; 211	KTI7402577	KTI75322164
KTI7331265	KTI73619159; 211	KTI7403077	KTI75323164
KTI7331567	KTI73620158; 211	KTI7410377	KTI75324164
KTI7331867	KTI73621158; 211	KTI7410677	KTI76000113; 203

Part # Page#

KTI76004.....113 KTI76040.....112; 203 KTI76070.....112; 203 KTI76110.....112; 203 KTI76140.....112; 203 KTI76145.....112; 203 KTI76180.....112 KTI76240.....112 KTI76360.....112 KTI77070.....112; 203 KTI77140.....112; 203 KTI78004.....113 KTI78040.....112; 203; 219 KTI78070.....112; 203 KTI78110.....112; 203 KTI78140.....112; 203 KTI78145.....112; 203 KTI78180.....112 KTI78240.....112 KTI78360.....112 KTI79100.....192 KTI79110.....192 KTI79200.....77 KTI79201.....77 KTI79205.....77 KTI79210.....77 KTI79215.....77 KTI79216.....77 KTI79217.....77 KTI79220.....77 KTI79225.....77 KTI79800.....63 KTI79801.....63 KTI80955.....191 KTI80989.....191 KTI80995.....191 KTI80996.....191 KTI80998.....191 KTI81380.....95 KTI81550.....80 KTI81560.....80 KTI81565.....80 KTI81622.....80 KTI81631A.....80 KTI81632A.....80 KTI81772A.....81 KTI81774.....81 KTI81775.....81 KTI81795.....81 KTI81797A.....81 KTI81798A.....81

KTI81900......83; 208

Part # Page#

KTI81956	.83: 208
KTI81958	
KTI81959	
KTI81968	
KTI81972	
KTI81973	
KTI81974	
KTI81975	
KTI81976	
KTI81977	
KTI81979	
KTI81982	.83; 208
KTI81986	
KTI81995	
KTI81996	.83; 155; 208
KTI81997	
KTI82500A	
KTI82503A	.79
KTI82504	
KTI83090	.83
KTI83091	.83; 208
KTI83092	
KTI83093	
KTI83275	
KTI83277	
KTI83280	
KTI84218	
KTI84228	
KTI84229	
KTI85004	
KTI85005	
KTI85006	
KTI85007	
KTI85008	
KTI85265	
KTI85695	
KTI85696	
KTI85697	
KTI85746	
KTI85800	
KTI85807	
KTI85811	
KTI85846	
KTI87125	
KTI87126	
KTI87128	
KTI87130	
KTI87132	
KTI87135	
KTI87140	
KTI87141	.77

KTI88255.....88

Part # Page#

KTI89001	1/18
KTI89002	
KTI89003	
KTI89110	
KTI89115	
KTI89191	191
KTI89193	191
KTI89194	191
KTI89195	
KTI89218	
KTI89220	
KTI89257	
KTI89275	
KTI89276	
KTI90002	
KTI90002C	127
KTI90003	127; 223
KTI90003C	
KTI90005	
KTIH00K11	
111110011111111111	201; 202; 203;
	209; 210; 211;
	, , ,
IZTILIOOKO	215; 220
KTIH00K2	
	198; 199; 200;
	201; 202; 203;
	204; 205; 206;
	207; 208; 209;
	210; 211; 212;
	213; 215; 216;
	217; 218; 219; 220
KTIHOOK3	195; 196; 217; 220
KTIH00K7	
KTIHOOK8	
KIIIIOOKO	218: 220
I/TIOI OOOF	-, -
KTIOL0805	
KTI0L0806	
KTI0L0807	
KTI0L0808	
KTI0L0809	199
KTI0L0810	200
KTI0L0811	200
KTI0L0812	201
KTI0L0813	202
KTI0L0814	
KTI0L0815	
KTI0L0816	
KTIOL0817	
KTIOL0817	
KTIOL0820	
KTI0L0821	ZUb

Part # Page#

•
KTI0L0831207
KTIOL0832208
KTIOL0833208
KTIOL0834209
KTI0L0835210
KTIOL0836211
KTIOL0837211
KTIOL0838212
KTIOL0839213
KTIOL0840214
KTI0L0842215
KTI0L0843220
KTI0L0844216
KTI0L0845216
KTI0L0846217
KTI0L0847217
KTI0L0848218
KTI0L0849218
KTI0L0850199
KTI0L0852219
KTI0L0881219
KTIOLF04333195; 196; 197;
198; 199; 200;
201; 202; 203;
204; 205; 206;
207; 208; 209;
210; 211; 212;
213; 214; 215;
216; 217; 218;
219; 220
KTIPREPACKQ130; 222
MCP7240058
MCP7240158
MCP7240258
MCP7240358
MCP7240458
MCP7240558
MCP7242159
MCP7242259
MCP7242359
MCP7242459
MCP7242559
MCP7242659
MCP7244159
MCP7244259
MCP7244359
MCP7245359
MCP7245559
MCP7246059
MCP7246059



KTI0L0822.....207

HEAVYWEIGHT QUALITY. KNOCKOUT PRICE.





DESCRIPTIVE INDEX

1/2in. Drive Chrome Reducers	
1/2in. Drive Chrome Socket Accessories	22
1/2in. Drive Chrome Sockets	13-14
1/2in. Drive Chrome U-Joints	22
1/2in. Drive Extensions, Impact	23
1/2in. Drive Flex Handles	22
1/2in. Drive Heating Element Socket, Chrome	22
1/2in. Drive Impact Socket Accessories	23
1/2in. Drive Impact Sockets	14-16
1/2in. Drive Impact U-Joints	
1/2in. Drive Ratchets, Chrome	22
1/2in. Drive Reducers, Impact	23
1/2in. Drive Sockets, External Torx	25
1/2in. Drive Sockets, Internal Torx	25
1/4in. Drive Chrome Socket Accessories	
1/4in. Drive Chrome Sockets	5-6
1/4in. Drive Chrome U-Joints	
1/4in. Drive Flex Handles	
1/4in. Drive Ratchets, Chrome	
1/4in. Drive Sockets, External Torq	
1/4in. Drive Sockets, External Torx	
1/4in. Drive Sockets, Internal Torq	
1/4in. Drive Sockets, Internal Torx	
1/4in. Drive Sockets, Tamper-proof Torx	
1in. Drive Extensions, Impact	
1in. Drive Impact Socket Accessories	
1in. Drive Impact Sockets	
3/4in. Drive Breaker Bar, Chrome	
3/4in. Drive Chrome Socket Accessories	
3/4in. Drive Chrome Sockets	
3/4in. Drive Chrome U-Joints	
3/4in. Drive Impact Socket Accessories	
3/4in. Drive Impact II. Jointo	
3/4in. Drive Impact U-Joints	
3/4in. Drive Ratchets, Chrome	
3/4in. Drive Reducers, Impact	
3/8in. Drive Chrome Socket Accessories	
3/8in. Drive Chrome Sockets	
3/8in. Drive Chrome U-Joints	
3/8in. Drive Extensions, Impact	
3/8in. Drive Flex Handles	
3/8in. Drive Impact Socket Accessories	
3/8in. Drive Impact Sockets	
3/8in. Drive Impact U-Joints	
3/8in. Drive Ratchets, Chrome	
3/8in. Drive Sockets, Brake Caliper	
3/8in. Drive Sockets, External Torq	
3/8in. Drive Sockets, External Torx	
3/8in. Drive Sockets, Hex Bit	24
3/8in. Drive Sockets, Internal Torq	
3/8in. Drive Sockets, Internal Torx	25
3/8in. Drive Sockets, Tamper-proof Torx	26
3/8in. Drive Sockets, Torq	
3/8in. Drive Sockets, Torq Bit	25
3/8in. Drive Speed Handle	21
Λ/C Ω-Rings	165

Accessories, Air Tools	.83
Accessories, Battery Terminal	.139
Accessories, Chrome Socket	.20-23
Accessories, Impact Socket	.23-24
Accessories, Spray Guns	
Accessories, Wall Displays	
Accutorq Displays	
AccuTorq Sockets	
Adapter, 1/2in. Drive Chrome Socket	
Adapter, 1/2in. Drive Impact Socket	
Adapter, 1/4in. Drive Chrome Socket	
Adapter, 1in. Drive Impact Socket	
Adapter, 3/4in. Drive Chrome Socket	
Adapter, 3/4in. Drive Impact Socket	
Adapter, 3/8in. Drive Chrome Socket	
Adapter, 3/8in. Drive Impact Socket	
Adapters, Brake Line	
Adapters, Fuel Sender	
Adapters, Fuel System	
Adapters, Master Cylinder	
Adapters, Spindle	
Adapters, Transmission Jack	
Adhesive Displays	.223
Adhesives	.127
Adjustable Pullers	.163
Adjustable Torque Wrenches	.45
Adjustable Wrenches	.40
Air Accessories	.83
Air Drills	.82
Air Hammers	.82
Air Hose Promo Pack	.93
Air Hoses	
Air Hydraulic Foot Pump	
Air Hydraulic Jacks	
Air Impact Wrenches	
Air Polisher Accessories	
Air Ratchets	
Air Regulators	
Air Sander Accessories	
Air Shear Cutter	
Air Specialty Tools	
Air Tools and Electric Tools	
Air Tools Ratchets	
Alligator Clips	
Aluminum Pipe Wrenches	
Aluminum Service Jacks	
Angle Grinder	
Angle Work Lights	
Antifreeze Drain Pan	
Antifreeze Testers	
Automotive Test and Bleed Kit	
Awls	
Axle Drain Pan	.130-13
Axle Jacks	
Ball Joint Separator	
Ball Joint Service Tools	.155

Ball Pien Hammers47
Barrel Pumps129
Battery Accessories139
Battery Bolts139
Battery Terminal Cleaner138
Battery Terminal Mounts139
Battery Testers135
Bearing Separator157
Belt Installation Tools164
Bench Grinder108
Bender, Tubing168
Bit Holder49
Bit Sets48
Blanket, Safety114
Blanket, Welding114
Blow Guns89
Body Clip Pliers192
Bolt Cutters52,74
Bolts, Battery139
Booster Cable Clamps138
Booster Cables
Bottle Jacks97-98
Brake Adapter Kit144
Brake Bleeder Screws143, 145
Brake Bleeding Kit143
Brake Caliper Hex Bit Sets142
Brake Caliper, Digital143
Brake Flaring Tools141
Brake Line Adapters147
Brake Line Fittings144-146
Brake Line Unions147
Brake Lines
Brake Piston Tool142
Brake Service Torq Sockets142
Brake Spring Tools142
Brake Tools142-147
Brass Hammers47
Breaker Bar, 3/4in. Drive Chrome23
Brushes77
Bucket Pump129
Budd Wheel Socket Set149
Bungee Cords111
Butane Fuel114
Butane Lighters113
Butt Connectors
Cable Cutters52
Cable Ties112-113
Cables, Booster
Car Dollies
Carbon Pile Load Testers
C-Clamps
Charging Post Extenders
Chart, Torque
Child Safety Blanket
Chisel Displays207
Chisel Sets33-34

DESCRIPTIVE INDEX

Chrome Extensions, 1/2in. Drive	.22
Chrome Extensions, 1/4in. Drive	.20
Chrome Extensions, 3/4in. Drive	
Chrome Extensions, 3/8in. Drive	
Chrome Extensions, Wobble	
Chrome Flex Handles	
Chrome Ratchets, 1/2in. Drive	
Chrome Ratchets, 1/4in. Drive	
Chrome Ratchets, 3/4in. Drive	
Chrome Ratchets, 3/8in. Drive	
Chrome Socket Accessories	
Chrome Socket Accessories, 1/2in. Drive	
Chrome Socket Accessories, 1/4in. Drive	
Chrome Socket Accessories, 3/4in. Drive	
Chrome Socket Accessories, 3/8in. Drive	.21
Chrome Socket Adapters 20, 21,	22, 23
Chrome Sockets 5-10, 1	13-14, 17
Chrome Sockets, 1/2in. Drive	.13-14
Chrome Sockets, 1/4in. Drive	.5-6
Chrome Sockets, 3/4in. Drive	
Chrome Sockets, 3/8in. Drive	
Chrome Spinner Handle	
Chrome T-Handles	
Chrome U-Joints	
Circuit Testers	
Clamp Displays	
Clamp, Welding	
Clamps	
Clamps, Booster Cable	
Clamps, Fuel Line	
Clamps, Line	.164
Claw Hammer	
Cleaner, Battery Terminal	.138
Cleaner, Glass1	25-126
Cleaner, Paint Spray Gun	.191
Clip Lifter	
Clip Lifter Displays	.223
Clips, Alligator	.139
Coil Spring Compressor	
Combi Wedge	
Combi Wedge Displays	
Compressor, Coil Spring	
Compressor, Strut Spring1	
Connectors, Butt	
Connectors, Fuel Line	
Connectors, Shrink Tube	
Copper Lug Terminals	
Copper Lugs	
Copper Washers	
Cords, Bungee	
Cords, Stretch	.111
Cotter Pins	.165
Counter Displays	.223
Couplers, Grease Guns	
Cover, Fender	
Crane, Engine	

Creepers	Seats	
	Terminal	
	, Wire	
	Tools	
	hes	
	iscs	
	ool	
	ose and Pipe	
	ubing	
	Threading and Abrasives	
_	Cutters	
	ers	
-	orque Wrenches	
	ke Piston Tool	
	ccessories	
	loards, Blank	
	lardware	
Display H	looks	.220
	helves	
Displays,	Accutorq	.219
Displays,	Adhesive	.223
Displays,	Chisels	.207
Displays,	Clamps	.204
Displays,	Clip Lifter	.223
Displays,	Combi Wedge	.223
	Counter	
	Drive Tools195, 19	
	Electrical Components	.215
	Files and Scrapers	
Displays,	Floor	
Displays,	Grease Guns	.222
Displays,		.222
Displays, Displays,	Grease Guns	.222 .223 .205
Displays, Displays, Displays,	Grease Guns	.222 .223 .205 .222
Displays, Displays, Displays, Displays, Displays,	Grease Guns	222 223 205 222 211 222
Displays, Displays, Displays, Displays, Displays,	Grease Guns	222 223 205 222 211 222
Displays, Displays, Displays, Displays, Displays, Displays,	Grease Guns	222 223 205 222 211 222 214, 218
Displays, Displays, Displays, Displays, Displays, Displays, Displays,	Grease Guns	.222 .223 .205 .222 .211 .222 .214, 218 .217
Displays, Displays, Displays, Displays, Displays, Displays, Displays,	Grease Guns	222 223 205 222 211 222 214, 218 217 219, 223
Displays, Displays, Displays, Displays, Displays, Displays, Displays, Displays, Displays, Displays,	Grease Guns	222 223 205 222 211 222 214, 218 217 219, 223 211 203
Displays, Displays, Displays, Displays, Displays, Displays, Displays, Displays, Displays, Displays, Displays,	Grease Guns	222 223 205 222 211 222 214, 218 217 219, 223 211 203 211
Displays, Displays, Displays, Displays, Displays, Displays, Displays, Displays, Displays, Displays, Displays, Displays,	Grease Guns	.222 .223 .205 .222 .211 .222 .214, 218 .217 .219, 223 .211 .203 .211 .29-210
Displays, Displays, Displays, Displays, Displays, Displays, Displays, Displays, Displays, Displays, Displays, Displays,	Grease Guns	.222 .223 .205 .222 .211 .222 .214, 218 .217 .219, 223 .211 .203 .211 .29-210
Displays,	Grease Guns	.222 .223 .205 .222 .211 .222 .214, 218 .217 .219, 223 .211 .203 .211 .203 .211 .208 .208, 212
Displays,	Grease Guns	.222 .223 .205 .222 .211 .222 .214, 218 .217 .219, 223 .211 .203 .211 .203 .211 .208 .208 .208, 212
Displays,	Grease Guns	222 223 205 222 211 222 214, 218 217 219, 223 211 203 211 209-210 208 208, 212 207 199
Displays,	Grease Guns	222 223 205 222 211 222 214, 218 217 219, 223 211 203 211 209-210 208 208, 212 207 199 212
Displays,	Grease Guns	222 223 205 222 211 222 214, 218 217 219, 223 211 203 211 209-210 208 208, 212 207 199 212
Displays,	Grease Guns	.222 .223 .205 .222 .211 .222 .214, 218 .217 .219, 223 .211 .203 .211 .208 .208, 212 .207 .199 .212 .198, 200, .12-214
Displays,	Grease Guns	.222 .223 .205 .222 .211 .222 .214, 218 .217 .219, 223 .211 .203 .211 .208 .208, 212 .207 .1199 .212 .2198, 200, .212 .214 .217
Displays,	Grease Guns	.222 .223 .205 .222 .211 .222 .214, 218 .217 .219, 223 .211 .203 .211 .209 .208 .208, 212 .207 .199 .212 .198, 200, 212-214 .217 .207
Displays,	Grease Guns	.222 .223 .205 .222 .211 .222 .214, 218 .217 .219, 223 .211 .203 .211 .208 .208, 212 .207 .199 .212 .2198, 200, 212 .217 .207 .195-219
Displays,	Grease Guns	.222 .223 .205 .222 .211 .222 .214, 218 .217 .219, 223 .211 .203 .211 .208 .208, 212 .207 .199 .212 .2198, 200, 212 .217 .207 .195-219

Displays, Wrenches	201-204, 209-
:	210, 215, 216
Dollies	110
Double Flaring Tools	141
Drain Pans	130-131
Drain Plug Gaskets	159
Drain Plugs	
Drill Bit Sets	
Drills, Air	
Drills, Hex Washer	
Drip Trays	
Drive Tools Displays1	
Drum Pump	
Duct Tape	
DVT Sensors	
Dyna Loom	
Dynamic Dual Valve Replacements	
E-Clips	
Electric Impact Wrench	
Electrical Component Displays	
Electrical Service	
Electrical Tape	
Emergency Safety Flare	63
Engine Crane	
Engine Mechanical	158-167
Engine Sling	106
Engine Stands	105
Engine Support Bars	105
Exhaust Grommet Pliers	50
Extension Cords	69
Extensions, 1/2in. Drive Chrome	22
Extensions, 1/2in. Drive Impact	
Extensions, 1/4in. Drive Chrome	
Extensions, 1in. Drive Impact	
Extensions, 3/4in. Drive Chrome	
Extensions, 3/8in. Drive Chrome	
Extensions, 3/8in. Drive Impact	
Extensions, Chrome	
Extensions, Torque	
Extensions, Wobble Chrome	
Extractor, Spark Plug	
Extractors	
Fender Covers	
File and Scraper Displays	
Files	
Filters, Spray Guns	
Fittings, Brake Line	
Fittings, Fuel Line	,
Fittings, Grease	
Flare Nut Wrenches	
Flaring Tools	141
Flex Handles, Chrome	20, 21, 22
Flex Retriever, Magnetic	169-170
Flexible Line Clamps	164
Floor Displays	222
Fluids and Grease	128-133



Faldina Kaissa	70
Folding Knives	
Fuel Filter Repair Lines	.174, 176
Fuel Line	.174
Fuel Line Clamps	.174
Fuel Line Connectors	171
Fuel Line Disconnect	
Fuel Line Disconnect Press	
Fuel Line Fittings	
Fuel Line Installer	
Fuel Line Quick Connects	.173
Fuel Line Retainer Clips	.173
Fuel Line Tools	
Fuel Sender Adapters	
Fuel System Adapters	
Fuel, Butane	
Funnels	
Fuse Holders	.177
Fuse Pullers	.177
Fuses	178-182
Fuses, Glass	.178. 181
Fuses, Glo	
•	,
Fuses, Jcase	
Fuses, Maxi	-
Fuses, Mini	
Gaskets, Drain Plug	.159
Gauges, Tire Inflator	.148
Glass Cleaner Tool	125-126
Glass Fuses	.178. 181
GlassMaster Kit	-
Glo Fuses	
Grease Fittings	
Grease Fittings, Hydraulic	
Grease Gun Displays	
Grease Gun Parts and Accessories	.128-129
Grease Guns	.128
Grinder, Angle	.95
Grinder, Bench	
Grommet Removal Tool, TPMS	
Grommets	
	166
Groove Joint Pliers	.49
Groove Joint Pliers	.49
	.49 .89
Guns, Blow	.49 .89 .76
Guns, Blow	.49 .89 .76 .66
Guns, Blow	.49 .89 .76 .66
Guns, Blow Hacksaws Halogen Work Lights Hammer Displays Hammers, Air.	.49 .89 .76 .66 .205
Guns, Blow Hacksaws Halogen Work Lights Hammer Displays Hammers, Air Hammers, Ball Pien	49 89 .76 .66 205 82 .47
Guns, Blow Hacksaws Halogen Work Lights Hammer Displays Hammers, Air Hammers, Ball Pien Hammers, Brass	49 89 76 66 205 82 47
Guns, Blow Hacksaws Halogen Work Lights Hammer Displays Hammers, Air Hammers, Ball Pien Hammers, Brass Hammers, Claw	49 89 76 66 205 82 47 47
Guns, Blow Hacksaws Halogen Work Lights Hammer Displays Hammers, Air Hammers, Ball Pien Hammers, Brass Hammers, Claw Hand Held Lights	49 89 76 66 205 82 47 47 47 6162
Guns, Blow Hacksaws Halogen Work Lights Hammer Displays Hammers, Air Hammers, Ball Pien Hammers, Brass Hammers, Claw	49 89 76 66 205 82 47 47 47 6162
Guns, Blow Hacksaws Halogen Work Lights Hammer Displays Hammers, Air Hammers, Ball Pien Hammers, Brass Hammers, Claw Hand Held Lights Hand Tool Displays Hand Tools	49 89 76 66 205 82 47 47 47 6162 222 4-53
Guns, Blow Hacksaws Halogen Work Lights Hammer Displays Hammers, Air Hammers, Ball Pien Hammers, Brass Hammers, Claw Hand Held Lights Hand Tool Displays Hand Tools	49 89 76 66 205 82 47 47 47 6162 222 4-53
Guns, Blow Hacksaws Halogen Work Lights Hammer Displays Hammers, Air. Hammers, Ball Pien Hammers, Brass Hammers, Claw Hand Held Lights Hand Tool Displays	49 89 76 66 205 82 47 47 47 6162 222 4-53 30
Guns, Blow Hacksaws Halogen Work Lights Hammer Displays Hammers, Air. Hammers, Ball Pien Hammers, Brass Hammers, Claw Hand Held Lights Hand Tool Displays Hand Tools Hand Tools Floor Display Harmonic Balance Installer	49 89 76 66 205 82 47 47 47 6162 222 4-53 30 157
Guns, Blow Hacksaws Halogen Work Lights Hammer Displays Hammers, Air. Hammers, Ball Pien Hammers, Brass Hammers, Claw Hand Held Lights Hand Tool Displays Hand Tools Hand Tools Floor Display. Harmonic Balance Installer Harmonic Balancer Puller.	49 89 76 66 205 82 47 47 47 6162 222 4-53 30 157 161
Guns, Blow Hacksaws Halogen Work Lights Hammer Displays Hammers, Air. Hammers, Ball Pien Hammers, Brass Hammers, Claw Hand Held Lights Hand Tool Displays Hand Tools Hand Tools Floor Display Harmonic Balance Installer	49 89 76 66 205 82 47 47 6162 222 4-53 30 157 161 62

Heating Element Socket, 1/2in. Drive Chrome	.22
Hex Bit Sockets	.24, 142
Hex Bits	
Hex Key Displays	.211
Hex Keys	.27
Hex Washer Drills	.166
High Lift Transmission Jacks	.101
Hitch Pins	.165
HNBR O-Rings	.166
Holster, TPMS Tool	.116
Hooks, Picks & Awls	.31
Hose and Pipe Cutter	
Hose Displays	.222
Hose Pliers	.164
Hose Reels	.68, 94
Hose, Air	.90-91
Hose, Recoil	.94
Hose, Water	.125
Hoses, Whip	.93-94
Hub Removal Tools	.156-157
Hydraulic Flaring Tools	.141
Hydraulic Foot Pump	.107
Hydraulic Grease Fittings	.133
Hydraulic Truck Jacks	
Impact Driver and Bit Set	. 47
Impact Socket Accessories	.23-24
Impact Socket Displays212-2	214, 218
Impact Sockets11-	10 1/
impact outkets	12, 14-
	18-19
	18-19
16, Impact Sockets, 1/2in. Drive Impact Sockets, 1in. Drive	18-19 .14-16 .19
16, Impact Sockets, 1/2in. Drive Impact Sockets, 1 in. Drive Impact Sockets, 3/4in. Drive	18-19 .14-16 .19 .18-19
16, Impact Sockets, 1/2in. Drive Impact Sockets, 1in. Drive Impact Sockets, 3/4in. Drive Impact Sockets, 3/8in. Drive	18-19 .14-16 .19 .18-19 .11-12
Inpact Sockets, 1/2in. Drive	18-19 .14-16 .19 .18-19 .11-12
16, Impact Sockets, 1/2in. Drive Impact Sockets, 1in. Drive Impact Sockets, 3/4in. Drive Impact Sockets, 3/8in. Drive	18-19 .14-16 .19 .18-19 .11-12
Inpact Sockets, 1/2in. Drive	18-19 .14-16 .19 .18-19 .11-12 .80-81
Inpact Sockets, 1/2in. Drive	18-19 .14-16 .19 .18-19 .11-12 .80-81 .169-170
If, Impact Sockets, 1/2in. Drive	18-19 .14-16 .19 .18-19 .11-12 .80-81 .169-170 .141 .103
Inpact Sockets, 1/2in. Drive	18-19 .14-16 .19 .18-19 .11-12 .80-81 .169-170 .141 .103 .110
Inpact Sockets, 1/2in. Drive	18-19 .14-16 .19 .18-19 .11-12 .80-81 .169-170 .141 .103 .110 .100 .98, 101
Inpact Sockets, 1/2in. Drive	18-19 .14-16 .19 .18-19 .11-12 .80-81 .169-170 .141 .103 .110 .100 .98, 101
Inpact Sockets, 1/2in. Drive	18-19 .14-16 .19 .18-19 .11-12 .80-81 .169-170 .141 .103 .110 .100 .98, 101 .97-98 .98
Inpact Sockets, 1/2in. Drive	18-19 .14-16 .19 .18-19 .11-12 .80-81 .169-170 .141 .103 .110 .100 .98, 101 .97-98 .98
Inpact Sockets, 1/2in. Drive	18-19 .14-16 .19 .18-19 .11-12 .80-81 .169-170 .141 .103 .110 .100 .98, 101 .97-98 .98 99, 101 .101-102
Inpact Sockets, 1/2in. Drive	18-19 .14-16 .19 .18-19 .11-12 .80-81 .169-170 .141 .103 .110 .98, 101 .97-98 .98 99, 101 .101-102
Impact Sockets, 1/2in. Drive	18-19 .14-16 .19 .18-19 .11-12 .80-81 .169-170 .141 .103 .110 .98, 101 .97-98 .98 -99, 101 .101-102 .98
Inpact Sockets, 1/2in. Drive	18-19 .14-16 .19 .18-19 .11-12 .80-81 .169-170 .141 .103 .110 .98, 101 .97-98 .98 -99, 101 .101-102 .98
Impact Sockets, 1/2in. Drive	18-19 .14-16 .19 .18-19 .11-12 .80-81 .169-170 .141 .103 .110 .100 .98, 101 .97-98 .98 99, 101 .101-102 .98 .100 .179, 182
Inpact Sockets, 1/2in. Drive	18-19 .14-16 .19 .18-19 .11-12 .80-81 .169-170 .141 .103 .110 .100 .98, 101 .97-98 .98 99, 101 .101-102 .98 .100 .179, 182 .27
Inpact Sockets, 1/2in. Drive	18-19 .14-16 .19 .18-19 .11-12 .80-81 .169-170 .141 .103 .110 .100 .98, 101 .97-98 .98 99, 101 .101-102 .98 .100 .179, 182 .27 .148 .22-123
Inspact Sockets, 1/2in. Drive Impact Sockets, 1in. Drive Impact Sockets, 3/4in. Drive Impact Sockets, 3/4in. Drive Impact Sockets, 3/8in. Drive Impact Sockets, 3/8in. Drive Impact Wrenches, Air. Inspection Tools Iso Flaring Tools Iso Flaring Tools Iso Flaring Tools Iso Flaring Tools Isok, Allet Isok, Air Hydraulic Isok, Air Hydraulic Isoks, Air Hydraulic Isoks, Scissor Isoks, Scissor Isoks, Scrvice Isoks, Scrvice Isoks, Transmission Isoks, Truck/Axle Isoks, Truck/Axle Isoks, Truck/Axle Isoks, Hex Isoks, Itoks, Itok	18-19 .14-16 .19 .18-19 .11-12 .80-81 .169-170 .141 .103 .110 .100 .98, 101 .97-98 .98 99, 101 .101-102 .98 .100 .179, 182 .27 .148 .22-123 .72-73
Impact Sockets, 1/2in. Drive	18-19 .14-16 .19 .18-19 .11-12 .80-81 .169-170 .141 .103 .110 .100 .98, 101 .97-98 .98 99, 101 .101-102 .98 .100 .179, 182 .27 .148 .22-123 .72-73
Inspact Sockets, 1/2in. Drive Impact Sockets, 1/2in. Drive Impact Sockets, 3/4in. Drive Impact Sockets, 3/4in. Drive Impact Sockets, 3/8in. Drive Impact Wrenches, Air. Inspection Tools Impact Wrenches, Air. Inspection Tools Impact Wrenches, Air. Inspection Tools Impact Wrenches, Air. I	18-19 .14-16 .19 .18-19 .11-12 .80-81 .169-170 .141 .103 .110 .100 .98, 101 .97-98 .98 99, 101 .101-102 .98 .100 .179, 182 .27 .148 .22-123 .72-73 .192 .129
Impact Sockets, 1/2in. Drive Impact Sockets, 1in. Drive Impact Sockets, 3/4in. Drive Impact Sockets, 3/4in. Drive Impact Sockets, 3/8in. Drive Impact Wrenches, Air Impact Wrenches, Air Inspection Tools Jack Stands Jack, Pallet Jacks, Air Hydraulic Jacks, Air Hydraulic Jacks, Scissor Jacks, Scrvice Jacks, Service Jacks, Truck/Axle Jacks, Truck/Axle Jacks, Truck/Axle Jicase Fuses Keys, Hex Kit, Tire Repair Kit, TPMS	18-19 .14-16 .19 .18-19 .11-12 .80-81 .169-170 .141 .103 .110 .100 .98, 101 .97-98 .98 99, 101 .101-102 .98 .100 .179, 182 .27 .148 .22-123 .72-73 .192 .129 .97-103
Inspact Sockets, 1/2in. Drive Impact Sockets, 1/2in. Drive Impact Sockets, 3/4in. Drive Impact Sockets, 3/4in. Drive Impact Sockets, 3/8in. Drive Impact Wrenches, Air. Inspection Tools Impact Wrenches, Air. Inspection Tools Impact Wrenches, Air. Inspection Tools Impact Wrenches, Air. I	18-19 .14-16 .19 .18-19 .11-12 .80-81 .169-170 .141 .103 .110 .100 .98, 101 .97-98 .98 99, 101 .101-102 .98 .100 .179, 182 .27 .148 .22-123 .72-73 .192 .129 .97-103

	217
Lighting Displays Line Clamps, Flexible	
• •	
Line, Fuel	
Locking C Clamp	
Locking Pliers	
Locking Welding Clamp	
Locknut Set	.149
Long-Jaw Pullers	
Low Profile Transmission Jacks	.102
Lubrication Displays	.219, 223
Lugnut Wrenches	.148
Magnetic Mat	
Magnetic Parts Dish	
Magnetic Retrievers	
Magnetic Tool Holder	
Maintenance Kit, TPMS Valve	
Mallets, Rubber	
Master Cylinder Adapters	
Master Drill Bit Set	
Master Fittings	
Material Handling	
Maxi Fuses	,
Measuring Pitcher	.131
Measuring Tape	. 53
MegaHammer	.156-157
MegaHammer Accessories	.157
Memory Saver	.138
Mini Brush Set	
Mini Fuses	.180
Mirror Telescoping Tools	
Module, TPMS Programming	
Mounts, Battery Terminal	
Needle Nose Plier Sets	
Needle Scaler	
Needle, Grease Gun	
Non-Ratcheting Wrenches	
Number and Letter Stamp Set	
Number and Letter Stamp Set	
Nut Driver Sets	.31
Nut Driver Sets	.31 .168
Nut Driver Sets	.31 .168 .211
Nut Driver Sets	.31 .168 .211 .203
Nut Driver Sets	.31 .168 .211 .203 .113
Nut Driver Sets Nut Splitter Nutdriver Displays Nylon Tie Displays Nylon Tie Tightening Tool Oil Can	.31 .168 .211 .203 .113
Nut Driver Sets Nut Splitter Nutdriver Displays Nylon Tie Displays Nylon Tie Tightening Tool Oil Can. Oil Drain Pan.	.31 .168 .211 .203 .113 .131
Nut Driver Sets Nut Splitter Nutdriver Displays Nylon Tie Displays Nylon Tie Tightening Tool Oil Can Oil Drain Pan Oil Filter Cap Sockets	.31 .168 .211 .203 .113 .131 .131
Nut Driver Sets Nut Splitter Nutdriver Displays Nylon Tie Displays Nylon Tie Tightening Tool Oil Can Oil Drain Pan Oil Filter Cap Sockets Oil Filter Pliers	.31 .168 .211 .203 .113 .131 .131 .159
Nut Driver Sets Nut Splitter Nutdriver Displays Nylon Tie Displays Nylon Tie Tightening Tool Oil Can Oil Drain Pan Oil Filter Cap Sockets Oil Filter Wrench Displays	.31 .168 .211 .203 .113 .131 .131 .159 .158
Nut Driver Sets Nut Splitter Nutdriver Displays Nylon Tie Displays Nylon Tie Tightening Tool Oil Can Oil Drain Pan Oil Filter Cap Sockets Oil Filter Pliers Oil Filter Wrench Displays Oil Filter Wrenches	.31 .168 .211 .203 .113 .131 .131 .159 .158 .211
Nut Driver Sets Nut Splitter Nutdriver Displays Nylon Tie Displays Nylon Tie Tightening Tool Oil Can Oil Drain Pan Oil Filter Cap Sockets Oil Filter Wrench Displays	.31 .168 .211 .203 .113 .131 .131 .159 .158 .211
Nut Driver Sets Nut Splitter Nutdriver Displays Nylon Tie Displays Nylon Tie Tightening Tool Oil Can Oil Drain Pan Oil Filter Cap Sockets Oil Filter Wrench Displays Oil Filter Wrenches Oil Sender Sockets O-Rings 165, 16	.31 .168 .211 .203 .113 .131 .159 .158 .211 .158-159 .177 66, 167
Nut Driver Sets Nut Splitter Nutdriver Displays Nylon Tie Displays Nylon Tie Tightening Tool Oil Can Oil Drain Pan Oil Filter Cap Sockets Oil Filter Wrench Displays Oil Sender Sockets	.31 .168 .211 .203 .113 .131 .159 .158 .211 .158-159 .177 66, 167
Nut Driver Sets Nut Splitter Nutdriver Displays Nylon Tie Displays Nylon Tie Tightening Tool Oil Can Oil Drain Pan Oil Filter Cap Sockets Oil Filter Wrench Displays Oil Filter Wrenches Oil Sender Sockets O-Rings 165, 16	.31 .168 .211 .203 .113 .131 .131 .159 .158 .211 .158-159 .177 .66, 167
Nut Driver Sets Nut Splitter Nutdriver Displays Nylon Tie Displays Nylon Tie Tightening Tool. Oil Can Oil Drain Pan Oil Filter Cap Sockets. Oil Filter Wrench Displays Oil Filter Wrenches. Oil Sender Sockets O-Rings O-Rings, A/C.	.31 .168 .211 .203 .113 .131 .131 .159 .158 .211 .158-159 .177 .66, 167 .165 .166
Nut Driver Sets Nut Splitter Nutdriver Displays Nylon Tie Displays Nylon Tie Tightening Tool. Oil Can Oil Drain Pan Oil Filter Cap Sockets. Oil Filter Wrench Displays Oil Filter Wrenches. Oil Sender Sockets O-Rings O-Rings, A/C O-Rings, HNBR	.31 .168 .211 .203 .113 .131 .131 .159 .158 .211 .158-159 .177 .66, 167 .165 .166
Nut Driver Sets Nut Splitter Nutdriver Displays Nylon Tie Displays Nylon Tie Tightening Tool Oil Can. Oil Drain Pan. Oil Filter Cap Sockets. Oil Filter Pliers Oil Filter Wrench Displays Oil Sender Sockets O-Rings O-Rings O-Rings, A/C. O-Rings, HNBR Paint and Body Tools	.31 .168 .211 .203 .113 .131 .131 .159 .158 .211 .158-159 .177 .66, 167 .165 .166 .191-193

DESCRIPTIVE INDEX

Parts Dish, Magnetic170
Pilot Bearing Puller161
Pilot Bearing Slide Hammer157
Pins, Cotter165
Pins, Hitch165
Pins, Roll167
Pipe Cutters73, 168
Pipe Wrenches40
Piston Style Oiler131
Piston Tool, Disc Brake142
Pitcher, Measuring131
Pitman Arm Pullers154
Plier Displays204, 206,
209-210
Plier, Spark Plug Boot177
Pliers, Body Clip192
Pliers, Brake Spring142
Pliers, Hose164
Pliers, Locking50
Pliers, Needle Nose49-50
Pliers, Oil Filter158
Pliers, Plug52
Pliers, Tubing168
Plug Pliers52
Plugs, Drain160
Pneumatic Bit Displays208
Pneumatic Bits83
Polishers85, 95
Portable Ram107
Press, Fuel Line Disconnect172
Press, Shop108
Propane Torch114
Pry Bars
Puller and Bearing Separator157
Puller Displays208, 212
Puller, Harmonic Balancer161
Puller, Pilot Bearing161
Puller, Pitman Arm
Puller, Pulley
Puller, Rear Axle Bearing
Puller, Slide Hammer
Puller, Steering Wheel
Pullers, Adjustable
Pullers, Fuse
Pullers, Long-Jaw
Pullers, Reversible
Pulley Puller154 Pump, Air Hydraulic Foot107
Pump, Barrel129
Pump, Bucket
Pump, Drum129
Pump, Siphon Transfer129
Pump, Transfer
Punch Displays207
Punches and Chisels
Q-Bond Adhesive Kits127

Quick Connects, Fuel Line	173
Quick Disconnect, Retainer Clip Kit	
· · ·	
Radiator Disconnect Tools	
Radios, Two Way	
Ram, Portable	
Ratcheting Wrenches	
Ratchets, 1/2in. Drive	
Ratchets, 1/4in. Drive	
Ratchets, 3/4in. Drive	22
Ratchets, 3/8in. Drive	21
Ratchets, Air	79
Ratchets, Chrome20,	21, 22
Ratchets, Push Button20,	
Rear Axle Bearing Puller	
Rechargeable Lights	
Recoil Hose	
Reducers, 1/2in. Drive Chrome	
Reducers, 1/2in. Drive Impact	
Reducers, 3/4in. Drive Impact	
Reels, Hose	
Regulators, Air	
=	
Remover, Upholstery Clip	
Remover, Windshield	
Replacement Valve Stems, TPMS	
Retainer Clip Quick Disconnect Kit	
Retainer Clips, Fuel Line	
Retractable Reels	
Reversible Pullers154,	162, 163
Reversible Snap Ring Plier Set	
Reversible Snap Ring Plier Set	
	88
Rivet Guns	88 192
Rivet Guns	88 192 167
Rivet Guns	88 192 167 111
Rivet Guns	88 192 167 111 90-91
Rivet Guns	88 192 167 111 90-91
Rivet Guns	88 192 167 111 90-91 47
Rivet Guns Riveters Roll Pins Rope, Tow Rubber Hoses Rubber Mallet Rubber Straps	88 192 167 111 90-91 47 111
Rivet Guns Riveters Roll Pins Rope, Tow Rubber Hoses Rubber Mallet Rubber Straps. Ruler. Safety Blanket	88 192 167 111 90-91 47 111
Rivet Guns Riveters Roll Pins Rope, Tow Rubber Hoses Rubber Mallet Rubber Straps Ruler Safety Blanket Sanders	88 192 167 111 90-91 47 111 53 114
Rivet Guns Riveters Roll Pins Rope, Tow Rubber Hoses Rubber Mallet Rubber Straps. Ruler Safety Blanket Sanders Sanding Pen	.88 .192 .167 .111 .90-91 .47 .111 .53 .114 .85-86
Rivet Guns Riveters Roll Pins Rope, Tow Rubber Hoses Rubber Mallet Rubber Straps Ruler Safety Blanket Sanders Sanding Pen Scissor Jacks	.88 .192 .167 .111 .90-91 .47 .111 .53 .114 .85-86 .193
Rivet Guns Riveters Roll Pins Rope, Tow Rubber Hoses Rubber Mallet Rubber Straps Ruler Safety Blanket Sanders Sanding Pen Scissor Jacks Scraper Displays	.88 .192 .167 .111 .90-91 .47 .111 .53 .114 .85-86 .193 .98
Rivet Guns Riveters Roll Pins Rope, Tow Rubber Hoses Rubber Mallet Rubber Straps Ruler Safety Blanket Sanders Sanding Pen Scissor Jacks Scraper Displays Scrapers 32	.88 .192 .167 .111 .90-91 .47 .111 .53 .114 .85-86 .193 .98 .205 -33, 73
Rivet Guns Riveters Roll Pins Rope, Tow Rubber Hoses Rubber Mallet Rubber Straps Ruler Safety Blanket Sanders Sanding Pen Scissor Jacks Scraper Displays Screwdriver Displays	.88 .192 .167 .111 .90-91 .47 .111 .53 .114 .85-86 .193 .98 .205 !-33, 73
Rivet Guns Riveters Roll Pins Rope, Tow Rubber Hoses Rubber Mallet Rubber Straps Ruler Safety Blanket Sanders Sanding Pen Scissor Jacks Scraper Displays Screwdriver Displays Screwdrivers	.88 .192 .167 .111 .90-91 .47 .111 .53 .114 .85-86 .193 .98 .205 -33, 73 .199 .28-30
Rivet Guns Riveters Roll Pins Rope, Tow Rubber Hoses Rubber Mallet Rubber Straps Ruler Safety Blanket Sanders Sanding Pen Scissor Jacks Scraper Displays Screwdriver Displays Screwdrivers Screwdrivers Screwdrivers Screwdrivers Screwdrivers Screwdrivers	.88 .192 .167 .111 .90-91 .47 .111 .53 .114 .85-86 .193 .98 .205 2-33, 73 .199 .28-30
Rivet Guns Riveters Roll Pins Rope, Tow Rubber Hoses Rubber Mallet Rubber Straps Ruler Safety Blanket Sanders Sanding Pen Scissor Jacks Scraper Displays Screwdriver Displays Screwdrivers Screwdrivers, Torq Screwdrivers, Torq Screwdrivers	.88 .192 .167 .111 .90-91 .47 .111 .53 .114 .85-86 .193 .98 .205 !-33, 73 .199 .28-30 .30
Rivet Guns Riveters Roll Pins Rope, Tow Rubber Hoses Rubber Mallet Rubber Straps Ruler Safety Blanket Sanders Sanding Pen Scissor Jacks Scraper Displays Scrapers Screwdriver Displays Screwdrivers Screwdrivers, Torq Screwdrivers, Torq Screwd, Brake Bleeder	.88 .192 .167 .111 .90-91 .47 .111 .53 .114 .85-86 .193 .98 .205 .233, 73 .199 .28-30 .30
Rivet Guns Riveters Roll Pins Rope, Tow Rubber Hoses Rubber Mallet Rubber Straps Ruler Safety Blanket Sanders Sanding Pen Scissor Jacks Scraper Displays Screwdriver Displays Screwdrivers Screwdrivers, Torq Screws, Brake Bleeder Sensor Activation Tool, TPMS	.88 .192 .167 .111 .90-91 .47 .111 .53 .114 .85-86 .193 .98 .205 .233, 73 .199 .28-30 .30 .116 .143, 145
Rivet Guns Riveters Roll Pins Rope, Tow Rubber Hoses Rubber Mallet Rubber Straps Ruler Safety Blanket Sanders Sanding Pen Scissor Jacks Scraper Displays Screwdriver Displays Screwdrivers, Torq Screwdrivers, TPMS Screws, Brake Bleeder Sensor Activation Tool, TPMS Sensors, TPMS	.88 .192 .167 .111 .90-91 .47 .111 .53 .114 .85-86 .193 .98 .205 .233, 73 .199 .28-30 .30 .116 .143, 145 .115
Rivet Guns Riveters Roll Pins Rope, Tow Rubber Hoses Rubber Hoses Rubber Straps Ruler Safety Blanket Sanders Sanding Pen Scissor Jacks Scraper Displays Screwdriver Displays Screwdrivers, Torq Screwdrivers, TPMS Screws, Brake Bleeder Sensor Activation Tool, TPMS Separator Displays Separator Displays	.88 .192 .167 .111 .90-91 .47 .111 .53 .114 .85-86 .193 .98 .205 .233, 73 .199 .28-30 .30 .116 .143, 145 .115
Rivet Guns Riveters Roll Pins Rope, Tow Rubber Hoses Rubber Mallet Rubber Straps Ruler Safety Blanket Sanders Sanding Pen Scissor Jacks Scraper Displays Scrapers Screwdriver Displays Screwdrivers, Torq Screwdrivers, TPMS Screws, Brake Bleeder Sensor Activation Tool, TPMS Separator Ball Joint	.88 .192 .167 .111 .90-91 .47 .111 .53 .114 .85-86 .193 .98 .205 .233, 73 .199 .28-30 .30 .116 .143, 145 .115 .117
Rivet Guns Riveters Roll Pins Rope, Tow Rubber Hoses Rubber Mallet Rubber Straps Ruler Safety Blanket Sanders Sanding Pen Scissor Jacks Scraper Displays Scrapers Screwdriver Displays Screwdrivers Screwdrivers, Torq Screwdrivers, Torq Screwdrivers, Tord Screwdrivers, Tend Screwdrivers, TPMS Screws, Brake Bleeder Sensor Activation Tool, TPMS Separator Displays Separator, Ball Joint Separator, Puller and Bearing	.88 .192 .167 .111 .90-91 .47 .111 .53 .114 .85-86 .193 .98 .205 .2-33, 73 .199 .28-30 .30 .116143, 145115117212155
Rivet Guns Riveters Roll Pins Rope, Tow Rubber Hoses Rubber Mallet Rubber Straps Ruler Safety Blanket Sanders Sanding Pen Scissor Jacks Scraper Displays Scrapers Screwdrivers Screwdrivers, Torq Screwdrivers, Torq Screwdrivers, TPMS Screws, Brake Bleeder Sensor Activation Tool, TPMS Separator, Ball Joint Separator, Puller and Bearing Separator, Tie Rod	.88 .192 .167 .111 .90-91 .47 .111 .53 .114 .85-86 .193 .98 .205 .2-33, 73 .199 .28-30 .30 .116 .143, 145 .115 .117 .212 .155 .157
Rivet Guns Riveters Roll Pins Rope, Tow Rubber Hoses Rubber Mallet Rubber Straps Ruler Safety Blanket Sanders Sanding Pen Scissor Jacks Scraper Displays Scrapers Screwdriver Displays Screwdrivers Screwdrivers, Torq Screwdrivers, Torq Screwdrivers, Tord Screwdrivers, Tend Screwdrivers, TPMS Screws, Brake Bleeder Sensor Activation Tool, TPMS Separator Displays Separator, Ball Joint Separator, Puller and Bearing	.88 .192 .167 .111 .90-91 .47 .111 .53 .114 .85-86 .193 .98 .205 .2-33, 73 .199 .28-30 .30 .116 .143, 145 .115 .117 .212 .155 .164

,	Service Jacks98	-99, 101
;	Service Jacks, Aluminum	.98, 101
;	Shop Press	.108
;	Shrink Tube	.113
;	Shrink Tube Connectors	.185
;	Siphon Transfer Pump	.129
;	Slide Hammer Puller	.156
	Sling, Engine	.106
	Slip Joint Pliers	.49
	Snap Rings	.165
	Snips	.52. 76
	Socket Accessories, 1/2in. Drive Chrome	
	Socket Accessories, 1/4in. Drive Chrome	.20
	Socket Accessories, 3/4in. Drive Chrome	
	Socket Accessories, 3/8in. Drive Chrome	
	Socket Accessories, Chrome	
	Socket Accessories, Impact	
	Socket Adapter, 1/2in. Drive Chrome	
	Socket Adapter, 1/2in. Drive Impact	
	Socket Adapter, 1/4in. Drive Chrome	
	Socket Adapter, 1in. Drive Impact	
	Socket Adapter, 3/4in. Drive Chrome	
	Socket Adapter, 3/4in. Drive Impact	
	Socket Adapter, 3/8in. Drive Chrome	
	Socket Adapter, 3/8in. Drive Impact	
	Socket Adapters, Chrome	
	Socket Caddies	
	Socket Displays 195 197	198 200
;	Socket Displays 195, 197,	
	209-210,	212-214
;	209-210, Socket Holders	212-214 .58
;	209-210, ; Socket Holders Socket Rails	212-214 .58 .58
;	209-210, 3 Socket Holders Socket Rails Socket, Heating Element, 1/2in. Drive Chrome	212-214 .58 .58 .22
	209-210, 3 Socket Holders Socket Rails Socket, Heating Element, 1/2in. Drive Chrome Sockets, AccuTorq	212-214 .58 .58 .22 .150-153
	209-210, i Socket Holders	212-214 .58 .58 .22 .150-153
	209-210, i Socket Holders	212-214 .58 .58 .22 .150-153 .142
: : : : : : : : : : : : : : : : : : : :	209-210, i Socket Holders	212-214 .58 .58 .22 .150-153 .142 .149 -14, 17
	209-210, i Socket Holders Socket Rails Socket, Heating Element, 1/2in. Drive Chrome Sockets, AccuTorq Sockets, Brake Service Torq Sockets, Budd Wheel Sockets, Chrome 5-10, 13 Sockets, Hex Bit	212-214 .58 .58 .22 .150-153 .142 .149 3-14, 17
	209-210, i Socket Holders Socket Rails Socket, Heating Element, 1/2in. Drive Chrome Sockets, AccuTorq Sockets, Brake Service Torq Sockets, Budd Wheel Sockets, Chrome 5-10, 13 Sockets, Hex Bit Sockets, Impact 11-	212-214 .58 .58 .22 .150-153 .142 .149 3-14, 17 .24 12, 14-
	209-210, 1 Socket Holders Socket Rails Socket, Heating Element, 1/2in. Drive Chrome Sockets, AccuTorq Sockets, Brake Service Torq Sockets, Budd Wheel Sockets, Chrome Sockets, Hex Bit Sockets, Impact 11-	212-214 .58 .58 .58 .22 .150-153 .142 .149 :-14, 17 .24 12, 14- 18-19
	209-210, : Socket Holders Socket Rails Socket, Heating Element, 1/2in. Drive Chrome Sockets, AccuTorq Sockets, Brake Service Torq Sockets, Budd Wheel Sockets, Chrome	212-214 .58 .58 .22 .150-153 .142 .149 3-14, 17 .24 12, 14- 18-19 .159
	209-210, 3 Socket Holders Socket Rails Socket, Heating Element, 1/2in. Drive Chrome and Sockets, AccuTorq Sockets, Brake Service Torq Sockets, Budd Wheel Sockets, Chrome 5-10, 13 Sockets, Hex Bit Sockets, Impact 11- 16, Sockets, Oil Filter Cap. Sockets, Oil Sender	212-214 .58 .58 .22 .150-153 .142 .149 -14, 17 .24 12, 14- 18-19 .159
	209-210, : Socket Holders Socket Rails Socket, Heating Element, 1/2in. Drive Chrome Sockets, AccuTorq Sockets, Brake Service Torq Sockets, Budd Wheel Sockets, Chrome 5-10, 13 Sockets, Hex Bit Sockets, Impact 11- 16, Sockets, Oil Filter Cap Sockets, Spark Plug	212-214 .58 .58 .22 .150-153 .142 .149 -14, 17 .24 12, 14- 18-19 .159 .177
	209-210, 3 Socket Holders Socket Rails Socket, Heating Element, 1/2in. Drive Chrome Sockets, AccuTorq Sockets, Brake Service Torq Sockets, Budd Wheel Sockets, Chrome Sockets, Chrome Sockets, Hex Bit Sockets, Impact 11- 16, Sockets, Oil Filter Cap Sockets, Spark Plug Sockets, Tamper-proof Torx	212-214 .58 .58 .22 .150-153 .142 .149 -14, 17 .24 12, 14- 18-19 .159 .177 .177
	209-210, : Socket Holders Socket Rails Socket, Heating Element, 1/2in. Drive Chrome Sockets, AccuTorq Sockets, Brake Service Torq Sockets, Budd Wheel Sockets, Chrome Sockets, Chrome 11- 16, Sockets, Oil Filter Cap Sockets, Oil Sender Sockets, Spark Plug Sockets, Tamper-proof Torx Sockets, Thin Wall	212-214 .58 .58 .22 .150-153 .142 .149 -14, 17 .24 12, 14- 18-19 .159 .177 .177 .26 .150
	209-210, i Socket Holders Socket Rails Socket, Heating Element, 1/2in. Drive Chrome Sockets, AccuTorq Sockets, Brake Service Torq Sockets, Budd Wheel Sockets, Chrome Sockets, Hex Bit Sockets, Impact 11- 16, Sockets, Oil Filter Cap Sockets, Spark Plug Sockets, Tamper-proof Torx Sockets, Thin Wall Sockets, Torq	212-214 .58 .58 .22 .150-153 .142 .149 -14, 17 .24 12, 14- 18-19 .159 .177 .177 .26 .150 .25-26
	209-210, : Socket Holders Socket Rails Socket, Heating Element, 1/2in. Drive Chrome Sockets, AccuTorq Sockets, Brake Service Torq Sockets, Budd Wheel Sockets, Chrome Sockets, Hex Bit Sockets, Impact 11- 16, Sockets, Oil Filter Cap Sockets, Oil Sender Sockets, Tamper-proof Torx Sockets, Thin Wall Sockets, Torq Sockets, Torq Sockets, Tory	212-214 .58 .58 .58 .22 .150-153 .142 .149 -14, 17 .24 12, 14- 18-19 .159 .177 .177 .26 .150 .25-26 .25-26
	209-210, i Socket Holders Socket Rails Socket, Heating Element, 1/2in. Drive Chrome Sockets, AccuTorq Sockets, Brake Service Torq Sockets, Budd Wheel Sockets, Chrome Sockets, Hex Bit Sockets, Impact 11- 16, Sockets, Oil Filter Cap Sockets, Oil Sender Sockets, Tamper-proof Torx Sockets, Tamper-proof Torx Sockets, Torq Sockets, Torx Solderless Terminals 182-1	212-214 .58 .58 .22 .150-153 .142 .149 -14, 17 .24 12, 14- 18-19 .159 .177 .177 .26 .150 .25-26 84, 186
	209-210, i Socket Holders Socket Rails Socket Reating Element, 1/2in. Drive Chrome Sockets, AccuTorq Sockets, Brake Service Torq Sockets, Budd Wheel Sockets, Chrome Sockets, Hex Bit Sockets, Impact 11- 16, Sockets, Oil Filter Cap Sockets, Oil Sender Sockets, Tamper-proof Torx Sockets, Tamper-proof Torx Sockets, Torq Sockets, Torx Solderless Terminals 182-1 Solid Brass Hammers	212-214 .58 .58 .22 .150-153 .142 .149 -14, 17 .24 12, 14- 18-19 .159 .177 .177 .26 .150 .25-26 84, 186 .47
	209-210, i Socket Holders Socket Rails Socket, Heating Element, 1/2in. Drive Chrome Sockets, AccuTorq Sockets, Brake Service Torq Sockets, Budd Wheel Sockets, Chrome Sockets, Hex Bit Sockets, Impact 11- 16, Sockets, Oil Filter Cap Sockets, Oil Sender Sockets, Tamper-proof Torx Sockets, Thin Wall Sockets, Torq Sockets, Torx Solderless Terminals Sold Brass Hammers Spark Plug Boot Pliers	212-214 .58 .58 .22 .150-153 .142 .149 .14, 17 .24 12, 14- 18-19 .159 .177 .26 .150 .25-26 .84, 186 .47 .177
	209-210, i Socket Holders Socket Rails Socket, Heating Element, 1/2in. Drive Chrome Sockets, AccuTorq Sockets, Brake Service Torq Sockets, Budd Wheel Sockets, Chrome Sockets, Chrome Sockets, Hex Bit Sockets, Impact 11- 16, Sockets, Oil Filter Cap Sockets, Oil Sender Sockets, Tamper-proof Torx Sockets, Thin Wall Sockets, Torq Sockets, Torx Solderless Terminals Solid Brass Hammers Spark Plug Boot Pliers Spark Plug Extractors	212-214 .58 .58 .22 .150-153 .142 .149 14, 17 .24 12, 14- 18-19 .177 .177 .26 .150 .25-26 .84, 186 .47 .177
	209-210, i Socket Holders Socket Rails Socket, Heating Element, 1/2in. Drive Chrome Sockets, AccuTorq Sockets, Brake Service Torq Sockets, Budd Wheel Sockets, Chrome Sockets, Chrome Sockets, Hex Bit Sockets, Impact 11- 16, Sockets, Oil Filter Cap Sockets, Oil Sender Sockets, Tamper-proof Torx Sockets, Thin Wall Sockets, Torq Sockets, Tory Sockets, Torx Solderless Terminals Solid Brass Hammers Spark Plug Boot Pliers Spark Plug Extractors Spark Plug Gap Tool	212-214 .58 .58 .22 .150-153 .142 .149 14, 17 .24 12, 14- 18-19 .177 .177 .26 .150 .25-26 .84, 186 .47 .177 .177
	209-210, 3 Socket Holders Socket Rails Socket, Heating Element, 1/2in. Drive Chrome Sockets, AccuTorq Sockets, Brake Service Torq Sockets, Budd Wheel Sockets, Chrome Sockets, Chrome 11- 16, Sockets, Impact 11- 16, Sockets, Oil Filter Cap Sockets, Oil Sender Sockets, Tamper-proof Torx Sockets, Torq Sockets, Torq Sockets, Torq Sockets, Tory Solderless Terminals Sockets, Terminals Spark Plug Boot Pliers Spark Plug Gap Tool Spark Plug Sockets.	212-214 .58 .58 .22 .150-153 .142 .149 .14, 17 .24 12, 14- 18-19 .177 .177 .26 .150 .25-26 .25-26 .47 .177 .177 .177 .177
	209-210, 3 Socket Holders Socket Rails Socket, Heating Element, 1/2in. Drive Chrome Sockets, AccuTorq Sockets, Brake Service Torq Sockets, Budd Wheel Sockets, Chrome Sockets, Chrome Sockets, Hex Bit Sockets, Impact 11- 16, Sockets, Oil Filter Cap Sockets, Oil Sender Sockets, Tamper-proof Torx Sockets, Tamper-proof Torx Sockets, Torq Sockets, Torq Sockets, Tory Sockets, Tory Sockets, Tory Solderless Terminals Sockets, Tory Solderless Terminals Spark Plug Boot Pliers Spark Plug Gap Tool Spark Plug Sockets. Specialty Tools, Air	212-214 .58 .58 .22 .150-153 .142 .149 .14, 17 .24 12, 14- 18-19 .177 .177 .26 .150 .25-26 .25-26 .84, 186 .47 .177 .177 .177 .177 .177 .177
	209-210, i Socket Holders Socket Rails Socket, Heating Element, 1/2in. Drive Chrome Sockets, AccuTorq Sockets, Brake Service Torq Sockets, Budd Wheel Sockets, Chrome Sockets, Chrome Sockets, Hex Bit Sockets, Impact 11- 16, Sockets, Oil Filter Cap Sockets, Oil Sender Sockets, Tamper-proof Torx Sockets, Tamper-proof Torx Sockets, Torq Sockets, Torx Solderless Terminals Sockets, Torx Solderless Terminals Spark Plug Boot Pliers Spark Plug Extractors Spark Plug Gap Tool Spark Plug Sockets Specialty Tools, Air Speed Handle, 3/8in. Drive Chrome	212-214 .58 .58 .22 .150-153 .142 .149 -14, 17 .24 12, 14- 18-19 .177 .177 .26 .150 .25-26 .25-26 .47 .177 .177 .177 .177 .177 .177 .177 .177
	209-210, 3 Socket Holders Socket Rails Socket, Heating Element, 1/2in. Drive Chrome Sockets, AccuTorq Sockets, Brake Service Torq Sockets, Budd Wheel Sockets, Chrome Sockets, Chrome Sockets, Hex Bit Sockets, Impact 11- 16, Sockets, Oil Filter Cap Sockets, Oil Sender Sockets, Tamper-proof Torx Sockets, Tamper-proof Torx Sockets, Torq Sockets, Torq Sockets, Tory Sockets, Tory Sockets, Tory Solderless Terminals Sockets, Tory Solderless Terminals Spark Plug Boot Pliers Spark Plug Gap Tool Spark Plug Sockets. Specialty Tools, Air	212-214 .58 .58 .58 .22 .150-153 .142 .149 .14, 17 .24 12, 14- 18-19 .177 .177 .26 .150 .25-26 .25-26 .84, 186 .47 .177 .177 .177 .177 .177 .177 .177 .177



Spray Gun Accessories	191
Spray Guns	191
Spring Action Scissors	72
Spring Compressor	154, 156
Stand, Engine	105
Stand, Underhoist	104
Steel Line Stopper	172
Steering and Suspension	154-156
Steering Wheel Puller	154
Stopper, Steel Line	172
Strap Wrenches, Oil Filter	158
Straps, Rubber	111
Straps, Tie-Down	112
Straps, Tow	110
Stretch Cords	111
Strippers, Wire	51-52
Strut Compressor	154, 156
Suction Gun	128
Support, Engine	105-106
Tape Measures	
Tape, Duct	
Tape, Electrical	127
Tape, Pipe	
Tapered Scratch Awl	
Telescopic Tools, Magnetic	169-170
Telescopic Tools, Mirror	
Terminal Assortments	
Terminal Crimper	
Terminals, Copper Lug	
Terminals, Solderless182	
Tester, Carbon Pile Load	
Tester, Circuit	
Testers, Antifreeze	
Testers, Battery	
T-Handles, Chrome	
Thin Wall Sockets	
Tie Rod Separator	155
Tie Rod Tools	
Tie-Down Straps	155
Ties, Cable	
	112
TIN SNIDS	112 112-113
Tin Snips Tire and Wheel Tools and Accessories	112 112-113 52, 76
Tire and Wheel Tools and Accessories	112 112-113 52, 76 148-153
Tire and Wheel Tools and Accessories Tire Inflator Gauges	112 112-113 52, 76 148-153
Tire and Wheel Tools and Accessories Tire Inflator Gauges Tire Repair Kit	112 112-113 52, 76 148-153 148
Tire and Wheel Tools and Accessories Tire Inflator Gauges Tire Repair Kit Tool Holder, Magnetic	112 112-113 52, 76 148-153 148 148
Tire and Wheel Tools and Accessories Tire Inflator Gauges Tire Repair Kit Tool Holder, Magnetic Tool Storage	112 112-113 52, 76 148-153 148 57 55-59
Tire and Wheel Tools and Accessories Tire Inflator Gauges Tire Repair Kit Tool Holder, Magnetic Tool Storage Tool Storage Parts and Accessories	112 112-113 52, 76 148-153 148 148 57 55-59
Tire and Wheel Tools and Accessories Tire Inflator Gauges Tire Repair Kit Tool Holder, Magnetic Tool Storage Tool Storage Parts and Accessories Torch Shield	112 112-113 52, 76 148-153 148 148 57 55-59 57
Tire and Wheel Tools and Accessories Tire Inflator Gauges Tire Repair Kit Tool Holder, Magnetic Tool Storage Tool Storage Parts and Accessories Torch Shield Torch, Butane	112 112-113 52, 76 148-153 148 148 57 55-59 57 114
Tire and Wheel Tools and Accessories Tire Inflator Gauges Tire Repair Kit Tool Holder, Magnetic Tool Storage Tool Storage Parts and Accessories Torch Shield Torch, Butane	112 112-113 52, 76 148-153 148 148 57 55-59 57 114 113-114
Tire and Wheel Tools and Accessories Tire Inflator Gauges Tire Repair Kit Tool Holder, Magnetic Tool Storage Tool Storage Parts and Accessories Torch Shield Torch, Butane Torch, Propane Torq Screwdrivers	112 112-113 52, 76 148-153 148 148 57 55-59 57 114 113-114
Tire and Wheel Tools and Accessories Tire Inflator Gauges Tire Repair Kit Tool Holder, Magnetic Tool Storage Tool Storage Parts and Accessories Torch Shield Torch, Butane Torch, Propane Torq Screwdrivers Torq Sockets	112 112-113 52, 76 148-153 148 57 55-59 57 114 113-114 30
Tire and Wheel Tools and Accessories Tire Inflator Gauges Tire Repair Kit	112 112-113 52, 76 148-153 148 57 55-59 57 114 113-114 30 25-26
Tire and Wheel Tools and Accessories Tire Inflator Gauges Tire Repair Kit	112 112-113 52, 76 148-153 148 57 55-59 57 114 113-114 30 25-26 152
Tire and Wheel Tools and Accessories Tire Inflator Gauges Tire Repair Kit	112 112-113 52, 76 148-153 148 57 55-59 57 114 113-114 30 25-26 152 150

Torque Wrenches	
Torque Wrenches, Adjustable	
Torque Wrenches, Digital	46
Torx Sockets	25-26
Tow Rope	111
Tow Strap Displays	207
Tow Straps	110
TPMS	115-124
TPMS Kits115, 1	22-123
TPMS Programming Module	115
TPMS Screwdrivers	116
TPMS Sensors	
TPMS Tool Kit	124
TPMS Tools	
TPMS Valve Caps	
TPMS Valve Core Maintenance	
TPMS Valve Core Tools	
TPMS Valve Cores	,
TPMS Valve Maintenance Kit	
TPMS Valve Stems118-119, 1	
Transfer Pump	
Transmission Jacks	
Tray, Drip	
Trolley Jacks	
Trouble Lights	
Truck Jacks	
Tube Uset Shrink	
Tube, Heat Shrink	
Tube, Shrink	
Tubing Bender	
Tubing Bender	
Tubing Cutter	
Tubing Pliers	
Tubing, Cutting and Bending	
Two Way Radios	
U-Clips	
U-Joints, 1/2in. Drive Chrome	
U-Joints, 1/2in. Drive Impact	
U-Joints, 1/4in. Drive Chrome	
U-Joints, 3/4in. Drive Chrome	
U-Joints, 3/4in. Drive Impact	
U-Joints, 3/8in. Drive Chrome	21
U-Joints, 3/8in. Drive Impact	23
U-Joints, Chrome20, 21, 2	2, 23
Underhoist Stands	104
Unions, Brake Line	147
Universal Drum Bung Wrench	46
Upholstery Clip Removers	192
Utility Carts	56
Utility Knives	72-73
Vacuum Caps	160-161
Vacuum Tees	160-161
Valve Caps, TPMS	119
Valve Core Maintenance, TPMS	
Valve Core Tools, TPMS	
Valve Cores , TPMS	

Valve Stems, TPMS118-119, 121-122
Vises126
Wall Display Accessories220-221
Wall Displays195-219
Washers, Hex Drill166
Water Hoses125
Water Pitcher, Measuring131
Waxer95
Wedge, Combi193
Welding Blanket114
Whip Hoses93-94
Windshield Knife192
Windshield Removing Tool192
Wire189
Wire Crimpers188
Wire Loom188
Wire Strippers51-52, 188
Wire Tool Displays216
Wire Wheel77
Wobble Extensions, 1/4in. Drive Chrome20
Wobble Extensions, 3/8in. Drive Chrome21
Work Light Accessories68
Work Lights61-68
Wrench Displays 201-204, 209-
210, 215, 216
Wrench, Lugnut148
Wrenches, Adjustable40
Wrenches, Combination Non-Ratcheting 34-40
Wrenches, Combination Ratcheting42-44
Wrenches, Oil Filter158-159
Wrenches, Strap158
Wrenches, Torque45-46

WARRANTY POLICY

Hand Tools - Lifetime WarrantyK-Tool International Hand Tools are warranted against defects in material or workmanship for the life of the tool. Improper use of a tool will void its warranty.

Exceptions to this warranty are as follows:

KTI Hand Tools	Lifetime warranty. Excludes package cases/bags/containers and adapters.
KTI Torque Wrenches - U.Smade	
	90-day limited, repairable item. 1/2 price replacement option after 90 days.
KTI Lighting	
KTI Pullers - U.Smade and Import	Limited lifetime on parts. Will not warrant entire tool, credit issued for defective part.
KTI Standard Duty Lifting Equipment	1-year repair or replace.
KTI Professional & Heavy Duty Lifting Equipment (XD & HD S	Series)2-year repair or replace.
Vises	
Battery Boosters and Testers	1-year repair or replace.
Electrical	
	1-year warranty.
Creepers	90-day warranty.
Test Equipment	90-day limited warranty.
Expendables, Non-metal Products	
	Not covered.
KTI Air Tools	1-year limited warranty with 30-day* over-the-counter replacement.

All returns on noted exceptions must be accompanied by a sales receipt. Should you experience a problem within your warranty period, ship prepaid to:

> **WARRANTY CENTER** 31133 Wixom Road, Wixom, Michigan 48393



AIR TOOL WARRANTY POLICY

ONE (1) YEAR LIMITED WARRANTY *30 day over-the-counter replacement

Requirements for all warranty repairs:

- Proof of purchase Sales receipt must accompany all repairs.
- Warranty card must be on file within 30 days from date of purchase.

K-Tool International air tools are warranted against defects in workmanship for one (1) year from the date of purchase*. We will repair or replace, at our option, any defective part or unit which proves to be defective in material or workmanship within the warranty period. Should an air tool fail within the first 30 days after purchase date, it may be returned to the place of purchase for a free replacement*. The foregoing obligation is K-Tool International's sole liability under this or any implied warranty, and under no circumstances, shall it be liable for any incidental or consequential damages.

This warranty applies to the basic tool. It does not apply to normal wear and tear on attached accessories/consumable products, such as drill chucks, backing pads for sanders, punch and die for nibblers, air hammer retainers, spray gun cups or kit accessories, etc.

*Repairs required as a result of abuse, misuse, damage or repair attempts made by others are not covered by this warranty.

Do NOT, under any circumstances, attempt to repair or make any adjustments on your tool, as this will VOID your warranty.

Suggested instructions for maximum air tool efficiency:

- Your tool should be oiled daily when in use with a non-detergent type oil. Manufacturer recommends 4 5 drops of type A transmission oil or air tool oil be applied through the rear inlet. If possible, a fog type oiler is recommended.
- . Check your compressor daily for excess water. Moisture greatly affects the efficiency of tool operation and may void warranty.
- Use recommended air pressure (not to exceed 90 psi). For maximum performance, air compressor must be capable of maintaining approximately 90 psi.
- 3/8 air hose and fittings are recommended for optimum operation of tools. 1/2 air hose for 3/4 or 1 impact wrenches is required to maximize performance.
- An oil/water extractor is necessary for spray guns.

Notice: Warranty repair will not be performed on a spray gun that has not been cleaned. Item must be cleaned before it is sent for repair, or spray gun will be returned collect, with no repairs performed.

Should you experience a problem within your warranty period, ship prepaid to:

WARRANTY CENTER
31133 Wixom Road, Wixom, Michigan 48393

SAFETY INFORMATION

For your safety, please read and understand the following safety guidelines.

Never misuse a tool. Improper use of a tool will shorten its life.

ALWAYS wear safety goggles to protect eyes. Keep your tools clean.

Never use a broken tool. Keep all tools out of the reach of children.

AccuTorg®:

Wear protective goggles. Never hold with hands while tightening. Never use torque sockets to remove lug nuts. When tightening lug nuts, use the criss-cross wheel nut tightening sequence.

Grinders, Grinding Wheels and Air Tool Accessories:

Wear protective goggles. Do not operate power tools at speeds that exceed their maximum rated rpm. Power tool accessories can break, causing particles to fly. Avoid injury by using eye shields and guards.

Hammers:

Wear protective goggles. Always use a hammer that is suitable for the job. Head diameter should always exceed the object being struck, such as a punch or chisel. Do not strike a tool that shows distress.

KTIp.s.t.® TPMS Activation Tool

Product emits magnetic and electromagnetic waves that may interfere with the safe operation of pacemakers. Individuals who have pacemakers should never use this product. Do not use any harsh chemical solvents to clean tool. Do not use tool where contact or immersion in water is possible. Never spill liquid of any kind on the tool. Do not use or store the tool where it is exposed to direct sunlight or excessive moisture. Do not operate tool in the vicinity of open containers or flammable liquids. Do not operate tool with battery cover removed.

Lifting Equipment:

Do not exceed the rated capacity of jack or jack stands. Use jacks only on strong level surfaces. Collapse of lifting equipment can cause serious injury. Do not work on a vehicle supported by a jack, use jack stands.

MEGAHAMMER®:

Lock nut on hub removal tool must be tight to protect against thread damage. Slide shaft thread to be engaged into base plate thread so it is flush with inside edge of base plate thread. Use countersunk holes ONLY for proper grip on studs. Use outboard support to help prevent tool and wheel assembly from dropping to floor. Do not stand behind tool when in use. Tool is heavy. Use extreme caution when lifting. Keep extremities clear of pinch points. Always wear eye protection when using hub removal tool. Locking pin must be in place when not in use. Not responsible for damage to vehicle.

Pliers:

Wear protective goggles. Broken tips or cut material can fly.

Power Tools:

Wear protective goggles. Always read instructions before using a power tool. Flying particles can cause injury. Use hearing protection when exposed to noise for prolonged periods of time. Do not misuse power tools.

Prybars:

Wear protective goggles. Do not strike a prybar. Prybars may cause loose material to fly. Do not use if chipped or cracked.

Pullers:

Wear protective goggles. Be sure that center screw threads are clean and well lubricated. Be sure the puller is seated properly, do not use on an angle. Do not overstress the puller, always use the largest size possible to do the job efficiently. Never use a puller with worn or damaged parts.

Punches/Chisels:

Always wear protective goggles. Regrind a dull chisel to its original shape when the cutting edge becomes dull. Use a punch or chisel holder to prevent injury. Never use a broken punch or chisel.

Ratchets:

Ratchet mechanism may slip or break if parts are worn or dirty. Frequently clean and lubricate.

Screwdrivers:

Wear protective goggles. Never use a screwdriver for prying, punching, chiseling or scraping. Be sure tip width and thickness are appropriate for slot size.

Sockets (Hand):

Wear protective goggles. Be sure to always choose the appropriate type of socket based on its application. Do not use hand sockets on power tools.

Sockets (Impact):

Wear protective goggles. Flexible sockets and swivel joint tools rotate under power during use and should not be held. Using broken tools can cause serious injury.

Spray Guns:

Wear protective goggles.

Tie Downs/Stretch Cords:

Wear protective goggles when stretching, fastening or releasing hooks. A rebounding hook is dangerous. Do not use if product appears frayed or worn, or if the hook has been bent or otherwise tampered with. Do not stretch a stretch cord beyond 50% of its unstretched length. Do not expose to extreme stress or incorrect use. Do not exceed the maximum working load.

Tow Straps/Ropes:

Do not expose to extreme stress or incorrect use. Working load requirement should be evaluated by user before choosing the appropriate assembly. Always check anchor points. Never use if webbing is worn or frayed.

Wrenches:

Wear protective goggles. Do not over-torque.

Avoid excess force on crowfoot or flare nut wrenches. Always use correct size.



Notes	

1.800.762.6002 www.ktoolinternational.com

K-TOOL INTERNATIONAL

Wixom, MI 48393 www.ktoolinternational.com Part No. KTICAT





Serving the Automotive Industry Since 1984