PLEASE NOTE: DUE TO RECENT TARIFF CHANGES BY THE U.S. GOVERNMENT, PRICES MAY INCREASE WITHOUT NOTICE. See back for details.

SM SM SM SM

OCTOBER - DECEMBER 2019





TWMNOP



• Read and clear DTCs of vehicle ENG, Automatic Transmission, ABS, SRS systems





The 2235TIMAX-CAMO 1/2" Impact Wre

For a limited time only, we bring you a special edition, officially licensed MOSSY OAK® camo version of the 2235TiMAX!

Every tool will have a different variation of the camo design, making each tool unique.

REAL TOOLS FOR REAL WORK.









FOLLOW US. #IRTOOLS

LEARN MORE AT IRTOOLS.COM



LAU301180411

X-431 PAD II AE-PBE

It is a Professional Scan Tool, which utilizes easy to operate Android™ tablet technology to meet your needs and expand as your business grows. Full system diagnostic, printable reports for Pre and Post scans, online vehicle research, and even part ordering is no problem with the open Android™ platform.

This PBE package includes the X-431 Pad II AE, a Docking Station, BST-560 Battery Tester, and additional second year software certificate.

"ONE SCAN TOOL DOES IT ALL" DUST PROOF AND IP 65 RATED



WWW.LAUNCHTECHUSA.COM

with 6" Ext and #5 Spline

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



































3 Piece Impact Screw Extractor Set A Retail Value of \$35.74 While Supplies Last

with purchase of the following:

HAN1859150

8 Piece Impact Bolt Grip Drawer Set



2-Piece ProPliers Set - 6" Slip Joint and 6" Long Nose

A Retail Value of \$22.06 While Supplies Last

with purchase of the following:

VGP2078710

3-Piece GrooveLock Pliers Tray Set





HAN1840320P

16 Piece Impact Automotive Bit Set A Retail Value of \$65.95 While Supplies Last

with purchase of any of the following:

HAN3057034

34 Piece Quick Change Fastener Bit Set

HAN3018005

29 Piece Black and Gold Metal Index Drill Bit Set





IRWIN. **VISE-GRIP**

2 Piece Groove Joint Pliers Set - 8" and 10"

A Retail Value of \$23.50 While Supplies Last

with purchase of any of the following:



VGPIRHT82595

7 Piece Fast Release Locking Pliers Set

VGP641KB

6 Piece Locking Pliers Set with 6 Koozie Cups



4 Piece ProPliers Tray Set A Retail Value of \$48.42 While Supplies Last

with purchase of the following:

VGP1078TRAY

10 Piece Vise-Grip Locking Pliers Set



HAN54009P

9 Piece Fractional Bolt Extractor Set A Retail Value of \$112.58

with purchase of the following:

HAN11135

35 Piece Screw Extractor and Drill Bit Set



MLW48-11-2460P

M12 12-Volt Lithium-Ion XC Extended Capacity Battery Pack 6.0Ah A Retail Value of \$142.94

with purchase of any of the following:

MLW2505-22

M12 Fuel Installation Drill Driver Kit

MLW2551-22 M12 FUEL SURGE 1/4" Hex Hydraulic **Driver 2 Battery**



M18

MLW48-11-1850P M18 REDLITHIUM XC 5.0AH Extended **Capacity Battery Pack**

A Retail Value of \$191.69 While Supplies Last

with purchase of the following:

MLW2803-22


M18 FUEL POWERSTATE 1/2" Drill Driver with (2) Batteries Kit

M18 = LI =

M18 FUEL 1/4" Hex Impact Driver with (2) Batteries Kit



ADAS CALIBRATION AUTEL NEW COVERAGE SOFTWARE / TARGETS



6 NEW LDW TARGETS

PART# AULLUW IARGE 12





























with purchase of 3 of the following:

MLW48-89-9242 3/16" - 1/2" SHOCKWAVE Impact Step Drill Bit





MLW48-89-9243 #3 3/16 - 3/4" Shockwave Impact Step Drill Bit



MLW48-89-9244P 3/16" - 7/8" SHOCKWAVE Impact Step Drill Bit, #4 A Retail Value of \$57.26 While Supplies Last



with purchase of 3 of the following:

MLW48-89-9244 3/16" - 7/8" SHOCKWAVE Impact Step Drill Bit, #4



Milwaukee

MLW48-89-9248P 1/8" - 1" Shockwave Impact Step Drill Bit, #8 A Retail Value of \$67.22



with purchase of 3 of the following:

MLW48-89-9248

While Supplies Last

1/8" - 1" Shockwave Impact Step Drill Bit, #8







IRTC38231-600P 3/8" Piggyback Filter/ Regulator/Lubricator A Retail Value of \$191.38 While Supplies Last



Ingersoll Rand

AND IRT35-BOOTP **Boot Cover for IRT35MAX** and IRT15QMAX A Retail Value of \$22.20



with purchase of any of the following:

IRT15QMAX

3/8" Ultra-Compact Impactool

IRT35MAX

1/2" Ultra-Compact Impactool



FREE

IRTC38231-600P 3/8" Piggyback Filter/ Regulator/Lubricator A Retail Value of \$191.38



Ingersoll Rand

AND IRT2115M-B00TP **Protective Boot for 2115MAX** A Retail Value of \$22.20

While Supplies Last

with purchase of any of the following:

IRT2115TiMAX

3/8" Drive Titanium Impact Wrench

IRT2135QXPA

1/2" Composite Quiet Impact Wrench







Pack - 20 Volt A Retail Value of \$211.62

While Supplies Last

Ingersoll Rand

AND IRTW7150-BOOTP **Protective Boot Cover** for Models W7150 and W7250 A Retail Value of \$25.20 While Supplies Last

with purchase of the following: ¶

IQV20 Series

IRTW7150-K1

IQv20 Li-Ion 1/2" Drive Impact Wrench Kit with Charger and One Battery





1/4" Drive Air Ratchet A Retail Value of \$148.49 While Supplies Last

with purchase of the following:

IRT4151

Ultra Duty Vacuum-Ready Random Orbital Air Sander



(2) SEIMCCCD5200-1P **Camo Magnetic Can Cooler**

A Retail Value of \$7.13 each





with purchase of the following:

IRT2235TiMAX-CAMO

Limited Edition 1/2" Drive Mossy Oak Camo Impact Wrench







GW GEARWRENCH FREE

6-Piece Mini File Set A Retail Value of \$58.95 While Supplies Last

with purchase of the following:

GearWrench 8" and 16" Indexible Prv Bar Set



GW GEARWRENCH

3/8" Drive 120XP Extra Long Handle Ratchet

A Retail Value of \$67.09

with purchase of the following:

1/2 in. Drive 120XP Extra Long Handle Ratchet

GW GEARWRENCH

8 Piece Long Hook & Pick Set While Supplies Last

with purchase of the following:

KDT80066

20-Piece Master Dual Material Screwdriver Set

10 Piece Metric Ratcheting **Crowfoot Wrench Set** A Retail Value of \$91.09

While Supplies Last

with purchase of the following:

KDT89101D

6 Piece Ratcheting Flex Flare Nut Wrench Set - Metric





FREE

4 Piece Metric Flex Head Combination **Ratcheting GearWrench Completer Set** A Retail Value of \$205.37 While Supplies Last

GW GEARWRENCH

with purchase of the following:

12 Piece Metric Flex Head Combination Ratcheting GearWrench Set



BUNDLE DEAL 1/4" Drive "Mini" **Composite Single Pawl Ratchet** included in package with ACA1150-800 A Retail Value of \$109.29 While Supplies Last

ACA1150-800

1/2" Drive Impact Wrench with FREE 1/4" Drive Ratchet • The ACA1150-800 kit is our most popular

- tools for the price of the ACA1150 by itself
- The ACA1150 "Killer Torque" 1/2" Drive Impact Wrench is our most popular twin hammer impact
- The ACA800 is our most popular 1/4" Drive Ratchet



GW GEARWRENCH THE HOTTEST PRICES!

KDT81032

 45 Piece Slim Head Ratchet Set
 Set includes: 6" and 12" - 1/4" Drive 72 Tooth Quick Release Locking Flex Slim Head Ratchets, 4" - 1/4" Drive Extension, 4mm, 5mm, 6mm,7mm, 8mm, 9mm, 10mm, 11mm, 12mm and 13mm -1/4" Drive 6 Point Standard Metric Sockets and a 30 Piece Bit Set

KDT82116

7-Piece Mixed Dipped Handle Plier Set

Set includes; 10" Tongue and Groove, 12 Tongue and Groove, 8 Slip Joint, 7" Long Nose, 8" Linesman, 7" Diagonal, and 7" End Nippers



KDT82114

4 Piece Mixed Dipped Handle Plier Set

 Set includes: 10" Tongue and Groove, 8" Slip Joint, 7" Long Nose and 7" Diagonal Pliers

KDT80071

7-Piece Torx Dual Material Screwdriver Set - 6" Blades

- Black Oxide Non-Slip Tip
- Laser Etched Part Number and Size
- Innovative Dual Material Handle for Comfort and Performance

KDT80055

6-Piece Mini Dual Material Phillips/Slotted Screwdriver Set

• Set includes: Slotted - 1.5mm, 2.0mm, 2.5mm; Phillips - #00, #0, and #1 packaged in a case

KDT41840

2-Piece Push Pin Plier Kit

- Features 30 and 80 degree Push Pin Pliers in one convenient set
- 80 degree offset version excellent for access around wheel wells

KDT84020

4 Piece Heavy-Duty Long Hook & Pick Set

- · Alloy steel blade for durability
- Laser etched sku number on shank
- · Chrome plated for corrosion resistance

KDT80723

13-Piece 1/4", 3/8" and 1/2" Drive Torx Press Fit Bit Socket Set

Set includes: (1/4", 3/8" and 1/2" Drive) includes: T8, T10, T15, T20, T25, T27, T30, T40, T45, T47, T50, T55 and T60 Torx® Press Fit Sockets packaged on a clip rail

KDT80728

- 36 Piece 1/4", 3/8", & 1/2" Drive Torx Bit Socket Set

 Heat treated socket bases for durability and serviceability
- Proffesional, full polish chrome
- . Meets or exceeds ASME specifications

KDT82303

5-Piece Hammer Set

 Set includes: 16 oz. ball pein, 3 lb. drilling, 12 oz. soft face, 16 oz. dead blow, and 16 oz. rubber mallet



WIL28811DB

WILTON Special Edition 855M Mechanics Pro-Vise & Hammer Kit in Black Finish

- Kit includes Special Edition 855 Vise and B.A.S.H 2 lb. Dead Blow Hammer
- Enclosed spindle keeps lubricants in and contaminants out for smooth operation . Needle roller thrust bearing -- easier to
- apply & release greater clamping force 60,000 PSI ductile iron movable jaw & base
- · Large anvil work surface



WIL10025BH WILTON Special Edition B.A.S.H ATV Vise & B.A.S.H Hammer

- Special Edition B.A.S.H. 6-1/2" ATV Utility Vise and 2-1/2 lb B.A.S.H. Sledge Hammer with 12" Unbreakable handle
- · Distinctive green powder coat paint on vise resists scratches and provides a tough durable surface
- Fits a standard 2" hitch and includes a hitch pin
- · Can be mounted on a bench or trailer



IN BOX!

WIL51136 WILTON 36" B.A.S.H Bead Breaking Wedge, 11 lb. Head Unbreakable® Handle Technology -

- Steel core eliminates breaking during overstrikes
- Safety plate prevents head from dislodging
- No-slip grip made from vulcanized rubber ensures a secure hold
- Lanyard hole safely secures hammer to wrist or stationary object

WIL11108 WILTON B.A.S.H.

Master Hammer 8-Piece Kit

- Safety plate locks head firmly to handle eliminating dislodging

- 55314, 30216, 32414, 33214 & 34014).

WIL1550

WILTON 5" Mechanics Hi-Vis Safety Vise Replaceable serrated

- top jaws and pipe jaws Hardened top V-groove jaws
- · Fully enclosed spindle and nut
- Large anvil work surface











MLW2769-22

M18 FUEL 1/2" Extended Anvil HTIW with ONE KEY Kit

- 4 customizable modes provides multiple fastening torque outputs designed for sedans, light trucks and box trucks
 POWERSTATE™ Brushless Motor delivers up to 750ft-lbs of fastening torque and 1,100ft-lbs of nut-busting torque
 POWERSTATE™ Brushless Motor delivers maximum power
- and long motor life
 Part of the M18™ System, featuring over 175+ Tools

MLW2769-20

M18 FUEL 1/2" Ext. Anvil HTIW with ONE KEY (Bare Tool)



1,100 FT/LBS OF **NUT-BUSTING TOROUE**

Milwanke

MLW2582-22 M12 FUEL SURGE HDD 2 Piece Combo Kit

- FLUID-DRIVE hydraulic powertrain reduces metal on metal contact within the tool, delivering quieter operation, smoother performance and increased durability over a standard impact
- Longer sustained torque delivers similar drive times in application as most 12V impact drivers
- Up to 2X quieter operation makes this tool ideal for occupied spaces
- POWERSTATE™ brushless motor delivers maximum power and long motor life





MLW2551-22

M12 FUEL SURGE 1/4" Hex Hydraulic Driver 2 Battery Kit

- FLUID-DRIVE hydraulic powertrain reduces metal on metal contact within the tool, delivering quieter operation, smoother performance and increased durability over a standard impact
- Longer sustained torque delivers similar drive times in application as most 12V impact drivers
- Up to 2X quieter operation makes this tool ideal
- for occupied spaces

 POWERSTATE™ brushless motor delivers maximum power and long motor life

MLW2551-20

M12 FUEL SURGE 1/4" Hex Hydraulic Driver (Bare Tool)





M12 FUEL Extended Reach Ratchet 1 Battery Kits

- · Slim head profile and extended neck provide users with the longest reach in tight spaces
- Industry leading fuel technology, a reinforced mechanism and investment cast steel yoke housing provides greater durability for the professional use

 • POWERSTATE™ brushless motor delivers
- maximum power and long motor life
 Part of the M12 System, featuring over 80+ tools

MLW2560-21 3/8"

• 55ft-lbs max torque

MLW2560-20 3/8" (Bare Tool)

MLW2559-21

40ft-lbs max torque

MLW2559-20 1/4" (Bare Tool)

MLW49-16-2560

M12 FUEL 3/8" Extended Reach Ratchet Rubber Boot

1/4"

For use with MLW2560-20 only

MLW49-16-2559

M12 FUEL 1/4" Extended Reach Ratchet Rubber Boot

For use with MLW2559-20 only





MLW2485-22 M12 FUEL Right Angle Die Grinder 2 Battery Kit

- 0.3 HP Motor Output
- . More powerful than pneumatic die grinders and Replaces compressors and hoses
- Increased cost savings over pneumatic power
 RPM Control Allows Users more control in
- delicate applications

MLW2485-20 M12 FUEL Right Angle Die Grinder (Bare Tool)

MLW2505-22 M12 FUEL Installation Drill Driver Kit

- · 4 Dedicated Interchangeable heads
- · Magnetic Bit Holder
- Unique Form Factor design

MLW2505-20 M12 FUEL Installation Drill Driver (Bare Tool)





PAstro

AST1832

ONYX 1/2" Nano Angle Impact Wrench

- Shorter than a credit card at 3.46" long
- Max Torque: 415 ft/lbs
- Working Torque: 300 ft/lbs
- Clutch type: Oversized Hammer







SUPER STORE

A world in motion since 1919!

Kukko Quality Tools Inc.

KQTK-54-B

Double-Edged Nut Splitter Set 10-36mm

- Double-edged, mechanical nut splitter with twice the normal splitting force on irretrievable nuts in quality grades 5, 6 and 8
- One operation through double cutting action
- Splitting nuts without damaging the threaded bolt
 The nut splitter's band provides additional support when turning the chisel back
- Set includes replacement chisels and wrenches











- For pulling and removing bearings, gears, etc.
- Universal application thanks to adjustable clamping depths and two types of hook
- The multiple boreholes in the pulling hooks enable users to work with variable reach
- · Side clamp increase the pressure of the hooks significantly



KQT54-3 **Double-Edged Nut Splitter 17-36mm**

Universal 2 and 3 Arm Puller Sets

- The thin pulling hooks are suitable for narrow, difficult-to-access locations
- A manual adjustment knurl allows rapid loosening and adjusting of the extractor jaws on the cross-beam without using a wrench
- Reversing the puller jaws allows for both internal and external applications
- · Jaw extensions increase the pullers clamping depth

K0TK-2030-10+S

- Medium Universal 2-jaw and 3-jaw puller set with narrow, quick-adjusting pulling jaws
- 5 Ton, Automotive Segment

KQTK-2030-20+S

- Large Universal 2-jaw and 3-jaw puller set with standard & narrow, quick-adjusting pulling jaws
- 10 Ton, Heavy Equipment/Truck Segments



KQT54-2









KQT25-A

Internal Bearing Extractor Set with Counterstays 12-46mm

- · Extracting inner bearings, bearing outer rings & bushings
- · 2-shell design with extra large grasp edges
- · The internal extractors are equipped with an internal safety stop to protect against excess tension and overloading
- . The arms on the counter supports are easy-to-adjust thanks to an internal spring mechanism. (size 1 to 3)
- Thanks to their support struts, sizes (4 and 5) counter struts are particularly suited for large ball bearings, etc.. and ensure that the assembly remains stable during the extraction process





KQTK-22-A-M

Internal Bearing Extractor Set with Counterstay and Slide Hammer 8-40mm

- Ball bearing extracting set with counterstay & slide hammer
- The 5 internal extractors with their spread from 8 up to 40 mm are perfect for the dismantling of the most popular bearings, outer rings and bushings in the automotive area and can thus be used universally
- The arms on the counter supports are easy-to-adjust thanks to an internal spring mechanism. (size 1 to 3)
- The 2-shell design with extra large grasp edges ensures safe extraction
- The internal extractors are equipped with an internal safety stop to protect against excess tension and overloading





KQT204-V

2-Jaw Puller "Cobra" for Inner Races with Side Clamp · Safe and simple disassembly of the bearing inner race

- When the tension clamp is tightened, the pulling jaws grip below the part to be removed and loosen it before the actual removal process
- Adapter fits on all common axial holes, e.g. on VAG and other models
- Side clamp increases the pressure of the hooks significantly
- No cut-off grinding, chiselling or hammering required



KTI81201

3/8" Mini Impact Wrench

 Maximum Torque: 350 ft/lbs (470Nm);
 Free Speed: 8500 RPM: Air Pressure: 90 PSI; Average Air Consumption: 5.3 CFM; Weighs: 3.75 lbs

Twin hammer structure, high torque output and stable K TOOL

350 FT/LBS MAX TOROUE

380 FT/LBS

MAX TOROUE

K TOO!

- · Lightweight, powerful and compact
- Covered by a 1 year warranty

KTI81301

1/2" Mini Impact Wrench

- Maximum Torque: 380 ft/lbs (520Nm); Free Speed: 8500 RPM: Air Pressure: 90 PSI; Average Air Consumption: 5.3 CFM; Weighs: 3.85 lbs

 • Twin hammer structure, high torque output and stable
- · Light weight but durable, design for heavy duty
- · Covered by a 1 year warranty



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



ACA1059-VXL 3/8" VIBROTHERM DRIVE Compact Impact • VIBROTHERM DRIVE Hammer

- Mechanism (Patent Pending)
- The new mechanism reduces vibration levels by between 30%-40%
- The new mechanism increases durability by 50%

 Patented AIRCAT Muffler
- system and Comfort Grip



1/2" Drive Sealed Flat Head Ratchet

- · Low profile flat head allows access to confined areas
- · Sealed head eliminates dust and dirt contamination
- Convenient and comfortable trigger
- · Easy to access F/R switch
- 360 degree adjustable exhaust

ACA809-SH

3/8" Flat Head Ratchet



SUNSX301B

Sunex Tools Mini Right Angle Die Grinder

- Max Free Speed: 22,000 RPM
- Collet Size: 1/4"
- Horsepower: 0.25HP
 Air Inlet: 1/4 NPT

- Air Pressure: 90 psig
 Recommended Hose Size: 3/8" I.D.
- Length: 5.1'
- Weight: 1.1 lbs
- Sound Level: 97 dBA



CPT7160

Low Vibration Short Hammer

- Low Vibration & Lightweight
 Air Hammer .401 Round Shank
 Durable Aluminum Motor Housing
 Powerful Hammer Producing 8 Joules of Power & 3,500 Blows Per Minute
 Official Adjustable Rouse Scatting
- . Offering 4 Adjustable Power Settings
- Well Balanced Tool with Rubber Gripping **Designed for Great Handling**



Low Vibration Short Hammer Kit

· Kit contains Bare Tool, Quick Change Retainer, Spring Retainer, Mini Oiler, 5pc, Chisel Set and Soft Bag

CPT7165 Low Vibration Long Hammer

- Low Vibration Long Hammer
 Low Vibration & Lightweight
 Air Hammer .401 Round Shank
 Durable Aluminum Motor Housing
 Powerful Hammer Producing 11 Joules
 of Power & 2,500 Blow Per Minute
 Offering 4 Adjustable Power Settings
 Well Balanced Tool with Rubber Gripping
 Designed for Great Handling
- **Designed for Great Handling**

CPT7165K

Wit contains Bare Tool, Quick Change Retainer, Spring Retainer, Mini Oiler, 5pc. Chisel Set and Soft Bag



LANG " LANG T

- KAS856-3ST 3 Piece 16" Long Pin Punch Set Includes Lang Punch models 856-12, 856-10, and 856-08
- Ergonomic handle with striker cap
 Made from high carbon tool steel for extra strength
- Made in America Lifetime Warranty



ANGGRALUMSET

11 Piece Locking Plier Set for Aluminum Most popular locking pliers for body work Unique shapes for working with aluminum Grip-On pliers manufactured in Spain

- Each tool is epoxy coated for durability and
- resistance to corrosion and welding spatter



LANG ...



CHA968

7.5" Forged Wire Stripper, Cuts 10-20 AWG

- XLT Xtreme Leverage Technology Increases Performance and Reduces Hand Fatique

- Reaming Head for up to 1 inch conduit

 Spring Loaded handle for easy one-handed operation

 Curved Shear is uniquely shaped to contain material during handling
- Strips 10-20 AWG solid and stranded wire, Cuts Bolts 6-32 and 8-32



CHA428X

8" SPEEDGRIP Tongue & Groove Plier

- · Fast and easy, non-slip adjustments
- Precise, laser heat-treated crosshatch teeth for a tight grip in all directions
- Reaming Feature
- Forged U.S. high carbon steel for ultimate strength is specially coated for ultimate rust prevention
- CHANNELLOCK BLUE Comfort Grips reduce hand fatigue

CHA440X

12" SPEEDGRIP Tongue & Groove Pliers

CHAGS-1X 2 Piece SPEEDGRIP

Tonque & Groove Pliers Set 8" &10"

- Fast and easy, non-slip adjustments
 Precise, laser heat-treated crosshatch teeth

- Reaming Feature
 Forged U.S. high carbon steel for ultimate strength is specially coated for ultimate rust prevention

 CHANNELLOCK BLUE Comfort Grips reduce hand fatigue





CPT8917

Torque Wrench 1/2" Drive, 30-250 ft. lbs.

- Fine scale graduation
- Torque adjustment with manual locking in front of the handle
- · Sensitive & sound signals when reaches the torque
- Scale in ft-lbs and Nm
- Provided in a protective blow molded case

☞ GEARWRENCH



Torque Wrenches with Angle

- 120XP ratchet head with 3-degree ratcheting swing arc for accessibility
 3 Modes of Operation: Peak Torque, Angle, Peak Angle (torque and angle)
 Torque Accuracy 2% CW, 3% CCW in 20 100% range
 Angle Measurement Function 5 999 Degrees

- 15 Degree Flex-Head for Access
- 5 Torque Measurement Units: Ft-lb, In-lb, Nm, Kg-m, Kg-cm for Versatility
- Pre-Set 10 Regularly Used Torque Settings
- Target Torque Alert Handle Vibration, Audible Signal, LCD Screen Shows Red, Display on Screen

Part Number	Description	Ft-lbs	
KDT85194	1/4" Drive Flex-Head Electronic Torque Wrench	2 - 20	
KDT85195	3/8" Drive Flex-Head Electronic Torque Wrench	10-100	
KDT85196	1/2" Drive Flex-Head Electronic Torque Wrench	25-250	

GW GEARWRENCH

KDT84972 14 Piece 3/4" Drive 6 PT Deep Impact Metric Socket Set

- Manufactured from Impact Grade Alloy Steel
 Pin Hole for Use with Pin and O-Ring for Secure Socket Retention
- Manganese Phosphate Finish for Resistance to Corrosion
- . High Visibility Laser Etched Markings
- Secondary Hard Stamping





4-Piece Flip Socket Set

- Unique flip socket set
 Unique flip sockets offer 2 hex sizes in one socket
 Includes sizes: 7/8" x 5/16", 3/4" x 13/16", 19mm x 21mm
 Also includes 3" extension
 Use with 1/2" drive extended shank impact tools with an extension
- impact tools with an extension
- Packaged in blow mold case



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Metric Hex Sockets

- 2-piece bit-in-socket design for maximum torque strength Applications: Brake Caliper Bolts,
- Brake Pedal Fasteners, Motorcycles, Bicycles
- OAL: 2.20" (56mm)
- 1/2" square drive
- Made in the USA



Part Number	Description	
CTA7896	5mm Metric Hex Socket	
CTA7897	6mm Metric Hex Socket	
CTA7898	8mm Metric Hex Socket	
CTA7899	10mm Metric Hex Socket	

PAstro

AST49801

Quick Change Retainer Chuck .498 Shank

· Quick change chuck attachment for use with most .498" shank size air hammers and riveters

AST49803

3-Piece Chisel & Hammer Bit Set with .498 Shank

- 7" long "non-turn" type slotted chisel
- 1" diameter straight shoulder hammer bit
- 1.25" diameter rounded hammer bit
- Features .498 Shank



AST78835

Exhaust Pipe Stretcher Kit

- Impact driven Heavy-Duty expander allows for fitting smaller exhaust piping and making exhaust seals

 The 28mm drives the tool and collet
- sets expand pipes from 1-5/8" to 4-1/4
 Steel expander 1 5/8" 2" Collet
 Steel expander 2" 2 1/2" Collet
- 1 year warranty on material and workmanship




PRODUCTS




VIMDD2

1/4 Mini Ratchet Double **Square Drive Offset Handle**

- 2" Long dual drive ratchet with removable 1/4" square drive and 1/4" offset square in handle
- · For use with extensions and other tools to access hard to reach fasteners
- Lifetime Warranty





- Lifetime Warranty



17 Piece Power Drive TORX PLUS Set with PD Bit Holder

- Set includes: IP10, IP15, IP25, IP27, IP30, IP40, & IP45 on 3.5" and 6" Long Power Shank Drivers with a 1/4" sq.x 1/4" Hex Power shank adapter
 Packaged in blow mold case



17 Piece Torx® Power Drive Bit Set with 1/4" x 1/4" Bit Holder

- Set includes: T10, T15, T25, T27, T30, T40, & T45 on 3.5" and 6" Long Power Shank Drivers with a 1/4" sq.x 1/4" Hex Power shank adapter
- · Packaged in blow molded case





1/4" Locking Sq. Dr. - 300mm, (12") Locking Power Shank

- 1/4" Locking Sq. Drive with Push Button Release and Quick Change 1/4" Power Shank
- CRV Steel Fully Heat Treated- Rated for Hand and Impact Drivers
 For All 1/4" Hex Impact Drivers
- Order Individually or as a Set
- Lifetime Warranty

VIMSPM100

- 13 Piece 3/8" Drive Master Spark Plug Tool Set

 Allows for use with wrench or ratchet and socket openings are designed to reduce the rounding of fasteners
- For use on a variety of foreign and domestic cars
- Each socket is equipped with a rubber retainer ring to hold spark plug in place which allows for easy installation and removal of spark plugs
- Dual drive feature enables you to turn sockets using either a 3/8" dr. ratchet for the internal drive or a wrench for the external drive
- 6 Point sockets are Single knurled and 12 Point Socket is Double Knurled for easy identification and provides grip when turning by hand



VMPAAPVAMPLIER

Pro Recesed Screw Extraction Set RSE-60

- Remove stripped/rusted/corroded/stuck/one-side/ Torx screws, nuts and bolts
- Extract stripped/damaged flathead/countersunk/ recessed screws
- No messy drilling required
 Designed with VamPLIER Technology






KNP001955S5

5 Piece Cobra Pliers Set In Tool Pouch

- Equipped with 1 each of 87 01 125/150/180/250/300
- . 30% more capacity than a conventional pipe wrench
- Adjustment at the touch of a button
- Tool roll made of hard-wearing polyester fabric
 Tool roll comes with hook and loop fastener





- KNP001958V01

 8 Piece Circlip Pliers Set

 Tool roll made of hard-wearing polyester fabric

 Tool roll comes with practical, adjustable quick release fastener

 Content: 4 x Circlip Pliers for internal circlips in Bore holes, 4 x

 Circlip Pliers for external circlips on shafts (1) 44 11 J1, (1) 44 11 J2, (1) 44 21 J11, (1) 44 21 J21, (1) 46 11 A1, (1) 46 11 A2, (1) 46 21 A11, and (1) 46 21 A21
- Nón-slip, solid tips



KNP001958V02

8 Piece Precision Circlip Pliers Set

- · Tool roll made of hard-wearing polyester fabric
- Tool roll comes with practical, adjustable quick release fastener
 Content: 4 x Precision Circlip Pliers for internal circlips in Bore holes,
- 4 x Precision Circlip Pliers for external circlips on shafts (1) 48 11 J1, (1) 48 11 J2, (1) 48 21 J11, (1) 48 21 J21, (1) 49 11 A1, (1) 49 11 A2, (1) 49 21 A11, and (1) 49 21 A21

 • With inserted tips for reliable work





KNP6402115ESD

4-1/2" Precision Electronics Pliers End Cutters, ESD Handles

- Precision pliers for ultra fine cutting work in electronics and fine mechanics
- Cutting capacity up to 5/64" for soft wire,
- up to 3/64" for medium wire and up to 1/64" for hard wire
- Electrically discharging handles dissipative

KNP7101160 6-1/4" KNIPEX CoBolt® Compact Bolt Cutters

- 6-1/4" KNIPEX COBOIT® Compact Bolt Cutters
 Compact and powerful at 6 1/4": cuts nails, small bolts, rivets up to 11/64" diameter
 Gripping surface below the joint for gripping and pulling wires with a diameter from 3/64"
 Cutting capacity up to 13/64" for soft wire, up to 11/64" for medium, up to 1/8" for hard and up to 1/8" for piano wire

KNP7711115

4-1/2" Electronics Diagonal Cutters

- Low friction double spring for gentle and even opening
 Sturdy, zero-backlash box joint
- Cutting capacity up to 1/16" for soft wire, 3/64" for medium and up to 1/64" for hard wire







KNP9562160

6-1/4" Wire Rope Cutter

- Cuts wire rope cleanly and evenly without wire ends splaying or fanning out
 For cutting high-strength wire ropes up to 5/32" (4 mm) and cable 3/16" (6 mm)
- At just 6 1/4" (160 mm) in length, considerably more powerful than many larger wire rope cutters

KNP7942125Z

5" Precision Electronics Diagonal Cutters

- Very precisely ground and sharp cutting edges with very small bevels for precise cutting work on small electronic components
- · Cutting edge hardness approx. 64 HRC
- Approx. 20% lighter than conventional electronics pliers



Push Button Swedish Pipe Wrenches

- Time-saving, precise adjustment of the gripping width directly on the workpiece at the push of a button
 Less effort required due to self-locking action
 No unintentional shifting of the pliers handles

Swedish Push Button Pipe Wrenches		
Part Number	Description	
KNP8361010	13" Swedish Pipe Wrench	
KNP8361015	17" Swedish Pipe Wrench	
KNP8361020	22" Swedish Pipe Wrench	

PAstro



AST78415

Locking Pliers Slide Hammer Puller

- Lock onto nearly anything then operate 2.5lb slide hammer to pull
- Direction serrated teeth designed specifically for pulling
 Threads into most common locking pliers / Vice Grips for use with your existing tools as well



AST78340

8 Piece 3/8" Drive Pinless Universal Impact Socket SAE

- Pinless design allows a full 360° of freedom for the universal head to angle and rotate
- · Astro's Nano form factor, up to 11% shorter than standard low-profile universal impact sockets
- · Forged CRO-MO with lifetime warranty
- Includes sizes 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16 and 3/4"



AST78344

Nano Pinless Metric Universal Impact Sockets for 3/8" Drive (10-Piece)


Includes sizes 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19mm





MAY13153

1" ProGrip Wide Scraper



 The ergonomic ProGrip handle, made of highly-resilient Polypropylene with an over-molded Thermoplastic Elastomer soft grip, has two patented ribs around its neck to allow for maximum transfer of torque from the hand to the tool and a slip-free grip when pushing or prying.

Additionally, the rounded end rolls smoothly onto the heel of the palm, reducing friction and hand fatigue making it more comfortable to use.
 Black oxide finish for additional rust protection

MAY13223 ProGrip Pick Straight

- · Made of larger shank steel for heavy-duty applications
- Available in multiple shapes and angles for the perfect tool for the application
- Made in the USA with U.S. and global components
- Black oxide finish for additional rust protection

MAY13224 ProGrip Pick Hook MAY13225

ProGrip Pick Dual Angle

MAY13227 **ProGrip Pick 90 Degree**

MAY13228 **ProGrip Pick Cotter Pin Puller**

MAY13229 ProGrip Pick 45 Degree Hose

MAY13230 ProGrip Pick 90 Degree Hose

MAY13232 **ProGrip Pick-Hose and Clamp**

MAY13233 ProGrip Pick Hose Puller



MAY37326

4 Piece Heavy Duty Pneumatic Tool Set

- Standard .498 Turn Type Parker Shanks for air guns
- Fully hardened and tempered shock resistant tool steel
- · Black oxide finish to prevent corrosion
- Made 100% in the USA
- Lifetime Warranty









MAY60135

8-C Dominator® Curved Pry Bar

- Used for lifting and prying
 Ergonomically designed handle with a capped end that is forged through the handle for unparalleled strength and durability
 Heat treated along the entire length of the steel.
- · Black oxide finish for additional rust protection
- Made in USA



Mayhew Dominator Curved Pry Bar 3-Piece Sets

- Ideal for a multitude of prying and lifting applications
- · Capped end in direct contact with the tempered steel shaft
- Patented, two-composite ergonomically designed handle provides a comfortable and secure grip
- Hardened and tempered alloy steel shaft runs from the cutting edge through the handle to deliver maximum durability and prying power

MAY14071BL - Blue MAY14071GN - Green

MAY17351

Mayhew Hammerless Center Punch and Nail Set

- These unique sets of spring powered tools have the potential to deliver upto 35001b of striking force

 Designed for wood and metal applications. Used to mark, cut, start and set all without the use of a hammer

 Works with precision and accuracy; place tool on work surface and pull back spring and release, and the chance of mis-hits and glancing blocks.

 Not lead so untraining the finish pails and brade into wood surfaces. Not lead to the chance of mis-hits and glancing blocks.

- Nail set countersinks finish nails and brads into wood surfaces. Nail starter starts and drives #2 finish nails and brads
- · Cold chisel cuts rivet heads, mild steel screws, & copper wire. Wood chisel carves or cuts grooves in wood and other soft materials. Center punch marks, indents and punches most materials including mild steel

MAY17352

Mayhew Hammerless Center Punch & Nail Starter Set

MAY17353

Mayhew Hammerless 2/32" & 3/32" Nail Set

MAY17354

Mayhew Hammerless Center Punch & Prick Punch

MAY17355

Mayhew Hammerless 5/16" Cold Chisel & 5/16" Hammer

MAY17356

Mayhew Hammerless Center Punch & Cold Chisel

MAY17358

Mayhew Hammerless 5/16" Wood Chisel & 5/16" Hammer

SUNEX® TOOLS

SUN112PC

- 2 Piece Sunex Phillips and Cabinet Screwdriver Set
- · Quick reference on handle end
- Set includes: 1 cabinet 1/8 in. x 3 in. and 1 Phillips #0 x 3 in.
- Backed by a lifetime warranty

SUN112TX

2 Piece Sunex Tools Torx Screwdriver Set

Set includes: T15 x 4" and T20 x 4"



SUNEX[®]

Locking Pliers

- Trigger release handle for ease when loosening the grip
- Ideal for tightening, clamping, twisting and turning
- Black phosphate finish on the release handle and screw for a non slip grip

SUN4LP

4 Piece Locking Pliers Set -Curved, Straight, and Long Nose

Set Includes - LP10C (10" Curved Jaw Locking Pliers) LP5C - (5" Curved Jaw Locking Pliers) LP6L - (6" Long Nose Locking Pliers) LP7S - (7" Straight Jaw Locking Pliers)

Curved Jaw Locking Pliers

- Curved jaw provides maximum grip on a variety of shapes
 Convenient wire cutter included

SUNLP10C - 10"

• 1-7/8" Jaw capacity

SUNLP7C-7"

1-1/2" Jaw capacity

SUNLP5C - 5"

1-1/8" Jaw capacity

Straight Jaw Locking Pliers

Straight jaw provides a secure grip on angled fasteners and flat sheet metal

SUNLP10S - 10"

1-3/4" Jaw capacity

SUNLP7S - 7"

• 1-5/16" Jaw capacity

SUNLP6L

6" Long Nose Locking Pliers

- 2" Jaw capacity
- Long nose design for positioning thin sheet metal in narrow spaces

SUNEX[®] TOOLS

Locking C-Clamps

- · Trigger release handle for ease when loosening the grip
- Wide-opening jaws provide versatility when clamping a variety of shaped material.
- Great for body work and welding applications where a wide opening is needed.
 Black phosphate finish on the realese handle
- and screw for a non slip grip

SUNLC11 - 11"

3-3/8" Jaw capacity

SUNLC6 - 6"

2-1/8" Jaw capacity

SUNLC6S - 6" with Swivel Pads


• 2-1/8" Jaw capacity with swivel





THE NEW PRO SERIES MODULAR WORK LIGHT #PPRPPMWL1000 Power Probe Tek "SPOTLIGHT YOUR WORK STAGE!" The Pro Series Modular Work Light is extremely versatile and can be used as an underhood light, an area spotlight and four individual work lights! **FEATURES:** · COB LED 1000 Lumens Total 3hr Runtime on High, 6hr Runtime on Low 4 Removeable Modules with Rechargeable Base Dust & Water Resistant IP54 (On Base) & IP65 (On Modules)







MLK514500

31 Piece Twin Bit Kit in Sotrage Case

• Double sided bit kit

- Made in Germany
- Includes bit holder
 Kit includes: 30 bits total to cover a wide assortment of jobs and 1 adapter



ГА

3 Piece Hose Pinching Pliers Set

- Heat-resistant, non-conductive reinforced nylon won't rust or corrode
- Smooth, rounded jaw prevents damage when used to pinch off flexible lines including coolant, fuel, vacuum, transmission, heater, brake, and other fluid lines
- · Quick and simple one hand use with built-in locking mechanism
- Small hose clamp for up to 10mm diameter line



TIT51769

3 Piece 90 Degree Angle Hose Pinching Pliers Set

- Heat-resistant, non-conductive reinforced nylon won't rust or corrode
- Smooth, rounded jaw prevents damage when used to pinch off flexible lines including coolant, fuel, vacuum, transmission, heater, brake, and other fluid lines
- · Quick and simple one hand use with built-in locking mechanism
- Small hose clamp for up to 3/8" (10mm) diameter line





LIS89880

Lisle Red Nylon Fender Cover and Automotive Paint Protector

- Durable Nylon Material Protects Vehicle Finish
- Non-slip rubber backing helps keep cover in place without magnets
- Grease, oil and water resistant
- Machine washable
- Durable Nylon Material Protects Vehicle Finish. Non-slip rubber backing helps keep cover in place without magnets. Grease, oil and water resistant. Machine washable
- Durable Nylon Material Protects Vehicle Finish



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LIS37450 DEF Disconnect Set

Compact Design Allows Easy Access to Hard-to-Reach DEF Fill and Breather Lines

- Works on 2012 and Newer Ford Power Stroke and Dodge Diesel
- The disconnects are used to depress the locks that retain the DEF lines allowing removal
- Three sizes for many applications

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



LIS37350

Timing Tool for Ford, 3.5L

- For Use When Servicing the Timing Chain on 2017 and Newer Ford V6 3.5L Turbo Engines
- The tool helps ensure camshaft alignment during the removal and installation of the timing chain
- The size is slightly larger than the 37100 / 37200



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



LIS14150

Wheel Stud Pilot Pin 8-Piece Set

- · Easily Remove and Install Wheels on Vehicles with Lug Bolts
- Four pairs of Metric threaded wheel stud pilot pins allow you to hang the wheel without having to balance the wheel on the small lip of the hub
- This helps prevent the wheel from falling and causing damage or injury
- Set includes 2 each of 12mm x 1.25, 12mm x 1.5, 14mm x 1.25 and 14mm x 1.5 threaded pins



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LIS63080

Lisle 14mm 12-Point Spark Plug

- Thin Wall, 14mm, 12 pt. Socket with Swivel
 Remove and Replace Spark Plugs from Narrow Tubes
 Rubber insert holds the spark plug in the socket during removal and installation
- Use with 3/8" square drive
- · Socket with Swivel to Remove and Replace Spark Plugs from Narrow Tubes



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



SCUSA874U

Schumacher 12V Wet Dry Automotive Vacuum

- Powerful Vacuum Cleans Up Wet and Dry Messes
- Extra Long Power Cord for Extended Reach
- Cleanable Filter for Longer Life
- Sleek Design Allows Easier Access Inside Vehicle



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



OTC5869-1

Fuel System Coupler Fitting

- This fuel system coupler fitting connects to a "compu-check" quick-connect fitting
- Applications include Detroit Diesel S60,
- MBE900, and MBE4000.

Similar to J-47912-QC



OTC4853 **Piston Ring Compressor**

- Universal piston ring compressor to compress piston rings during piston installation
- Adjustable handle provides an effective size range for rings from 2.125" 5.0" diameter
- Similar to J-8037



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





OTC5877

Injector Cup Removal/Installation Tool

- This two tool set of injector cup removal/installation tools work on screw-in stainless steel cups
- Similar to J-46904 and J-48824
 Includes: ludes: Injector Cup Removal Tool, Injector Cup Installation Tool and Replacement O-rings, (10X)

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Poppet Disassembly Tool -Detroit Diesel Engines

- Disassembly socket for poppet valves with 2-prong spanner style end
- Applications include Detroit Diesel engines
- to J-36452-B



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Cam Gear Retaining Tool - Detroit Diesel Series 60

- This tool is used to properly hold the cam gear stationary while removing/installing the cam gear retaining bolt without damage
- The tool installs into the gear case, engaging one of the lightening holes in the camshaft drive gear
 Use two of the access cover bolts to secure the tool
- to the gear case
- For use on Detroit Diesel Series 60
- Similar to J-35652-B

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

OTC5876

Injector Remover - Detroit Diesel Series 60

- A specially designed puller to remove seated injectors from the cylinder heads of Detroit Diesel Series 60 inline 6 engines
- A thrust bearing under the puller nut reduces friction during operation for smooth, easy injector removal
- Similar to J-47372

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





OTC5886

- Fuel injector Torque Adapter

 This socket adapter is used to remove and install injector feed tubes on select Detroit Diesel engines
- The unique design provides proper clearance on injector tube hex nuts and is used to accurately torque tubes upon re-installation
- Applications include Detroit Diesel DD13 and DD15
- Similar to J-48770

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



OTC5883

Crankshaft Alignment Tool - Detroit Diesel Series 60 engines

- . This alignment pin tool is used to ensure proper crankshaft alignment while checking camshaft timing and servicing
- · Pin will drop into crankshaft locating hole, placing the No. 1 cylinder at top-dead-center (TDC)
- For use on Detroit Diesel Series 60 engines
- Similar to J-45947



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

OTC5883-1

Crankshaft Alignment Tool Replacement Tip

Detroit Diesel Series 60 engines

- · Replacement tip for 5883 Crankshaft alignment tool
- For use on Detroit Diesel Series 60 engines
- Similar to J-45947-TIP



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

OTC5875

Cylinder Liner Remover

- This puller is used to removes cylinder liners
- Fits cylinder I.D. ranges from 5.0" to 5.75"
- Similar to J-45876



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

OTC5874

Cylinder Liner Installer

- This tool is designed to install cylinder liners into engine block
- Attaches to engine with three cylinder head bolts, the drive screw and plate then force the liner into position
- For use on Detroit Diesel Series 60.
- Similar to J-35597-A



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



OTC5882

Cam Gear Alignment Tool

- . This tools is used to properly align the cam gear during camshaft assembly installation

 • The pin on the tool fits into the cam timing hole
- for proper alignment
- For use on Detroit Diesel Series 60
- Similar to J-45946



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

OTC5872

Compression Gauge, 0-1150 psi

- Designed to measure compression within heavy duty engines
- Similar to J-6692-B

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov







MLL907693

Miller Multimatic 215 Multiprocess Welder

- Material thickness gauge #229895

- Material thickness gauge #229895
 6.5 ft (2 m) power cord and MVPTM adapter plugs for 120V and 240V
 10 ft (3 m) MDXTM-100 MIG gun
 13 ft (4 m) cable electrode holder and 25 mm Dinse-style connector
 10 ft (3 m) work cable with clamp and 25 mm Dinse-style connector
 Argon and AR/C02 mix regulator/flow gauge with hose
 Spool of Hobart® .030 in (0.8 mm) solid wire
 Two contact tips for .030 in (0.8 mm) wire
 Quick Select™ drive roll for .024 in (0.6 mm) or .030/.035 in (0.8/0.9 mm) solid wire and .030/.035 (0.8/0.9 mm) flux cored wire mm) solid wire, and .030/.035 (0.8/0.9 mm) flux cored wire
- Hook-and-loop cord wraps





MLL907757

Miller Multimatic 220 AC/DC

- 6.5 ft (2 m) power cord and MVP™ adapter plugs for 120V and 240V
- 10 ft MDXTM-100 MIG Welding Gun
 13 ft (4 m) cable electrode holder and 25 mm Dinse-style connector
- 12.5 ft (3.8 m) Weldcraft™ A-150 (WP-17) TIG torch with 25mm The style connector
 RFCS-14 HD foot control with 20 ft (6 m) cord
 10 ft (3 m) work cable with clamp and 25 mm Dinse-style connector
 Two Argon and AR/CO2 mix regulator/flow gauge with hoses

- Spool of Hobart® .030 in (0.8 mm) solid wire
 Two contact tips for .030 in (0.8 mm) wire
 Quick Select™ drive roll for .024 in (0.6 mm) or .030/.035 in (0.8/0.9 mm) solid wire, and .030/.035 (0.8/0.9 mm) flux cored wire
- AK2C TIG torch accessory kit
- Material thickness gauge #229895
- Hook-and-loop cord wraps



MLL907405

Millermatic 212 Auto-Set MIG Welder

- All-in-one wire welder that welds material from 22 gauge to 3/8 in. thick, in a single pass

 Millermatic 212 Auto-Set

 Is ft. (4.5 m) 250-amp MDX-250 MIG gun w/ Bernard AccuLock MDX consumables for .030/.035 in. (0.8/0.9 mm) wire

 In ft (3 m) work cable with clamp

 The feature of the sum of the

- 7 ft (2.1 m) power cord and plug
 Argon mix regulator/flow gauge and hose
- · Factory-installed running gear with EZ-Change Low Single Cylinder Rack

 • .030/.035 in reversible drive rolls
- Extra contact tips
- Material thickness gauge #229895
- Standard Built-In Solid-State Contactor Circuit





- · Hook-and-loop cord wraps
- 6.5-ft. (2 m) power cord with plug

- 6.5-π. (2 m) power cord with plug
 Small running gear/cylinder rack
 10-ft. (3 m) MDX™-100 MIG Welding Gun
 10-ft. (3 m) work cable with clamp
 Argon and AR/C02 mix flow gauge regulator with gas hose
 Hobart® spool of .030-in. (0.8 mm) solid wire
 Quick Select™ drive rolls for .024-in. (0.6 mm) or .030/.035-in. (0.8/0.9 mm) solid wire, and .030/.035-in. (0.8/0.9 mm) flux-cored wire
 Two contact tips for .030-in. (0.8 mm) wire
 Material thickness gauge (#229 895)
- Material thickness gauge (#229 895)



MLL951821 Millermatic 255 Auto

· Built exclusively to handle OEM repair procedures

- This 208-/220-/230-/240-volt, single-phase weld package produces quality repairs on all of today's multi-material vehicles which require various welds, including steel, aluminum and silicon bronze
- · Comes complete with all items to weld any job in the shop







- Spool of Hobart .030 in (0.8 mm) solid wire
 Two contact tips for .030 in (0.8 mm) wire
- Quick Select drive roll for .024 in (0.6 mm) or .030/.035 in (0.8/0.9 mm) solid wire, and .030/.035 (0.8/0.9 mm) flux cored wire
- Material thickness gauge #229895





MLL281007

Digital Elite Raptor Helmet

Auto darkening welding helmet with ClearLight™

 Digital Elite™ lens has four arc sensors and operates in weld, cut, grind and Miller's X-Mode™

• Comes complete with Miller's redesigned headgear, easier to

use digital controls and three year True Blue® lens warranty



Digital Elite Vintage Roadster Helmet

Āuto darkening welding helmet with ClearLight™ lens

 Digital Elite™ lens has four arc sensors and operates in weld, cut, grind and Miller's X-Mode™

 Comes complete with Miller's redesigned headgear, easier to use digital controls and three year True Blue® lens warranty

 Eliminates sunlight interference and low-amp lens flashing from obstructed arc sensors

MLL280051

Digital Infinity Relic Welding Helmet

 Industry's largest viewing area maximizes visibility – featuring ClearLight Lens Technology

· High-definition optics for precision arc recognition

• 13.4 sq. in. Viewing Area

 Oversized comfort cushion provides extensive adjustability, settings, and enhanced support

Weld, Cut, Grind, and X-Mode provide ultimate versatility

MLL282002

- Digital Performance 64 Custom Relic Helmet

 Miller® '64 Custom™ Digital Performance™ auto darkening welding helmet now features ClearLight
- · Provides a bright, crisp, clear view of the weld puddle with more realistic color hues in both light and dark states
- The Digital Performance™ Clearlight™ lens operates in weld, cut and grind modes and is DC TIG rated down to 5 amps
- · Comes complete with Miller's redesigned headgear, easier to use digital controls and True Blue® three year lens warranty





New Pig

NPGMAT740

Universal Gray Sonic Bonded 15" x 19" Heavy Weight Pads

- · For use indoors and outdoors
- Quick-wicking action starts absorbing on contact. Absorbs high volumes of petroleum-based liquid quickly
- Hydrophic fibers mean these pads float, making them ideal for use on land or water



Absorbent Pads 15x19 Heavy Weight (100 per bag)

- Abrasion resistant top layer gives pads strength for everyday cleanup jobs
- Perfect for medium duty industrial. maintenance and general applications
- · Quickly absorbs leaks, spills and overspray to keep floors dry
- · Oil selective, repels water but absorbs oil and oil based fluids













WIL10025BH

WILTON Special Edition 6-1/2" ATV Vise & 12" B.A.S.H Hammer

- · Distinctive green powder coat paint on vise resists scratches and provides a tough durable surface
- Fits a standard 2" hitch and includes a hitch pin for security
 Can be mounted on a bench or trailer for
- even greater versatility (mounting bracket sold separately)



WIL28811DB WILTON Special Edition 855M Pro Vise & 2 Lb. Dead Blow Hammer Kit in Black Finish

- Enclosed Spindle Keeps lubricants in and contaminants out for smooth operation
- 60,000 psi Ductile Iron Movable Jaw & Base – Greater durability with lighter weight material



- WILTON 36" B.A.S.H Bead Breaking Wedge, 11 lb. Head Unbreakable® Handle Technology Steel core eliminates breaking during overstrikes
- Safety Plate prevents head from dislodging
 No-Slip Grip made from vulcanized rubber
- ensures a secure hold





HERVGF1

Floor Mounted Vice and Grinder Stand

- Easily move heavy tools into position, then back
- 360 degree swivel
- Lock in position
- Securely move any tool under 150 lbs that fits on plate
- Made in America

HERVGW1

Wall Mounted Vice and Grinder Stand

. Holds vices, grinders or any shop tool under 150 lbs that fits on 8x8 plate





AMERICAN FORGE&FOUNDRY INC.

INT3620

20 Ton Super Duty Bottle Jack

- · Welded cylinder for maximum strength
- High grade steel construction
- · Forged and welded base for extra durability and leak free operation

 • Powder coated for durability

INT3620S

20 Ton Super Duty Bottle Jack Short









JET578436 JET 8" Industrial Grinder and 4 x 36 Belt Sander

- Heavy-duty capacitor motorRubber sealed bearings for years of maintenance free sanding on idle wheel
- · Industrial strength construction for demanding usage
- · Totally enclosed pre-lubricated ball bearings for motor
- Not for sale in Canada

JET577436

JET 8" V-Speed Industrial Grinder & 4"x 36" Sander

JET577248

JET 8" V-Speed Industrial Grinder & 2"x 48" Sander

JET578248

JET 8" Industrial Grinder and 2 x 48 Belt Sander





AMERICAN FORGE&FOUNDRY INC.





INT862ASD

Super Duty Shop Press 150-Ton

- Fully welded construction for exceptional strength and durability
 Double pump air motor for faster speeds
 10 piece pin and bearing adapter set for a variety of applications
 Lateral head adjuster provides smooth side to side movement for a greater working range
 Shatter resistant polycarbonate shield provides
- maximum protection against shrapnel and debris







STR00281

Risk Racing EZ3 3 Gallon Utility Jug

- Easy to handle 3 Gallon jug
- 3 handle design for easy carry and pour
 Adjustable Aluminum Breather at the back of the jug
- Thick-walled, high-density, polyethylene plastic, is durable for any fluids you may transport
- Additional Accessories Available: "The BOOT Flour Mount, House Bender Spout, Flow Control Auto Shut-off Spout
 * NOT AVAILABLE IN CALIFORNIA









Rolling Bridge Jacks

- Multi-level safety
- Dual hand controls (Dead-Man)
- · Stackable adapters, low and high included
- Extended lifting height
- Smooth operation
- Special roller bearing wheels allow for effortless rolling
- Convenient pull handle
- · High gloss powder coat paint
- Zinc plated components and accessories

SCPJ6000H - 6,000 Lb. Capacity

- Heavy-Duty Hydraulics
- · Adapter storage on jack

SCPJ7000L - 7,000 Lb. Capacity

- Heavy-Duty Air Bag
- Scissor for stability
- Adapter storage on jack

SCPJ7500H - 7,500 Lb. Capacity

- Heavy-Duty Hydraulics
- · Adapter storage on jack

SCPJ9000H - 9,000 Lb. Capacity

- Heavy-Duty Hydraulic
- · Adapter storage on jack

SCPJ12000H - 12,000 Lb. Capacity

- Heavy-Duty Hydraulic
 Can be used on the top of the jack for narrow pick up points

SCPJ15000H - 15,000 Lb. Capacity

- Heavy-Duty Hydraulic
- Can be used on the top of the jack for narrow pick up points



Nail Brush 5" x 2" x 2" with Magnet

- Material: PP handle+PP bristle
 Size: 4.921" x 1.575" x 1.772" / (12.5x4x4.5cm)
- Comfort grip design for more comfort and control
- Brush has a magnet on one end on the backside to hang for storage and easy access to use



(distantants)

3 Piece Nail Brush Set - 5" x 2" x 2" with Magnet

KTI74142

Nail Brush 4" x 1" x 2"

- Material: PP handle+PP bristle
- Size: 3.937" x 1.378" x 1.772" / (10x3.5x4.5cm) each
- · High impact plastic non-slip handle

3 Piece Nail Brush Set - 4" x 1" x 2"





MPS124032ISN

USB-Link Bluetooth with OBDII Cable

- CAN / J1939 / ISO15765
- Single wire CAN (SWCAN)
- ISO 11898-3 Fault Tolerant CAN (FTCAN)
- J1708 / J1850
- ISO 9141 / KWP2000 (ISO 14230) K/L line



The USB-Link 2, the next generation vehicle interface from NEXIQ Technologies™, has arrived. Dependable and rugged, the new USB-Link 2 is five times faster than its predecessor. It has sixteen times more random access memory than the old USB-Link, and it supports heavier bus loads on simultaneous channels.



MPS798021ISN Pocket HD Break Kit

- with Airline Release Plier Kit

 All Makes" DPF Regen
- ABS Software Suite
- · View and clear current and historic faults
- . Monitor all vehicle data, Display trip data
- · Check engine speed and load, pressures





MPS918019

Pocket HD School Bus Kit - Includes Pocket HD & SW

- HDS / LMT 2016
- Cummins® Lite · All Makes DPF Regen
- Allison® Lite
- · ABS Suite
- The Pocket HD School Bus Kit includes everything you need to manage school bus fleets with Cummins engines. In addition to the Pocket HD scan tool, you get the School Bus Software Suite, which includes HDS, LMT 2016, Cummins Lite, All

Makes DPF Regen, Allison Lite, and the ABS brake suite. In addition, you get two adapters (a 9-pin and a 16-pin), a 26-pin data cable, and a soft carrying case.





AULIM508

IM508 Key Programming Tablet

- Touchscreen Android-Based Tablet
 Touchscreen Android-Based Tablet
 Powerful Key Programming & IMMO Functionality
 All Systems Vehicle Diagnostics
 Comprehensive Service Menu
 Includes the XP200 Key & Chip Programming



AULIM608

- IM608 Key Programming Tablet

 10" Touchscreen Android-Based Tablet

 Professional Key Programming With XP400 Programmer

 Advanced Key and EDU/MCU Programming Functionality Read/Write

 Key Read/Write Transponder Data (96 bit)

 IC Card Read/Write

FLUKE



Fluke Connect Automotive Kit

- · Record and view readings remotely Show up to 4 readings simultaneously on 3000FC display
- Share results with ShareLive video call
- Includes FLK-3000FC meter, FLK-3001 FC DC
 Voltage Module, FLK-T3000 FC Temperature Module
- Relay DC voltage measurements wirelessly



FLUPTI120

Pocket Sized Thermal Imager

- Small enough to carry every day without worry, always at hand, stands up to dirt and water, and can survive a 1-meter drop
 The 3.5" LCD touchscreen offers IR-fusion™ to blend a visible light image with an infrared image to more easily locate problems, simply slide your finger across the screen to adjust the setting
- Fully radiometric thermal imager with 120 x 90 pixel infrared resolution
- 30 Hz refresh rate • 640 x 480 pixels

LAUNCH



LAU301050451

Creader Professional Elite

- Full coverage -domestic, Asian, European vehicles 96 and newer OBD2
 Supports Reset functions of ABS Bleeding, Oil light, EPB, DPF, SAS
 Read and clear DTCs of vehicle ENG, Automatic Transmission, ABS, SRS systems
- 5" 720p Touch Screen with easy to use user interface
- · Diagnostic report automatically generates and share via email



LAU301050458

Gear Scan Plus

- Abundant special functions: oil light reset, steering angle reset, brake pad reset, anti-theft matching, ABS bleeding, battery matching, DFF regeneration, throttle adaptation, TPMS reset, sunroof initialization, injector relearn
 Intelligent diagnosis: Through [AutoDetect], it is possible to read the vehicle information, such as Vehicle Identification Number (VIN), to look up the history diagnostic record and to access the diagnosis in a short time.
- history diagnostic record and to access the diagnosis in a short time

 Diagnostic feedback: When users encountered special circumstances during the usage, they can leave feedback through this function

 • Diagnostic record: With the local maintenance history record, users can
- view the vehicle records that this equipment has diagnosed
- Operation system: Android 7.0, 1G memory, 16G storage- Built-in 6000mAh rechargeable Li-battery, 7" IPS touch screen

LAU301050461

- LAUSUTUSU461
 Millennium TSAP Activation
 and Diagnostic Tool for TPMS System
 Receive 315MHz/433MHz Sensor RF signals
 Read TPMS Sensor ID, Tire Pressure, and Temperature
 Read and Write Sensor ID's on vehicles that require a TPMS
 OPPH interface. **OBDII** interface
- Display Sensor Status of Four Wheels graphically on display
 Display Sersor: 4.0" TFT 320×480 DPI
 OBD Supply Voltage: 9-18V
 USB Supply Voltage: 9-18V
 Battery: Lithium-ion battery 3100 mAh, 3.7V

- Operating Temperature: -10 °C to 50 °C
- Environment Temperature: -20 °C to 70 °C
 Dimension: 7.6"x3.4"x1.2"
- 3 languages supported English Spanish French



Launch Pad 3 Intelligent Scan Tool

- Intelligent Diagnosis / Special Functions
 New Easier to Use User Interface

- New Easier to USE USEr Interface
 Wide Car Model coverage
 Diagnostic feedback/Diagnostic clear
 Fully expandable to utilize optional HD Add on Module



FR S



TIT41217

- Anti-Scratch Anti-Fog Welding Goggles
 Equipped with IRS lenses that are designed to prevent scratching and fog build up
- Designed for gas welding and plasma cutting
- Flexible 180° viewing angle Frame material: PVC
- Can be used with glasses
 Lens dimensions: 8-6/7" x 3-1/3"



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



TIT51950

External Deburrer

- Works on stainless steel, hardened and mild steels, brass, copper, aluminum, fiberglass, plastic and wood
- Removes burrs and uneven ridges from threaded rods, pipes and more
- 60 hrc cutting edges
 Low speed (below 500 RPM)




WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



7" Wire Rope and Cable Cutter

- High carbon steel blade with black oxidized finish
- Ergonomic tpr handles
 Easy to use safety lock
 Precision-ground blades
 Cutting capacity: 3/16"
- · Spring-loaded to reduce hand fatigue

· For left and right handed users



TIT17103

Titan Pry Bar 4-Piece Set

- · Tough polypropylene handle grips
- Forged carbon steel with black oxide finish
- Includes: 8, 12, 18, and 24 inch

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

TIT63160

Hi-Viz Orange 16 oz. Ball Pein Hammer (EA)

- · Durable high-visibility orange urethane over-molded grip Crowned alloy steel striking face with uniform beveled edges and one spherical striking face
 Commonly used to drive punches and chisels, set rivets,
- bend and shape unhardened metals
- Steel reinforced handle provides strength and resists breaking on over strike

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov


TIT51364

Tailpipe Expander 3-Piece Set

- · Designed to quickly and easily straighten out clamp dents in mufflers and tailpipes
- Works with all 1-1/8" to 3-1/2" inner diameter thin-wall pipes
- Drop forged heat-treated

Includes:

- Small Expander: 1-1/8" to 1-3/4"
 Medium Expander: 2-1/2" to 2-1/2"
 Large Expander: 2-1/8" to 3-1/2"
- (3) Spare sets of rubber 0-rings
- Blow molded storage case





TIT17100

Titan Automatic Center Punch

- Delivers an automatic spring-driven strike when pressed down against surface
- Adjustable tensioner allows you to rotate body of center punch to regulate striking force
- For use on various metals and woods
- · Ball end for greater gripping power

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

3 Piece Plier Sets

- · Heat-resistant, non-conductive reinforced nylon won't rust or corrode
- Smooth, rounded jaw prevents damage when used to pinch off flexible lines including coolant, fuel, vacuum, transmission, heater, brake, and other fluid lines
- Simple one hand use with built-in locking mechanism
- Small hose clamp for up to 3/8" (10mm) diameter line








ESI804

10 Piece Back Probe Kit

- Standard 4mm banana plug, works with existing test kits in the field
- 2 Spoon Probe Backprobers, designed for round pin style connectors
- 4 Mini Back Probes/Wire Piercers
- 2 Flexible Automotive Back Probe Pins
- 2 Shielded Alligator Clips



6-Piece Electronic Specialties 805 Automotive Test Probe Kit

- Great starter kit, connects to DMM's, digital scopes and most other test equipment
- · Quality extra sharp test probes will provide trustworthy readings
- Large Crocodile clips will clamp to battery posts
- · Test leads are 64 inches length
- Max test current is 10 Amps





PPRPPMWL1000

Power Probe TEK Modular Work Light

- 1,000 lumens for 3 hours of runtime on high, 500 lumens for 6 hours of runtime on low
- A versatile, rechargeable li-ion light is extremely versatile and can be used as an underhood light, an area spot light or four individual work lights.
- The light can be mounted in multiple orientations for hands-free use by utilizing the magnets on the side or back of the housing, the threaded hole for mounting to a tripod, the magnets on each individual module or the hooks on each module.
- IP54 Dust and water resistant housing; IP65 dust and water resistant modules



ESTRIKE



STR00194

MPI - Multi-Point Illumination

- 7500 lumens total light output from 1 main hub and 4 pod lights
 Main hub screws into a standard light socket (E26 screw fit)
- Ratcheting cable management system built-in to pods to prevent dangling wires
- Adjustable 360 degree motion sensor
- USB Port to power external security camera



Astro 700 Lumen Rechargeable Micro Floodlight • 2.5 to 10 hours of work-time with charge

- level indicators on back
- Light Output 700/350/100 lumen
- Water Resistance IP65
- · Battery Specification Li-lon 3.7V, 2600 mAh, 9.62Wh
- · Palm Sized Floodlight with the Latest Ultra-High Output Cob Led for 700, 350 or 100 Lumens



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



BAYFLR-2236RPDQ2

2-in-1 LED Task Light w/Hanger - Rechargeable

- Has both a spotlight and a floodlight
 Ergonomic shape to the handle makes it easy to hold and use
- Flat bottom base make it possible to stand the light up for hands-free use
 The integrated hook/prop stand further
- increase the hands-free options
- Bright white LEDs with a 35,000 hour life



Rechargeable LED Scene Light Kit

- Rechargeable Li-ion battery
- 6' tripod with camlock adjusters
 Multi-angle tilt and swivel fixture design
- High/Low brightness modes

- LED is rated at 50,000 hours of life
 IP-67 dustproof / waterproof
 Impact and chemical resistant design
- Meets requirements of NFPA-1971-8.6 (2013)



WARNING: Cancer and Reproductive Harm

www.P65Warnings.ca.gov







BAYNSR-2168B

Multi-Purpose Rechargeable Floodlight With Magnetic Hooks - Black Dual-brightness Floodlight - 600/225 Lumens

- Three heavy-duty integrated magnets, one at the tip of the light, one at the mid-point of the body and one built into the base for multiple hands-free uses

 • Water, impact & chemical resistant
- Includes both AC & DC power supply/charger

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



BAYNSR-2168R

Multi-Purpose Rechargeable Floodlight With Magnetic Hooks - Red



BAYNSR-2522RM

Rechargeable LED Dual-Light Flashlight with Dual Magnets - Red

- LED technology 50,000+ hours
 Flashlight/Floodlight/Dual-Light™
- Effective beam distance of 213 meters (over 698 feet)
- Powerful integrated magnets built into the base and pocket clip for multiple hands-free options
- IP-X7 Waterproof
- Built-in pocket/belt clip
- Includes wall/vehicle mountable charger, AC/DC power supplies & removable lanyard
- 2 Integrated Lithium-ion rechargeable batteries
- Limited Lifetime Warranty



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov








BAYUSB-558XL

900 Lumen Rechargeable USB Tactical Flashlight

- CREE® LED technology 50,000 + hours LED life
 Momentary or constant-on flashlight
- Sharp focused beam
- Aircraft-grade 6061-T6 aluminum housing with Type III hard anodized finish
- IP-X7 Waterproof

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Polymer Duty Personal-Size Dual-Light Rechargeable Flashlight w/ Magnet

- LED technology 50,000+ hours
 Flashlight/Floodlight/Dual-Light™
- Effective beam distance of 275 meters (over 902 feet)
- · Unfocused wide-beam floodlight for close-up illumination
- Aircraft-grade 6061-T6 aluminum tail-cap and bezel w/Type III hard anodized finish
- Floodlight second body switch
- · Powerful integrated tail cap magnet for hands-free usage

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

- IP-X7 Waterproof
- · Lithium-ion rechargeable battery (included)



KTI73317

Heavy Duty Rechargeable Floodlight -10W 1000 Lumens

- · Impact resistant construction: aluminum die-cast body
- 5 volt USB output: for use as powerbank
- Swivel handle: can be rotated 180 degrees and adjusted to any angle
- Super strong magnet: attaches onto any metallic surface leaving both hands free
- Charge time: 4 hours; Run time: 3 hours full intensity and 6 hours low intensity
- Covered by a 1-year Warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





GEZRED

COS21548

PX250 Dual-Color Focusing Flashlight w/slide Light

- Features a bright white LED light, solid red, and flashing red light modes.
- Flashlight slides apart for use of C.O.B. light
- 650 lumens
- Pure beam focusing
- 4 AAA batteries included



EZRNK10

EZRED ANYWEAR™ Neck Light

- · Direct light effectively. Simply position the articulating light heads, to accurately direct the light beam to the precise angle needed

 • Wear on your neck for hands-free use
- Sleek design is more attractive and comfortable than conventional headlamps
- Light rotates up and down 70 degrees
- 2 AA batteries included



STL44956

Siege X Lantern and Flashlight

- 325 lumen lantern and 300 lumen flashlight in one!
- Small 4.5 inch size means it goes and stows anywhere
- Accepts one 18650 USB rechargeable battery or two CR123A batteries

 Hang it, hold it, clip it, or stand it up
 Rugged rubber base won't slip on uneven surfaces





STL46000

Portable Scene Light II - 120V AC

- 10,000 lumens on high
- Stable stacking of 3 units
- for high intensity "light tower"
 Rotating head allows for precise aim of beam
- · Five levels of light output
- to achieve desired runtime
- . IPX7 waterproof to 1 meter for 30 min





QB Headlamp

- Small but powerful headlamp that goes the distance 85 meters!
- USB rechargeable
- Focused beam is ideal for inspection from a distance
- Three output modes: High, low and emergency flash
 IPX4 weather-resistant; 2m impact resistance tested

STL61430 - Yellow STL61432 - Black



Streamlight Bandit Pro

- Runs up to 4.5 hours
- High/Low/Emergency Flash modes
- IPX4 weather resistant and 2 meter impact resistance tested
- . Clip it to brim of cap

STL61711 - Yellow STL61715 - Black



Portable Scene Light EXT

- · Telescoping extension pole to 84" height
- 5300 lumens to light an entire area
- 18 hours of runtime on Low; Unlimited runtime using AC/DC power source
- Industrial duty and rugged enough to withstand rough terrain

 Select a flood or spot beam in all three levels



PRODUCTS





KTI70511

7 Piece Body and Fender Hammer Set

- Red fiberglass handles with comfort grips
 Machined hammer heads
- · For pounding auto sheet metal before finishing. Use on flat and curved surfaces
- Includes: bumping hammer, pick hammer, chisel end hammer, heel dolly, shrinking dolly, double end dolly, curve dolly



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov




KTI45101

Wrench Eagle Head Spline 8-17mm

- Ratchet 72 teeth 5 degree. Drop forged. Material CR-V body.
- Eagle type mouth can be fit for 8-17 MM or 5/16"-11/16'
- Eagle type jaw can even work on 70% rounded bolts
- Torque comply with ANSI or DIN standards
- Eagle type jaw fit for several kind of bolt. Ex; 6 point, 12 point, star, and square
 Covered by a 2 year warranty

Wrench Eagle Head Spline 14-32mm

Eagle type mouth can be fit for 14-32 MM or 9/16"-1-1/4"





Wrench Eagle Head 3/8 Drive 8-17mm

- Ratchet 72 teeth 5 degree. Drop forged. Material CR-V body.
 Eagle type mouth can be fit for 8-17 MM or 5/16"-11/16"
- Eagle type jaw can even work on 70% rounded bolts
- Torque comply with ANSI or DIN standards
- Eagle type jaw fit for several kind of bolt. Ex; 6 point, 12 point, star, and square
- Covered by a 2 year warranty

KTI45104

Wrench Eagle Head 1/2 Drive 14-32mm

Eagle type mouth can be fit for 14-32 MM or 9/16"-1-1/4"



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KTI45105

Wrench Double Eagle Head 8-17mm & 14-32mm

- Whole piece drop forged. Material CR-V body
- . Double head Eagle wrench type mouth can be fit large end: 14-32 mm or 9/16"-1-1/4" and small end: 8-17m
- Eagle type jaw can even work on 70% rounded bolts
- Torque comply with ANSI or DIN standards
- Eagle type jaw fit for several kind of bolt. Ex; 6 point, 12 point, star, and square
- · Covered by a 2 year warranty

- Air Belt Sander (1/2" x 18") with 3 Belts


 Belt Speed: 1320 (M/Min); Free speed: 20,000 RPMs; Average air consumption: 3.9 CFM (110 L/min)

 Length: 14.4" (365mm); Weight: 2lbs (0.92kg)

 Inlet threaded 1/4" NPT (F); Hose size: 3/8" ID

 Comfort grip and safety lever; swivel connector air inlet; wild bears belt replacement.

- quick change belt replacement
- Includes 3 belts: (40#, 60#, 80#)
- Covered by a 1 year warranty





KTI21020

18 Piece 1/4" Drive, 6 Point Insulated Socket Wrench Set Set includes:

- (13) Sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
 (4) Extension bars: 2", 3", 4", 6"
 (1) Round type quick locking ratchet handle 72 teeth



19 Piece 3/8" Drive, 6 Point Insulated Socket Wrench Set

Set includes:

- (15) Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20mm • (3) Extension bars: 3", 6", 10"
- (1) Round type quick locking ratchet hándle 72 teeth



KTI23025

24 Piece 1/2" Drive, 6 Point Insulated Socket Wrench Set

(20) Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 29, 30, 32mm
(3) Extension bars: 3", 5", 10"
(1) Round type quick locking ratchet handle 72 teeth





WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KTI19230

- 4 Piece Handled Pry Bar Set (8", 12", 18", 24")

 Forged construction, chrome steel, heat treated, hardness 38-43 HRC
- Blade is connected to the end cap Metal striking cap
- · Covered by a Lifetime Warranty

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Alignment Bars

- · Forged from heavy duty chrome alloy steel
- Prying end is on one side with lining up on the other
- Covered by a Lifetime Warranty

Alignment Bars		
Part #	Size	
KTI71631	5/8" Diameter x 18" Long	
KTI71632	3/4" Diameter x 24" Long	
KTI71633	7/8" Diameter x 30" Long	
KTI71634	7/8" Diameter x 36" Long	
KTI71635	1' Diameter x 48" Long	
KTI71636	1' Diameter x 54" Long	



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Set includes: 12" (300mm), 16" (400mm), 20" (500mm)
Covered by a Lifetime Warranty





KTI71017 6 Piece Interchangeable

Blow Gun Kit with Quick Connect Nozzle

- Maximum Pressure: 220 PSI (15 BAR); Operating Pressure: 160 PSI (11 BAR)
 Air Consumption: 10 CFM (280 LPM)
 Inlet: 1/4" Female
- · Locks and seals attachments by rotation of the collar in either direction
- · Covered by a 1-Year Warranty

Kit contains air blow oun and 5 attachements: rubber tip (NBR) for steel extensions. turbo wide angle nozzle, angled steel extension 4" (100 mm) long, angled steel extension 6-5/16" (160mm) long and angled steel extension 12-5/8" (320mm) long.



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KTI72201

Rotary Barrel Pump

- 3 piece threaded suction tube and 2" cast iron bung nut
- Delivers 1.3 gallons (5 liters) in 20 turns
- Dual Direction operation. Pumps in either direction by a few reverse turns of the handle
- For use on 15-55 gallon (50-205 liter) drums
- Recommended for dispensing diesel, kerosene, heating oil, motor oils, lubricating oils (up to SAE 90) and other non-corrosive media
 Covered by a 1-Year Warranty

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





KTI72206

Brass Hand Pump

- For use with water based media, antifreeze, oils, diesel etc.
 Comes complete with 40" (1 meter) long by 1/4" diameter suction hose and 24" x 1/2" diameter long discharge hose

 Self-priming action
 Dispenses 3.2 oz (100 ml) per stroke
 High quality brass cylinder body and plunger

- Covered by a 1-Year Warranty



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KTI73907

7 Piece Quick Connect Grease Gun Accessory Kit

• 7 Piece Ezee- Lube Kit comprised of the most

- 7 Piece Ezee- Lube Rit Comprised of the most commonly used Quick Disconnect Grease Dispensers
 Contents: Recessed Lube Adaptor, Grease Injector Needle, Angle Lube Adaptor, Narrow Needle Nose Adaptor, Seal Off Dispenser, Right Angled Grease Coupler, Heavy Duty Hose with Spring Guard & Coupler
- Packaged in pouch
- Covered by a 1 year warranty



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





VIMMR8B

Low Profile Magrails - No Studs • Magnetic track, without studs

- Strong neodymium magnets
- Anodized aerospace aluminum base
- Low profile base 3/16" tall x 1" x 8" long

• Will hold fully loaded sockets and/or hand tools in any position



VIMMRD20R

Low Profile Double Wide Magrails - No Studs

• Low Profile Base 3/16" Tall X 2" Wide x 20" Long

ALSO AVAILABLE IN 12" AND 20" SIZES AND IN BLUE & BLACK COLORS





HNE8212

- Hansen Magnetic Pliers Organizer, Holds 6 Pliers

 Industrial strength rubber coated magnets supports up to 10lbs
- · Highest quality plastic board and hangers that will not break or bend
- Twist and locking technology secures tools and hangers to the ToolHANGER board
- · Comes fully assembled packaged in a clear poly bag with header card
- 100% Made in America



HNE8210

Hansen Magnetic Screwdriver Organizer, Holds 11 Screwdrivers

- Industrial strength rubber coated magnets supports up to 10lbs
- · Highest quality plastic board and hangers that will not break or bend
- Twist and locking technology secures tools and hangers to the ToolHANGER board
- Comes fully assembled packaged in a clear poly bag with header card
- 100% Made in America



Hi Viz 4-Pack Socket Holders

- · Each post is marked for socket size
- Each tray holds regular, semi-deep and deep sockets
- Set holds 165 Sockets
- Made of tough ABS plastic that resists oil & grease
- 100% Made in the USA

HNE92006 - Yellow

HNE92005 - Orange





C41H Two-Module Tool Trolleys

- Sheet metal frame and plastic tops, synonymous with remarkable sturdiness and reduced weight
 • 2 detachable modules: 1 upper tool box, 1 module
- with 2 drawers 95 mm in height, 1 pull-out case made of plastic, 66 mm high, and 1 drawer 295 mm in height
- Side centralized lock for closing drawers of lower module Drawers with ball bearing slides and double closing hook
- · Telescopic aluminum handle
- Small tool holder built into upper tool box
- Lower drawer with double ball bearing slide

BTA041000010 - Grey

BTA041000008 - Red

BTA041000005 - Black

BTA041000002 - Orange

- Folding Tool Trolleys

 Trays slide-out either direction, collapses and key-locking

 didde for the transport of the state o slides for two-way opening
- Large lower object compartment (588x277x220mm)
- · 2 fixed castors, diameter 160mm, and 2 steering castors with brake, diameter 100mm
- . Thermoplastic worktop with 6 built-in tool trays
- · Can accommodate drawer partitions and MC foam tool trays

BTA027000205 - Black

BTA027000203 - Red

BTA027000202 - Grey

BTA027000201 - Orange



BTA049000112

Multi Purpose Trolley with Door

- Can be used as a mobile workstation for diagnostic tools, laptops, testers and battery chargers
- · Painted sheet metal frame
- Ergonomic handle • 2-level top
- · Pull-out drawer for housing a mini keyboard
- 1 shelf with adjustable position, 1 fixed shelf and door
 4 useful side cable reels made of plastic, 2 fixed rear
- castors Ø160 mm
- 2 useful side containers, 2 steering front castors Ø125 mm (one with frame)



BTA049000102

- Multi Purpose Trolley

 Can be used as a mobile workstation for diagnostic tools, laptops, testers and battery chargers
- · Painted sheet metal frame
- · Pull-out drawer for housing a mini keyboard
- · 2 central shelves with adjustable position and 1 fixed low shelf













EZREZTRAY-CLR

Collapsible Magnetic Parts Tray

- A unique collapsing design allows for low profile storage, coupled with versatility to expand and securely hold parts
- Using a high-tensile silica material, the EZTRAY will hold up
- to the harshest conditions and is impervious to most automotive fluids
- The expanded depth is 2 inches deep and the width is 4.25 inches
- The base plate will stick to most metal surfaces through the bottom of the EZTRAY

SUNEX TOOLS

Deluxe Work Tables

- Adjustable table height to work on a variety of different vehicles
- Easy to maneuver 2" casters
 13.75" x 11.75" x 1.75" drawer for convenient storage
- . On board screwdriver and pry bar holder
- · Air tool hose cut outs for easy and quick storage

SUN80190R - Orange SUN8019LG - Green SUN8019ELEANOR - Elenor SUN8019GERTIE - Gertie





- . 6 drawers featuring latching handles that lock the drawers in place upon closing
- Protective edge bumpers absorb damage to the cart and vehicles, because accidents happen
- Locking drawers and hinged lid for security and peace of mind
 Heavy duty 18 gauge (1.2mm) steel construction for ultimate durability
- EVA foam drawer liners keep your tools where you left them
 Premium push handle and 4 (5"x2") swivel casters that can bear up to 600lbs for easy mobility within a shop
- Built-in pry bar, screwdriver and extension storage

SUN8057XTOR - Orange SUN8057XTLG - Lime Green SUN8057XTDLGYS - Got Your Six **SUN8057TTKANATI** - True Timber Kanati



IPFR ST(

Use this folding Waterproof mat on virtually every job you do! Keep you dry and clean laying on the floor kneeling, hooking up a vehicle, discounting a drive shaft. Get under those low clearance vehicles! The uses are endless. Folds Behind he Back seat of your truck or next to your tool box.
GET UNDER THE VEHICLE AND STAY DRY AND CLEAN







Install and remove wheels on **European vehicles that do not** have wheel studs.

- Hang wheels from hub.
- Guides wheel for easy installation.
- Holds wheels for safe removal.
- Use on Most European vehicles 24 Pack 8 of each size Item# AET WB24







BMW • MERCEDES

BENZ • AUDI • VW

• MINI • SAAB +++

6 Pack 2 of each size Item# AETWB6

SPARE TIRE KIT Crank down Spare Tires Tire Stores,

- Road Service etc.
- Towing Companies Socket Based System
- Full Manual
- Patent Pending Design
- Unlike Any Other



EASY OFF TWIST SOCKETS Item#AETEO

Removes Wheel Locks & Damaged Wheel Lugs

Twist technology removes locking or stripped wheel lugs Five sizes to fit most vehicles. Life time Guarantee against cracking and breaking.





SMASH FILM



Wrap Doors or Windshields when glass is damaged. 4 Mils thick with Hi Tack Quick release adhesive. UV protected.

BUTTON MASTER



Grab any vertical door lock button in seconds. No fumbling or slipping. This patent pending device grabs any exposed button, even small round

Most

smooth ones. It has a Retractable Snare for grabbing any lock button securely.

A Million Uses! Item# AETRCBM

EMERGENCY RESPONSE KIT LONG CASE



Includes one flexible and Solid long reach; both vinyl coated (wont scratch paint). Our Super Air Jack, Glassman tool (for frameless windows), One Hand Jack and Super One Hand Jack, Button Master Tool and Multi pocket Long Carrying Case Item# AETERKLC

EMERGENCY RESPONS



Designed by first responders that prefer a two piece long reach tool. Same as above in a short compact design Item# AETERK



Open virtually any vehicle on the road today using the long reach method. This 21 piece kit is the most comprehensive and complete long reach tool set ever made. Contains most of our long reach tools and accessories in one Multi pocketed zippered carrying case. The best of the best!

INCLUDES: Four of the most popular long reach tools Button Master Mega Master small and large Jack tool Button Master Glassman Tool Mini Starter Air Jack Super Air Jack Smart Light Wonder Shield Quick Car Opening Manual & DVD Heavy Duty Long padded Soft Case

ULTIMATE LONG REACH KIT



ONE-HAND JACK SET

Worlds Best Selling Car Opening Kit With Manual!

- Include the patent pending One-Hand Jack.
- Air JackTM with internal stiffener for easy insertion.
- Quick Video Instructional DVD
- · Heavy-duty carrying case.
- · Quick One-Hand Jack manual.
- · Long reach tool with Store-N-Go handle Button Strip Tool

Item# AETOHJS4



Service Kits



Service Kits

These are assortments of consumable items that must be purchased as complete kits only. Not refillable.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

00081

KTI00047 95 Pc Brake Line Fittings Kit KTI00059 27 Pc Drain Plug and Gasket Kit KTI00071 150 Pc. Hitch Pin Kit KTI00072 300 Pc. "E" Clip Kit

110 Pc. Hydraulic Grease Fitting

KTI00074 KTI00075 555 Pc. Cotter Pin Kit KTI00078 144 Pc. Cotter Pin Kit KT100080 120 Pc. Auto Fuses Kit KTI00081 120 Pc. Mini Auto Fuses Kit KT100082 56 Pc. Maxi Auto Fuses Kit KTI00084 170 Pc. U-Clip & Screw Kit KT100085 200 Pc. Hex Head Washer Kit KT100089 110 Pc. Copper Washer Kit **KTI00091** 125 Pc. Grommet Kit

KTI00093 120 Pc. Roll Pin Kit KTI00096 110 Pc. Metric Grease Fitting Kit KTI00087 360 Pc. Solderless Terminal Kit

KTI00097 157 Pc. Solderless Terminal Kit

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KT100094 407 Piece Universal **0-Ring Assortment**

KT100095 419 Piece Metric **0-Ring Assortment**

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Windshield Washer Tablets



 Super-concentrated formula will completely remove road film, dirt and grime leaving windshields sparkling clean

· Environmentally safe - non-toxic, biodegradable and

engineered safe for rubber and paint

Cleaners



SEABBG1

16oz. Bugs-B-Gone® Multi-Use Cleaner

- · Specially formulated to safely remove bugs
- · Softens organic deposits in 30-45 seconds
- · Activate with water



Squeegees and Cleaners

CARRAND

CRD9045R

8" Metal Head Squeegee -with a 21" - 36" Extension Handle Rust resistant metal squeegee head

- · Pliable rubber blade
- · Bug scrub netting over the sponge
- Plastic bumper side guards protect glass
 8" metal head with 21"-36" extension pole



CARRAND

CRD9057

8" Metal Head Window Cleaner with 20" Wood Handle

- EPDM Blade, nylon net, heavy duty sponge
- Perma-net locking system
- Plastic side guard protects glass and vehicle
- Double wrap netting





BRS49830-R

30" Wide Double Bladed Squeegee

- Natural rubber black foam with twin blades
- Handle sold separately



SPW50

Glass Cleaner - 20 oz.

- . The most versatile glass cleaner available
- · Dissolves dirt, grease, grit and grime
- · Heavy duty foam clings to vertical surfaces
- Guaranteed to leave no film







BLBBSWR5850

- Water Hose Reel 5/8" x 50'
 Water hose reel 5/8" x 50' with 3' whip hose for easy installation
- Retractable hose reel with Bluseal water hose and nine mode spray gun
- Powder coated steel corrosion resistant, heavy duty 18 gauge steel
- 12 Point ratchet for locking at shorter intervals
- · 4-Way roller guides

Covered by a 2-Year Warranty on hose reel and 10-Year Warranty on attached hose to any manufacturing defects



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

RGLITE



AG Lite® All-Rubber Farm & Ranch Water Hose

- Ozone resistant cover provides protection from extreme weather, abrasions & kinks
- Constructed with high strength polyester braided reinforcement
- Flexibility in extreme conditions from -50°F to 190°F
- · 4 finger grip bend restrictor for better ergonomics
- Handles hot water up to 212°F
 All hoses have 3/4" GHT brass fittings
- 1" ID hoses have 3/4" GHT brass fittings to fit conventional water outlets
- Available hose inner diameters: 1", 3/4" and 5/8"
- Minimum burst pressure: 500 PSI
 Covered by a 10 year warranty

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Water Hose Flow Hose I.D. (GPM) @ (GPM) @ **65 PSI** 35 PSI 5/8" 11.90 10.30 3/4" 17.10 10.90 1" 24.70 19.80

(GPM) Gallons per minute

AG Lite® Rubber Water Hoses

Part #	Description
BLBBSAL5810	5/8" x 10'
BLBBSAL5815	5/8" x 15'
BLBBSAL3410	3/4" x 10'
BLBBSAL3415	3/4" x 15'
BLBBSAL3425	3/4" x 25'
BLBBSAL3450	3/4" x 50'
BLBBSAL3475	3/4" x 75'
BLBBSAL34100	3/4" x 100'
BLBBSALONE15	1" x 15'
BLBBSALONE25	1" x 25'

AG Lite® Rubber Water Hose Extensions

Part #	Size
BLBBSAL5806	5/8" x 6'
BLBBSAL3406	3/4" x 6'

Water Hoses

BluSeal Pressure

Washer In-Let Hose

Better water flow, reducing wear and tear on the engine. Ultra lightweight & flexible rubber water hose suitable for use with most pressure washers.

- BluSeal pressure washer in-let hose with 3/4" standard fittings
 Lightweight & ultra durable
 Ozopo resistant.
- Lightweight & utra durable
 Ozone resistant cover provides protection from extreme weather
 Constructed with high strength polyester braided reinforcement
 Flexibility in extreme conditions from -50°F to 190°F
 4 finger grip bend restrictor for better ergonomics
 Handles hot water up to 212°F
 Minimum burst pressure: 500 PSI
 Covered by a 1 year warranty
 Safety factor: 4:1

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





Part #	Size
BLBBSIL5825	5/8" x 25'

BLBBSIL5850

5/8" x 50'



KIM75260 Scott rags in a box with easy pop-up dispensing

- 200 wipers 10 x 14"
- HD dispensing carton

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Towels



KIM75130 Shop Towels On A Roll 10.4" x 11" - Roll

• 55 shop towels per roll



Cloth like strength



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



BIG WIPES

BWP6002-46 **Big Wipes Heavy Duty**

- Dual Side Cleaning Wipes

 Cleans HVAC Leak Dye, oil, grease, silicone, epoxy, tar and more

 Safe for skin and will not dry out hands
- Biodegradable formula
 80 Wipes



STKKGT72W

KrestoGT® Cherry Scrubbing Wipes, 70 Count

• VOC/CARB Compliant

• 70 individual use 10"x20" wipes







BearPaw™ Hand Cleaner

· Deep cleaning action removes dirt, grease, grime, paint, ink, tar, adhesives, varnish and just about anything else from hard working hands

BEPBP616 12 oz. BEPBP632 18 oz. BEPBP664 40 oz. **BEPBP4128** 4 lb.



Pressure Washers / Vacuums





BRG020574 2800 PSI Power Boss Pressure Washer

- 3 quick connect spray tips and 25' high pressure hose

 Honda GCV 160 Engine
- · Axial cam pump
- · High temperature thermal relief

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





MLW0880-20 18V Cordless Vacuum

- Works with Milwaukee 18V slide-on batteries, LITHIUM-ION or NiCd
- · Powerful motor to provide strong suction and air flow
- Capacity: 2 gallons
- Built-in Blower Port

Wet/Dry Vacuums

shop.vac



SHV9621210

12 Gallon 6.5 HP Commerical Grade Wet/Dry Shop-Vac

 6.5 Peak hoursepower, single stage motor, 12 gallon poly tank, 20 foot power cord, high efficiency collection filter bag and 1-1/2" accessories. 1-1/2" x 12 foot Lock-On® hose, Claw Nozzle, Crevice Tool, 1-1/2" Adapter, Elbow Grip, 12" Floor Nozzle, Squeegee insert, (2) Extension wands, Ultra-Web® cartridge filter



SHV9621310 12 Gallon 6.5 HP

Commercial Grade Wet/Dry Shop-Vac

- 6.5 Peak hoursepower, single stage motor ultra quiet
 12 gallon stainless steel tank, 12 foot premium crush
- resistant hose, 20 foot power cord, Large 8" rear wheels and transport handle for mobility, high efficiency collection filter bag and 1-1/2" accessories

 • 1-1/2" x 12 foot Lock-On® hose, Claw Nozzle, Crevice
- Tool, 1-1/2" Adapter, Elbow Grip, 12" Floor Nozzle, Squeegee insert, (2) Extension wands, Ultra-Web® cartridge filter

SHV3942100

BullDog® 5 Gallon Hang Up ShopVac

 Includes 1-1/4" diameter x 25' lock-on hose, (2) 1-1/4" extension wands, round brush, crevice tool, gulper nozzle, 12" deluxe floor nozzle, squeegee and brush inserts and tool holder and wall mount bracket







Steam Cleaner

- · Included microfiber towel and 11 attachments
- 2 year warranty on material and workmanship

Q-Bond[®]



KTI90002

O-BOND Adhesive Kit


- · Rock solid in 10 seconds
- Ultra-strong adhesive and reinforcing powders
 Repairs can be grinded, filed, sanded and even painted
- Includes 2 Q-BOND adhesive; 1 black reinforcing powder; 1 grey reinforcing powder

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KTI73560

2" x 60 Yards Duct Tape

- · Multipurpose gray duct tape for numerous uses
- Roll measures 2" wide x 60 yards





Super Weatherstrip Adhesive

 Bond automotive weatherstripping and is a great adhesive for holding paper, cork, or rubber gaskets in place during installation

5 ounce tubes

MMM8008 BLACK MMM8001 YELLOW

LIQUIDISKIN TECH

CMN2995-8

Liquid Skin The Better Bandage

- Flexible
 Quick Dry
- Waterproof & Sweatproof









JB Weld Use on almost any surface

- When cured, can be formed drilled,
- ground, tapped, sanded or painted JB Kwik set in 4 minutes, standard JB weld
- and Marine Weld set in 4-6 hours JBW8265S JB Weld (2) 1 oz. tubes


JBW8276 JB Kwik (2) 1 oz. tubes JBW8280 Industro Weld (2) 5 oz. tubes

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



BND94297 Screw Grab - Case of 12

- · Helps remove or tighten stripped screw
- Increases torque by up to 800%
- · Works on all types of stripped fasteners



Performix.

PDILT140Z3 Brush-On Liquid

Electrical Tape - BLACK

- · Seals out moisture and salt permanently Flexible rubber formula won't crack, peel or harden
- 4 oz. can with brush applicator

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov







RFX7121100

Rapid-Fix Dual Adhesive System

- (2) 1 oz. Bottles
- · Incorporates an instant adhesive and a welding powder
- High strength bond in seconds
- . Can be filed, ground, drilled and painted

Chemicals





EVAER018

EVAPO-RUST™ Rust Remover
with Bucket and Strainer, 3.5 Gallon
• Environmentally safe water based product
• Removes rust in minutes, without scrubbing

- Will not harm other metals, rubber, plastic, PVC, Viton, most paints, or un-rusted steel
- Restore rusted tools and auto parts
- One gallon de-rusts up to 300 pounds of steel
 Case of 4 one gallon bottles



LUC10016

- Complete Engine Treatment

 Cleans and Lubricates the entire fuel system from tank to injectors
- Removes harmful deposits
- Lubricates upper cylinder walls as well as rings
 Contains zero Alcohol like the other brands
- Made in U.S.A.



SEASF16

Sea Foam® Motor Treatment for Gas & Diesel Engines - 16 Oz.

- · Safely helps free sticky lifters and piston rings
- · Helps remove fuel deposits and oil residue
- For carburetors or fuel injected gasoline engines

SEATT16

Sea Foam® Trans Tune® - 16 Oz.

- For automatic transmissions, power steering systems and hydraulic systems
- Trans Tune® is NOT a stop-leak or super lubricant additive

SEASS14

Sea Foam® Spray Cleaner and Lube - 14 Oz.

- Cures hesitation, stalls, pings, flat spots and rough idle due to carbon buildup
- Cleans intake valves and pistons



BLP16-PB

PB Penetrating Catalyst

- #1-Selling Penetrant
- Breaks free rusted or frozen parts









SIIPFR SI()RE

Manufacturer of Innovative Tools & Equipment • 845-679-4500 • www.ipatools.com

IPA9004M

Smart MUTT®
(7-Way Spade Pin) Pro Edition
• Remote-controlled, diagnostic trailer tester for light-duty trailer lights and electric brakes

 Includes 12-button remote, 3-button remote, 3-way trailer adapter, 10A smart battery charger and rain cover

IPA9004A Smart MUTT® (7-Way Spade Pin)



IPA9007A Smart MUTT® (7-Way Round Pin)


 A portable unit for commercial trailer lighting and ABS

• Includes 3-button remote, 5-ft 7-way cable, chassis ground cable, external battery connector and 500mA battery charger



IPA9007M

Smart MUTT® (7-Way Round Pin) Pro Edition



IPA9046F

Pneumatic Fuel Tank Sweeper®

- Remove water and other contaminants from diesel fuel, fuel oil and kerosene systems
- Innovative filter technology shows filter status and allows filter bypass for bulk transfer





IPA9200 Tactical Trailer Tester Field Kit Test and clean tow circuits on

all trucks and trailers in North America



IPA5700A Alpha MUTT with ABS Diagnostics

 Go paperless: perform complete inspections with one machine across all locations

- Customizable DOT/PM truck and trailer inspections
- Captures data from electrical, ABS and air brake systems
- · Generates, records and analyzes inspection results
- · Walk-through expert guidance prevents recurring mistakes





IPA8091 Flow-Thru System with Brush and Venturi

· Venturi allows for application of solvents under pressure

· Integrated flow valve for ultimate control with pressurized solvents

 For parts washing, degreasing, on-engine cleaning, fluid evacuation and more

IPA9107A Electric Brake Force Meter with Dynamic Load Simulation and Circuit Testing

 Tests truck-side electric brake controller output and all tow lighting functions without a trailer

 For 7-spade equipped vehicles with integrated and aftermarket brake controllers



IPA8016

Fuse Saver® Master Kit

- · Chase down short circuits without blowing fuses
- Helps install radios, CD players, radar detectors and accessories with ease
- Allows a technician to move around a vehicle shake testing wires while looking for the short

IPA8005 Fuse Saver® Standard Kit





IPA8044 Truck and Trailer Pin

Master Cleaner Set

- · Clean and restore male and female connectors on any trailer connection used in North America
- · Maintains continuity and helps prevent circuit failure







IPA8047

Diamond-Coated Flexible Flat Files

- Super-hard, flexible, flat cleaners for large spade electrical contacts and general filing applications
 Non-slip, high-viz, ergonomic handles
- · Ultra-thin, flexible files for added functionality





Micro Bore and Valve-Guide Brush Sets

- 9" length for hard-to-reach applications
 8 sizes: 1/8", 5/32", 13/64", 1/4", 5/16", 3/8", 7/16" and 1/2"
- · Durable, twisted wire for increased cleaning function
- · Extra-large finger loop for increased control

IPA8087 - Stainless Steel IPA8088 - Brass

IPA8043 **Micro Male Electrical**

Pin Cleaners

· Specially engineered with a contoured design and durable, diamond coating to clean male electrical pins safely

Includes a leather-type holster and pins ranging in sizes from .030" - .040", .060" - .070", and .090" - .100"





IPA8045

Plow Terminal Cleaners

- · Clean and restore male and female electrical plow connectors used on minute mount and similar set ups
- · Applications: Western, Fisher, BOSS, Meyers and more



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





SUPER STORE





RX Series - 72"W x 30"D

Extreme Power Workstation® Hutch, Power Tool Rack

Part Number	Color
EXTRX723001HCBKBL	Black w/Blue Handle
EXTRX723001HCBKRD	Black w/Red Handle
EXTRX723001HCBLBK	Blue w/Black Handle
EXTRX723001HCGNBK	Green w/Black Handle
EXTRX723001HCMBBK	Matte Black w/Black Handle
EXTRX723001HCORBK	Orange w/Black Handle





DX Series

72" Extreme Power Workstations® Hutch Only

Part Number	Color
EXTDX722101HCBKBL	Black with Blue Trim
EXTDX722101HCBKRD	Black with Red Trim
EXTDX722101HCBLBK	Blue with Black Trim
EXTDX722101HCGNBK	Green with Black Trim
EXTDX722101HCMBBK	Matte Black with Black Trim
EXTDX722101HCORBK	Orange with Black Trim







RX Series - 72"W x 30"D 19 Drawer Roller Cabinet with 250 lbs. Slides

Part Number	Color
EXTRX723019RCBKBL-250	Black w/Blue Drawer Pulls
EXTRX723019RCBKRD-250	Black w/Red Drawer Pulls
EXTRX723019RCBLBK-250	Blue w/Black Drawer Pulls
EXTRX723019RCGNBK-250	Green w/Black Drawer Pulls
EXTRX723019RCMBBK-250	Matte Black w/Black Drawer Pulls
EXTRX723019RCORBK-250	Orange w/Black Drawer Pulls
EXTRX7230ST	Stainless Steel Top (Grade 304)





Part Number	Color
EXTDX722117RCBKBL	Black w/Blue Drawer Pulls
EXTDX722117RCBKRD	Black w/Red Drawer Pulls
EXTDX722117RCBLBK	Blue w/Black Drawer Pulls
EXTDX722117RCGNBK	Green w/Black Drawer Pulls
EXTDX722117RCMBBK	Matte Black w/Black Drawer Pulls
EXTDX722117RCORBK	Orange w/Black Drawer Pulls





Part Number	Color
EXTEX4106TCBKBL	Black, Blue Drawer Pulls
EXTEX4106TCBKRD	Black, Red Drawer Pulls
EXTEX4106TCBLBK	Blue, Black Drawer Pulls
EXTEX4106TCGNBK	Lime Green, Black Drawer Pulls
EXTEX4106TCMBBK	Matte Black, Black Drawer Pulls
EXTEX4106TCORBK	Orange, Black Drawer Pulls
EXTEX4106TCRDBK	Red, Black Drawer Pulls











EX Series - 33" 4 Drawer Deluxe Tool Cart with Bumpers

Part Number	Color
EXTEX3304TCBLBK	Blue, Black Drawer Pulls
EXTEX3304TCGNBK	Green, Black Drawer Pulls
EXTEX3304TCMBBK	Matte Black, Black Drawer Pulls
EXTEX3304TCRDBK	Red, Black Drawer Pulls



EX Series
41" 6 Drawer Sliding Top Tool Cart

Part Number	Color
EXTEX4106TCSBLBK	Blue, Black Drawer Pulls
EXTEX4106TCSGNBK	Green, Black Drawer Pulls
EXTEX4106TCSMBBK	Matte Black, Black Drawer Pulls
EXTEX4106TCSRDBK	Red, Black Drawer Pulls





Goods PRODUCT GUIDE 2019



- Customizable pick-n-pluck foam

- Vortex pressure release valve
 Realtree XtraGreen camo pattern
 Dimensions: 53.8"L x 16.5" W x 6.7"D

IM Coolers OD/ORG-Camo-Realtree Xtra

- Elite Ice Retention up to three days
- Freezer grade, watertight seal

PELICAN[™]

- Secure press & pull latches
 Tall and slender, holds up to 15 cans or 4 bottles of wine
- Made in the USA

PEL50Q-2-ODCAM0010RG (50 Quart) PEL20Q-2-ODCAM0010RG (20 Quart)



20 Quart Pelican™ Elite Coolers

- · World class ice retention, hold ice for days
- Press and pull latches hold tight under pressure
- 1" thick solid insulation
- Ergonomic design, easy to handle
 Lifetime guarantee, made in the USA

PEL20Q-1-DKGRYGRN - Dark Grey/Green

PEL20Q-1-WHTGRY - White/Grey

PEL20Q-2-BRNTAN - Brown/Tan

PEL20Q-2-TANORG - Tan/Orange

PEL20Q-1-DKGRYGRN

30 Quart Pelican™ Elite Coolers

- Ice retention up to 10 days
- · Press and pull latches hold tight under pressure
- 2" thick solid insulation
- Molded-in lock hasp keeps contents secure
- · Lifetime guarantee, made in the USA

PEL30Q-1-WHTGRY - White/Gray PEL300-2-ODTAN - Green/Tan PEL30Q-2-TANORG - Tan/Orange



PEL30Q-1-WHTGRY PEL30Q-2-ODTAN PEL30Q-2-TANORG





Pelican™ Traveler Tumblers

- · Double-wall vacuum insulation
- 18/8 BPA-free stainless steel
- · Screw down spill-resistant lid Extreme cold/heat retention
- · Copper plated inner wall
- · Sea foam green color

PELTRAV-SD22-SEAGRN (22 Oz.) PELTRAV-SD32-SEAGRN (32 Oz.)

IM Elite Coolers

- Molded-In Locking Hasps
- 2" Thick Ice Retention
- Engineered Drainage Plug
- · Built-In Bottle Opener
- Press & Pull Latches

PEL70Q-8-COYDKGRY IM 70Qt Elite Cooler Tan/Grey

PEL500-8-COYDKGRY IM 50Qt Elite Cooler Tan/Grey

PEL30Q-8-COYDKGRY IM 30Qt Elite Cooler Tan/Grey

PEL50Q-5-BLUERED-WHT IM 50QT ELITE Cooler Red, Blue and White



PEL70Q-7-CNREDCOY IM 70Qt Elite Cooler Red/Tan

PEL50Q-7-CNREDCOY IM 50Qt Elite Cooler Red/Tan

PEL70Q-7-PACBLUCOY IM 70Qt Elite Cooler Blue/Tan

PEL50Q-7-PACBLUCOY IM 500t Elite Cooler Blue/Tan

PEL70Q-7-CACGRNCOY IM 700t Elite Cooler Green/Tan

PEL50Q-7-CACGRNCOY IM 50Qt Elite Cooler Green/Tan



Goods PRODUCT GUIDE 2019

CLCWCT604 Mossy Oak Nomad Lighted Backpack

- Integrated LED light system allows for fishing from dusk to dawn
- Protective rain cover
- · Backpack with four 3500 trays

CLCWT3503

- Recon Compact Lighted Backpack

 Integrated LED light system allows for fishing from dusk to dawn
- Protective rain cover
- · Backpack with four 3500 trays



- CLCWN3710
 Lighted Closed Top Bag
 Integrated LED light system allows for fishing from dusk to dawn
 Additional storage pockets
- to hold trays

CLCWT3505

Mission Lighted Small Tackle Bag
• Removable LED light with flexible neck

- . Tray compartments or storage up to four 3500 trays
- Removable plier holder goes from bag to belt
 Clear internal pocket to keep maps and licenses dry



SMKTS75001

Shire 2-Person Tent

Polyester tent

- Removable rain fly & 2 vestibules for gear storage
- Aluminum poles

SURVIVERS

SMKTS72002B

12 Survivors Pocket Harvester

- 5 Tools: Sheath, Weeding tool, Pruning Knife, Wood Saw, Serrated Blade
- Spring loaded handle
- · Shear locking mechanism

SMKTS24002

12 Survivors 30 Piece **Paracord Survival Pod**

- 2-in-1 bracelet and storage pod
- · Cased in a metal tin while wrapped in 40 ft of usable paracord
- · Includes basic first aid supplies
- · Has the basics to secure food, shelter and create a fire

 Compact 30-pc survival kit

SMKTS76002

- 12 Survivors Pocket Water Purifier

 Can be threaded onto a standard bottle (Ex. Coke and water bottles)
- Filter life capacity of 1,500 liters

SMKTS28000

12 Survivors SolarFlare 5 Solar Panel

- Ultra compact and lightweight portable design (6.4" x 11.2" tablet)
 5.3 Watt solar capacity
- . Single 1 Amp USB charging port

SMKTS28001

12 Survivors SolarFlare 11 Solar Panel

- Ultra-compact and lightweight portable design (10.1" x 13" tablet)
 2.1-Amp dual USB charging ports
- 10.6-watt solar capacity







SMKTS28002

- 12 Survivors SolarFlare 16 Solar Panel
 Durable monocrystalline panel
 Ultra-compact and lightweight portable design (10.1" x 13" tablet)
 Dual 2.1 Amp USB charging ports
 15.9 watts of solar capacity

SMKTS42000B First Aid Rollup Kit

until use is complete

& a snap button loop

· Zipped pouches for organized storage

SMKTS42001B
Knife Rollup Kit
• Includes a fixed blade knife, folding knife, hand axe and multi-tool
• Spap butter of trape.

· Exterior attachment to a backpack Weather resistant nylon

Locking mechanism ensures the tool stays in the open position

Includes a nylon carrying pouch

Snap button straps

SMKTS72001B 9-Piece Multi-Tool • Aluminum frame, black oxide finish

- Do-it-yourself velcro labels
- · Weather resistant nylon

Kit includes: 1 Emergency blanket, 1 Poncho, 8 PBT elastic bandages, 4 Sterile non woven gauze pads, 2 Wet cleaning wipes, 4 BZK antiseptic swabs, 4 Alcohol prep pads, 1 Pair of PVC gloves, 10 Adhesive bandages, 1 Breath mask for mouth to mouth, 1 Pair of tweezers, 1 Zinc oxide adhesive plaster (tape), 2 Pairs of scissors, 2 Tourniquet bands, 1 Emergency dressing, 1 Triangular bandage

SMKTS71008TI 12 Survivors BKE Folding Knife - Titanium Finish

- Single handed opening
- Rugged, reliable, rust resistant
 Razor sharp 8Cr13MoV stainless steel blade
- · Ergonomic, skeletonized handle
- Integrated finger hole for safer handling



rting Goods PRODUCT GUIDE 2019



Straight from the Cajun kitchens of Southern Louisiana, our seasoning offers a flavorful twist to wild and domestic game, poultry and seafood

SEIRT-CAJSEA

Realtree® CAJUN Seasoning 8oz Shaker Can

SEIRT-RUB

Realtree® BBQ and Wild Game Rub 8oz Shaker Can

CONFIDENCE IN HAND!

new

CRKR3001K

Black Powder Axe™ Hatchet

- Hot forged 1055 carbon steel

- Hot forged 1055 carbon steel
 Blunt force hammer side for tent stakes and pounding tasks
 Lanyard accessory for handle to hand retention
 Blade Finish: Black Magnesium Phosphate Coating
 Handle: Polypropylene with glass fiber
 Overall Length: 13.188"
 Blade Length: 3.161"
 Closed Length: 13.188"
 Blade Thickness: 0.908"

new

CRK4040 Knife 4040 Provoke

- Kinematic™ innovation deploys the blade quickly
 D2 blade steel holds an edge well and has a titanium nitride finish for corrosion resistance
- Handle 6061 T6 Aluminum

new

CRKR5100

new

1911 Multi-Tool Pliers Cutters Drivers

. Design by Professional shooter and designer, Gary Smith Spring Cutter, Pliers, and File
 Barrel Bushing Wrench

• 3 Flat Drivers

Punch Rod

- 3/32, 5/32 Allen Wrenches
- Blade Finish: Bead Blast
- . Blade Length: 2.515'
- Blade Thickness: 0.087"



Pilar® Large Folding Knives

- · Flipper opening for fast blade deployment
- . Two position clip for tip up or tip down carry options
- Blade Length: 2.669"
- . Closed Length: 3.998"



CRK5315

Pilar® Large Folding Knife

· High carbon stainless steel blade Handle: Stainless Steel



CRK5315GKD2

Pilar® Large Folding Black Oxide Steel Knife with G10 Handle

- . D2 blade steel holds an edge well
- · Handle: G10



CRK5315G

Pilar® Large Folding Knife with G10 Handle

- · High carbon stainless steel blade
- · Handle: G10

CRKK910KKP

Ken Onion Chanceinhell™

12" Machete With Nylon Sheath

- 12" Bead blasted carbon steel blade with black powder coating

- Open overall length 17.88"; weight 1 lb. 4 ounces
 Textured double injection molded handle
 Includes black nylon sheath for easy carry (6.1 ounces)
- Designed by Ken Onion

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



CRKK920KKP

Ken Onion Halfachance™ 14" Parang Survival Knife

- 14" Carbon Steel Blade with Black Powder Coating
 Overall Length 19.5 inches; Weight 1 lb. 4.4 ounces
 Double Injection Textured Molded Handle
 Includes Black Nylon Sheath (6.1 ounces)
 Designed by Key Opion

- · Designed by Ken Onion

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CRK2730

- Woods Chogan™ Tomahawk
 1055 Carbon Steel Axe Head Front
- · Hammer on Back
- Tennessee Hickory Wood Handle
 Blade Length 4.21"; Overall Length 19.13"
- Weighs 2 lbs. 1.4 ounces
- Designed by Ryan Johnson
 Excellent for camping and survival

CRK9100C The Eat'N Tool

- Spork eating tool (ergonomic spoon and fork)
- Bottle opener
- Screwdriver blade
- . 6mm, 8mm, 10mm wrench

CRK9070 Guppie® Multitool

- Pocket knife
- Adjustable wrench
- Bottle opener
- Bit carrier with flat and Phillips head drivers

 • LED light

CRK1102

- Moxie™ Assisted Opening Folder
 With Fire Safe® Release Button
 3.29" Razor edge Ti-Nitride black blade
 Open overall length 7.5"; closed length 4.23";
 weight 3.2 ounces
- Special features include Fire Safe® safety mechanism and Outburst® assisted opening

CRKM16-10KZ

- Carson M16® Every Day Carry E.D.C. Knife
 Liner Lock with Zytel® scales and a dual
 2Cr13 stainless steel liner InterFrame
- Combination edge with Tanto Blade design
 AutoLAWKS™ safety system
 Black EDP blade, black frame and hardware



oods PRODUCT GUIDE 2019



UNCUC2960

M48 Kommando Tactical Survival Hammer

- Perfect companion for hiking and camping
 With a 37 3/8" overall length, it's great as a walking staff while camping
 The cast 2Cr13 stainless steel, black oxide-coated head can pummel almost
- anything with ease

 The cane handle features a defensive war hammer head and a curved back spike, which offers great applications as an effective breaching tool and defensive hammer in addition to being a fully functional walking cane



MLW48-22-1998B

- **THARDLINE Serrated Blade Pocket Knife
 **D2 Steel Blade Extreme wear resistance
 **Flipper with Bearing System Fast, smooth opening
 **Steel Frame Lock Strong, secure lock
 **Reversible Belt Clip Multiple styles of carry

kershaw°

KER1898GH LoneRock Folder Knife with Gut Hook

Steel: 8Cr13MoV, titanium carbo-nitride coating
 Handle: Glass-filled nylon, K-Texture™ grip
 Blade length: 3.5"; Closed length: 4.75"
 Weight: 5.3 oz.
 Includes nylon sheath

kershaw^a

LoneRock Small Fixed Blade Knife

- · Steel: 8Cr13MoV, titanium carbo-nitride coating
- Handle: Glass-filled nylon, K-Texture™ grip
 Blade length: 3 3/4"; Overall length: 8.25"
- · Weight: 3.5 oz.
- Includes nylon sheath

KER8810X PT-2

- · Bottle/can opener
- Flathead and phillips screwdrivers
- Hex drives
- Wire scraper
- · Pry bar and lanyard hole



KER8800X

- Bottle/can opener
- Flathead screwdriver
- · Pry bar and lanyard hole

KER8650 Barricade

- Speedsafe assisted opening
- Blade length 3.5"
- Liner lock
- Single-position pocketclip
- · Carbide glassbreaker tip and built-in cord



KER6100X

Emerson 3 Piece Cook's Set · Bread, chef and paring knife

- · Molded blade guards
- Bottle opener flipper and lanyard emile

KER6031

Emerson CQC-11K

- Blade 3.5'
- Manual opening with thumb disk opening feature
- Frame lock
- Reversible pocketclipBig bellied skinning blade



KER4036BLUX (Blue) PUB Sinkevich Carabiner • Blade 1.6" • Manual opening • Friction folder with detents • Bottle opener, screwdriver tip and pry

- · Key chain attachment

KER1747BWX

- Ion Throwing Knives, Set of 3

 Steel: 3Cr13, black-oxide
 BlackWash™ finish

 Handle: 3Cr13, paracord
 wrapped, black-oxide
 BlackWash™ finish

 Blade length: 4.5 in.

 Overall length: 9 in.

 Set of three throwing knives

- Set of three throwing knives and nylon sheath for storage



KER1249X

9.5" Fillet With K-Texture™ Grip

- · Endorsed by Hall of Fame Fisherman Roland Martin
- Handle ensures grip in marine conditions
 Includes blade protector
- · Steel: 420J2, satin finish
- Handle: Glass-filled nylon, rubber overmold, K-Texture™ grip
 Blade length: 9.5"; Overall length: 14.8"

KER1247X

7.5" Narrow Fillet Knife

- With K-Texture™ Grip
 Endorsed by Hall of Fame Fisherman Roland Martin
- · Handle ensures grip in marine conditions
- Includes blade protector
- · Steel: 420J2, satin finish
- Handle: Glass-filled nylon, rubber overmold, K-Texture™ grip
- Fixed blade length: 7"; Overall length: 14.5"





POWERED TO PROTECT



NEW

MICROFLEX® 93-283 MEGA TEXTURE

The NEW MICROFLEX® 93-283 are strong, disposable gloves that let workers comfortably and confidently grip oily or wet objects.

- Features a Mega Texture surface for added grip assurance
- Extended cuff provides extra protection over wrist and forearm
- The robust 0.20mm / 8mil thickness resists tearing, for better protection



50 gloves per dispenser box

Size	REORDER NO.
S (6½-7)	MFX93283070
M (7½-8)	MFX93283080
L (8½-9)	MFX93283090
XL (9½-10)	MFX93283100
XXL (10½-11)	MFX93283110
XXXL (11½-12)	MFX93283120



NEW

MICROFLEX® MidKnight™ XTRA

The NEW MICROFLEX® MidKnight™ XTRA nitrile gloves offer comfortable, expanded protection while masking dirt and stains.

- Extended cuff provides extra protection over wrist and forearm
- · Robust nitrile resists a range of chemicals, oils and solvents
- · Fully textured for a reliable, consistent grip
- Distinctive black color hides the appearance of oils, grease and grime



100 gloves per dispenser box

Size	REORDER NO.
S (6½-7)	MFX93862070
M (7½-8)	MFX93862080
L (8½-9)	MFX93862090
XL (9½-10)	MFX93862100
XXL (10½-11)	MFX93862110

www.ansell.com/autoaftermarket



GOODS PRODUCT GUIDE 2019

new

HVLXTC-TH Talon Hunt Knife Kit

• Includes two 3" gut hook combo blades. one 3" semi-serrated blade, one 5" fillet blades

- Rugged roll-pack to store a variety of blade styles
 Adaptable design allows the handle to fit any style blade big or small with the press of a button



new '

HVLHSC5GSXT3

- 3-Pack Talon Hunt Replacement Blades

 Pack includes: 1 3" Gut Hook Combo Blade, 1 – 3" Partially Serrated Blade and 1 – 5" Fillet Blade
- Made of AUS-8 Stainless Steel
- Fits on all Talon handles
- . 1 year warranty on materials and workmanship

HVLSBC-3

3-Pack Talon Hunt Serrated Blades

new

HVLXTC-115BLAZE Baracuta-Blaze Knife

- 4-3/8" micro-honed Japanese stainless steel blade
- A thick, yet lightweight military grade polymer handle in bright orange Overall length 10 3/8"
- · Includes five replacement blades
- . Open back for easy cleaning
- Removable pocket clip
- · Liner lock construction
- · Includes nylon holster
- 1 year warranty on materials and workmanship

new

HVLXTC-127Z

Baracuta-Z Knife

- 5 additional stainless steel #127XT, blades, 5'
 Also accepts #115XT and #115SW blades
- · Rugged black military grade polymer handle
- Open back for easy cleaning
- Removable pocket clip
- Liner lock construction
- · Includes nylon holster

• Overall length 11"

1 year warranty on materials and workmanship

new

HVLXTC-127EDGE Baracuta EDGE Knife

- 5 additional stainless steel #127XT blades, 5"
- Also accepts #115XT and #115SW blades
 Rugged black military grade polymer handle
- · Orange rubber grip inserts
- . Overall length 11"
- · Open back for easy cleaning Liner lock construction
- Removable pocket clip Includes nylon holster
- 1 year warranty on materials and workmanship

new

HVLXTC-60AKNP

Original Piranta Knife

- 12 additional stainless steel #60A blades, 2-3/4"
- Bead-blasted stainless steel handle with G-10 inlay
- Ambidextrous thumb studs
 Frame-lock construction
 Overall length 6-3/4"

- Includes nylon holster
- Open back for easy cleaning
- Removable holster clip
- · Weighs only 3 ounces
- Fits #60A and #60XT blades

new

HVLXTC-60APRCAMO

Piranta-Camo Predator Series Knife

- 12 additional stainless steel #60A blades, 2-3/4"
- Rugged Camo wrapped ABS plastic handle
 Overall length 7-1/4"
- Open back for easy cleaning
 Removable holster clip
 Fits all Piranta Blades

- Ambidextrous thumb studs
- · Liner-lock construction
- Nylon holster included

new

HVLXTC-60AZ

Piranta-Z Knife

- 12 additional stainless steel #60A blades, 2-3/4"
- Super-strong military grade polymer handle
 Overall length 7-1/4"
- Open back for easy cleaning
- Removable holster clip
- Fits #60A and #60XT blades
- · Ambidextrous thumb studs
- · Liner-lock construction
- Nvlon holster included

new

HVLXTC-60AEDGE

Piranta-EDGE Knife

- 12 additional stainless steel #60A blades, 2-3/4"
- Rugged stain resistant ABS plastic handle
- Overall length 7-1/4"
- Open back for easy cleaning Removable holster clip
- Fits #60A and #60XT blades
- Ambidextrous thumb studs
- Liner-lock construction Nylon holster included



- 6 additional stainless steel #60A blades, 2-3/4"
- · Rugged black military grade polymer handle
- Overall length 7-3/8
- Ambidextrous thumb studs
- · Open back for easy cleaning
- · Liner-lock construction
- · Removable holster clip Nvlon holster included
- · Fits all styles of Piranta Blades

HVLXTC-60ASTAG-BLK - Black HVLXTC-60ASTAG-0 - Orange

ting Goods PRODUCT GUIDE 2019

HAYALON[®]

new

Piranta-Bolt Knives

- 12 additional stainless steel #60A blades, 2-3/4

- Nylon holster Fits all Piranta style blades

HVLXTC-60ABOLT - Blaze Orange HVLXTC-60ABOLT-GX - Shock Green

new

HVLXTC-TF Talon Fish Knife Kit

- Includes two 7" fillet blades, one
 3" semi-serrated blade, one 5" fillet blades
- Quik-Change II internal locking mechanism which allows users to seamlessly change blades without loosing the cutting area

 Removable back panel for easy clean up
- Rugged roll-pack to store a variety of blade styles and sizes
- Adaptable design allows the handle to fit any style blade big or small with the press of a buttond

new

HVLHSCSERXT3

Blades for Talon Fish Scaler 5" & 7" Back Serrated

- 5" & 7" back serrated fillet blades
- · Replacement blades
- 1 yr warranty on material and workmanship

HVLXTC-EXP

- Havalon EXP Knife
 5 1/16" AUS-8 stainless steel blade with cryogenic edge hardening treatment and black Ti hard coating
- Fiberglass reinforced handle with injection molded nylon handle scales and rubber checkered grips
- · Includes 12 additional 60A blades
- Premium Havalon Zipper Holster
- Fits all styles of Piranta blades

new

HVLXTC-60AMT1

Havalon Evolve Multi-Tool

- 6 standard 60A blades and 2 new Piranta replaceable saw blades
- Fixed Gut Hook
 Carabineer clip
 Universal Bit Driver (comes with a flathead and Phillips bit, but will fit any standard sized bit)
- Storage for two additional bits
- Pliers/wire cutters
- Havalon Zipper Holster
- · Fits all styles of Piranta Blades



new

HVLXTC-HYDBRBS

Hydra Red Blade

- 7 styles of replaceable blades
- 3 additional Baracuta blades, one each of Fillet (#127XT), Hunter (#115XT) and Bone Saw (#115SW)
- 12 additional Piranta blades, three each of #60A, #70A, #22XT and #22
- 5-7/8" aluminum alloy handle
- Liner-lock construction Piranta safety lock
- Fits all Havalon blades Zipper carrying case included





new

Titan Jim Shockey Signature Series Knives

- . 6 additional stainless steel #60A and #70A blades
- AUS-8 Cryo hardened straight back blade, overall length 8"
- Piranta fitment with #60A blade length 7-3/4
- Liner-lock construction Removable pocket clip
- Piranta safety lock Fits all Piranta style blades
- Jim Shockey Signature Series holster included

HVLXTC-TRED - Black w/ Red Inserts **HVLXTC-TZBO** - Orange w/ Black Inserts

new

The Havalon Forge Knives

- 6 additional stainless steel #60A blades, 2-3/4'
- ABS polymer handle with non-slip TPR rubber grip covering

 • Overall length 7-7/8"

 • Ambidextrous thumb studs

- · Liner-lock construction
- Nylon holster included
- Fits all styles of Piranta Blades

HVLXTC-60ARHB - Black HVLXTC-60ARHO - Orange





Bone Collector Rebel Knives

- 3 1/16" AUS-8 stainless steel blade with cryogenic edge hardening treatment and black Ti hard coating

 • Fiberglass reinforced handle with injection
- molded nylon handle scales and rubber
- checkered grips
 Havalon Quik-Change replaceable blade system
- Includes 7 total 60A Blades and 2 gut hook blades
- Bone Collector Signature Zipper Holster

HVLXTC-BCB - Black **HVLXTC-BCG** - Green





SARSK-150

6 Piece Soft Roll Camo Hunting Kit

Soft Roll Camo Game Kit includes a 6-piece hunting kit

Kit includes: Game Shears, Steel Sharpening Rod, Closed Folding Bone/Tree Saw, Gut Hook Skinning Knife, Drop Point Knife, Fillet Knife

SARSK-909HV

HI-VIS Folding Gut Hook Knife

440C Stainless Steel

- · Ergonomic Non-Slip Hi-Vis Camo with a Bead-Blast Finish
- Blade: 3 1/2", Closed: 4 7/8", Overall: 8 1/4"
 Included: Nylon Pouch with Magnetic Closure

SARSK-802

Emergency Series Knife

Emergency Service Tactical Series. Handle is G10 and 4 1/2" Closed and 3 1/2" Blade is 440C Stainless and Overall Length is 8"

SARSK-970

Hunter's Neck Knife

- 3" Drop Point 440C Stainless Steel Black Blade
- 6 3/4" Overall
- Black Kydex Sheath
- Camo Lanyard





The Siege™ "D" Cell Lantern, Coyote

- · Rugged, cordless, alkaline battery-powered lantern provides 360° of soft, even light that illuminates a large area
- Contains (4) white C4® LED technology, impervious to shock with a 50,000 hour lifetime, and (1) Red C4 LED
- Multiple lighting modes; produces up to 300 lumens (high)
- Night vision preserving mode extends run time for emergency preparedness

 IPX7 waterproof to 1m submersion;
- floats; 2m impact resistance tested

STL44943

Siege AA with Magnetic Base

 Uses easy to find affordable 3 AA alkaline batteries

STL44941 Siege® AA Lantern

Super Siege® Rechargeable
Scene Light/Work Lantern
and Portable USB Charger
• Multiple lighting modes - White C4 LED; high, medium and low and 4 Red LEDs preserves night vision

- 1,100 lumens on high and runs for five hours
- · Removeable glare guard allows for task lighting Removeable polycarbonate cover provides 360° light distribution
- Recessed power button prevents accidental actuation Battery level indicator flashes red when battery needs to be recharged • Portable USB charger

STL44947 - Coyote STL44945 - Yellow





Mechanix Wear M-Pact® Glove

with Multi-Cam Pattern
• M-Pact® features a new rubberized thumb, index finger, and palm

PRODUCT GUIDE 20

- · Durable gripping power and sonic welded molded rubber knuckles and fingertips
- High impact PORON® XRD™ in the palm reduces vibration
- Machine Washable

MECMPT-78-009 (Medium) MECMPT-78-010 (Large)

Mechanix Wear The Original® Glove with Multi-Cam Pattern

- · Durable synthetic leather palm
- Form-fitting stretch Spandex top · Flexible TPR wrist closure allow
- for a second-skin fit
- Machine Washable

MECMG-78-009 (Medium) MECMG-78-010 (Large) MECMG-78-011 (X Large)

MECFFTAB-78-011

- · Two piece palm eliminates material bunching
- · 30-day warranty on material and workmanship
- Fully touchscreen capable






AR

SMKFF12022G

Firefield Emissary 16x32 Binocular

- 16x Magnification
- 32mm Objective Lens
- K9 Roof Prism
- · Multi-coated optics
- Internal Focusing Lens

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Sightmark Ghost Hunter Night Vision Binocular Goggle Kit

- High quality image and resolution
- Close observational range of focus
 High power built-in infrared illumination
- Ergonomic design and quick power-up
 1/4" socket for tripod accessories


SMKTS12022Y 12 Survivors Escape

16x32 Binocular

- 16x Magnification
- Multi-coated optics
- Lightweight Rubber armoured
- Weatherproof







PRODUCT GUIDE 2019



UNCUC2945

Shocklight Stun Gun Flashlight (Pink)

- 6 Ultra-bright LED bulbs
 1 Million Volt Charge
- Rechargeable
- Includes 120v/60Hz Wall Charger
- Nvlon Case



- Pro-Extreme Pepper Spray

 The Pro Extreme Speed Release Pepper Spray
 features the same canister used by law enforcement Sprays up to 15 feet with 2 million Scoville heat units
- Releases pepper spray with a quick flip of the trigger guard
- No Lock Speed release

TDORX0094 (40 Gram Bottle) TDORX0095 (80 Gram Bottle)

TDORPC093P

Armor Case Pepper Spray

- Equipped with two raised ribs that allow for a firm grip and natural fit
- The two raised ribs reduce the chance of an accidental spray
- Protects with 2 million Scoville Heat Unit pepper spray
- Sprays up to 15 feet
 Attaches to your keys for easy accessibility

Tornado 900V Laser Stun Gun


- Ultra bright LED flashlight
 Heavy nylon case with belt clip and wrist strap
 USB rechargeable cable included
- 120V/60Hz wall charger


The Tornado 900v stun gun delivers 900,000 volts of power. It features a bright LED flashlight and aiming laser for maximum deterrence. It is USB rechargeable, 120v rechargeable, and comes with a USB cable and wall charger. The Heavy nylon case is added for extra carrying convenience.

TDORSG900B (Black) TDORSG900G (Grey) TDORSG900P (Pink)



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov







Firefield MircoBurst Stun Guns

- Compact, lightweight design
 Built-in flashlight and charging plug
 Rechargeable battery
 Includes carrying case and lanyard

SMKFF24002 10 Million Volt

SMKFF24001 9 Million Volt





MAC80153

Mace PepperGard Personal Pepper Spray • Flip-top safety cap

- Sprays in a stream pattern
- Finger grip dispenser
- UV dye



MAC80332

Mace PepperGard **Pocket Pepper Spray**

- Flip-top safety capSprays in a stream pattern
- Finger grip dispenser
- UV dye



MAC80353 **Mace Hot Pink**

Pocket Pepper Spray · Flip-top safety cap to

- prevent accidental discharge Finger-grip design for
- optimal targeting accuracy
- UV dye



- Ergo Stun Guns with Bright LED

 Emits a shock of up to 1.69 uC

 Integrated Charging Plug
- · LED feature to momentarily distract the assailant • 5.125" x 1.785" x 1.085"

MAC80323 - Black **MAC80324 - Pink**

MAC80326 Mace Black Flash Stun Gun with Flashlight

- · Emits a shock of up to 2.96 uC
- · Three flashlight modes
- Durable Aluminum alloy body
- 6.75" x 1.41"

MAC80346 Mace Bear Spray

- · Orange safety wedge on the top
- of the grip
 Formulation of Oleoresin
 Capsicum (OC) Bear Safe Formula
- Power fogger pattern
- Empties in 6 seconds

MAC80269

Mace Pepper Gel Magnum 3

- Flip-top safety cap to prevent accidental discharge
 Dispenses as a thick, glue-like substance that sticks to and incapacitates the attacker

 Puilt in both clip = IV due
- Built-in belt clip UV dye





MAC80170

UV dye

Made in America

MAC80391

UV dye

MAC80347

UV dye

Mace Hot Pink

Mace Black KeyGuard Hard Case Pepper Spray

Flip-top safety cap to prevent accidental discharge

Features a molded, durable

case with attached key ring

Personal Pepper Spray
 Flip-top safety cap to prevent accidental discharge

optimal targeting accuracy

Finger-grip design for

Mace PepperGard
Police Pepper Spray
• Flip-top safety cap

Heavy-duty, full-body housing





Sporting Goods PRODUCT GUIDE 2019

== o

SABRE

SABP-22-GEL-TQ

SABRE Teal Compact Pepper Gel with Clip

 Maximum Stopping Power: In-house laboratory guarantees maximum heat, every single time, eliminating the 30% failure rate experience with other pepper spray brands (University of Utah study) plus UV

 Trusted by Police and Consumers Worldwide:
 Trusted by Police and Consumers Worldwide: Including New York, Chicago PD, Los Angeles County Sheriff's & US Marshals; made in the USA and ISO 9001:2008 certified with a 4-year shelf life from the date of manufacture

SABRE Compact Pepper Spray with Clip
• Protection at a safe Distance Against Multiple Threats: Impressive 10-foot (3 m) range; contains 35 bursts (up to 5x more than other brands) in a powerful stream delivery to reduce wind blowback

SABP-22-PK-0C (Pink) SABF15-TUSG (Teal)

SABRE Pepper Gel with Flip Top

 Protection Against Multiple Threats: Contains 25 bursts (up to 5x other brands) in a compact key case with finger grip for enhanced aim and product retention, plus the flip top safety mechanism prevents accidental discharge

SABF15-PUSG (Pink) SABF15-BUSG (Black)

SABHC-14-BK-US-02

Pepper Spray - Maximum Stopping Power
• Protection at a Safe Distance Against Multiple Threats: Impressive 10-foot (3 m) range; 25 bursts (up to 5x other brands) in a powerful stream delivery to reduce wind blowback

SABP-22-0C

SABRE Compact Pepper Spray with Clip

• Protection at a Safe Distance Against Multiple Threats: Impressive 10-foot (3 m) range; contains 35 bursts (up to 5x more than other brands) in a powerful stream delivery to reduce wind blowback

SABHC-KUROS-02

Kuros Key Case Pepper Spray

 Protection at a Safe Distance Against Multiple Threats: Impressive 10-foot (3 m) range; 25 bursts (up to 5x other brands) in a powerful stream delivery to reduce wind blowback

SABHC-NBCF-02

SABRE Pink Key Case Pepper Spray
 Protection at a Safe Distance Against Multiple Threats: Impressive 10-foot (3 m) range; 25 bursts (up to 5x other brands) in a powerful stream delivery to reduce wind blowback

SABS7B-HCBK

SABRE-Multi-Range Protection Pack

 Extremely Strong Pain-Inducing Stun Gun -delivers 0.704 μC charge- reliable protection when you need it most!



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

SABFBAD-04

Frontiersman Bear Spray 7.9 oz with Belt Holser

- Maximum Protection: 7.9 oz bear spray contains 2.0% major capsaicinoids, EPA maximum strength guaranteed via HPLC laboratory
- #1 Pepper Spray Trusted by Police and Consumers Worldwide
- Protection at a Safe Distance: 30-foot range
- Increased Coverage / Greatest Barrier: Delivers 45 grams per burst in a heavy fog delivery

SABRE

SABS-2000SF-G

SABRE Maximum Strength Tactical Stun Gun

· Extreme Stopping Power! Delivers More Pain Than Any Other Stun Gun On Market: This stun gun has an industry leading 2.517 µC charge (intolerable pain) based on independent tests by Rassettica Testing Limited

• Defends Up Close and at a Distance: Intimidating 95 dB sound

& bright 130 Lumen LED flashlight with high, low and strobe settings may help disorient from a distance, possibly allowing you to escape to safety before needing to use the stun feature

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

SABS-3000SF

SABRE Maximum Strength Tactical Stun Gun

 Extreme Stopping Power! Delivers More Pain Than Any Other Stun Gun On Market: This stun gun has an industry leading $2.517~\mu C$ charge (intolerable pain) based on independent tests by Rassettica Testing Limited

 Defends Up Close and at a Distance: Intimidating 95 dB sound & bright 130 Lumen LED flashlight with high, low and strobe settings may help disorient from a distance, possibly allowing you to escape to safety before needing to use the stun feature



SABSE-MT-01

Safe Escape 3-in-1 **Automotive Tool - Mint**

The ONLY 3-in-1 Safety Tool of it's Kind

 SEAT BELT CUTTER **Cuts Through Malfunctioning** Seat Belts in Seconds

GLASS BREAKER -

Steal Tip for a Speedy Escape

MAXIMUM STRENGTH PEPPER GEL -

12 foot range and 25 burst per canister
• #1 Pepper Spray Brand Trusted by
Police Worldwide

SABSE-BK-01

Safe Escape 3-In-1 Automotive Tool - Black

SABSE-1013-GY

3-In-1 Key Fob Stun Gun - Gray

- Small but Mighty Stun Gun 1.154 uC
- · Compact, Concealable and Easily Accessible • 115 dB Alarm and 70 Lumen LED Flashlight
- Safe To Carry & No Batteries Needed: Safety switch prevents accidental discharge
- · 2 yr warranty on material and workmanship



SABMD-BK-02

Mighty Discreet Pepper Spray - Black

Maximum Stopping Power

40% smaller than SABRE's other key rings

• Contains 15 bursts (3x's more spray than competition)

• Enhanced safety: Includes a snap clip attachment

No warranty

SABMD-MT-02

Mighty Discreet Pepper Spray - Mint Green

SABP22J-0C-US Runner Pepper Gel

with Adjustable Hand Strap

- Maximum Stopping Power
 Pepper Gel virtually eliminates wind blow back, 12 foot range
 Protection against multiple threats, 35 bursts (5x's more sprays than competition)
- Easily Accessible Adjustable Hand Strap
- No warranty



WINTER **PRODUCTS**



M12™ Heated Quietshell Jacket Kit (Realtree Camo)

- Quick-heat function reaches selected temperature 3X FASTER

 One-touch LED controller with (3)
- Une-touch LED conductor many heat settings per heat zone Up to (8) hours of run-time with M12™ REDLITHIUM™
- 2.0 Compact Battery Pack Heating Zones: Chest, Back, & Pockets
- · Washer and dryer safe

MLW222C-21S MLW222C-21M MLW222C-21L MLW222C-21XL MLW222C-212X MLW222C-213X



M12™ Heated Hoodie Kits

- · Quick-heat function reaches selected temperature 3X FASTER
- One-touch LED controller with (3) heat settings
- Up to (6) hours of run-time with M12™ REDLITHIUM™ Compact Battery Pack
- Heating Zones: Chest & Back
- Washer and dryer safe

Gray

MLW302G-21S MLW302G-21M MLW302G-21L MLW302G-21XL MLW302G-212X

MLW302G-213X

Red

MLW302R-21S MLW302R-21M MLW302R-21L MLW302R-21XL MLW302R-212X MLW302R-213X



Milwaukee 203RN-21 M12 Heated AXIS Rainshell 2.0Ah Kit, Gray (2) outer velcro pockets, (1) outer zip pocket, (3) inner zip pockets (1) low-profile battery pocket

- Includes:
 (1) M12™ Heated AXIS™ Jacket-Only (203-20)
 (1) 2.5 Layer Rainshell Jacket-Only (310)
 (1) M12™ REDLITHIUM CP2.0 Battery Pack (48-11-2420)
 (1) M12™ REDLITHIUM CP2.0 Battery Pack (48-11-2420)
 - (1) M12™ Compact Charger & Power Source (48-59-1201)

MLW203RN-21S MLW203RN-21M MLW203RN-21L MLW203RN-21XL MLW203RN-212X MLW203RN-213X





- M12™ Heated Axis Jacket Kit (Black)
 Quick-heat function reaches selected temperature 3X FASTER
- One-touch LED controller with (3) heat settings per heat zone
- · Washer and dryer safe

Women's

MLW233B-21S

MLW233B-21M

MLW233B-21L

MLW233B-21XL

MLW233B-212X

M12™ Heated Toughshell Jacket Kit

- · Quick-heat function reaches selected temperature 3X FASTER
- One-touch LED controller with (3) heat settings per heat zone
- Up to (8) hours of run-time with M12[™] REDLITHIUM™ 2.0 Compact Battery Pack . Heating Zones: Chest, Back, & Pockets
- Washer and dryer safe

MLW202R-21S

MLW202R-21M

MLW202R-21L MLW202R-21XL

MLW202R-212X

MLW202R-213X



Milwaukee 232B-21 M12 Women's Heated Softshell Jacket 2.0Ah Kit, Size Small, Black

- . Heating Zones: Back, Collar, & Front Pockets
- · Washer and dryer safe
- · Includes:

(1) M12[™] Heated Women's Softshell Jacket-Only (232-20)

(1) M12™ REDLITHIUM CP2.0 Battery Pack (48-11-2420) (1) M12™ Compact Charger & Power Source (48-59-1201)

MLW232B-21S MLW232B-21M MLW232B-21L

MLW232B-21XL MLW232B-212X



M12 Heated Women's Axis Vest Kit, Size Small (Black) • Quick-heat function reaches selected

- temperature 3X FASTER

 One-touch LED controller with (3) heat
- settings
- Up to (6) hours of run-time with M12™ REDLITHIUM™ Compact Battery Pack
 Heating Zones: Chest & Back
- · Washer and dryer safe

Women's

MLW333B-21S

MLW333B-21M

MLW333B-21L

MLW333B-21XL MLW333B-212X



SUNEX[®] T O O L S

IMPACTING your job for over 40 years



INDUSTRY LEADING LIFTING EQUIPMENT AND IMPACT SOCKETS



3.5 TON SERVICE JACK WITH RAPID RISE SUN66037

22 TON AIR/HYDRAULIC TRUCK JACK SUN6722

1000 LB. TELESCOPIC TRANSMISSION JACK SUN7793B

3/4 TON UNDERHOIST STANDSUN6809

1/4" DR. 74 PC. SAE AND METRIC MASTER IMPACT SOCKET SET SUN1874

3/8" DR. 80 PC. SAE AND METRIC MASTER IMPACT SOCKET SET SUN3580

1/2" DR. 39 PC. SAE MASTER IMPACT SOCKET SET SUN2668

1/2" DR. 39 PC. METRIC MASTER IMPACT SOCKET SET SUN2669

3/4" DR. 29 PC. SAE DEEP IMPACT SOCKET SET SUN4695



Get in the express lane with the industry's leading warranty program and exchange warranted products directly with Sunex®

As EASY AS 1, 2, 3

*Some exclusions apply, see sunextools.com for details

WWW.SUNEX TOOLS.COM/ SUNEXPRESS 2 UPLOAD IMAGE OF DAMAGED PRODUCT *

Choose File No file chosen



Upload an image of your broken product

Promptly receive your replacement

WINTER **PRODUCTS**



Long Reach Snow Brushes

· Ideal for larger SUVs, vans & trucks



HPK15781 60" Monster Snowbrush

Brush position changes for removing snow and storage. HD steel tube for extended reach. Extra wide blade for snow removal. Ice chippers.

HPK13054 32"-42" Telscoping Snow Brush w/ Ice Chisel®

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov




HPK2610XB48" Extender, with wide blade scraper HPK2610XM......52" Super Extender w/ Scraper & Squeegee

HPK13822

24" Long Snow Brush with Ice Chisel Scraper

- Ice chisel scraper with 2 blades in 1



HPK17311

Snow Broom

• 12" Wide Swivel Head, Handle Extends to 54", Ice Scraper on Opposite End



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

HPK14014

35" Avalanche Snowbrush

· Heavy duty brush with aggressive blade to break through ice



· Ice scraper on opposite end

- . Handle extends to 54"
- Pivoting head

HPK19520-1

22" Super Deluxe Snowbrush


- Rigid bristles for removing snow and light ice
- ABS Plastic Scrapper for removing ice
- Ice-cutter built on backside of Scrapper Blade

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

HPK16511

22" Long Snow Brush / Ice Hammer

- Aggressive ice chipper scraper blade



Fixed Pivot Snowbrooms

- · Pivoting brush sweeps and pushes snow
- Built-in ice scraper breaks through thick frost and ice
- With the push of a button, the pivoting brush becomes a sturdy broom

HPK14038 (38")

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

HPK13024

Subzero 32" Ice Chisel Snowbrush

- · Heavy duty brush provides long reach for large vehicles
- Ice chisel scraper with 2 blades in 1
- · Ice chipping plus frost removal
- · Hand grip and pole style may vary slightly





HPK14035

35" Telescoping Snowbroom

HPK14039

- Hopkins 50" Telescoping Snowbroom

 50" curved pole makes scraping ice from the windshield easier
- · Pivoting brush sweeps and pushes snow
- Built-in ice scraper breaks through thick frost and ice
- With the push of a button, the pivoting brush becomes a sturdy broom

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



HPK14052

Extendable Snowbroom and Snow Brush (34 to 52" Reach)

- Broom head rotates 180 degrees and features EVA Foam for non-scratch removal
- Posi-lock extends broom from 34"-52" for long reach
- Hammer tone finish on steel pole provides a rugged look
- Aggressive 4" wide Avalanche blade for thick ice and frost

HPK16024

22" Ice Ripper Snowbrush

- Aggressive scraper bade
- · Palm pad for increased leverage

HPK16721

Hopkins 10" Bear Claw Ice Scraper

- · ABS blade for hard, but flexible scraping
- · Loaded in a PDQ tray

HPK18520

26" Snowbrush with Integrated Ice Scraper

- · Dual ice scraper blades provide ergonomic scraping action when removing ice from either side of the vehicle
- · Thick full brush for easy snow removal

HPK18841

46" Extendable Snow Plow with Grip

- Super wide push/pull foam head for quick snow clearing
- Strong telescoping steel handle for extra reach
- Collapsible built in storage
- WARNING: Cancer and Reproductive Harm

HPK5412PBT

54" Pivoting Snow Broom with Scraper

- · Super wide push/pull foam head for quick snow clearing
- · Strong telescoping steel handle for extra reach
- Collapsible built in storage



Collapsible Emergency Snow Shovel
• Extends to 37" for long reach

- 9 1/2" wide shovel head





MTMMH-0150-LMT0 Propane Forced Air with Thermostat, 150,000 BTU

150,000 BTUs with thermostat
400 CFM, 1/9 HP, 120V, 60Hz, less than 1 amp
Components: One touch ignition and heat control for easy operation, 10-foot hose and regulator, high performance fan, automatic shut-off if power is interrupted of the interrupted of the control of the performance fan, automatic shut-off if power is interrupted on the control of the control of the performance fan, automatic shut-off if power is interrupted on the control of the performance fan, automatic shut-off if power is interrupted on the control of the performance fan, automatic shut-off if power is interrupted on the control of the performance fan, automatic shut-off if power is interrupted on the performance fan, automatic shut-off if power is interrupted on the performance fan, automatic shut-off if power is interrupted on the performance fan, automatic shut-off if power is interrupted on the performance fan, automatic shut-off if power is interrupted on the performance fan, automatic shut-off if power is interrupted on the performance fan, automatic shut-off if power is interrupted on the performance fan, automatic shut-off if power is interrupted on the performance fan, automatic shut-off if power is interrupted on the performance fan, automatic shut-off if power is interrupted on the performance fan, automatic shut-off if power is interrupted on the performance fan, automatic shut-off if power is interrupted on the performance fan, automatic shut-off if power is interrupted on the performance fan, automatic shut-off if power is interrupted on the performance fan, automatic shut-off if power is interrupted on the performance fan, automatic shut-off if power is interrupted on the performance fan, automatic shut-off if power is interrupted on the performance fan, automatic shut-off if power is interrupted on the performance fan, automatic shut-off if power is interrupted on the performance fan in the performance is extinguished, enclosed gas controls, electronic ignition, propane inlet connector connects heater to propane tank via a supply hose

· Heat Output: Adjustable thermostat



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov







MTMMH-0375-LM10

 Portable Propane Forced Air Heater, 375,000 BTU
 375,000 BTUs
 1,500 CFM, 1/5 HP, 120v,60Hz, 1.45 amps
 Components: One touch ignition and heat control for easy operation, 10-foot hose and regulator, High performance fan, Automatic shut-off if power is interrupted or flame is extinguished, Enclosed gas controls, Electronic ignition, Propane inlet connector connects heater to propane tank via a supply hose

· Heat Output: Adjustable thermostat

NARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

by ENERCO



HETF170035 **Portable Forced Air**

Propane Heater, 35,000 BTU/HR

. Heats up to 800 sq. ft.

• Operates 12 hours on a 20 lb. tank

· High temperature limit switch

Piezo ignition

• 115V required, 20' hose, regulator included

HETF170085 Portable Propane Heater, 50-85,000 BTU HR

. Heats up to 2000 sq. ft.

. Operates up to 8 hours on a 20 lb. tank

Continuous ignition

20 foot propane hose with regulator

HETF170125 Portable Propane Heater, 75-125,000 BTU HR

Heats up to 3000 sq. ft.

• Operates up to 11 hours on a 40 lb. tank

Continuous ignition

10 foot propane hose with regulator

HETF170170 Portable Forced Air Propane Heater, 125-175,000 BT • Heats up to 4000 sq. ft

• Operates up to 17 hours on a 100 lb. tank

Fueled by propane gas

Adjustable height control

· High temperature limit switch Automatic solid state ignition

· Built in thermostat

• 115V, 20 ft. hose/regulator included

HETF170700 Worksite Heater, 35,000 BTU/HR Radiant

· Úses liquid propane fuel

· Thermocouple operated gas valve

 Piezo ignition No electricity required

Heats up to 800 sq. ft. Tip-over switch

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Operates up to 12 hours on a 20lb. tank

20 foot hose with regulator

Safety shutoff, ready to use





Vent-Free Infrared Gas Heat

 Includes factory installed blower fan, thermostat, electronic ignition
 Adjustable thermostat easy to install, wall mounted or freestanding unit. Built-in low oxygen shut-off sensor. Five year warranty. Check local codes for installation requirements

HETF156050

Vent-Free Infrared Radiant Gas Heater, 20K BTU, LP

Heats up to 600 sq. ft.

- Includes factory installed blower fan, thermostat, electronic ignition
- Uses LP Gas
- 5 year warranty

HETF170380

HETF155225 10K BTU, NG

. Heats up to 300 sq. ft.

HETF156040 20K BTU, NG

. Heats up to 600 sq. ft.



10 inch pnéumatic tires CSA Certified HETF170250 Heavy Duty Kerosene Forced Air Heater, 50K BTU/HR • Illuminated on off switch

Heavy Duty Kerosene Forced Air Heater, 210K BTU/HR

 Flame safety/overheat safety shutoff Large heavy-duty handles with cord wrap

Heavy construction
 Illuminated on/off switch

- Flame safety/overheat safety shutoff
- Enclosed motor, fuel gauge
- Continuous ignitionHigh output fan
- CSA Certified
- Portable direct fired forced air heater

HETF170375 Heavy Duty Kerosene Forced Air Heater, 175K BTU/HR

Heavy construction

Illuminated on/off switch

- · Flame safety/overheat safety shutoff
- riaine satety/overheat satety shutoff
 Large heavy-duty handles with cord wrap
 10 inch pneumatic tires
 CSA Certified

HETF170325 Heavy Duty Kerosene Forced Air Heater, 125K BTU/HR

Heavy construction
 Illuminated on off switch

- Flame safety/overheat safety shutoff
- · Large heavy-duty handles with cord wrap
- 10 inch pnéumatic tires
- CSA Certified



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

HETF170275

Forced Air Kerosene Heater, 75,000 BTU/HR

Heavy construction

- Illuminated on off switch, 110 115 V
- · Flame safety/overheat safety shutoff Enclosed motor Fuel gauge
- · Continuous ignition
 - Cord wrap CSA Certified
- High output fan





WINTER **PRODUCTS**



EWALT

DWTF340640

Electric Heater, 3.3 kW,

11.260 BTU/HR

- · Recessed controls provide protection
- The cessed controls provide protection for switches and knobs
 Designed and certified as an unattended source of jobsite heat
 Equipped with a 25°F-95°F thermostat
- The heating element cycles on and off to maintain the set temperature
- 240 V

DWTF340635 Electric Heater, 1.6 kW, 5630 BTU/HR

DWTF340660

Cordless LP Heater, 70,000 BTU • 10' LP Hose

- Variable 27,000-68,000 BTU
- 2-piece barrel design for easy maintenance
 Uses DEWALT 20V Max or FLEXVOLT® Batteries
- · Quiet Burner Technology® 50% quieter
- than a standard propane heater High temperature limit switch
- · Split barrel design for easy maintenance
- . Hose & regulator included

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



MRHF272602

Hand-Held Torch 500,000 BTU/Hr.

- 36" total length with HD shaft
- Form fitting ergonomic grip handle
- Needle valve adjustment Excess flow P.O.L. fitting
- 10 foot hose and striker included

MRHF271741 30"/15" Propane Distribution Post/Tree

- Hooks up to new QCC-1 and old style cylinders
- The 30" post allows for a lantern to have a larger spread pattern
 The 15" post focuses the light in a smaller area

Mr. Heater

MRHF242200 MH15 Tank Top Heater

- Variable BTU's 8, 12 and 14,00 BTU/HR
- Adjustable heat control Hi, Med, Low Regulator · Heater shuts off automatically with loss of flame
- Operates on a 1lb disposable propane cylinder
- Operating Time Hi up to 1.5 hours

MRHF242540

540 Tank Top Heater, 29 - 45,000 BTU

- . Operates on 360° angle or tilted to 180°
- 3 heat settings: 29,000, 36,000, 48,000 BTU's
- No electricity needed
- · Instant, efficient outdoor heat

MRHF242650

Tank Top Heater, Twin Burner, 8,000 -30.000 BTU

- Hi-med-low regulator
- · Tip-over safety shut-off
- Direct Connection to 5-20lb bulk cylinder
- Soft Nose P.O.L.
- · CSA Certified



MRHF227900

MH35CLP-Hero Cordless Forced Air Propane Heater, 35,000 BT • Runs up to 12 hours on a 20 lb. tank

- Heats up to 800 sq. ft.
- 50% quieter than a standard heater
- Recharges in 5 hours and operates while charging

MRHF271370

QBT Forced Air Propane Heater, 30-60,000 BTU/Hr.

- · Quiet Burner Technology 50% Quieter than a standard propane heater
- · Includes thermostat, 20 ft. hose, and regulator
- · High-temperature limit switch
- · Heavy-duty handle
- Split barrel design for easy maintenance

MRHF273169-6 **Tank Foot Tank Stabilizer**

- Fits 20 lb., 30 lb., and 40 lb. cylinders
- Reduces risk of tipping cylinder while transporting in your RV., Pick-up, car, etc.



MRHF274800

Mr. Heater MH18B Big Buddy

Heater with 18,000 BTU

- 4,000, 9,000, or 18,000 BTU per hour
- For use with propane gas
 Heats up to 450 sq. ft.
- Single control start knob
- Hi-Med-Low heat settings
- · Swivel regulators

MRHF232000

- MH9BX Portable Buddy Heater

 4,000 and 9,000 BTU/Hr.

 For emergency indoor and outdoor use
 Automatic low oxygen shutoff system
 Accidental tip-over safety shutoff

- · Heats up to 200 square feet





PneuMasterAir SUPER STORE

PneuMasterAir

Filters, Regulators, Dryers, & Drains

ARRPF354W

1/2" PneuMasterAir NPT General Purpose Filter

- 6 oz. metal bowl with sight glass
 Removes liquid, water, dirt and debris from airlines
- Protects components and air tools from premature failure
- · Cleanable, reusable sintered bronze element
- Unit is rated at 175 PSIG and 100 SCFM
- In line or modular installation Manual drain
- Includes 1/2" NPT ports and a 40 micron element



ARRPB754GW

1/2" PneuMasterAir Filter/Regulator With Gauge

- Cleanable, reusable 40 micron sintered bronze element
- Output performance equal to individual filter and regulator
- Three position adjustment knob and 6 oz. metal bowl with
- It is rated for 200 PSIG and 100 SCFM

ARRPR354G

- 1/2" PneuMasterAir Regulator with Gauge

 Polished brass valve seat ensures that the regulated pressure will not drift
- · Efficient aspirator (minimum pressure drop), quick response
- Three position adjustment knob to make it tamper resistant
- The adjustment range is 5-125 PSIG
- Rated for 100 SCFM



ARRP5704S

1/2" PneuMasterAir Electric Air Compressor Drain

- Automatically drains compressor tanks, receiver tanks or filters
- Drain interval is adjustable between 1 and 60 minutes The purge time can be adjusted from 1 to 30 seconds
- Maximum operating pressure is 200 PSIG



ARRPC7612XXL

- PneuMasterAir 5 Stage Desiccant Filter/Dryer
 Five stage filtration includes:

 5 micron filter with 9 oz. metal bowl with sight glass

 .01 micron coalescing filter with 9 oz. metal bowl with sight glass and pop-up indicator

 One gallon desiccant dryer that lowers the dew point to -40° F

 3 micron filter with 9 oz. metal bowl
- 3 micron filter with 9oz metal bowl with sight glass to protect from desiccant dusting
- 5-125 PSI regulator with three position adjusting knob



LTILT855-AH-SK

Texas Twister Bidirectional Air Hammer Starter Kit

- · First new air hammer since the invention of the air hammer
- Use as a hammer or use as a pneumatic puller
- Works great with LT855A Texas Twister Air Hammer Pulling Kit
 Twice the directional power, twice the gun
 Just install the included air lock plug into quick connect
- chuck in front of gun to create pulling force from rear of gun
- Includes a vibration dampening system for reduced discomfort and fatigue

Includes Texas Twister accessories:

LT855-2A - 7" Seal Remover; LT855-5A - 7" Universal Flat Blade Puller;

LT855-12 - 1/2-20 to 5/8-18 thread connector.

LTILT855-AH

Texas Twister Bidirectional Air Hammer ONLY

Adjustable Brass Air Flow Regulator



Attach any Texas Twister™ Bit Directly to the Rear of the Texas Twister™ Air Hammer



LT855-2A KIT ONLY

> LT855-5 KIT ONLY

LT855-12

KIT ONLY





FOBINAIR®



KTITWM-COVERP Protective Cover for Robinair Recycler Units A Retail Value of \$45.50 **While Supplies Last**



ROBAC1234-6 1234yf ACS Recovering, Recycling and Recharging Machine

Fully automatic operation — program for service, walk away and return when complete

- Services both standard and hybrid vehicle A/C systems
- Integrated refrigerant identifier (meets SAE J2927)
- 1/4 Color VGA display and on board printer
- Replacement filter
- Made in the USA
- PLUS FREE Protective Cover

ROBAC1234-4 Premier R-1234yf Recover, Recycle and Recharge Machine

Fully automatic operation — program for service, walk away and return when complete

- Charge accuracy within +/- ½ oz.
 Automatic internal tank refill
- Automatic oil drain shows how much oil Automatic oil drain shows how much oil was removed from the system during service
 Integrated refrigerant identifier
 System leak test to identify gross leaks
 Exceeds SAE J2843 requirement for R-1234YF

- Recover, Recycle and Recharge equipment
 Replacement filter
- PLUS FREE Protective Cover

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CDS[®]





CPSFX3030 Dual Gas AC Refrigerant Management Center

- R134a and R1234yf refrigerants
- Patented oilless compressor
- 1-2-5 Warranty
- · Patented motorized ball valves
- Meets SAEJ3030 standard





FJCKIT6850 R1234yf Manifold Set with FREE Thermometer

- R1234yf Aluminum Manifold
 72" hoses
- Manual Couplers
- Plastic Case
- FREE Non Contact Laser Thermometer





MSC90066-B-SF Spark Free 6 CFM Vacuum Pump for 1234yf Systems

6 CFM Spark Free for use with 1234yf applications, 50 microns
High Volume fan provides provides

- cool air to motor and pump Vapor discharge / oil fill port check
- valve to prevent oil escape
- Internal check valve to prevent oil back flow Thermally protected motor with on/off rocker switch

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

ROBINAIR.



ROBI D7

LD7 Refrigerant Leak Detector

- R134a and R1234yf compatible
- Sweep mode function to pinpoint leak source
- · Automatic calibration and reset to ambient Patented 3 LED UV lights with 395-415 nm wave length is optimum for a/c dye fluorescence
- 3 adjustable sensitivity levels



UVU499109

- Universal A/C Dye with eBoost™ 8 oz. Cartridge

 eBoost™ increases A/C oil anti-wear properties
 and rejuvenates rubber 0-rings and seals

 For use with the Spotgun Injection System

 Service stickers included

 Contains SAE-J2297 certified and 0EM approved A/C dye

- Services 16 vehicles or 32 small A/C systems

KOBINAIR



R0B18460

1234YF Syringe-Type Low Side Oil Injector

Designed for charged systems

Used for adding oil to fully pressurized A/C system





MSC55900

- SAE Certified J2791 (R134a)
 J2913 (1234yf) Leak Detector

 Detects all refrigerants as low as 1/10 oz. per year

 Eliminates many false responses
- Heated tin oxide element
- · High, medium and low sensitivity
- The 55900 meets and exceeds certification required by SAE for all refrigerants including the new R1234yf

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





KTITWM-COVERP **Protective Cover for** Robinair Recycler Units A Retail Value of \$45.50 While Supplies Last



ROB34788NI

A/C RRR and Evacuate Unit

- · Fully automatic operation

- 98.5% recovery R134a
 Improved charge performance Exceeds SAE requirements
 Expandable capable of additional feature and function add-ons (printer,
- wireless, refrigerant ID)

 Automatic Internal tank fill
- Replacement filter
 PLUS FREE Protective Cover

R0B34788NI-H

A/C RRR Machine For Hybrid Vehicles

- One machine to safely service both conventional and high voltage A/C systems
- Replacement filter
- PLUS FREE Protective Cover



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





R0B34724 Spin On Filter

- Fits current models: ROB34288, ROB34788, R0B34988, R0B347002, R0B341342
- · Avoid downtime, by keep a spare filter on hand





MTN11800

Vacuum Pump and Manifold Gauge set

- R134a aluminum R134a aluminum block manifold gauge set;
 2 pieces of R134a couplers & 72" hose included
 Aluminum block design with sight glass
 Voltage: 115V / 60Hz; 1/4 HP; Inlet Port: 1/4" SAE
 Flow Rate: 3CFM (90L / min.); Rotating Speed: 1440RPM
 Ultimate Vacuum: 10Pa / 75 Microns; Oil Capacity: 200ml

MTN8406

3.0 Single Stage Deep Vacuum Pump

- High Performance 3.0 single stage deep vacuum pump
- Internal check valve to prevent escape of liquid oil
- Gas ballast prevents oil contamination with dual ports for R-12 and 134A
- Ultimate vacuum of 75 microns
- · High volume cooling fan provides cool air to motor and pump

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



FJCKIT6 Vacuum Pump and Manifold Gauge Set

 Vacuum pump has
 Twin Port Technology™
 Kit Contains: FJC6909 - 3.0 CFM
 FICE THE P134 vacuum pump; FJC6761B - R134a aluminum manifold with 72" hoses and quick couplers.

ROBINAIR.



ROB15500 VacuMaster 5.0 CFM

- Vacuum Pump

 115-volt, 2-stage design

 Heavy duty motor high torque design for easy start up and efficient operation
- 35 microns ultimate vacuum



MTN8204B R134a Aluminum **Manifold Gauge Set**

- Professional series
- 72" charging hoses
- R134a manual service couplers
- Valve core tool included
- R134a can tap and thermometer included

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



- for holding hoses
- 72" R134a hose set (1/2" ACME x 14mm)

- Premium High Vacuum Pump Oil

 Engineered to maintain maximum viscosity at high running temperatures

 Thermally stable and long lasting

 Lower moisture content than other oils

- · Quart size bottle
- Works with most A/C vacuum pumps

ROB13204 - 1 Gallon ROB13203 - 1 Quart







TIF9010A

"Slimline" Electronic **Refrigerant Charging Scale**

- Touch Key controls
 Three display modes lbs./oz.; decimal lbs.; kilograms
 Very high resolution: 0.1 oz./0.005 lbs./2 grams
 Extreme accuracy: +/-0.5% of reading
 Can be used with all types of refrigerants





MSC52224A-SP

Infrared Thermometer in Case

WITH FREE MSC52220 1" Analog Thermometer

- Measures from -40° to 932° F, non-contact temperature readings
- 12:1 distance to spot ratio
- Constant maximum temperature displayed increased low end temp range

 • Easy-to-read 1" LCD display, scan mode,
- maximum temperature display, and F/C button



RAYMT4

Mini Temp Non-Contact Thermometer Gun with Laser Sighting

- Temperature range: 0 to 750° F
- Laser targeting distance-to-spot: 8:1
 Small and compact, non-contact with 98% accuracy
- · Selectable degrees C or F





PPRTEMPKIT Dual Zone Digital

Wireless Thermometer

- · Wireless temperature readings Dual zone temperature readings
- Additional wireless probe available
- · Base unit temperature comparison
- Battery powered

PPRTEMPPROBE

Add-On Wireless Temperature Probe for PPRTEMPKIT

- · Additional accessory wireless probe
- Cannot be used alone, must be used with PPRTEMPKIT
- · Allows for third zone temperature reading









CPSLS790B

R12 and R134a Deluxe Leak Seeker® Detector

- Patented Ion-Pump sensor with built-in selective filter housing
- 0.25oz/yr (7g/yr) leak rate of HFC
- Over 100 computer generated tones varying in intensity with leak size
- 10 high-intensity bar graph display

TRACER PRODUCTS



TRALF021

A/C and Fluid Leak Detection Kit

 Includes (1) re-usable syringe, R-134a hose/ coupler and purge fitting, LeakFinder® UV lamp and fluorescence-enhancing glasses in a carrying case



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



UVU499008

Universal AC Dye - 8 oz Bottle

- SAE-J2297 certified and OEM approved
- · Precise measuring device built into bottle for accuracy
- UV Dye fluoresces extremely bright to detect leaks as small as 1/4 oz per year

UVU499108A A/C ExtenDye"

- A/C EXTENOYE Superconcentrated dye detects leaks in the vehicle A/C system
- Contains friction modifier to increase lubricity
- Contains anti-wear additive
- Reduces friction and heat
 Extends A/C component life

ROBINA

ROB18192 High and Low-side Manual Coupler

- · Integral safety sleeve, which protects against injury and refrigerant loss if the coupler is disconnected under pressure
- Compact design easily fits into tight quarters
- Six-ball couplers provide a more stable grip on the fitting than couplers with four balls

Manual Service Coupler for R134a ROB18190A - Low Side

ROB18191A - High Side

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Pistol Grip Flaring Tool

- Heavy duty hydraulic ram with over 6,000 PSI crimping pressure
- Magnetic voke holds dies in place
- Comes ready to flare tubing sizes 3/16", 1/4", 5/16", 3/8" and 4.75mm (single, double, DIN)



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



MSC71550 Manually Operated A/C Hose Crimper



fixture assembly, die set #6 (5/16"), die set #8 (13/32"), die set #10 (1/2"), die set #12 (5/8") and a carrying case.



MSC72475-PRC Universal Hydra Flaring Tool with Tube Cutter

- Fabricates Push Connect 1/4, 5/16 and 3/8"
- GM Fuel Line Flare, Brake Lines and Gin rue Line Flare, Brake Lines and Transmission 5/16 and 3/8"
 Flare/Double Flare 3/16, 1/4, 5/16, 3/8 and 1/2"
 Metric Bubble Flare 4.75, 6, 8, and 10mm

MSC72485-PRC

Universal Hydra Flare Set with Tube Cutter and GM Transmission Set

- Universal hydraulic flaring tool set with blue handle
 Includes the 3/8" & 1/2" GM transmission cooling line
- die and adapter set
- Comes with mini tube cutter
 Complete kit comes in custom molded case

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov






KT170080

Professional Double Flaring Tool Kit

 Fabricate double-compression lines (brake lines) or single-compression lines (fuel lines) in copper, steel, or aluminum



- heat-treated, precision ground swivel, and drop-forged, heat-treated voke
- Each adapter is laser engraved for easy identification
- I ifetime warranty

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LOVE YOUR TOOLST TRUST OUR SHARPENERS



COMBO KNIFE SHARPENER

• Belt & Ceramic Technology in One

DARWSCMB



KEN ONION EDITION

· Adjustable Sharpening Guide (15"-30")

DARWSKTS-KO



GUIDED FIELD SHARPENER

· Built in angle guides

DARWSGF\$221



DD 750X

Sharpens 3/32" to 3/4" bits

DAR750X



DD 500X

Sharpens 3/32" to 1/2" bits
 DARSODX



KNIFE AND TOOL SHARPENER

Precision sharpening guides (20° and 25°)

DARWSKTS





THEXTON



THX815 HEATERCORE BACK FLUSH WITH AIR ASSIST

- Fits 1/2", 5/8", and 3/4" heater hoses
- Tool uses standard garden hose for water and 1/8 NPT for shop air fitting.
- •NEW: 1/4 NPT air adapter included
- Basic garden hose hook-up cleans cooling system & heatercores.



CIRCUIT ENERGIZER• Portability-Can be used with most

THX852

- all 12 Volt power sources.

 Isolates component from the rest
- of the circuit.
- Applies direct power and ground
- Factory correct terminals



THX838 PORTABLE TRAILER LIGHT TESTER

- Portability-Can be used with most all 12 Volt power sources.
- Tests-left and right turn signals, taillights, and brake lights.
- Can also test electric brakes, reverse lights, and auxiliary lights if combined with THX839 7 blade to 4 flat adapter.



THX430 HOOD/TAILGATE PROP

- Clamps to weak gas cylinder lifts to hold up hood or tailgate.
- Brass screw will not damage rod.
- · Elinates clumsy sticks or props.

THX106 ETHYLENE GLYCOL ANTI-FREEZE TESTER

- Tests ethylene glycol-based coolant, hot or cold, including Dex-Cool®.
- Easy to read discs are magnified by convex design of the clear SAN plastic barrel.
- · Celsius and Fahrenheit scales.



DO YOU HAVE A NEW TOOL IDEA?
EMAIL US AT CUSTOMERSERVICE@THEXTON.COM

FOBINAIR



R0B75700

CoolTech Coolant Exchanger

- · Engine Off feature removes pulleys, belts
- A regime on reature removes pulleys, bens and fan blades from the safety equation
 No additional ventilation required
 Vacuum mode creates a "push/pull" exchange process allowing the technician to safely remove high pressure in a hot system
- Two clearly marked valves and an easy-to-read gauge make this machine very easy to use



R0B75240

Coolant and Battery Refractometer

- Used for measuring the freezing point of either propylene or ethylene glycol based cooling systems
 Used for checking the strength of electrolyte
- solution batteries
- This precision instrument features high-quality optics with ultra smooth focusing
- Scale range: 32° F to -60° F



UVU570000 Vacuum Antifreeze **Drain and Fill**

- engine cooling systems-simply connect to radiator filler neck
- or reservoir tank.

 Test for leaks-confirms system integrity, reduces chance of refilling a leaky system
- Eliminates potential airlock problems-refill cooling system using "Patented" vacuum technology
 Refills in seconds-quickly refill from new or used coolant
- reservoir. Accurately pre-mixes water and anti-freeze in convenient 3 gallon (11.3L) holding reservoir
- Safely stores used coolant in a large 12 gallon (45.4L) environmentally friendly holding reservoir

Wiew

UVU550000

- Airlift Cooling System Refiller

 Eliminate airlocks in vehicle cooling systems

 EM approved worldwide
- Refills the entire cooling system including the Heater Core
- · Eliminate time consuming bleeding and purging
- · Checks for leaks while under vacuum

Kit includes: Venturi connector with hose; fill hose with filter; (4) sizes of rubber adapters; universal cone adapter and storage case.



Heavy Duty Airlift II

- · Eliminates airlocks during coolant refills
- Extra long refill hose designed for Heavy Duty trucks
- · Streamline design...no switching hoses
- · Universal cone adapter to accommodate all heavy duty vehicles

 Reinforced glass-filled nylon construction

UVU550500 **AirLift II Economy Refiller**





FJC43664 26 Piece Radiator & Cap **Pressure Tester Kit**

- Radiator & Cap Tester with Airlift
- · For use in pressure testing Radiator caps and radiators
- For use with most domestic and import autos and light trucks

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

mituvac

MITMV4533 **Cooling System AirEvac Kit**

- · Universal cooling system adapter replaces more than 20 individual adapters for cars, vans, light truck
- Eliminates airlocks in vehicles cooling systems
- Check for leaks while system is under vacuum
- Patent-pending adapter cam mechanism ensures an air-tight seal with radiator and coolant bottle necks
- Quickly refills system without trapping air that can cause overheating

MITMV4535 **Cooling System Air Evac and Refill Kit**

MITMV4560 Radiator / Cooling System Pressure Test Kit

- Pinpoints external leaks
- Diagnoses internal leaks caused by a blown head gasket or damaged block or head
 Test radiator and coolant bottle caps
- Contains adapters to test the cooling system and caps of most US and Asian manufactured cars



Universal Cooling System Test Kit

The true universal cooling system test kit

- Works on all passenger vehicles and light duty trucks
- Made in the U.S.A.

RDL95-0700

- · Eliminates the need to buy costly adaptors for radiators
- Made from anodized brass, and high quality materials





KTI70706

- Air Lift Cooling System Refiller

 Kit contains: Main body with gauge (-1 -0 bar, -76 -0 cmHg); Vacuum Pump; (3) Rubber Buses (0D 35, 39 & 44mm); Coolant Hose

 1 Year Warranty on Material and Workmanship

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





STN12270 **Cooling System** and Pressure Cap Tester

The gauge includes new cap testing pressure ranges of 17-19 lbs., 20 lbs.,and 28-30 lbs.
The larger color coded dial makes it easy to accurately

- If the larger color coded that makes it easy to according test these higher pressure caps and systems
 Also includes a pressure release bar that, when turned clockwise, releases pressure buildup before removing the head from the neck

Includes: (1) spacer to drop in 1" deep filler necks for testing and (1) cap adapter to check standard "A" size caps

THEXTON

THX106 Cold-Chek® Disc-Type Anti-Freeze Tester

• Large professional-size (16-1/4") tester is accurate at all temperatures

- . Tests coolant, hot or cold
- · Protection scale is printed in both Celsius and Fahrenheit
- Beyond 70% anti-freeze, cooling and corrosion effectiveness is reduced

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





KT177702

Chill Blower - 300 CFM

- 120 Volt / 60Hz / 12 Amps 180W 3 speed with 4-position adjustment
- for concentrated air flow & fast drying

· Covered by 1 year warranty

MTN18500 **Heater For 300CFM Blower**

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Lithium Powered Battery Packs



JUMP STARTING POWER IN THE PALM OF YOUR HA



KTI74393

- Jump Starter/Power Supply 18,000 mAh
 18,000 mAh provides 500 amps cranking power and 1000 peak amps
- Intelligent cables feature built-in overcharge and reverse polarity protection
- Able to jump start a wide range of gas-powered vehicles and diesel vehicles up to 7.3L
- Includes 8 computer recharging tips and 3-in-1 pigtail phone charging cord
- 2 USB charging ports in addition to 19V, 16V, & 12V outputs, and an OBDII memory saver cable
- Covered by a 1-year warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KTI74391

Jump Starter/Power Supply 12,000 mAh

- 12,000 mAh provides 250 amps cranking power and 500 peak amps
- Intelligent cables feature built-in short-out protection
- Digital read out for more precise functionality
 Able to jump start cars, SUVs, Light and Medium duty trucks
 USB charging ports, in addition to 19V, 16V, and 12V outputs
- Covered by a 1 year warranty

KTI74392

- Jump Starter/Power Supply 15,500 mAh
 15,500 mAh provides 400 cold-cranking amps and 800 peak amps

- Covered by a 1-year warranty



- Jump Starter/Power Supply 30,000 mAh

 30,000 mAh provides 800 amps
 cranking power and 1800 peak amps
 Intelligent cables feature built-in overcharge and reverse polarity protection
- Jump starts the widest variety of vehicles, including heavy-duty trucks, buses, tractors, and more
 Includes 8 computer recharging tips and a 3-in-1
- Illight of the state of th

RFD8008

Covered by a 1-year warranty







Third Generation Mini Jump Starters

New chip technology offering protection from excessive amp draw and heat build up

- Quick charge technology for phones, tablets, etc.
- Impact resistant housing and meets UL94 V0 fire rating

RFD2977

Third Generation Mini Jump Start Packed with Power

- 13K mAh offering 500 CCA and 1000 PA starting power
 Includes 1 USB cable and 1 Intelligent jumper cable
- WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



Third Generation Mini Jump Starter - 18,000 mAh

- 18K mAh offering 600 CCA and 1,200 PA
 Includes 1 AC charger (QC2.0 (5V / 9V), 1 USB to micro data cable, 1 Intelligent jumper cable



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

- Third Generation Mini Jump Starter 24,000 mAh

 High power 24K mAh, 700 CCA, 1500 PA mini jump start

 Includes 1 Intelligent jumper cable, 1 Type C to Type C data cable, 1 USB to micro data cable. Supports Macbook and Android USB Type C charging

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



POCKET POWER 2.0 15000mAh 250 / 500 Amps for extra cranking power All protection built internally

- · New external design for extra comfort Digital read out for more precise functionality



- Starts 12V vehicles up to 30 times without a recharge; Starts 24V vehicles up to 20 times without a recharge.
- Multiple outputs charge smart phones, tablets, cameras and laptops,12V devices
- Heavy duty clamps with replaceable jaws



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



SCUSL1317

1000 Peak Amp Lithium Ion Jump Starter

- Works with vehicles up to 10 cylinders
 2.4A USB port Fast charging for all USB devices,
- including smartphones, mp3 players and tablets

 Qualcomm® Quick Charge™ 3.0 Technology port

 1 year warranty on material and workmanship



Jump Starters

S#LAR.

JUMP n Carry.

Jump-N-Carry 1700 Peak Amp 12 Volt Jump Starter

- 425 Cranking Amps
 Clore PROFORMER battery technology
 46" #2 AWG welding cable leads
- Industrial-grade clamps
- Built-in charger
 Automatic charging
- Voltmeter provides charge status of onboard battery

 12VDC outlet to power accessories
- 1 year limited warranty

SOLJNC660 (Blue) SOLJNC660G (Green)



EXCLUSIVE COLOR

1700 Peak Amp Premium 12 Volt Jump Starter

- 1700 Peak Amps, 425 Cranking AmpsClore PROFORMER battery technology
- 68" #2 AWG welding cable leads
- PowerJaw[TM] clamps
 Master ON/OFF switch. Built-in 3A automatic charger

SOLJNC770G (Green) SOLJNC770R (Red)



12V Lithium Jump Starter and Power Supply

- . High Intensity LED Flashlight
- USB Charging Output
- Pre-Heat Mode for Cold Weather Jump Starting
 Smart Clamps for Safe and Easy Jump Starting

SOLJNC311 - For V6 SOLJNC318 - For V8







SOLJNCAIR

Jump-N-Carry 1700 Peak Amp 12 Volt **Jump Starter with Integrated Air Delivery System**

- 425 Cranking Amps
 Automatic charging
 Clore PROFORMER battery technology
- 12 ft. coiled air hose with screw-on chuck

SOLJNC8550

550 Start Assist Amp 12V Capacitor Jump Starter

- Powered by high-output ultracapacitors
 Heavy duty 46" #AWG cables with industrial grade clamps
- Internal lithium battery powers the ultracapacitor when vehicle is unable to
- · Multiple recharging options including 12 Volt input and included extension cord
- Extreme jump starting power at any temperature

SOLJNC8800

800 Start Assist Amp 12V Capacitor Jump Starter

. Heavy duty 64" #2 AWG cables with industrial grade clamps



SOLJNC4000 Jump-N-Carry 1100 Peak Amp 12 Volt Jump Starter

S#LAR.

- 325 Cranking Amps
 Clore PROFORMER battery technology
- 23" #2 AWG welding cable leads
 Voltmeter provides charge status
- of on-board battery
- 12VDC outlet to power accessories
- 1 year limited warranty

SOLJNC1224 Jump-N-Carry 3400 Peak Amp 12/24 Volt Jump Starter

- 3400 Peak Amps and 850 Cranking Amps - 12V
- 1700 Peak Amps and 425 Cranking Amps - 24V





SOLJNC950 Jump-N-Carry 2000 Peak Amp 12 Volt Jump Starter

• 2000 Peak Amps • 700 Cranking Amps



Booster Pac 12 Volt Jump Starters

- · Automatic recharging
- Industrial Grade Hot Jaw™ clamps
 DC outlet to power 12 Volt accessories
- 1 year limited warranty

SOLES2500KE - 900 Peak Amp

300 Cranking Amps

SOLES5000 - 1500 Peak Amp

• 400 Cranking Amps

S0LES1224

Truck Pac 3000 Peak Amp

12/24 Volt Jump Starter

- 3000 Peak Amps/750 Cranking Amps in 12V mode
 1500 Peak Amps/370 Cranking Amps in 24V mode
 AWS Advanced Warning System™
 DC outlet to power 12 Volt accessories

- 60" #2 AWG cables 1 year limited warranty

SOLES6000KE

Truck PAC 12 Volt Portable

Battery Booster Pac - 800 Cranking Amps

3000 peak amps



START ALL





GDLJP-12-4000

Start+All® Jump+Pack 12V 4000 AMP

- Featuring Protect•All
- Engine Jump-starts engines up to 16L diesel
- **Engine System**
- . Battery Chemistry High-output premium lithium ion
- Capacity 236.8 Watt-hours (236,8000mWh)
- 6 month warranty on material and workmanship



Jump Starters

VOCC



NOCO Genius Boost

· Recharge your personal devices on the go, like smartphones, tablets, e-watches and more - up to 12 smartphone recharges

NOCGB150 **NOCO Genius Boost Pro 4000A**

- NOCU Genius Boost Pro 4000A

 12V Lithium Jump Starter

 For tire pumps, inverters, lights and more

 An ultra-bright 500 lumen LED flashlight with 7 light modes, including SOS and Emergency Strobe

 Designed for both gas and diesel engines up to 10+ Liters for cars, trucks, boats, commercial vehicles, equipment and more
- Includes the GB150, HD battery clamps, USB charging cable, XGC male plug, XGC female plug, XGC cable, microfiber storage bag. 1-year hassle-free limited

NOCGB70

NOCO Genius Boost HD 2000A 12V Lithium Jump Starter

- · 400 lumen LED flashlight with 7 light modes, including SOS and Emergency Strobe
- · Recharge your personal devices on the go, like smartphones, tablets, e-watches and more - up to 8 Includes the GB70, HD battery clamps, USB charging
- cable, XGC male plug, XGC female plug, XGC cable, mi-crofiber storage bag. 1-year hassle-free limited warranty.

NOCGBC014

Exclusive Boost HD EVA Protection Case

NOCGB40

NOCO Genius Boost Plus 1000A 12V Lithium Jump Starter

- 100 lumen LED flashlight with 7 light modes
- For gas engines up to 6 Liters and diesel engines up to 3 Liters for cars, boats, lawn mowers and more.
- Includes the GB40, HD battery clamps, USB charging cable, USB car charger, microfiber storage bag. 1-year hassle-free limited warranty.



NOCGB50

XL 1500A Lithium Jump Starter

- A lithium battery jump starter rated at 1,500 Amps.
 Spark-proof connections and reverse polarity protection.
- · Recharges USB devices, like smartphones, tablets, and more.
- . Jump starts gas engines up to 7 liters, and diesel up to 4.5 liters.
- Provides up to 30 jump starts on a single charge.

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



NOCGB500

Max 20000A Lithium Jump Starter

- Switchable 12V and 24V modes, designed for high-
- wilcitable 12V and 24V modes, designed for high-displacement engines, covering most applications
 Built-in voltmeter displays the voltage of the vehicle's battery for enhanced diagnostics and troubleshooting
 2200 lumen ultra-bright LED work light
- for extreme visibility

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



SOL2001 12 Volt Commercial

Charger/Starter

- Automatic 10 amp battery charger
- · Jump starting based on battery installed
- 5' retractable jumper cable leads
- . Requires Group 31 battery (not included)
- 1 Year Limited Warranty



SOL3001

SCUSC1393

SCUSC1361

50A engine starter

LED indicators and

button controls

12/3 Amp Battery Charger Microprocessor controlled Float mode monitoring Reverse hook up protection Auto voltage protection

50/10/6 2 Amp Battery Charger

rate to charge & maintain

Monitors and maintains the

battery when fully charged

Automatically adjusts the amperage

12 Volt Commercial Charger/Starter with Air Compressor

- This 3-in-1 unit provides vehicle jump starting, battery charging and delivery of air
- Jump starting power is determined by user-installed bat-tery recommended battery size is 1000CCA. Requires Group 31 battery (not included)
- Rugged, high impact case for durability plus large pneumatic wheels for easy maneuverability over all surfaces
- 10 amp auto charger keeps onbaord battery charged and can be used to charge vehicles batteries also

 • 5 ft. #2 gauge cable with industrial grade clamps. All

Schumacher

cables (including power cord and air hose) are retractable



with Memory Saver

- 2200 peak amps
- 330 cranking amps
- 275 cold cranking amps
- High output AGM battery
 Free OBD-L Memory Saver included

SCUDSR115

Jump Starter, ProSeries Double Battery • (2) High-output AGM battery -

- for 12V / 24V systems
- 44000 Peak Amps / 500 Cranking Amps / 415 Cold Cranking Amps
- 2 AWG, 60" cables
- 2A automatic external charger

SCUDSR119

Professional Jump Starter

- 280 Cranking Amps225 Cold Cranking Amps
- 18 Ah professional grade battery
 4 Gauge, 28 inch cables
 LED Charging Indicators

SCUDSR109 DSR PRO Booster, 12V, 800CCA

- 100% Maintenance-Free
- Jumpstart Gasoline and Diesel
- Engines
 1 Minute Quick-Recharge
- Operating Temperature Range: -40°C 65°C

SCUDSR108 DSR Super Cap Jumpstarter, 450CCA

- 100% Maintenance-Free
- · Jumpstart gasoline and diesel engines
- 1 minute quick-recharge
- Operating temperature range: -40°C 65°C
 10,000 Cycle / 10 Year life span





SCUDSR128

- Lithium PRO Jumpstarter

 Easy-to-read, animated display gives you step-bystep instructions to properly jump start your battery.
- Dual 2.1A USB ports; 650 cranking amp
- · Professional grade, high-output, Lithium Ion battery specially formulated to jump start vehicles. Rust & corrosion-proof case with protective
- side caps Professional clamps with ergonomic grips







SCUDSR124



SCUDSR121

10/50/250 Amp, 6/12V Wheel Charger DOE • 4A MAINTAIN | 15A FAST CHARGE | 25 50A BOOST | 250A ENGINE START

- 250A Engine Start powerful enough for SUVs,
- trucks and large engines

 25 50A Boost mode quickly brings deeply discharged battery back to life

SCUDSR122

- 10/50/275 Amp, 6/12V Wheel Charger with Power Supply

 4A MAINTAIN | 15A FAST CHARGE | 20 60A BOOST | 275/125A ENGINE START

 125A (6V)/275A (12V) Engine Start powerful enough for SUVs, trucks and large engines 20 60A Rocet medic, quickly brings dooply.
- 20 60A Boost mode quickly brings deeply discharged battery back to life

SCUDSR123

- 15/30/70/300 Amp, 12/24V Wheel Charger DOE 4A MAINTAIN | 15A FAST CHARGE | 10 30A/10 50A BOOST | 250/150A ENGINE START
- 250A (12V)/150A (24V) Engine Start powerful enough for SUVs, trucks and large engines
 10 50A (12V) 10 30A (24V) Boost mode quickly brings deeply discharged battery back to life

SCUDSR124

- 15/30/70/330 Amp, 6/12/24V Wheel Charger 4A MAINTAIN | 15A FAST CHARGE | 30 80A BOOST | 300/330/250A ENGINE START
- 300A (6V)/330A (12V)/250A (24V) Engine Start powerful enough for SUVs, trucks and large engines
 30 80A Boost mode – quickly brings deeply discharged battery back to life





SCUDSR125

10 Amp 4 Bank Automatic Battery Charging Station

- · Four independent, fully automatic,
- microprocessor-controlled charging banks

 Automatically adjusts from 5 to 10A output per bank
- Charges 6V and 12V Standard, AGM, Gel, deep-cycle and LFePO4 batteries



SOL4735 CHARGE IT! Wheel Battery Charger 12 Volt, 40/10/2/200 Amp

- Multiple 12 Volt charging rates
- 200 Amp Engine Starting Assistance



Wheel Chargers / Bench Chargers / Battery Testers

ASSOCIATED

AS06001A

Heavy Duty Commercial 6-12 Volt Battery Charger

- · 375 cold crank amps
- 16 rates of charge 75 Amp continuous charge with 375 Amps crank assist at 12 volts

AS06002B

6/12/18/24V Battery Charger

- The highest performance fleet charger on the market comes with our best manufacturer's boost rating
- 400 cold crank amps
 Charges 6, 12, 18, and 24 volt batteries

AS06006

6/12/24V Battery Charger

UL continuous rating- 70/65/30 Amp;
 UL cranking assist rating - 280 Amp

ASOUS20

Wheel Charger/Analyzer 6/12V 40/40/10 Amps with 200A Boost

- 40/40/10 Amps Continuous Rating 6/12 Volts
- · 200 Amp Cranking Assist with Full 330 Amp Mfg Boost Rating
- 90 minute timer with hold





NOCG15000

NOCO Genius 15A Multi-Purpose Battery Charger

 Charge fully drained 12V & 24V lead-acid and lithium-ion batteries up to 400Ah, including cars, trucks, boats and tractors; Safely maintain all types of automotive, marine, RV, lawn & garden and deepcycle batteries

NOCG1100

NOCO Genius 1.1A

Multi-Purpose Battery Charger

 Charge fully drained 6V & 12V lead-acid and lithium-ion batteries up to 40Ah, including ATVs, lawn mowers, motorcycles and cars; Safely maintain all types of automotive, marine, RV, powersport, lawn & garden and deep-cycle batteries

NOCG3500

NOCO Genius 3.5A

Multi-Purpose Battery Charger

Charge fully drained 6V & 12V lead-acid and lithium-ion batteries up to 120Ah, including ATVs, lawn mowers, motorcycles and cars. Safely maintain all types of automotive, marine, RV, powersport, lawn & garden and deep-cycle batteries

NOCG7200

 7.2A Multi-Purpose Battery Charger
 Charge fully drained 12V & 24V lead-acid and lithium-ion batteries up to 230Ah, including lawn mowers, cars, trucks and boats. Safely maintain all types of automotive, marine, RV, lawn & garden and deep-cycle batteries.

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



SCUDSR118

125/40 15/2 Amp Charger with Service Mode

- Fully Automatic
- LED Indicators & Touch pad Controls

SCUDSR117

- Many Charger with Service Mode
 Microprocessor Controlled
 LED Indicators Show charging status
 13.6V Service mode maintains
- a stable voltage



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



SCUSC1357

6/3 Amp Battery Charger

- Automatically adjusts the amperage rate to change and maintain
 Automatically detects 6 or 12 volt
- batteries



SCUSC1358

10/3 Amp Battery Charger 10A Charge - 3A Maintain Microprocessor controlled

- Auto voltage detection 6 or 12 volt



SCUSC1393

12/3 Amp Battery Charger

- Microprocessor controlled Float mode monitoring

SCUSC1339

10A 12V Fully Automatic Battery Charger

- Microprocessor controlled automatically adjusts the amperage rate to charge and maintain
- · LED indicators and button controls

SCUSC1355

1.5 Amp Charger/Maintainer

Microprocessor controlled

K TOOL INTERNATIONAL

Auto voltage detection - 6 or 12 volt



KTI70210

- 500 Amp Carbon Pile Load Tester

 Tests 12V batteries rated as high as 1000 CCA or 160 AMP hour
- 15 second test with audible tone
- · Can also test alternators, regulators and starters
- 1 year warranty on material & workmanship

KTI70215

- Battery Tester 100 Amp
 Battery Tester, 100 Amp Loading Capacity, for 6 and 12 Volts, Nickel Plated Case, HD Cables
- 1 year warranty on material & workmanship

KTI70216

- Battery Tester Digital 125 A
 Digital Battery Tester, 125 Amp Loading Capacity, for 12 Volts, Nickel Plated Case, HD Cables
- 1 year warranty on material & workmanship



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



BATTERY



CDOBATTRT Battery Tester with

Relearn and OBDII Codereader

- Tests 2v and 24v battery inside or outside the vehicle
- Tests entire vehicle electrical system
 OBD code reader
- Perform battery resets and relearns
 Free updates

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Advancing Battery Managemen

MIDMDX-P300 **Battery and Electrical**

System Tester with Built-in Printer

- Tests regular, AGM, and Gel Batteries tests all batteries on today's vehicles
- · Tests discharged batteries with as little as 1 volts
- · Bad cell detection just replace battery

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

MIDTRONICS

Battery Testers

Advancing Battery Management

MIDPBT300 Advanced Diagnostic Battery Conductance **Electrical System Tester**

 Expanded test range (100 - 1400 CCA) for more applications: compact cars to large SUVs and small trucks



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

MIDPBT100 **Automotive Battery**

- & Electrical System Tester
- · Accurately tests discharged
- Tests 12V automotive batteries from 200 - 850 CCA



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Advancing Battery Managemen

MIDMDX-640 Digital Battery Analyzer for 6 and 12 Volt Batteries

 Tests 6 and 12 volt Flooded, AGM Flat Plate, AGM Spiral, and Gel Batteries

 Vehicle applications for automotive, motorcycle, marine cranking, lawn and garden, Group 31, and commercial 4D/8D batteries

Includes: MDX-600 series analyzer, MDX-640 software (installed), manual, stud adapters, and 4 cable set. Print results with the optional IR printer (sold separately).

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

MIDMDX-650

Battery and Electrical System Analyzer

- Includes MDX-600 Series Analyzer with MDX-650 software (installed), manual, stud-Adapters, 10' removable cables, and tool bag case

 • Print capability –order MIDA087 IR printer
- sold separately

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

MIDTRONICS

Advancing Battery Manager

MIDDSS-5000CVG

12V Battery & Electrical System Tester VIN-based testing

- Battery registration app and reset checklist
 Automatically sets the correct battery
- test parameters (override is possible for aftermarket batteries)
- Tests conventional flooded, AGM, Ggl, and enhanced flooded(EFB) batteries
- 2-piece wireless bluetooth design
- Includes DSS-5000, CVG-2BT Module, and DSS-5003 Charging Dock

MIDDSS-5000KIT

12V Battery & Electrical System Tester Kit
Includes DSS-5000, CVG-2BT Module,
DSS-5003 Charging Dock, and A657 Amp-Clamp

MIDDSS-5000PCVG 12V Battery & Electrical System Tester with Printer

MIDDSS-5000PKIT 12V Battery & Electrical System Tester with Printer Kit

• Includes DSS-5000 with Printer, CVG-2BT Module, DSS-5003 Charging Dock, and A657 Amp-Clamp

MIDDSS-5000P

12V Battery & Electrical System Tester with Printer

- E-mail customer results, view on-screen, print to tape or print to scale on a color printer
 VIN-based testing: Battery Registration app and Reset checklist; Automatically sets the correct battery test parameters (override is possible for aftermarket batteries); Establishes vehicle records, creates a history, and helps track process compliance
- Bluetooth wireless 2-Piece design: Connect base unit to the battery and do all functions from the driver's seat with Android™ powered 5" full-color touchscreen controller

MIDDSS-5003 **Charging Dock for DSS-5000**

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Advancing Battery Managemen



MIDGR8-1200AMPKIT

Multi-Tasking Battery Diagnostic Station • Tests and charges AGM, GEL,

- and Flooded Batteries
- ECM Power Supply Mode
- Advanced Electrical System Diagnostics
- Multi-tasking allows for charging battery or using power supply and diagnosing a battery or electrical system in another area of the shop at the same time
- Includes integrated printer

The GR8-1200 features the innovative Multitasking Bridge, which allows the user to perform battery and electrical diagnostics on other vehicles while the charger is in use. That means you can now effectively multi-task in the garage and get more value out of one complete diagnostic station.

WARNING: Cancer and Reproductive Harm
- www.P65Warnings.ca.gov



Advancing Battery Management

MIDMDX-650PSOH 6/12V Battery and 12/24V System Analyzer with Rubber Boot

- New state-of-Health graph helps ID weak batteries at a glance
- New rubber boot helps protect the analyzer
- · New larger clamps with wider spread make in-vehicle connections easy
- New Enhanced Flooded Battery setting for Start-Stop applications
- Integrated printer printouts help sell product and service!



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Advancing Battery Manager



- or manual data-entry
- 3.5" color display is easy to read
- On-tool Wi-Fi and Bluetooth capabilities support flexible network connectivity
- Supports conventional lead-acid, AGM, Gel, and EFB(enhanced flooded batteries)

MIDCPX-900PL 12V Battery & Electrical System Analyzer 10' Test Leads



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LIGHTING



STINGER®

STINGER® LED

Rechargeable Flashlights

- Super bright 4 LED has a 50,000 hour lifetime and is impervious to shock
- 3 modes of lighting: high, medium, low plus strobe function
- Deep-dish parabolic reflector produces a long range targeting beam with optimal peripheral illumination
- Durable, machined aluminum construction with rubber grip
- · Each flashlight includes Piggyback charger and 2 batteries



HIGH LUMEN

STINGER® LED HL™ Rechargeable Flashlights - 120/DC, PiggyBack Charger C4® LED technology produces up to 640 lumens (high)

STL75695 - Gray STL75434 - Black STL75476 - Blue STL75441 - Carbon Fiber

STL75478 - Lime

STL75697 - Mud Brown STL75480 - Orange

STL75482 - Purple

STL75429

Stinger® LED HL™ Rechargeable STL75484 - Red Flashlight - Black (Light Only)

STINGER® LED Rechargeable Flashlights with AC/DC and PiggyBack Charger C4® LED technology produces up to 350 lumens (high)

STL75612 - Red STL75642 - Orange STL75648 - Purple STL75613 - Blue STL75732 - Black STL75636 - Lime Green

Stinger LED Rechargeable Flashlights (Light Only)

STL75610 - Red STL75611 - Blue STL75635 - Lime

STINGER®



Stinger® DS LED HL™ Rechargeable Flashlight with AC/DC and PiggyBack® Charger • Dual switch technology – independent head and tail cap switches • 3 lighting modes plus Strobe function

- C4® LED technology produces up to 640 lumens (high), 340 lumens (medium), and 170 lumens (low). run times of up to 1.25 hours (high), 2 hours (medium), and 4 hours (low)
 Includes flashlight, battery, both AC and DC charge cords and Piggyback charger/holder
- with spare battery

STL75458 - Black

STL75488 - Lime STL75494 - Red

STL75486 - Blue

STL75616

Stinger DS LED Rechargeable Flashlight with AC/DC and PiggyBack - Red

- Produces up to 160 lumens/18,000 candela. Run times: 1.75 (high), 3.5 (medium), 6.75 (low) and 5.5 (strobe)
- C4 LED has a 50,000 hour lifetime
- Includes flashlight and battery. Includes both AC and DC charge cords, PiggyBack charger/holder, and spare battery



STRION® LED

Rechargeable Flashlights

- Ultra compact featuring super bright 4 LED has a 50,000 hour lifetime and is impervious to shock
- · 3 levels of lighting: High, Medium, Low plus Strobe function
- Run times vary from 2 hours up to 7.5 hours
- Produces up to 250 lumens
- Fully charged in just 3 hours



HIGH LUMEN

STRION® LED HL™ Rechargeable Flashlights - 120/DC and 1 Holder Super bright C4® LED technology produces up to 500 lumens (High)

STL74751 - Black STL74393 - Mud Brown STL74767 - Blue STL74391 - Gray STL74769 - Lime STL74777 - Chrome STL74771 - Orange

STL74773 - Purple STL74775 - Red

STRION® LED HL™ with 120/DC Piggybacks

STL74784 - Lime STL74782 - Blue STL74785 - Orange STL74783 - Chrome STL74786 - Purple STL74789 - Carbon Fiber

STL74787 - Red

STRION® LED Rechargeable Flashlights - AC/DC and 1 Holder

STL74301 - Black STL74345 - Lime STL74341 - Red STL74347 - Orange STL74343 - Blue STL74349 - Purple

STL74367 - Mud Brown

STL74350 Pink STRION® Rechargeable LED Flashlight with AC/DC and 1 Holder

For every pink Strion LED sold, Streamlight will donate \$5 to the Breast Cancer Research Foundation®

STL74778 Strion LED HL™ 120/DC PiggyBack_Black


- Super bright C4 LED that produces 500 lumens on high with 200 meters of beam distance

 PiggyBack style charger with spare battery and 120V AC/12V DC cords included

 Three levels of lighting; high, medium and low; plus strobe

- 6000 series machined aircraft aluminum with anodized finish
- IPX4 rated design; water resistant operation and 2 meter impact resistance tested

STL77553 UltraStinger LED Flashlight, 1,100 Lumens, 120V AC/12V DC



• Features C4® LED technology that produces 1,100 lumens - lights up objects as far away as 510 meters

- Features TEN-TAP® Programming Choice of three user selectable programs: High for a high-lumen, far-reaching beam: 1,100 lumens; 65,000 candela; 510m beam; runs 1.5 hours. Medium for bright light and longer run time: 350 lumens; 21,000 candela; 290m beam; runs 4.5 hours. Low for a less intense beam and extended run time: 90 lumens; 5,000 candela; 141m beam; runs 16 hours
- Impervious to shock with a 50,000 hour lifetime
- 5-cell, 6 Volt Ni-MH sub-C battery, rechargeable up to 1000 times
- Durable, anodized aluminum body with non-slip rubberized comfort grip

Flashlights



TEN-TAP® Programming:


Choice of three user selectable programs:
1.) high/strobe/low; 2.) high only; 3.) low/medium/high

Streamlight Protac 1L-1AA

- The newest addition to the ProTac series the is a perfect everday carry light
- Duel Fuel: Uses one "AA" alkaline of CR123A lithium battery both included
 Produces 350 on high with CR123A battery, and 150 lumens on high with alkaline battery
- · Features multi-function push button switch and removable pocket clip



ProTac High Lumen USB Rechargeable Tactical Light
With TEN-TAP® Programming



- Uses Lithium-Ion Battery (P/N 74175); also accepts two 3V CR123A Lithium batteries or a commercially available Lithium-lon 18650 rechargeable battery
- Includes USB cord, 120V AC/12V DC adapters, removable pocket clip and tear resistant nylon holster



STL88033

ProTac™ 2AA Ultra Compact Tactical Flashlight with White LED, Batteries and Holster

- Ultra-compact tactical light with super bright C4 LED
- 3 levels of lighting: High, Low and Strobe function
- Waterproof to 1 meter for up to 30 minutes
- Produces up to 120 lumens
 Includes 2 AA batteries





Aluminum Housing with Type II Military Spec

EXTREMELY DURABLE **ABRASION** RESISTANT

- Stylus Pro® USB Rechargeable Penlight with 120V AC Adapter
 The Stylus Pro® USB is a sleek compact pen sized, USB rechargeable, lithium ion battery powered flashlight
- C4® LED (white): 70 lumens; 630 candela; runs 3.5 hours
- Lithium ion battery fully recharges in 2.5 hours; rechargeable up to 300 times
 Rechargeable using supplied USB cord or optional AC wall adapter
- Water-resistant sliding metal sleeve protects USB port
- Aluminum housing with Type II Military Spec anodizing helps make the light extremely durable and abrasion resistant
- Includes a removable pocket clip, nylon holster and 120V AC adapter





STL66218

- Stylus Pro 360 Penlight / Lantern Combo

 Bezel slides forward to reveal 360° of light

 C4 LED provides 65 lumens; 430 candela;41 m beam; runs 6.5 hours
- Unbreakable polycarbonate lens and globe
- · Bell-shaped rubber boot provides stability so light can stand upright
- Two AAA alkaline batteries, nylon holster and lanyard included



STL66148

- Stylus Pro USB UV with 120V AC

 A sleek, compact, USB rechargeable penlight with an ultraviolet LED

 400nm ultraviolet LED with 325 mW measured system output; runs 2.5 hours
- Fully regulated output for consistent UV performance over the battery life
- Lithium ion battery fully recharges in-product in 2.5 hours; rechargeable up to 300 times Water-resistant sliding metal sleeve protects
- USB port; sleeve is purple to differentiate from other models

STL66318

MicroStream® LED Penlight

- Rubber push button tail cap "on-off" switching
- Provides up to 20 lumens for up to 1.5 hours
- Features a super bright, high flux, 1/2 watt LED
- Includes (1) AAA alkaline battery





Stylus Pro® Penlight with White LED

- Provides up to 24 lumens for up to 7.5 hours
- Compact, waterproof, durable construction withstands tough work environments
 LED has a 30,000 hour run time and never needs replaced
- Proprietary Micro Optical System (MOS) for optimized output (Super bright beam) and run time
 Shock proof; drop test verified above the industry of 6 feet
- Unbreakable pocket clip and ring for easy storage/attachment
 Rubber push button tail cap "on-off" switching





Flashlights / Lanterns and Spotlights





DUAL POWER

Runs on either **RECHARGEABLE** battery pack or **STANDARD ALKALINE BATTERIES**

PolySteel 600R **Rechargeable Flashlights**

- 710 Lumens
- · Pure Beam Optics System with twist focus
- · Waterproof, drop proof, and crush proof
- · Operates with both standard alkaline batteries and rechargeable batteries
- · Lifetime warranty against defects in materials and workmanship

COS20518 - Black COS20519 - Red



PX1R Rechargeable LED Flashlights

- Pure beam focusing technology via twist focus • 460 Lumens
- AC/DC Adapters, sheath, cable, included
- High & Low settings
- Lithium Ion and alkaline batteries included

COS20628 - Black Body COS20758 - Green Body



COS20923

HP10R Rechargeable LED Flashlight

- Includes two rechargeable lithium-ion battery packs
- Pure Beam Focusing Technology via slide focus
 Will also run on 4 AAA Batteries (included)
- · High/Low settings with beam lock
- A USB insert on the battery and tail cap allows for the recharging of the batteries either inside or outside of the light

COS20687

PolySteel 1000 Waterproof LED Flashlight

- Pure Beam Focusing
- 1000 Lumens
- · Waterproof/crushproof
- · Stainless steel core, polymer outer
- Lifetime Warranty







HP3R Rechargeable Focusing Penlight

- Beam Optics: Universal, Focusing
- Light Output (High): 245 Lumens
 Beam Distance (High): 305 Ft
- Runtime (High): 1h 30min
- Lifetime Warranty

COS20818 - Black

COS21519 - Green

COS21518 - Blue

COS21517 - Red

COS21521 - Orange

COS21078

HX3 Dual-Color W/UV C.O.B Cliplight

- Can be used as flashlight or UV flashlight
- Integrated magnetsClip to hat or pocket
- 2 AAA batteries included
- Lifetime warranty against defects in materials and workmanship





STL44945 Super Siege® Rechargeable Scene Light/Work Lantern and Portable USB Charger

- . Multiple lighting modes White C4 LED; high, medium and low and 4 Red LEDs preserves night vision
- Removeable glare guard allows
- for task lighting

 Removeable polycarbonate cover provides 360° light distribution
- Battery level indicator
 Portable USB charger

STL44931

Siege® D Cell Cordless Lantern

Uses three "D" alkaline batteries (sold separately)






MTNSL800

- Rechargeable Spotlight 800 Lumen
 Cree LED for long life and extra brightness
 3 Power modes Full power,
 Low power and GLOW for close up use

- · Glow mode is extremely handy for providing low intensity light for close up use





Headlamps



KT173398M

Headlamp Motion Detection, 150 Lumens

- Adjustable head strap
 Adjustable light tilts up and down 180°
 High Beam Distance: 65-1/2 ft (20 meters)

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

- Low Beam Distance: 26 ft (8 meters)
- Impact resistant: 3 ft (1 meter)
- Includes USB cable for charging
- Covered by a 1 Year Warranty



KT173398A

3 Watt 120 lumen Hands-Free LED Head Lamp

- Powerful 3 watt COB LEDs
- Operating modes: High (100%) Low (50%)
- Flashing Off

 Adjustable ratcheting headlamp (Color: Red), 180 degrees up/down, for light direction
- 3 "AAA" batteries included
- · Covered by a 1-Year Warranty

KT173398B

Head Lamp LED 3W 120 Lumen - Blue



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

STEELMAN'PRO



JSP78834

Slim Profile Rechargeable Headlamp

- Rechargeable Li-ion battery pack
 Lumen Output: High mode-250lm (Runtime: 3h),
- Med Mode-75lm (Runtime: 8h 30mins), Low Mode-35lm (Runtime: 18 hrs)
- Motion sensing mode to turn light on/off without touching the headlamp
- 10 SMD LED Bulbs

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



EZRCT4205

Rechargeable Focusing Head Lamp 380 Lumen

- Focusing and rechargeable
 380 lumens
 CREE® LED
 Adjustiable head angle
- 3 position switch





STL61304 Protac High Lumen Headlamp

- Light that reaches 172 meters
 Features TEN-TAP™ programming, which allows the user to select one of three different programs
- Three different lighting modes: high (540 Lumens). medium (95 Lumens) and low (18 lumens)

 • Powered by two 3V CR123A lithium batteries (included)
- 90 degree tilting head reduces neck fatigue



- Septor® LED Headlamp

 This ultra-bright LED headlamp lets you choose 1, 3 or 7 LEDs

 Powered by 3 "AAA" alkaline batteries (included)

 Seven 100,000 hr. life ultra-bright, white LEDs

 50 lumens typical (7 LEDs), 25 lumens typical (3 LEDs), 9 lumens typical (1 LED)





ProTac HL USB Headlamps

- Designed for maximum illumination
- with a wide beam to light an entire area Features TEN-TAP® programming, which
- allows the user to select one of three different programs Three lighting modes: High - 1,000 lumens; Medium - 400 lumens;
- Low for a less intense beam and extended run time: 65 lumens
- Powered by rechargeable lithium ion battery (included); also accepts a Streamlight rechargeable 18650 battery or two CR123 lithium batteries
- Durable, anodized aluminum construction; gasket-sealed, glass lens

STL61305

STL61306 - With 120V AC



Bandit USB Rechargeable Headlamps

- · Lightweight, low-profile USB rechargeable headlamp
- Three output modes: High, low and emergency flash
 High: 180 lumens; runs 2 hours; Low: 35 lumens; runs 9.5 hours
 Emergency flash flashes on high 180 lumens
- USB rechargeable lithium polymer battery charges in the light; charges in approx. two hours
- . Multi-function push-button switch with charging indicator shines red while charging, green when charged

STL61700 - Yellow STL61702 - Black



STL51063

Twin Task USB Headlamp

- Two lighting modes to cover a variety of tasks: Spot for a focused beam, flood for a soft area illumination that will not tire your eyes
 Spot 375 lumens on high; 175 lumens medium; 50 lumens on low
 Flood 250 lumens on high; 125 lumens on low

- · Multi-function push button with mode memory

Headlamps/Work Lights



FL75R Rechargeable Headlamps

- Pure Beam Focusing
- 530 lumens
- 511 ft. beam distance
- · White and red beams
- Lifetime warranty

COS20617 - Blue

COS20618 - Red

COS20619 - Green

COS20620 - Orange





COS19649

HL8 Focusing LED Head Lamp

- 344 lumen light output207 meter (678 ft) beam distance
- · Pure Beam Focusing Optic with Twist focus Removable battery pack with 3-foot
- (91.5 cm) extension cord
- · Our most powerful headlamp, with a runtime of up to 19 hours 15 minutes using 4 AA batteries



COS19721

HL27 Focusing LED Headlamp

- 309 lumen light output
 Pure Beam Focusing Optic with twist focus
- 122 meter (400 ft) beam distance
- Hinged beam adjustment to position light



STR00342

TRILIGHT Motion Activated Ceiling Light

- Installation is as easy as screwing in a light bulb
 3000 lumens, 3,8 times the brightness of a 60watt bulb
- Only draws 24 watts of power
- Operates the newest technology in motion sensing
- Adjustable aluminum LED heads



Shoplight TRILIGHT

- 3000 lumens, wide angle LEDs
 Flood light, focus light, or 360° drop light
 Adjustable aluminum heads
 Durable ABS plastic handle and hook
 Elet steading hook
- · Flat standing base












KTI73388

Rechargeable 3W COB LED



KTI73270

Pocket Light COB LED 1.5W 180 Lumen

- 1.5 Watt COB LED, 180 Lumens
- Run time: 4 hrs
- . On/Off switch and magnet on clip





KTI73389

- 6 LED Rechargeable Inspection Lamp
 Super slim head at 1/4" thick by 11/16" wide
 Micro USB receiver allows for multiple charging options
- 3.7 volt Li-ion/2200mah rechargeable battery
 1 year warranty on material & workmanship



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





SUNBLKLPK

Sunex Pocket Light, 150 Lumen, Alkaline 3x AAA

- 150 Lumen COB LED Light for compact brightness
- · Rubber texture provides a non-slip grip
- Magnetic back clip for hands free use
- Up to 10 hours of run time for on-the-go use
- Includes 3 AAA batteries
- 1 year warranty on material and workmanship

4PAstro

AST40SL

410 Lumen Rechargeable COB LED Slim Light

- Unique dial power switch has variable fluid adjustment from 0-410 lumens of light output
- Swivel and stay base features a removeable 20lb magnet
 40 chip COB LED array allows for light density up to 850% more than SMD LED's while consuming less power
 Designed for harsh conditions and dirty environments
 USB rechargeable (includes wall adapter and Micro USB cable)

AST40SLMAX

450 Lumen Rechargeable LED Slim Light with XL Battery



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Work Lights



- Xtreme Rechargeable
 Work Light, 450 Lumen

 450 Lumens High, 250 Lumens Low

 360 degree rotating hook for easy maneuverability

 Up to 4 hours high / 7 hours low continuous use
- About 6 hours of charging time
- USB charging port, Over-charge protection, 3W COB LED 3.7V 4400 mAh Li-ion rechargeable battery

EZRXL3300 (Red) EZRXL3300FL-G (Green)



EZRPCOB

Pocket COB Light Stick, 125 Lumens

- Up 7 hour run time
- Magnetic base
- Pocket clip
- (3) AAA batteries included







EZRXLUHLS

Underhood Clamp Light System

- COB LED 1000 lumens on high
- · Clamp virtually anywhere for hands-free use
- Light adjusts on two axes



EZRXLF1000

Extreme Focusing 1000 Lumen Rechargeable Work Light

- Has focusing lens to adjust the beam into a wide flood or narrow spot
- Rotating Handle/Stand allows this work light to be hands free
 Up to 8 Hour Run Time
 Magne
- Magnet Attachment
- On-board charging cable

500 Lumen Extreme Magnet Work Light

- Unique EZ RED logo emits 500 lumens of light on high and 250 lumens on low

 Adjustable handle for easy portability
- Micro-USB rechargeable
- Up to a 6 hour run time

EZRXLM500-GR (Green) EZRXLM500-RD (Red)





STREMUIGHT

Stinger Switchblade® Rechargeable
Multi-Function Worklight

• FFive lights in one: Drop Light, Hands Free,
White Light, Color-Rite Light and UV Light

• Work light features a 180° rotating light bar
that aims the beam where you need it

 Double-sided light bar with cool white LEDs on one side, 90 CRI LEDs with Streamlight's color-rite technology and a UV LED on the other

STL76800 With USB Cord Only

STL76801 With 120V/100V AC 1 Holder



Work Lights



Work Light - Rechargeable 750 Lumens 120 SMD LED

- 15W COB LED 750 Lumens (high) / 375 Lumens (low)
- Charge time: approx. 4 hours; Run time: 2-1/2 hrs (high mode) & 5 hrs (low mode)
- AC charger (5 volt, 1A) included
- Covered by a 1 Year warranty

Work Light Rechargeable 600 Lumens 92 SMD LED

• 10W COB LED 600 Lumens

- Charge time: approximately 4 hours; Run time: about 3-1/2 hours
- Covered by a 1 Year warranty

KTI73384

Work Light Rechargeable 400 Lumens 62 SMD LED

- 5W COB LED 400 Lumens
- Charge time: approximately 4 hours; Run time: about 4-1/2 hours
 Rechargeable 18650 3.7V 3600 MA Lithium-ion battery
- Covered by a 1 Year warranty





KTI73337

Pen Light CREE LED XPG 120 Lum

- (2) AAA Battery Pen light
 CREE LED XPG with 120 Lumen
 Runtime: 6-1/2 Hrs

- Function: 0n-0ff with sliding zoom beam
 Clip for easy carry, runs on (2) AAA batteries
 Comes in a magnetic box, nylon case and (2) AAA batteries.
- Covered by a 1 Year warranty

KT173338

Rechargeable pen light

- CREE LED XPG with 120 Lumen and 3.7 volt 1100mAh 14650 battery
- Runtime: 3-1/2 Hrs; Charge time: 3 Hrs
 Function: On-Off with sliding zoom beam
- Clip for easy carry
- Comes in a magnetic box, with nylon case, USB cable, USB wall adapter and USB car charger
- Covered by a 1 Year warranty



KT173367

Flashlight CREE LED XPG 250 Lumen

- (4) AA Flashlight
 (2) CREE LED AFG 250 Lumen
 (3) AA Flashlight
 CREE LED XPG with 120 Lumen
 Runtime: 3-1/2 Hrs
 Function: On-Off with sliding zoom beam
 Runs on (4) AA batteries
 Conceed by a 1 Year warranty
- · Covered by a 1 Year warranty



KTI73368

Flashlight Rechargable CREE LED XPG 250 Lumen

- Rasninght Rechargable CREE LED XPG 250 Lumen

 CREE LED XPG with maximum 250 Lumen and 3.7 volt 2200mAh Li-ion battery
 Runtime: 3 Hrs (100% beam-250LM) / 5-1/2 Hrs (50% beam-125LM) / 11 Hrs
 (25% beam-65.5LM); Charge time: 3-1/2 hrs

 Funtion: 25% 50% 100% 0ff with sliding zoom beam
- Comes in a magnetic box, with nylon case, USB cable, USB wall adapter and USB car charger.
- Covered by a 1 Year warranty



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KTI73271

Rechargeable Thin Light COB LED 5W

- PC & aluminum tube contruction with Acrylonitrile-Buta-diene-Styrene (ABS) & thermoplastic rubber (TPR) handle
- 5 Watt COB LED, 550 Lumens high mode and 250 Lumens low mode, Top light 0.5 Watt COB LED 50 Lumens
 Charge time: 3-1/2 hrs, Run time: 4 hrs on high mode / 8
- hrs on low mode
- · Bottom of handle contains a magnet

KT173373 24 SMD LED

Rechargeable Worklight

- 24 SMD LED (800 lumens)
 Features a ratcheting head
- 1 year warranty on material & workmanship



KTI73311

- Fluorescent Angle Light
 25 Foot 13 Watt Angle Light 16/3 cord Utilizes standard 13 watt bulbs (KTI-73307)
- · Circuit breaker protection, outlets in handles,
- 360° swivel magnet, rotating hanging clips, protective bumpers and ergo grip

 • 26 Watt lights feature two 13 watt bulbs

KTI73318

Fluorescent Tube Light on Reel 50' 13 Watt 18/2 Fluorescent work lights are cool to the touch and

energy efficient. All fluorescent lights are UL and cUL approved. Adjustable hanging hook swivels 360 for easy hanging. On/off switch located in handle.

Length: 50' with reel Cord: 18/2 SJT Bulb: 13 watt



KTI73315

13W Fluorescent Angle Light, Reel has 30' retractable cord

Cool to the touch and energy efficient. All angle lights have 360 degree swivel magnet, rotating clip for hanging and feature protective bumper & special ergonomic grip. On/off switch and outlet in handle. UL and cUL approved.

1 year warranty on material & workmanship

Length: 30' Cord: 16/3 SJT Bulb: 13 watt Amp: 9 Watt: 1125



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



GEN1935-8010

- Stubby II® LED, 35' Reel With Tool Tap

 Stubby II® LED comes with Lite Smoothing Technology™
- 6-watt bright side LEDs provide 562 lumens of light
- 3-watt flashlight on end provides 120 lumens
 Protected on-off switch in handle operates side and end LEDs
- 35' Reel with 16/3 SJTOW cord, with inline tool tap



GEN1940-8038 Stubby II® LED Light With 40' Reel

. 40' Oil resistant, watertight retracting cord on reel

GEN1925-4012

- Stubby LED Light, 25' Cord

 Led lamp delivers 520 lumens of bright white light

 Light smoothing technology™
- virtually eliminates shadows and glare Ruggedized driver in lamp is designed to last
- · Covered on-off switch is protected from dirt and moisture
- · Repair only up to 1-year

GEN1940-4014 Stubby LED Light, 40' Reel

- Light smoothing technology™ virtually eliminates shadows and glare
- 40' Retractable cord reel

GEN2200-3026

Saf-T-Lok Mid-Size Power Supply Reel

- · Saf-T-Lok locking outlet
- 40' 12/3 retracting cord
- 2' 12/3 power inlet cord with molded NEMA 5-15P plug
 Roller guides at reel mouth
- Steel mounting bracket with locking pin and safety chain

 This unit is assembled in the USA,
- with imported components

GEN3313-4000

Stubby™ 13 Watt Fluorescent Light Reel with 40' Cord

- Patented rough service lamp, which is 10 times more impact resistant than standard lamps
 Lamp is rated at 10,000 hours and produces 825 lumens of 5000K colored bright white light
 Polycarbonate outer tube is extremely tough
 Soft end caps provide impact protection
 Twin actual book is withelly unbreakable.

- Twin steel hook is virtually unbreakable
 At 10" long and with a 2" diameter the Stubby can fit into small spaces
- Comes with a 18/2 gauge SJTOW oil resistant, watertight cord with special stranding to keep the cord flexible



CLP123115 **Hemitech One LED Light**

50' cord





KTI73272

Underhood Rechargeable Light 210SMD

- Aluminum tube construction with thermoplastic rubber (TPR) housing material. Short circuit protection, over charge protection
- 1100 Lumens on high mode / 550 Lumens on low mode and 3.7Volt 8000mAh Li-ion rechargeable battery
- Charge time: approximately 4-1/2 hrs Run time: 3 hrs on high





KT173385

Work Light Foldable Underhood, 1500 Lumens

- 30W COB LED 1500 Lumens under hood rechargeable work light with foldable frame is more convenient for storage and carry
- Tough, lightweight aluminum alloy construction with soft foam covered ends on telescoping (48"-77") bracket
 Detachable from the frame, two lights (15W, 750 Lumens each) also can be used
- separately as hand held work light

 Charge time: about 4 hours; Run time: 2-1/2 hrs. (high mode) & 5 hrs. (low mode)
- 3.7V 800mAh Lithium ion rechargeable batteries. (2) AC chargers (5 volt, 1A) included
- Covered by a 1 Year Warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Underhood Rechargeable 24 SMD LED Worklight

- Full extension length: 50.375 inches; Folded length: 26.875 inches
- 6 hr charge time and approximately 3.5 hrs run time Telescopic ends slide to a maximum of 74.75
- 1 year warranty on material & workmanship



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



LIN91029

50' Heavy Duty Extension Cord Reel with Lighted T-Tap

12 amp rating



- COB technology provides brighter light (600 lumens) with reduced glare
 50' (15 m), 18/2 SJTOW cord
- & adjustable cord stop
- Built in powerful magnet & hooks for hanging



Service / Tool Carts



- Heavy Duty Tool Cart, Locking Drawer
 Heavy duty construction with protective bumpers on all four corners
- Massive 600 lbs. capacity
- 4 Drawers with locking top storage compartment and gas struts on top lid
- Four 5" heavy duty swivel casters provide easy rolling and extra mobility across all types of shop floors
- H: 40.3", W: 35.2", D: 20.6", Weight: 162 lbs.
 1 year warranty on material & workmanship

KTI75146A (Red)

KTI75147 (Black)

KTI75148 (Green)



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



Professional Tool Cart

- 3 Shelf Aluminum & plastic black work cart
- 4" TPR Casters: Swivel x2, brake x 2
- Dimension: 28.740" x 17.323" x 38.110" (740 x 440 x 968mm) with handle attached and 26.575" x 17.323" x 35.827" (675 x 440 x 910mm) without handle;
- 35.827 (675 x 440 x 9 follfill) without failule;
 8 Aluminum Uprights: 13.780 (350mm)
 Anti-skid handle with matte finish
 Edge Height: 1.3" (30mm); Net Weight: 21.407 lbs (9.71 kg); Load Capacity: 330 lbs (150kg)







Luxor E Series Utility Carts

- 400 lb. weight capacity (evenly distributed)
 4" full swivel casters, two with locking brake
- 33% more capacity than our 18 x 24 tub cart • Total Dimensions: 18"D x 351/4"W x 341/4"H (width includes handle)
- Lifetime Warranty LUXEC11 - Two Shelf

• Two shelves; 2 1/2" deep tub shelves are 221/2" apart

LUXEC111 - Three Shelf

• Three shelves (18" D x 32" W per shelf)





ww.P65Warnings.ca.gov





KT179702 - Black



3 Drawer Utility Cart with Sliding Top

- Stainles steel work surface slides open for access to additional storage
- area with built in pry bar, screwdriver, and extension storage
- Protective edge bumpers absorb damage to cart and vehicles
- Intregrated onboard power strip includes three outlets and two USB ports
- 5" x 2" heavy duty casters, two locking
 Tubular lock design

- H: 46", W: 43", D: 22", Weight: 251 lbs.
 1 year warranty on material & workmanship

SUN8035XT (Red) SUN8035XTBL (Blue) SUN8035XTLG (Lime Green) SUN8035XTOR (Orange)



SUNEX® T O O L S



6 Full Drawer Professional Carts

- · Colors and graphics are inspired by classic American muscle cars
- Comes assembled just attach the handle
- Dimensions: 39.0" W x 21.3" D x 39.2" H
- H: 39.5", W: 33.75", D: 20", Weight: 244 lbs.
 Lockable top bin 5" deep

SUN80570 (Hugger Orange with Stripe & Logo)

SUN8057 (Red, NO Stripe or Logo)

SUN8057BK (Black, NO Stripe or Logo)

While Supplies Last



Premium 8 Drawer Service Carts

- Single bay design provides more cubic inch of storage space
 Constructed of thick 1.2mm steel to resist warping under heavy load
- Tublar drawer lock keep tools safe and secure
 Latching flush drawers do not protrude, eliminating risk of injury or damage to cart
- 24" depth is deepest in class providing more storage space
 H: 42", W: 41", D: 24", Weight: 290 lbs.

SUN8060 (Red)

SUN8060MB (Matte Black)

SUN8060WH (White)









- 450 lbs. rated capacity
- Includes 2, 3" deep matching drawers
 Oversized 5" casters and wheels
- H: 39.3", W: 29", D: 20.5", Weight: 123 lbs.

SUN8035 (Black) SUN8035R (Red)





KDT83168

4 Drawer Utility Cart

- Easy assembly with pre-mounted press nuts for bolt attachments; no loose nuts or washers
- · Estimated load capacity 600 lbs.
- · Gas struts and lid stiffener w/GearWrench logo
- · Heavy duty chrome side handle with rubber grip
- Removable side storage tray
 H: 42", W: 33", D: 21.1", Weight: 153 lbs.

KDT83167 2 Drawer Utility Cart



GU GEARWRENCH



Service / Tool Carts





- Ships fully assembled
- Heavy duty 18 gauge (1.2mm) steel construction
- Full extension roller bearing drawer slides
- · Locking top with gas shocks to raise and support lid
- Includes safety bumpers
- · Capacity: 600 lbs.
- Top Bin Height: 5" Top Three Drawers Height: 3"
- Drawer Four and Five Height: 5"
- Bottom Drawer Height: 5"
 H: 39.2", W: 39", D: 21.3", Weight: 214.51 lbs.

SUN8057XT (Black Cart)

SUN8057XTD0R0THY (Pin Up Green Cart) SUN8057XTELEANOR (Pin Up Shelby Blue Cart)

Roller Cabinets

SUNEX®



6 Drawer Slide Top Service Cart

- · Stainless steel work surface slides open for access to additional storage with built in pry bar, screwdriver, and extension storage
- Protective edge bumpers absorb damage to cart and vehicles
- Drawers are hemmed and Embossed for added strength
- · Recessed drawers with aluminum drawer pulls allow for 100% full extension
- Full drawer version of the 8035XT
- H: 42", W: 33", D: 21.1", Weight: 321 lbs.

SUN8035XTFDBK (Black) SUN8035XTFDBL (Blue) SUN8035XTFDLG (Green) SUN8035XTFDOR (Orange) SUN8035XTFD (Red)










KDT83169 Tool Cart

- Total load capacity 2000lb
- Storage capacity 19,000 cubic inches
- Variable drawer sizes for specific needs
- Lockable side cabinet
- Adjustable height size and parts tray
 H: 45", W: 41", D: 25.4", Weight: 332 lbs.









Extreme Tools 55" x 25" Pro Hutches

- Unique design secures hutch to roller cabinet so it won't shift patent pending
- Adjustable shelf includes attached power strip with 2 USB ports
- Shelf has built-in holes, slots, and specialized openings to hold
- To sharp a variety of tools
 Front of shelf is specially designed to accept accessory pieces such as the Power Tool Rack (included)
- · Sides and back are constructed using powder coated steel peg board to allow you to hang tools
 • H: 22", W: 65", D: 25"

EXTRX552501HCBL (Blue) EXTRX552501HCBK (Black)

72" 19 Drawer Roller Cabinets

- This professional quality tool box features 3 extra long drawers with a support bar to provide strength and prevent warping or twisting
- Patented self-latching, quick release drawer pulls keep drawers closed even when moving
- · Each drawer uses full-extension ball bearing slides that let you load 100-200* lbs per drawer
- (*drawers with double slides.)
 H: 2 7", W: 75.5", D: 49",
 Weight: 690 lbs.

EXTRX722519RCBK (Black)







Extreme Tools 41" 8-Drawer Top Chest

- Patented Quick Release self-latching drawer pulls keep drawers closed even when the tool box is moving
- 25" cabinet depth 2 side handles
- · AkzoNobel High gloss powder coat finish resists scratches, stains and chemicals
- Drawers use heavy duty ball bearing slides load rated 100 200* lbs per drawer (*Drawers with double sets of slides)
- · PVC high density foam drawer liners are included to stop tools from sliding and scratching your drawers
- Secure tubular coded lock system
 H: 41", W: 24.9", D: 21.5", Weight: 212 lbs.

EXTRX412508CHBL (Blue) EXTRX412508CHBK (Black)

Extreme Tools 41"

11-Drawer Roller Cabinet

- Heavy duty 14-gauge steel frame construction
- · Patented Quick Release self-latching drawer pulls keep drawers closed even when moving
- Full-extension ball bearing slides on drawers allow drawers to open and close smoothly
- Ball bearing slides load rated 100-200* lbs.
- Bail bearing sindes load rated 100-200 los. per drawer (*drawers with double slides)
 3 Extra-long drawers with added support bar to fit large tools
 Tubular stainless-steel side handle on roller cabinet included
 6 5"x 2" Caster (4 locking swivels and 2 rigid)

- PVC drawer liners included
- AkzoNobel high gloss powder coat finish
 H: 46", W: 55", D: 25", Weight: 330 lbs.

EXTRX412511RCBL (Blue) EXTRX412511RCBK (Black)









Drawer Liners / Pliers Racks / Socket Holders / Wrench Holders / Work Bench



PIG® Grippy® Absorbent Toolbox Liner - 22"W X 16-3/8"D

NPG25820 PIG® Grippy® Absorbent Mat for Workbenches - 22"W X 7'L







KT172470

3 Piece SAE Socket Holder Set - Red

• 1/4", 3/8" and 1/2" drive socket trays

· Impact resistant ABS plastic

Set Includes:

KTI72471 - 1/4" Drive SAE - Holds 26 sockets

(13 short & 13 deep) Socket sizes: 1/8" - 5/8" each

KTI72472 - 3/8" Drive SAE - Holds 26 sockets

(13 short & 13 deep) Socket sizes: 1/4" - 1" each

KTI72473 - 1/2" Drive SAE - Holds 28 sockets

(14 short & 14 deep) Socket sizes: 3/8" - 1-1/4" each





KTI72475

3 Piece Metric Socket Holder Set, Gray

- 1/4", 3/8" and 1/2" drive socket trays
 Impact resistant ABS plastic

Set Includes:


KTI72476 - 1/4" Drive Metric - Holds 28 sockets

(14 short & 14 deep) Socket sizes: 4-15mm each

KTI72477 - 3/8" Drive Metric - Holds 30 sockets

(15 short & 15 deep) Socket sizes: 6 - 20mm each **KTI72478** - 1/2" Drive Metric - Holds 34 sockets

(17 short & 17 deep) Socket sizes: 10 - 27mm each





- Only 1-5/8" tall specially designed slot allows thinner pliers and wrenches to remain vertical
- Also organizes open-end, box and ratcheting wrenches
- Ten 5/8" wide slots for narrow tools and three 7/8" wide slots for larger tools. Made of durable molded plastic.

LIS40460 (Black) LIS40490 (Red)

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Astro

AST55670

7-IN-1 Workbench

 7 different functions including workbench, saw horse, scaffold, platform, car creeper, dolly and hand truck

• 550lb max capacity in scaffold and platform mode and 330lb max in other modes

Includes integrated power strip for standard power cords and USB devices

• 1 year warranty on material and workmanship





 Easy to clean. Soap and water or brake cleaner will make it brand new
 Durable. Heat resistant up to 500° and chemical resistant to brake cleaner, MEK, and oils

· Can grip to surfaces where magnetic trays fail

Or Purchase Separately:

GRMCR03S - Small Grypmat

GRMCR02S - Medium Grypmat

GRMCR01S - Large Grypmat

GW GEARWRENCH



Magnetic Socket Racks

- · Backside of rail is heavily magnetized
- Movable studs
- · Low profile base
- · Fits all types of sockets
- Aluminum base

KDT83128 - 1/2"

KDT83127 - 3/8"

KDT83126 - 1/4"



EZRWR10-RD

10 Wrench Magnetic Organizer

- Can be connected to cover all of your tool box
- · Extremely strong magnet holds wrench in
- Holders are adjustable
- · Lifetime warranty does not cover abuse





Socket Holders / Wrench Holders / Parts Trays





MECHANIC'S TIME SAVERS

Stainless Steel Magnetic Parts Trays

· Permanent magnet with rubber scratch guard

MTS3510 - 6" Diameter MTS3520 - 9.5" x 5.5" MTS3540 - 11" x 11"





MTSLASTRAY25 - 1/4" Drive

Accommodates 51

MTSLASTRAY38 - 3/8" Drive

Accommodates 36

MTSLASTRAY50 - 1/2" Drive

Accommodates 36



MTSLASTRAYMBG

5-row Lock-a-Socket Tray in Matte Black/Green Posts

- 5 rows of locking posts to lock sockets onto tray; holds a total of 76 sockets for 1/4", 3/8", & 1/2" drive, allowing you to have a variety of drive sizes in one place
 Interchangeable green locking posts available separately for customized organization (LAS25LP25G, LAS38LP25G, LAS50LP25G).
- Made of 16-gauge powder coated steel for extra strength





MECHANIC'S TIME SAVERS

Lock-a-Sockets

- · Lock sockets onto rail with a simple twist; and twist to unlock
- The underside contains a full length, high powered, no adhesive magnet, inserted into an aluminum base for mounting onto most metal surfaces

 • Replacement locking posts are available
- Rail can accommodate different types of sockets

Matte Black/Green Posts Lock-a-Sockets

Part #	Description	
MTSLAS25MBG	1/4" Drive Lock-a-Socket - Matte Black/Green Posts	
MTSLAS38MBG	3/8" Drive Lock-a-Socket - Matte Black/Green Posts	
MTSLAS50MBG	1/2" Drive Lock-a-Socket - Matte Black/Green Posts	



- 2 Pack Magnetic Parts BowlsMagnetic bowl perfect for holding small parts, hardware and fasteners in place.
- Rubber covered magnetic base prevents scratching
- · Comes 2 in a set

MLK9050070RANGE (Orange) MLK905007NEON (Green)







LIFETIME WARRANTY

Quik-Pik Wrench Racks

- · Sizes marked on tabs for instant identification • Patented spring tabs keep wrenches in place

- Made of tough Polypropylene plastic
 Low profile fits in 2 inch deep toolbox drawer
 Lifetime Warranty Made in the U.S.A.

HNE5301 - SAE - Red

Each tray pad printed with the following wrench sizes: 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8" and 15/16".

HNE5302 - Metric - Grey Each tray pad printed with the following wrench sizes: 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm and 18mm.





Hansen® Socket Trays

- · Each post marked with socket size
- · Sockets and ratchets NOT included

HNE1401 1/4" Drive Fractional Tray 1/8" to 9/16" HNE1402 1/4" Drive Metric Tray 4mm-14mm HNE3801 3/8" Drive Fractional Tray 1/4" to 1" HNE3802 3/8" Drive Metric Tray 6mm-20mm HNE1201 1/2" Drive Fractional Tray 3/8" to 1-1/4" HNE1202 1/2" Drive Metric Tray 10mm-27mm

HNE92001

Socket Tray Six Pack - Green

- Sizes marked on posts for instant identification
- Tough ABS plastic resists gas, oil and abuse
- Includes one of each: 1203, 1204, 1403, 1404, 3803, 3804
- · Lifetime warranty



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



AIR TOOLS

3/8" Drive Air Impact Wrench

- 320 ft./lb. ultimate torque 9000 rpm
- 3 cfm air consumption
- 90 PSI air pressure (recommended)
- 1 Year Warranty on repair

KTI81631A

1/2" Drive Air Impact Wrench

- 450 Ft./Lb. Ultimate Torque
- 7 Cfm Air Consumption
- 90 PSI Air Pressure (Recommended)
- 1 Year Warranty on repair



- 1600 ft/lbs of torque
- 4,000 RPMs
- 100-1,2000 ft/lbs working torque
- 1 year warranty

KTI81798S

1" Drive Spline Drive Impact Wrench with 6" Extension Anvil

- # 5 Spline Drive Anvil
- 1600 ft/lbs. of torque
- 1 year warranty

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KTI88255

3" Air Utility/Muffler Cut Off Tool

- Uses 3" Diameter Discs
- 20.000 RPM's
- 1 Year Warranty on material and workmanship



KTI82500A

- 1/4" Drive Air Ratchet

 25 ft./lb. ultimate torque
- 250 rpm
- 2 cfm air consumption
- 1 Year Warranty on repair



KTI89007

Tire Buffer, Low Speed

- 2500 Rpm Tire buffer with exhaust tube
- Inlet threaded 1/4" npt
- 1 Year Warranty on material and workmanship



1/2" Impacts

with Purchase of IRT2235TIMAX

IRT2235M-BOOT

A Retail Value of \$22.15

FREE

IRTB50400200BWDP

.50 Caliber American Flag Bottle Opener with Wood Gift Box

A Retail Value of \$30.00 While Supplies Last



IRT2235QTIMAX 1/2" MAX Series Quiet Impact Wrench

R) Ingersoll Rand。



IRT2135QXPA

1/2" Composite Impact Wrench

- 1,100 ft-lbs nut-busting torque
- · Weighs 4 lbs
- 1 year warranty



IRT231C

1/2" Aluminum Impact Wrench • 600 ft-lbs Max Torque

- Weighs 5.8 lbs
- 1 year warranty



IRT2235TIMAX
1/2" MAX Series Impact Wrench

MAX Power: 1,350 ft-lbs nut-busting toruque

MAX Comfort: weighs only 4.6 lbs

MAX Durability: 2 year warranty

. MAX Durability: 2 year warranty

IRT2235QTIMAX-2

1/2" MAX Series Quiet Impact Wrench with Extended Anvil

IRT21350XPA-2

1/2" Composite Impact Wrench with Extended Anvil

1,100 ft-lbs nut-busting torque

- · Weighs 4 lbs
- 1 year warranty

IRT231HA-2

1/2" Aluminum Impact Wrench with Extended Anvil • 600 ft-lbs Max Torque

- Weighs 5.8 lbs
- 1 year warranty

IRT21350TL-2

1/2" Torque Ltd Impact Wrench with Extended Anvil

- 600 ft-lbs Max Reverse Torque
- Weighs 4 lbs
- 1 year warranty

AIR TOOLS





Ingersoll Rand



IRT2015MAX 3/8" Hammerhead Low Profile **Impact Wrench**

- 180 ft-lbs max torque
- 2 year warranty





3/4" Impacts



- . MAX Comfort: weighs only 7.4 lbs
- . MAX Durability: 2 year warranty



3/4" Super Duty Impact Wrench • 1,200 ft-lbs reverse torque • Weighs 12.4 lbs

1" Impacts

- 1 year warranty



IRT259

3/4" Heavy Duty Impact Wrench

- 1,050 ft-lbs reverse torque
- Weighs 8.8 lbs
- 1 year warranty



1" Super Duty Impact Wrench

- 1,475 ft-lbs reverse torque
- · Weighs 22.3 lbs
- 1 year warranty



IRT293 1" Heavy Duty Impact Wrench

- 2,000 ft-lbs reverse torque
 Weighs 22.8 lbs
- 1 year warranty



IRT2850MAX-6

1" MAX Series Impact Wrench with 6" Extended Anvil

- MAX Power: 2100 ft-lbs nut-busting torque
 MAX Comfort: weighs only 21 lbs
 MAX Durability: 2 year warranty

IRT2850MAX

1" MAX Series Impact Wrench



IRT2175MAX-6

MAX Durability: 2 year warranty

1" MAX Series Pistol Grip Impact Wrench with Extended Anvil

Grinders

Air Ratchets





• 25 ft-lb Max Torque

IRT105-D3 3/8" Drive Air Ratchet





- 1/4" Drive MAX Series Air Ratchet

 30 ft-lb MAX Torque
- 300 rpm free speed
- · Ergonomic coupling nut and composite handle ensure operator comfort

IRT1105MAX-D3 3/8" Drive Air Ratchet



IRT107XPA

3/8" Drive Air Ratchet • 54 ft-lbs MAX Torque

IRT1077XPA 1/2" Drive Air Ratchet



IRT109XPA

3/8" Drive Super Duty Air Ratchet

• 76 ft-lb MAX Torque

IRT1099XPA

1/2" Drive Super Air Ratchet



IRT1207MAX-D3

3/8" Drive Super Duty Air Ratchet • 76 ft-lb MAX Torque

IRT1207MAX-D4 1/2" Drive Air Ratchet

IRT301B

Angle Die Grinder

- 76 ft-lbs MAX Torque
- 220 rpm free speed



IRT302B

Composite Angle Die Grinder

- 0.33 hp
- 20,000 rpm free speed



IRT5102MAX

MAX Series Angle Die Grinder

• MAX Power: .4 hp and 20,000 free speed

• MAX Comfort: Enhanced grip design and low-profile throttle

IRT307B

Straight Die Grinder

• 0.25 hp

• 28,000 rpm free speed



IRT308B

Composite Straight Die Grinder

• 25,000 rpm free speed

IRT5108MAX

MAX Series Straight Die Grinder

 MAX Power: .4 hp and 25,000 free speed MAX Comfort: Enhanced grip design and

low-profile throttle



IRT3445MAX

4.5" MAX Series Air Angle Grinder

• 0.88 hp motor

 Re-designed handle and with an overall tool weight coming in at only 3.5 lbs

IRT7807R

IRT118MAXK

included

IRT118MAX

IRT122MAXK

case included

IRT122MAX

• 3,500 blows per minute

• 2,500 blows per minute

MAX Series Long Barrel Air Hammer Kit

30% over standard air hammers

· Anti-vibration feature reduces vibration by more than

Quick change retainer, (5) chisels and carrying case

MAX Series Long Barrel Air Hammer (Tool Only)

 Anti-vibration feature reduces vibration by more than 30% over standard air hammers

· Quick change retainer, (5) chisels and carrying

MAX Series Short Barrel Air Hammer (Tool Only)

Drills & Cutting Tools

MAX Series Short Barrel Air Hammer Kit

3/8" Standard Duty Reversible Air Angle Drill

- 1,800 rpm
- 2.42 lbs



IRT429

Heavy Duty Reciprocating Saw

- 10,000 strokes per minute
- 3/8" (10mm) stroke length



Air Hammers

IRT125

18" Standard Duty Needle Scaler

- 4,600 bpm
- 1-1/8" stroke length

IRT326

3" Heavy Duty Cut-Off Tool

• 18,000 rpm



Surface Prep



IRT313A / IRT314A



IRT315





IRT317A IRT328B

Part #	RPMs	Pad Size	Weight	Air Consumption @ load (CFM)	Price
IRT311A	12,000	6"	4.2 lbs	17	
IRT313A	5,000	7"	4.5 lbs	29	
IRT314A	2,500	7"	4.5 lbs	29	
IRT315	3,000	2.75" x 17.5"	6.6 lbs	9	
IRT317A	18,000	5"	2.3 lbs	25	
IRT328B	825	8"	4.7 lbs	16	

3/8", 1/2" & 3/4" Impacts



ACA1355-XL

- 3/8" Drive NitroCat Impact Wrench

 500 (ft-lb) loosening torque; 200-400 (ft-lb) working torque
 Lightweight 2.7 Lbs.
 Sound pressure level, dBA: 84

- 1 year warranty on material & workmanship

ACA1056-XL

1/2" Drive Composite Stubby Impact

- 550 Ft-Lbs of Torque
 Composite Housing weighs only 2.5 lbs.
- Patented Silencing
 Technology only 85 dBa





ACA1431-2

1/2" Aluminum Impact Wrench With 2" Extended Anvil

- *800 ft-lbs of torque
 *9000 RPM creating 1600 impacts per minute
 *Triple heat treated Ni-Cr-Mo Alloy Steel Hammer Mechanism and Anvil for durability
 *Forward/Reverse and Power Management utilize
 **Triple heat machanism located on back of tool a cross bolt mechanism located on back of tool
- Grey Pneumatic Flip Socket size 19mm/21mm included
- 2 Year Warranty

ACA1431

1/2" Aluminum Impact Wrench

- Vibrotherm Drive Impact Wrenches
 AIRCAT VIBROTHERM DRIVE features a new "Patent Pending" impact mechanism, reducing vibration by 30% and increasing life by 50%
 The patented AIRCAT muffler produces AIRCAT'S
- characteristic low noise levels of between 82 d(B) A-85 d(B)A
- The patented AIRCAT Grip and VIBROTHERM DRIVE design deliver unmatched operator comfort and cosmetic styling
- 3 Year Warranty

ACA1178-VXL

1/2" Vibrotherm Drive Impact

- 1300 FT LBS. Loosening Torque
- 4.5 LBS

ACA1058-VXL

1/2" Vibrotherm Drive Compact Impact

- 500 Ft.LBS Max Torque Weight 2.8 LBS

ACA1778-VXL 3/4" VIBROTHERM DRIVE Impact

- 1700 FT LBS. Loosening Torque
- 7.5 LBS

3/8" Air Ratchets

NEUMATIG TOO



ACA805-HT 3/8" Drive High Torque Composite Air Ratchet

- Strongest ratchet on the market with 130 ft-lbs. of torque
- Variable speed trigger, only 84 dBa
- 2 Year Warrantv





ACA808-15

3/8" Drive Extended Ratchet - 15" Long

- 15" extended ratchet to reach hard to get areas
- Very fast 200 RPM
- 30 ft-lbs of torque
- Weighs 3.1 LB
- 2-year warranty

ACA808-15-25

1/4" Long Reach Ratchet - 15.3" Long
• 30 ft-lbs of torque

- 1/4" drive is most requested anvil size
- Exclusive AIRCAT design.
 Additional support bearings provide reliability
- · 2 year warranty on material and workmanship with POP

1" Impacts





- 2,100 ft-lbs Maximum Torque
- Exhaust can be located at the top or bottom of the tool
- 2-year warranty on material and workmanship

ACA1991

1" Drive Low Weight Extended Impact Wrench



IRTAT

- 2,100 ft/lbs maximum torque
- · Low weight impact resistant housing
- · Features combined friction ring
- and through hole socket retainers



ACA1992

1" Drive Impact Wrench with 8" Extended Anvil

- 1800 ft-lbs of torque at 5000 RPM producing
- Enlarged D handle can be located on either side of tool
- Combined F/R and Power Management Switch
- 2 year warranty





CPT7749

1/2" Drive Composite Impact Wrench

- . 955 ft.-lbs of extreme torque
- S2S Technology for forward / reverse
- Ergonomic composite handle for strong durability and less weight
- 3 positive power settings



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



CPT7748-2

- 1/2" Drive Composite Impact Wrench with 2" Extension

 Extreme torque: 922 ft.lbs of maximum torque in reverse

 Extra resistance: Durable steel aluminum alloy back
- Insulation and comfort: Thermo-plastic rubber injected in housing for a durable and comfortable grip
- Universal and durable twin hammer mechanism
- Flexible: 360° swivel air inlet

1/2" Drive Composite Impact Wrench



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Chicago Pneumatic

CPT7731C

3/8" Drive Stubby Impact Wrench

- Powerful with 350 ft-lbs maximum torque in reverse
- Ultra lightweight at 2.2 lbs
- Ultra Compact at 4.3" long
- Jumbo hammer mechanism



CPT7732C

1/2" Drive Composite Stubby Impact Wrench

- . 460 ft-lbs of maximum torque in reverse
- · Aluminum clutch housing
- Side 2 Side (S2S): 1 hand forward/reverse operation

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Chicago Pneumatic

CPT7769-6 3/4" Drive Impact Wrench with 6" Anvil • 1,440 ft. lbs. maximum torque in reverse • Twin hammer mechanism · Aluminum clutch housing

CPT7769

3/4" Drive Impact Wrench

· Dual socket retainer (friction ring combined with through hole)



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



CPT7782-6

1" Drive Heavy Duty Impact Wrench with Extended Anvil

- 2,140 ft.lbs of maximum torque in reverse
- · Pinless closed reinforced rocking dog impact mechanism
- · Socket retainer ring combined with hole retainer
- · Regulator with integrated forward/reverse with 3-position power settings in both directions



CPT7782TL-6

1" Drive Torque Limited Impact Wrench

- One position torque limited in forward around 370 ft.lbs. (500 Nm)
 1920 ft. lbs. (2,600 Nm) max torque

- in reverse (3 setting positions)
 Ergonomic D-handle with full teasing trigger



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



• Shank size; .401"; bore: 9/16"; stroke: 3.13"; 2000 blows per minute; average air consumption: 2.13 cfm; air inlet thread: 1/4" NPTF; minimum hose size: 3/8"; sound dBA: 91



CPT7120

General Purpose Needle Scaler

- 19-1/8" steel needles with high resistance to wear
- · Easily converts to chisel scaler
- 4,600 BPMS

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





SPJSP-7260

1/4" Drive Sealed Flat Head Mini Ratchet

- 360° Exhaust sleeve, exhaust can be pointed away from the technician
- Durable and high quality construction expertly
 Has an adjustable 4-25ft lbs. of torque
 Overall length is 8" and weight is only 1.5 lbs

- Made in Japan



SPJSP-7250H

1/4" Drive Low Profile Hex Bit Driver

- 360 degree exhaust sleeve
- Made in Japan
- 1 year warranty on material and workmanship



SPJSP-7265RP

3/8" Drive Impact Ratchet - 600 RPM

 Provides a maximum speed of 600 RPM with a maximum torque of 45 ft/ lbs. The standard ratchet from other manufacturers averages only 250 RPM and 25-30 ft/lbs.



SPJSP-1764HD

1/4" Drive Super Fast Mini Impact Ratchet

- Single dog clutch impact mechanism provides a maximum speed of 700 RPM with a maximum torque of 55 ft/lbs.
- Made in Japan



SPJSP-1765HD

3/8" Drive Super Fast Mini Impact Ratchet

- Increased 305 more torque and speed compared to the SPJSP-1765
 Single dog clutch impact mechanism provides a maximum speed of 700 RPM with a maximum torque of 55 ft/lbs.
- Made in Japan

SPJSP-7231R **Reversible Flex Head Cutoff Tool**

- 3-position Flex Head
- Reversible Feature
- 05 HP Motor
- · Built-in power regulator Made in Japan



SPJSP-7610 Recipro Saw (Gear Type)

- · Powerful enough to cut steel, FRP, rubber and resin objects such as bumpers, etc.
- Swivel air inlet and rear air exhaust
- · Designed with a 0.47" stroke and operates at 5,300 strokes per minute
- Made in Japan



SUNEX TO O L S

SUN3342

42 Piece 3/8" Drive SAE & Metric **Impact Socket Master Set**

- Complete 3/8" drive size coverage
- Blow molded storage case

10 Piece 3/8" Drive Universal Metric Impact Socket Set Includes: 6 pt. 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm

10 Piece 3/8" Drive Deep Metric Universal Impact Socket Set Sizes Included: 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19mm

SUN3362 14 Piece 3/8" Dr. Low Profile Impact Socket Set with Hex Shank, Metric

Sizes include 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm





81 Piece 3/8 Drive Complete **Impact Socket Set**

- Set includes metric sizes up to 22mm and fractional sizes up to 1"
- Extensions and swivels included



GRE1243RD

3/8" Drive 43 Piece Standard/Deep SAE/Metric Set

- Set contains 6 point Fractional Sizes 5/16" 3/4" and Metric Sizes 8mm 19mm both in Standard and Deep Length
 Now includes a 1/4" Hex to 3/8" Square Drive Adapter
- Also includes a 3" extension and Universal Joint





GRE1226M

26 Piece 3/8" Drive Standard

& Deep Length Metric Master Set Set contains sizes: 7mm - 19mm

in standard and deep length



GRE1104E

3/8" Drive 4 Piece Impact Extension Set

- Includes 1-3/4", 3", 6" and 12" length extensions
 Lifetime Warranty (Individual Parts Only)

GRE2204E

1/2" Drive 4 Piece Impact Extension Set

- Includes 3", 5", 7" and 10" impact extensions
 Lifetime Warranty (Individual parts only)

GRE1213MD

13 Piece 3/8" Drive Deep Metric Impact Socket Set

• Set contains sizes: 7mm - 19mm




GRE1210UMSD

10 Piece 3/8" Drive Semi Deep Metric **Universal Impact Socket Set**

• Set contains sizes: 10mm - 19mm







6 Piece 3/8" Drive Flex Impact Socket Set

 Manufactured from heat-treated chrome-moly steel for wear in professional, rugged environments Sizes include: 7/16" thru 3/4"







KTI32100

3/8" Drive Impact Sockets

LIFETIME WARRANTY

9 Piece 3/8" Drive Standard Impact Socket Set

- Manufactured from heat-treated chrome-moly steel for wear in professional, rugged environments Laser engraved for quick identification
 Set includes: 3/8" thru 7/8"

- · Lifetime warranty

KTI32200

9 Piece 3/8" Drive Deep Impact Socket Set

- Laser engraved for quick identification
- Set includes: 3/8" thru 7/8"
- · Lifetime warranty



KTI37042

42-piece Fractional and Metric Impact Socket Set 3/8" Drive

- · All sockets are 6-point, 3/8" drive.
- · Laser engraved for quick identification
- Set includes: 8 short fractional sockets sized from 5/16" to 3/4", 8 deep fractional sockets sized from 5/16" to 3/4", 12 short metric sockets sized from 8mm to 19mm. 12 deep metric sockets sized from 8mm to 19mm, universal joint and 3" extension
- Lifetime warranty



KTI37100

10 Piece 3/8" Drive 6 Point Metric Standard Impact Socket Set

- · Laser engraved for quick identification
- Set includes: shallow sockets 10mm through 19mm
- Lifetime warranty



KTI37200

10 Piece 3/8" Drive 6 Point Metric Deep Impact Socket Set

- Laser engraved for quick identification
- Set includes: 10mm 19mm
- · Lifetime warranty



KTI37400

10 Piece 3/8" Drive Metric Flex **Impact Socket Set**

- Laser engraved for quick identification
- Sizes include: 10mm thru 19mm
- · Lifetime warranty



KT137500 6 Piece 3/8" Drive Metric 6 Point Flex Impact Socket Set

- · Laser engraved for quick identification
- Sizes include: 10mm thru 15mm
- · Lifetime warranty



15 Piece 3/4" Drive Short **Metric Impact Socket Set**

- · Set includes: Metric sockets sized 17mm to 46mm and replacement o-rings and pins
- Lifetime warranty





MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

3/8" Drive Impact Sockets

☞ GEARWRENCH

KDT84918N

15 Piece 3/8" Drive 6 Point **Metric Universal Impact Socket Set**

- · Flex socket design provides increased access to restricted fasteners
- Made from Chrome Molybdenum Alloy Steel (CR-MO) for exceptional strength and durability
- Set includes: 8mm to 17mm Universal 6 Point Sockets



G GEARWRENCH

KDT84980 7 Piece 3/8" Drive Pinless Universal Extension Socket Set

- · X-Core universal pinless joint for strength and durability
- 30 degree maximum flex angle
- Smooth 360 degree rotation
- Meets or exceeds ASME requirements



KDT84975

11 piece, 3/8" Drive, 6-point Metric Pinless Universal Set

- New pinless universal socket set
 Chrome molybdenum steel
 Plastic clip rail

KDT84960

3 Piece 1/4", 3/8" & 1/2" Drive X-Core Pinless Impact Set

- X-Core Universal Pinless Joint for strength and durability
- 30 degree maximum flex angle



AST78314

PAstro

14 Piece 3/8" Drive Nano Impact Sockets - Metric

- At 0.88" (22.5mm) long, sockets are 35% shorter than shallow impact sockets and 15% shorter than other stubby impact sockets
- All sockets feature a 17mm outside hex for increased access when used with a wrench
- Forged CR-MO with superior material thickness between socket body and drive compared to other sets

1/2" Drive Impact Sockets

12 Piece 1/2" Drive Metric Impact Socket Set

- Manufactured from heat-treated chrome-moly steel for wear in professional, rugged environments
- Laser engraved for quick identification
- Sizes include: 10mm thru 21mm
- Lifetime warranty

KTI38101

26 Piece 1/2" Drive Metric 6 Point Short Impact Socket Set

- Heat-treated, chrome-moly steel
 Laser engraved for quick identification
- Set includes sizes from 10mm to 36mm
- Lifetime warranty



KTI38200

- · Manufactured from heat-treated chrome-moly steel
- Laser engraved for quick identification
- Sizes include: 10mm thru 21mm
- Lifetime warranty

KTI38202

- Heat-treated, chrome-moly steel
- · Packaged in blow-molded case
- · Set includes deep sockets sized from 10mm to 36mm
- Lifetime warranty





12 Piece 1/2" Drive 6 Point **Metric Deep Impact Socket Set**

- for wear in professional, rugged environments

 Sockets are thin-wall to allow access in tight areas

26 Piece 1/2" Drive 6 Point Metric Deep Impact Socket Set

- Laser engraved for quick identification



KTI33100

12 Piece 1/2" Drive SAE 6 Point Standard Impact Socket Set

• Manufactured from heat-treated chrome-moly steel for wear in professional, rugged environments


- Laser engraved for quick identification
 Sizes include: 1/2" thru 1-1/4"
- · Lifetime warranty

KTI33101 19 Piece 1/2" Drive 6 Point SAE Short Impact Socket Set

- · Made from heat-treated, chrome-moly steel
- · Laser engraved for quick identification
- Set includes sizes from 3/8" to 1-1/2"
- Lifetime warranty

KTI33200

12 Piece 1/2" Drive SAE Deep 6 Point Impact Socket Set



- Laser engraved for quick identification
 Sizes include: 1/2" to 1-1/4"
- Lifetime warranty

KTI33202

19 Piece 1/2" Drive SAE Deep Impact Socket Set

- Laser engraved for quick identification
- · Packaged in blow-molded case
- · Set includes deep sockets sized from 3/8" to 1-1/2"
- Lifetime warranty

KTI38201

9 Piece 1/2" Drive 6 Point

- Metric Impact Socket Set

 Readily handles larger applications, such as
- removal of truck wheels and lug nuts · Made of chrome moly steel, heat treated
- Set includes sizes: 22mm to 30mm
- Lifetime warranty



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





1/2" Drive Impact Sockets

43 Piece 1/2" Drive Impact Socket Master Sets

· Universal joint adapts any socket in set for use in swivel applications





SUN2568 - SAE

Includes Impact Sockets 3/8"- 1-1/2" in standard and deep lengths, 3", 5", 10", 15" extensions and U-joint

SUN2569 - Metric

• Includes Impact Sockets 9m - 30mm in standard and deep lengths, 3", 5", 10", 15" extensions and U-joint

SUN5153DD

29 Piece 1/2" Dr. Double Deep® Metric & SAE Impact Socket Set

Set includes: 6 pt. 7/16" thru 1-1/4" deep, 10-27mm deep, 3/4" x 13/16" Deep & 19 x 21mm deep flip sockets & blow molded case

SUN2668

39 Piece 1/2" Drive 6 Point Standard and Deep SAE Impact Socket Set

Set includes: 3/8" thru 1-1/2" standard sockets; 3/8" thru 1-1/2" deep sockets; and a universal joint

SUN2500

4 Piece 1/2" Drive Impact Socket Extention Set

• Steel ball retainer on male end Includes: 3", 5", 10" and 15".







SUNEX TOOLS



SUN2669

39 Piece 1/2" Drive Standard and **Deep Metric Impact Socket Set**

Set includes: 9mm thru 30mm standard sockets; 9mm thru 30mm; and a universal joint

SUN2653

14 Piece 1/2" Drive 6 Point Deep Metric Impact Socket Set

 Set contains sizes: 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm, 22mm, 26mm and 27mm sockets

SUN2300

1/2" Drive Universal Joint

 Flexing ability for greater access around obstructions

• Length: 1-5/16"





SUN2673

15 Piece 1/2" Dr. Low Profile Impact Socket Set with Hex Shank, Metric

· Hex shank drive end for hand tool use

• Low profile design for limited clearance applications

Multi-functional sockets can be used in virtually any application

Sizes include 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm, 24mm

GRE1319D

19 Piece 1/2" Drive Deep Lenath Fractional Master Impact Socket Set

Set contains sizes: 3/8" - 1-1/2"

GRE1328RD

GRE1313UM

28 Piece 1/2" Drive Standard and Deep Length Impact Socket Set

Set contains sizes: 7/16" - 1-1/4"









PART #

GRE1319

Impact Socket sets

13 pc. 1/2" Dr. Fractional Impact Set Standard Length sizes: 7/16" to 1–1/4". Molded Case. **GRE1312**

GRE1312D

19 pc. 1/2" Dr. Fractional Impact Set

13 pc. 1/2" Dr. DEEP Fractional Impact Set DEEP Impact sizes: 7/16" to 1–1/4". Molded Case.

Standard Length sizes: 3/8" to 1-1/2". Molded Case. GRE1326M

26 pc. 1/2" Dr. Metric Impact Set

Standard Length sizes: 10mm-36mm. Molded Case.

GRE1412MD 14 pc. 1/2" Dr. DEEP Metric Set

DEEP Impact sizes: 10mm-27mm. Molded Case.

Magnetic Nut Setters

GRE1326MD

26 Piece 1/2" Drive Deep Length **Metric Master Impact Socket Set**

· Set contains sizes: 10mm - 36mm





GRE1598HC

1/2" Drive 18 Pc. Combo Hex Driver SAE/Metric Set

• Set contains sizes: 1/4", 9/32", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 6mm, 7mm, 8mm, 10mm, 12mm, 14mm, 15mm, 16mm, 17mm, 18mm and 19mm.



GRE1498MH

10 Piece 1/2" Drive Metric Hex Driver Impact Socket Set

Set contains sizes: 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm and 24mm in standard length.


Set contains sizes: 6mm - 19mm

3/4" Drive Impact Sockets



CPTSS6008DP

- 8 Piece 3/4" Dr. SAE Deep Socket Set One of each: 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2
- · Chrome-molybdenum steel
- Phosphate manganese surface finish
- · Laser etched marking with output size









SUN9933

14 Piece Impact Ready Magnetic Nut Setters Set (Metric, SAE)

- · Strong magnet holds faster in place
- Color coded rings offer easy size identification
- Color rings for easy size identification
- · Lifetime warranty





Air Hoses & Reels



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Rubber Hoses Part Number	Hose Material	Hose Diameter	Length	NPT	Working Pressure	Burst Pressure	Additional Features
LEGHFZ3850YW2	Hybrid Polymer	3/8"	50'	1/4"	300 PSI	1,200 PSI	Bend Restrictors
LEGHFZ12100YW3	Hybrid Polymer	1/2"	100'	3/8"	300 PSI	1,200 PSI	Bend Restrictors







BluBird® Air Hoses

Designed to offer the best of both worlds - the exceptional coldweather flexibility, durability and premium feel of high-end rubber hoses and the light-weight comfort of premium hybrid hoses.

- Ultra light, super-strong rubber resists abrasion and kinks
- Extreme ozone resistance provides protection from extreme weather
- Flexibility in extreme conditions from -50°F to 190°F
- Constructed with high strength polyester braided reinforcement
- · 4 finger grip bend restrictor for better ergonomics
- 10 year warranty
- Available hose inner diameters: 1/4", 3/8", 1/2" and 3/4"
- Max. working pressure: 300 PSI
- Safety factor: 4:1

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Part #	Description	NPT
BLBBB14100	1/4" x 100'	1/4"
BLBBB1425	1/4" x 25'	1/4"
BLBBB3810	3/8" x 10'	1/4"
BLBBB3815	3/8" x 15'	1/4"
BLBBB3825	3/8" x 25'	1/4"
BLBBB3835	3/8" x 35'	1/4"
BLBBB3850	3/8" x 50'	1/4"
BLBBB1215	1/2" x 15'	1/4"

BluBird® Air Hose Reels

- Smooth auto-rewind with locking 12 point ratchet gearing system which helps to lock at various lengths
- Heavy duty steel construction with powder coated, corrosion proof finish
- Flexibility in extreme conditions from -50°F to 190°F
- Four rollers reduce hose wear
- · Horizontal and vertical wall mount options with adjustable guide arm
- · Can be mounted on wall, ceiling and floor
- 2 year warranty on hose reel and 10 year warranty on attached hose to any manufacturing defects
- Safety factor: 4:1

Part #	Description	
BLBBBR3825	3/8" x 25' Air Hose Reel	3/8" inlet and 3/8" to 1/4" NPT Reducer Outlet
BLBBBR3850	3/8" x 50' Air Hose Reel	3/8" inlet and 3/8" to 1/4" NPT Reducer Outlet
BLBBBR3875	3/8" x 75' Air Hose Reel	3/8" inlet and 3/8" to 1/4" NPT Reducer Outlet
BLBBBR1225	1/2" x 25' Air Hose Reel	3/8" inlet and 1/2" to 3/8" NPT Reducer Outlet
BLBBBR1265	1/2" x 65' Air Hose Reel	3/8" inlet and 1/2" to 3/8" NPT Reducer Outlet



WARNING: Cancer and Reproductive Harm -www.P65Warnings.ca.gov

Blu3ird°



BluBird® Whip Hoses

- Professional air tool snubber hose, 300 PSI working pressure & comes with 360° ball swivel revolving fittings
- Extends coupler service life & improves maneuverability
 Absorbs shock to air couplers from pneumatic tools

 Reduces brights
- · Reduces twisting and kinking
- Flexible rubber construction, with 4 finger-grip bend restrictor
- · Covered by a 90 day material and workmanship warranty

Part #	Description	NPT
BLBBBSR3802	3/8" x 2' Whip Hose with 360° Ball Swivel	1/4"
BLBBBSR1202	1/2" x 2' Whip Hose with 360° Ball Swivel	1/2"



Blu3ird[®]

BLBPP12100

1/2"x100' Blubird Patriot Pro Air Hose 300 PSI

- Ultra-Light & Super-Strong, 40% lighter than others and as light as hybrid / PVC hoses
 Remains as flexible at -50F as the best
- hybrids do at 0F
- Braided, not just spiraled, polyester gives 300PSI Working Pressure from -50F to 200F with a burst pressure of 1200PSI
- Comes with 1/4" Brass M-NPT end fittings & 1/2" to 3/8" adapter
- 3 year warranty on material and workmanship





Air Hoses & Reels



Oil Shield® Next-Gen Rubber Air Hoses

- Ultra light, super-strong rubber
 RMA Class A oil resistant core tube and cover
- · Constructed with high strength polyester braided reinforcement
- Flexibility in extreme conditions from -30°F to 180°F
- 4 finger grip bend restrictor for better ergonomics
- Available hose inner diameters: 1/4", 3/8", 3/4" and 1/2"
- Max. working pressure: 300 PSI
- Safety factor: 4:1
- Covered by a 3-Year Warranty



Part #	Description	NPT
BLB0S3810	3/8" x 10'	1/4"
BLB0S3815	3/8" x 15'	1/4"
BLB0S1225	1/2" x 25'	1/2"
BLB0S1250	1/2" x 50'	1/2"
BLB0SPR03425	3/4" x 25'	3/4"

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Oil Shield® Air Hose Reels

- Retractable air hose reel with BluBird® Oil Shield® air hose
- · Powder coated steel corrosion resistant, heavy duty 18 gauge steel
- 12 point ratchet for locking at shorter intervals
- 4-way roller guides
- Covered by a 2 year warranty on reel with 3 year warranty on the included yellow Oil Shield® hose

Part #	Description	
BLB0SR3825	3/8" x 25' Oil Shield® Air Hose Reel	3/8"NPT inlet and 1/4" outlet
BLB0SR3835	3/8" x 35' Oil Shield® Air Hose Reel	3/8"NPT inlet and 1/4" outlet
BLB0SR1225	1/2"x 25' Oil Shield® Air Hose Reel	3/8"NPT inlet and 1/2" NPT with 1/2" to 3/8" Reducer outlet





WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



BLBHRS3812 Swivel Mount for Hose Reels, 3/8" & 1/2" Reels

. The bracket allows hose reels to be mounted to the wall and swung sideways for easy use and reduces pressure on the rollers





BLB0SSR3802

Oil Shield® 3/8" x 2' Whip Hose with 360° Swivel

- 1/4" NPT 300 PSI working pressure
- Oil resistant core tube and cover meets RMA Class A oil resistance
- Covered by a 90 day material and workmanship warranty



Blu3ird°

- 13 Piece BluBird® Air Compressor Kits Hose: 40% lighter than traditional rubber hoses, resists kinks and extreme weather, 4 finger grip bend restrictors, 300 PSI 1200 PSI, flexible in -50°F • Heavy duty industrial type couplers & plugs in brass
- Perfect for DIY & contractors
- . Safety factor: 4:1
- · Covered by a 10 year warranty on hose and 2 year warranty on accessories

BLBBB1425KIT

safety blow gun (1), tire gauge(1), air chuck (1), male plugs industrial style 1/4" NPT (3), female plugs industrial style 1/4" NPT (2), male coupler industrial style 1/4" NPT (1),







Blu3ird®



BLBBB3825KIT

3/8" x 25'

Kit Includes: 3/8" x 25' BluBird® air hose. safety blow gun (1), tire gauge(1), air chuck (1), male plugs Industrial style 1/4" NPT (3), female plugs industrial style 1/4" NPT (2), male coupler industrial style 1/4" NPT (1), female coupler industrial style 1/4" NPT (1), female coupler industrial style 1/4" NPT (1), Teflon tape (1), storage bag (1).

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

AIR TOOLS

<u>Legacy</u>

Levelwind[™] **Retractable Air Hose Reel LEGL8305**

• 3/8"ID x 50' Hose Reel

LEGL8310

• 3/8"ID x 100' Hose Reel



FLEXILLA

Levelwind™ Retractable Air Hose Reel with Flexzilla Hose Included

 Levelwind™ Technology for Flexzilla hose makes hose retraction smooth and easy

LEGL8335FZ

LEGL8306FZ

1/2" I.D. x 50' Flexzilla Hose 3/8" I.D. x 75' Flexzilla Hose



TEKTON



GYM4685

50 Foot Manual Hose Reel

- 1/4" NPT air inlet. 300 PSI max working pressure
- 50 Foot capacity (hose NOT included)

LINCOLN

Air Reel Rubber Hoses

- Spring powered automatic recoil
- 8 position ratchet system
 5 position adjustable outlet arm

LIN83753 (50' x 3/8" Hose) LIN83754 (50' x 1/2" Hose)



LIN94354

Medium Pressure Oil Reel Assembly 50' x 1/2"

LIN94552 High Pressure Grease Reel Assembly 50' x 1/4"



Couplers

LEGA53458FZ

14 Piece Flexzilla Pro High Flow Coupler And Plug Kit - 1/4 in. NPT

Kit includes: (2) FNPT Coupler, (2) MNPT Coupler, (4) FNPT Plug and (6) MNPT Plug



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov




p prevost



MIL1750

Safety Exhaust Coupler, 1/4" body, 1/4" FNPT


 Connects to All Major Interchanges, M, V, T, A, and L style



while pressurized air is safely bled off Eliminates potential dangerous hose whip

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov







INDUSTRIES, INC.

Part Number	Style / Type	Type	Size	Size	Pkg.	
MILS715	"M Style" Plug	Female	1/4"	1/4"	1/Pk	
MILS716	"M Style" Plug	Male	1/4"	1/4"	1/Pk	
MILS727	"M Style" Plug	Male	1/4"	1/4"	2/Pk	
MILS728	"M Style" Plug	Female	1/4"	1/4"	2/Pk	
MILS1803	"P Style" Coupler	Female	1/4"	3/8"	1/Pk	
MILS1805	"P Style" Coupler	Female	3/8"	3/8"	1/Pk	
MILS1809	"P Style" Plug	Male	1/4"	3/8"	2/Pk	
MILS785	"T Style" Coupler	Female	1/4"	1/4"	1/Pk	
MILS783	"T Style" Plug	Male	1/4"	1/4"	2/Pk	
MILS1815	"G Style" Coupler	Female	1/2"	1/2"	1/Pk	
MILS1816	"G Style" Coupler	Male	1/2"	1/2"	1/Pk	
MILS1817	"G Style" Plug	Male	1/2"	1/2"	1/Pk	
MILS1818	"G Style" Plug	Female	1/2"	1/2"	1/Pk	
MILS1835	"H Style" Coupler	Female	3/8"	3/8"	1/Pk	
MILS1839	"H Style" Plug	Male	1/4"	3/8"	2/Pk	

Filter Regulator



KTI89195 2 Piece Filter Regulator &

- Lubricator • 1/4" NPT, maxium flow 18 CFM (500 LPM)
- Pressure rangé: 7-145 PSI
- 1 year warranty on material & workmanship



ACMA680CS 1/4" NPT Blowgun with High Flow Tip Delivers up to 51

CFM at 125PSI

Blow Guns

Part #	Description WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov			
KTI71010	Air Blow Gun Rubber Tip 1/2"			
KTI71011	Air Blow Gun Standard			
KTI71012	Air Blow Gun High Flow Safety			
KTI71013	Air Blow Gun Soft Rubber Star Tip			
KTI71015	Air Blow Gun Kit - 4 Tips			
KTI71016	Air Blow Gun Kit - 7 Tips			



Air Blow Guns

- · Exclusive Venturi mechanism boosts output by 15%
 • Inlet threaded 1/4" NPT (F)
- 1 year warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

AIR TOOLS



IMC216V Single-Stage Vertical **Electric Compressor**

- Horse Power: 5
- Pump: T29S
- Motor Volt/Phase: 208-230/1
- Tank (Gal.): 60
- CFM Disp: 18.6
- ACFM@100/175 PSI: 15.33
- Max PSI: 165



Two-Stage Vertical Electric Compressor

- Horse Power: 5
- Pump: T29S
- Motor Volt/Phase: 208-230/1
 Tank (Gal.): 80
- CFM Disp: 18.59
- ACFM@100/175 PSI: 15.33/13.75
- Max PSI: 175

IMC318VL Two-Stage Vertical **Electric Compressor**

- Horse Power: 7.5
- Pump: T39
- Motor Volt/Phase: 208-230/1
- Tank (Gal.): 80
- CFM Disp: 32.52
- ACFM@100/175 PSI: 25.25/22.28
- Max PSI: 175



1 Gallon Air Compressor

- Oil free horizontal air compressor with induction motor 1/3 HP

- Maximum pressure: 100 PSI
 120 Volt / 60 Hz, 3 Amp
 11.417" (length) x 11.417" (width) x 14.961 (height)
 Weighs 17.86 lbs
- 1 Year Warranty

KTI89023

3 Gallon Air Compressor

- · Oil free horizontal air compressor with induction motor 1/3 HP
- Maximum pressure: 100 PSI
- 120 Volt / 60 Hz, 3 Amp
 20.866" (length) x 7.874" (width) x 15.748 (height)
- Weighs 24.8 lbs
- 1 Year Warranty

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





IRTUP6-7.5TAS-150

7.5 HP Rotary Compressor

- 7.5hp, 25CFM @ 150 PSI, 230-1-60, 80 gallon tank
 Total Air System Package includes integrated refrigerated air
- dryer, after-cooler and dual filter system
- Quiet operation fully enclosed units operating at 65 dBA
 Tank-mounted Design for easy Installation "Plug and Play"
- Nation-wide Service Coverage

IRTCSS3L3

Single-Stage Vertical Electric Compressor

- Horse Power: 3
- Pump: Single Stage Cast-iron
 Motor Volt/Phase: 230-1
- Tank (Gal.): 60
- Max PSI: 135
- ACFM@100/175 PSI: 11.3/10.3 (90/135 PSIG)

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov







2 Stage Air Compressors

Part Number	HP	CFM	Voltage	Tank	Configuration	Start-Up Kit
Value Packages						
IRTC2340L5	5	14.7	230/1/60	60	Vertical	32305880
IRTC2475N7.5	7.5	24	230/1/60	80	Vertical	32305880
Premium Packages	⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov					
IRT45465523	7.5	24	230/1/60	80	Vertical	32305880



IRTC2340L5

IRTC2475N7.5

IRT45465523

IRTC2475F13GH Two-Stage Gas

Powered Air Compressor Precisioned engineered components for over 15,000

- hours of trouble free use • Tank (Gal.): 30
- Max PSI: 175



NOTE ON ALL AIR

COMPRESSORS

FOR FREIGHT TERMS SEE BACK OF BOOK

IRT2475F14G 14 HP Gas Drive Air Compressor - Kohler Engine

- Horse Power: 14
- Tank (Gal.): 30
- Max PSI: 175
- ACFM@100/175 PSI: 25





MLW2522-21XC

M12 FUEL 3" Compact Cut Off Tool Kit

- 20,000 RPM for fast and accurate cutting performance
- Reversible blade rotation for ultimate cutting control
 POWERSTATE™ Brushless Motor delivers maximum
- power and long motor life
 REDLINK PLUS™ intelligence provides optimized performance and overload protection
- Tool free guard adjustment for convenience and ease of use

MLW2522-20 M12 FUEL 3" Compact Cut Off Tool (Bare Tool)

M12™ FUEL™ Drivers and Impact Kits Feature:

- POWERSTATE™ Brushless Motors
 REDLINK PLUS™ Intelligence: The most advanced system
- of cordless power tool electronics
 REDLITHIUM™ Battery Technology: Superior performance delivers more work per charge and more work over pack life

MLW2553-22

M12 FUEL™ 1/4" Hex **Impact Driver Kit**

- . 1300 in-lbs. of fastening torque
- POWERSTATE Brushless Motor delivers up to 0-3,300 RPM
- Includes M12 FUEL™ 1/4" Hex Impact Driver Kit (2553-22), (2) M12 REDLITHIUM 2.0 Compact Batteries, (1) M12 Lithium Ion Charger, (1) Belt Clip and (1) Carrying Case



MLW2598-22

M12 FUEL™ 2 PC Kit -

1/2" Hammer Drill & 1/4" Impact • M12 FUEL™ Drill Driver (2503-20) delivers

- 1700 RPM's and 350 in-lbs. of torque.

 M12 FUEL™ ¼" Hex Impact (2553-20),
- delivers 3,300 RPM
- Includes (1) M12 FUEL™ 1/2" Hammer Drill- Bare Tool (2504-20), (1) M12 FUEL™ 1/4" Hex Impact Driver (Bare Tool) (2553-20), (1) M12™ REDLITHIUM Compact Battery Pack, (1) M12™ REDLITHIUM™ XC 4.0 Extended Capacity Battery Pack, (2) Belt Clip, and (1) Contractor Bag



MLW2591-22 M12 FUELTM 3/8" Ratchet/ M18 FUELTM 1/2" Midtorque Kit

- Auto exclusive kit
- Greater durability with FUEL brushless motor
 M18 FUEL™ 1/2" Midtorque delivers up to 600 ft. lbs. of nut-busting torque
 M12 FUEL™ 3/8" ratchet delivers Up to 55 ft. lbs. max torque
- Includes: M12 FUEL™ 3/8" ratchet, M12 2.0 battery, M18 1/2" mid-torque impact, M18 5.0 battery, dual voltage charger, contractor bag

M12 FUEL™ Ratchet Auto Kits

- Most Powerful: Delivers Industry Leading Torque Output of up to 40 ft-lbs
 Most Compact: Up to 20% Smaller Head Size
- Most Durable: Worlds 1st Brushless Ratchet Provides 2X Longer Motor Life
- Best in class torque to head size ratio

Includes: (1) M12 FUEL TM Ratchet, (1) M12 TM 2.0 REDLITHIUM Battery, (1) M12 TM Charger, (1) Protective Boot, (1) 1/4" to 3/8" Adapter and (1) Carrying Case

MLW2556-21 - 1/4"

MLW2556-20 - 1/4" (Tool Only)

MLW2557-21 - 3/8"

MLW2557-20 - 3/8" (Tool Only)

MLW2558-21 - 1/2"

MLW2558-20 - 1/2" (Tool Only)

MLW2599-22 M12 FUEL 3/8" Stubby Impact and 1/4" Hex Impact Kit

- 250 ft.-lbs. breakaway torque
- 4-Mode Drive control
- · Auto-Shut Off mode reduces over fastening and increases productivity
- One of 90+ Tools on the M12 System

MLW2552-22 M12 FUEL™ Stubby 1/4" **Impact Wrench Kit**

- Most Compact -5.1" in length
- 100 ft.-lbs. breakaway torque
- 4-Mode Drive control
- · Auto-Shut Off mode reduces
- over fastening and increases productivity
 One of 90+ Tools on the M12 System

MLW2552-20 M12 FUEL™ Stubby 1/4" Impact Wrench (Bare Tool)

MLW2554-22 M12 FUEL™ Stubby 3/8" Impact Wrench Kit

- Greatest access in tight spaces at 4.8" in length
 250 ft.-lbs. breakaway torque
- 4-Mode Drive control
- · Auto-Shut Off mode reduces over fastening and increases productivity
- One of 90+ Tools on the M12 System

MLW2554-20 M12 FUEL™ Stubby 3/8" Impact Wrench (Bare Tool)

MLW2555-22 M12 FUEL™ Stubby 1/2" Impact Wrench Kit

- Greatest access in tight
- spaces at 4.9" in length
- 250 ft.-lbs. breakaway torque 4-mode drive control
- · Auto-shut off mode reduces over fastening and increases productivity
- One of 90+ tools on the M12 system

MLW2555-20

M12 FUEL™ Stubby 1/2" Impact Wrench (Bare Tool)











Hilwauker



MLW2754-22CT M18 FUEL™ 3/8" Compact Impact Wrench with Friction Ring Kit - CP Batteries

- POWERSTATE™ Brushless Motor delivers 210 ft-lbs. of fastening torque


 • REDLINK PLUS™ Intelligence prevents damage
- to the tool and battery due to overloading or overheating • REDLITHIUM™ Batteries deliver more work per
- charge and more work over the life of the battery

 4-Mode DRIVE CONTROL™ provides greater
- control over output speed and power



- Impact wrench delivers up to 450 ft-lbs of Fastening Torque and up to 600 ft-lbs
- of Nut-Busting Torque

 M18™ REDLITHIUM™ XC 5.0 Extended Capacity
 Battery Pack delivers up to 2.5X more run-time,
 20% more power and 2X more life than





Milwauk

Milwaukee

MLW2895-22CT M18™ FUEL™ 3/8" Impact Wrench with LED Light Kit

- Includes (2) M18™ REDLITHIUM™ 2.0 Compact Battery Packs that deliver up to 2X more runtime, 20% more power and 2X more recharges than standard lithium-ion
- of the rectain standard infinitification batteries (48-11-1820)

 (1) M18™ & M12™ Multi-Voltage Charger that quickly charges all M12™ and M18™ battery packs (48-59-1812)

 Includes tool bag

MLW2852-22CT M18 FUEL™ 3/8" Mid-Torque Impact Wrench 2.0 Kit

- Up to 600ft-lbs Nut Busting Torque
- Up to 450ft-lbs Fastening Torque
 3-Mode DRIVE CONTROL™
- . Compact length at 6.7'

Kit Includes 3/8" Mid-Torque Impact Wrench with Friction Ring, (2) M18 REDLITHIUM CP2.0 Battery Pack, Belt Clip and Contractor Bag.

MLW2852-22

M18 FUELTM 3/8" Mid-Torque Impact Wrench 5.0 Kit

Kit Includes 3/8" Mid-Torque Impact Wrench with Friction Ring, (2) M18
 REDLITHIUM XC5.0 Extended Capacity Battery Pack, Belt Clip and Contractor Bag

M18 FUEL™ 3/8" Mid-Torque Impact Wrench (Bare Tool)

MLW2804-22

- M18 FUEL™ 1/2" Hammer Drill Kit
 Up To 60% More Power: 1,200 in-lbs of torque
- REDLITHIUM™ XC5.0 Battery Pack
 The POWERSTATE™ Brushless motor delivers 1,200 in-lbs of torque and 2,000 RPMs
- At 6.9" in length this is the most compact drill in its class
- Kit includes: 1/2" Hammer Drill/Driver. (2) XC5.0 Extended Capacity Battery Pack, Multi-Voltage Charger, Belt Clip, Bit Holder, Carrying Case and Side Handle





MLW2803-22 M18 FUEL™ 1/2" Drill Driver Kit

• Up To 60% More Power: 1,200 in-lbs of torque

- . Only 6.9" in length for access into tight spaces
- Includes 1/2" Drill Driver, (2) XC5.0 Extended Capacity Battery Pack, Multi-Voltage Charger, Side Handle, Belt Clip and Bit Holder



MLW2993-22 2 Piece M18 FUEL™ Auto Kit

• Kit Includes: (1) 2852-20 3/8" Mid-Torque impact wrench, (1) 2767-20 1/2" High-Torque impact wrench, (2) M18 5.0 XC batteries, (1) M18/M12 Multi-Voltage charger, (1) Tool Bag

MLW2767-22

- M18 FUELTM High Torque
 1/2" Impact Wrench with Friction Ring Kit • 1000 ft-lbs of fastening torque and
- 1400 ft-lbs of nut-busting torque • 0 to 550/1,400/1750/1750-750 RPM and 0-950/1,750/2,100/2,100 IPM
- · Bolt removal mode provides maximum nut-busting torque to break fastener free. then slows to 750rpm for more control when removing fasteners



Includes (1) 2767-20 M18 FUEL GEN II 1/2" High Torque Impact Wrench, (2) M18 5.0 XC Batteries & (1) 48-59-1812 M18 & M12 Dual-Voltage Charger.





MLW2867-22

M18 FUEL 1" High Torque Impact Wrench Kit • POWERSTATE™ Brushless Motor

- delivers up to 1,800 ft-lbs.
 Nut-Busting Torque

 Up to 7 lbs. Lighter Weight allowing
- for less user fatigue
- Eliminates Compressors and Generators, providing greater portability and lower cost of ownership
 4-Mode DRIVE CONTROL™ provides greater control
- over output speed and power
- ONE-KEY[™] Compatible: Ability to Customize, Track and Manage tools for increased productivity and investment protection. Includes the ability to set a repeatable torque output for maximum control.



M18 FUEL 1" High Torque Impact Wrench Bare Tool



- M18 FUEL Hammer Drill/Impact One Key Combo Kit

 M18 FUEL™ 1/2" Hammer Drill/Driver w/ ONE-KEY™:
 POWERSTATE™ Brushless Motor delivers up to 60% more power, is the most compact in its class at 6.9" in length, and provides up to 2X faster speed under heavy load. At 1,200 in-lbs of torque and only 6.9" in length, it has the power for demanding applications and ability to access tight spaces

 • M18 FUELTM 1/4" Impact Driver w/ ONE-KEYTM:
- POWERSTATE™ brushless motor delivers up to 30% faster driving speeds and up to 2000 in-lbs of torque while being the most compact impact driver at 4.59" in length
- ONE-KEY™ Compatible: Ability to track, manage and customize tools for increased productivity and protection of users investment
- M18 REDLITHIUM™ XC5.0 Battery Pack

MLW2805-22

- M18 FUEL 1/2" Drill with One Key Kit

 POWERSTATE™ Brushless Motor: produces 1,200 in-lbs of torque and 2,000 RPMs
- 6.9" length for access into tight spaces and reduced fatigue • REDLINK PLUS™ Intelligence protects from
- overloads, heating and over-discharge

 M18 REDLITHIUM™ XC5.0 Battery Pack
- ONE-KEY™ Compatible: Ability to customize, track, and manage tools for increased productivity and protection

MLW2805-20

M18 FUEL 1/2" Drill with One Key, Bare Tool

MLW2857-22CT

- M18 FUEL 1/4" Hex Impact Driver One Key CP Kit

 POWERSTATE™ Brushless Motor delivers up to 30% Faster Driving Speed, increasing users productivity
- 4.59" in length providing more access in tight spaces
- Up to 25% More Torque with up to 2,000 in-lbs
 REDLINK PLUS™ Intelligence: Ensures optimal performance and provides overload protection to prevent damage to the tool and battery during heavy applications while still maintaining compatibility across the entire M18™ System.

 • M18 REDLITHIUM™ CP2.0 Battery Pack: Delivers more work
- per charge and more work over the life of the pack than competitors

MLW2857-20

M18 FUEL 1/4" Hex Impact Driver with One Key Bare Tool











MLW2720-21 M18™ FUEL™ Sawzall Kit with 1 Battery REDLITHIUM™ XC 5.0 Battery Pack

Includes: M18™ REDLITHIUM™ XC 5.0 Battery, M18[™] and M12[™] multi-voltage charger, blade and carrying case

MLW2720-20 M18™ FUEL™ Sawzall (Bare Tool)



MLW2722-21HD M18 FUEL™ Super Sawzall Kit

- Purposely built for the M18 FUEL™ SUPER SAWZALL™ to generate the power and performance of a 15A corded reciprocating saw
 • REDLINK PLUS™ Intelligence
 • REDLITHIUM™ High Output HD12.0 Battery Pack

- 1-1/4" Stroke length removes more material with each stroke
- Variable speed trigger and 5 Speed dial provide ultimate speed control



- MLW2785-20 M18 Fuel 7" / 9" Large Angle Grinder REDLINK PLUS™ Intelligence Ensures optimal performance and provides overload protection
- REDLITHIUM™ High Output HD12.0 Battery Pack Provides 50% more power and runs 50% cooler
- 3 year warranty on material and workmanship



MLW2780-21 M18™ FUEL™ 4-1/2" Grinder with Paddle Switch (1 Battery)

 POWERSTATE™ Brushless Motor Includes: M18™ REDLITHIUM™ XC 5.0 Extended Capacity Battery Pack, M18™ and M12™ multi-voltage charger and a carrying case

MLW2780-20 M18™ FUEL™ 4-1/2" Grinder with Paddle Switch (Bare Tool)





MLW2727-21HD M18 FUEL™ 16" Chainsaw Kit • Purposely built for the M18 FUEL™ 16" Chainsaw to generate the power and performance of a gas engine up to 40CC

Milwaukee

- Delivers the power to cut hardwoods, cuts faster than gas, and ellivers up to 150 cuts per charge

 REDLITHIUM™ High Output HD12.0 Battery Pack

 16" Oregon Bar and Chain



MLW2550-22 M12™ Rivet Tool Kit

- Charger & Bag

MLW2550-20 M12 Rivet Tool (Bare Tool)



MLW2438-22X

M12 Cordless Variable Speed Polisher Sander

- with 5 Piece Accessory Kit

 Polishing Mode: 0 2800 RPM, Sanding Mode: 0 8300 RPM
- · Variable speed trigger for increased user control
- Single pass on exterior trim on one charge
- Kit includes: (1) MLW2438-20 M12 Variable Speed Polisher/Sander, (1) MLW48-11-2402 M12 XC High Capacity Red Lithium Battery, (1) MLW48-11-2401 M12 Redlithium Battery, (1) MLW48-59-2401 M12 Lithium-lon Battery Charger, (1) 3" polishing backing pad, (1) 2" sanding backing pad, (1) wool pad, (1) yellow foam pad, (1) white foam pad, (1) Side Handle and (1) carrying case



M12 Soldering Iron Kit

- . Heats Quickly, Maintains Optimized Temperature
- Ready-to-Use & Safe-to-Store Tip Indicator · 3-Stop Pivoting Head for Unmatched Access
- 18 Second Heat Up Time
- Tool-Free Tip Change: Easily Switch Between Chisel and Pointed Tips



- · Milwaukee's FINISHGUARD hooks provide lasting protection against scratches to a vehicle's finish

M12 LED Underhood Light (Bare Tool)

- 2X more gripping surface for maximum hold
 Two modes High: 1350 Lumens/4 Hrs. Low: 600 Lumens/8 Hrs.
- Mounting hooks extend 48"-78" covering wide cars and trucks
 S Year Tool Warranty as well as a Limited Lifetime LED warranty



MLW2446-21XC M12™ Grease Gun Kit

- Delivers over 8,000 PSI for heavy duty applications
- Superior run-time up to 7 grease cartridges per battery charge
- M12[™] XC LITHIUM-ION Battery Pack 20+ Tools in the M12™ Cordless System
- M12 Grease Gun Kit Includes: grease gun. (1) XC Battery, charger and carrying case.

MLW2446-20 M12 Grease Gun Only



MLW2688-21 M18 Heat Gun Kit

- High Performance Heating Coil: Reach
- REDLINK™ Intelligence:
 Temperature management system provides maximum life
- Most compact electric heat gun: 6.35" long
- Guarded Nozzle: Prevents
- contact with unprotected surfaces
- · Ladder Hook: Easily hang between applications



MLW2125-20

MLW2646-22CT

M18™ Cordless 2-Speed Grease Gun Kit

with 2 Batteries

- Industry leading 10,000 PSI max operating pressure
- . New to world precision through pre-set grease counter lbs
- Best in class 48" flexible hose

The kit includes (2) M18[™] batteries and the new multi-voltage charger, so you can charge all M12™ and M18™ lithium-ion batteries with one charger.

MLW2646-21CT M18™ Cordless 2-Speed

Grease Gun Kit with 1 Battery

MLW2646-20 M18™ Cordless 2-Speed Grease Gun (Bare Tool)



MLW48-59-1811

M18 & M12 Super Charger

- Charges batteries up to 4x faster
 Charges all M12[™] & M18[™]
- Batteries Full system compatibility Charges the M18™ HIGH OUTPUT™
- HD12.0 in 1 hour





MAKWT04R1

12V max Lithium-Ion Cordless 1/4" Impact Wrench
• Variable speed (0-2,600 RPM & 0-3,200 IPM)

- for a wide range of fastening applications

 Makita-built motor delivers 44 ft.lbs. of Max Torque

 Ultra-compact design at only 6-3/8" long and weighs
- only 2.3 lbs. with battery for reduced operator fatigue

 3 year warranty on material and workmanship

MAKWT04Z

12V Max Lithium-Ion Cordless 1/4" Impact Wrench (Bare Tool)



MAKCT326

3 Piece 3/8" Drive Impact and Drill Driver with Compact Light Kit

2-speed 3/8" Driver-Drill (0-450 & 0-1,700 RPM) delivers 250 in.lbs. of Max

- Torque in an ultra compact size
- 3/8" Driver-Drill weighs only 2.4 lbs. with battery for reduced operator fatigue
 L.E.D. light weighs only 0.6 lbs. with battery for reduced operator fatigue
- · 3 year warranty on material and workmanship

The kit includes a 12V max CXT® 3/8" Driver-Drill, 3/8" Drive variable speed impact wrench, a compact LED Flashlight, charger and (2) 12V max Lithium-lon batteries.



MAKCT411

4 Piece 12V Max CXT Lithium-Ion Cordless Combo Kit

- 3/8" Driver-Drill with 2-speeds (0-450 & 0-1,700 RPM) delivers up to 250 in.lbs. of Max Torque
- 1/4" Impact Driver with variable speed (0-2,600 RPM & 0-3,500 IPM) delivers up to 970 in.lbs. of Max Torque
- a 0-3,300 FM) delivers up to 970 fillibs. of Max Totque
 lmpact Driver features a compact design at only 6-1/8" long and weighs only 2.3 lbs. with battery for reduced operator fatigue
 Variable speed 3/8" Impact Wrench (0-2,600 RPM & 0-3,200 IPM) provides 103 ft.lbs. of Max Torque in an ultra compact design
 3 year warranty on material and workmanship

The kit includes a 12V max CXT® Impact Driver, a 3/8" Impact Wrench, 3/8" Driver Drill and a compact LED Flashlight, charger and (2) 12V max Lithium-lon batteries.



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Makita



MAKCT232

12V MAX CXT Lithium-lon Cordless 2 Piece Combo Kit

- 3/8" Driver-Drill features a compact design at only 7-7/16" long and weighs only 2.4 lbs. with battery for reduced operator fatigue
 Impact Driver with variable speed (0-2,600 RPM & 0-3,500 IPM) delivers up to 970 in.lbs. of Max Torque
- Impact Driver features a compact design at only 6" long and weighs only 2.3 lbs. with battery for reduced operator fatigue
- 3 year warranty on material and workmanship

The kit includes two 12V max CXT Lithium-Ion slide-style batteries, an ultra-compact two-speed driver-drill and a variable speed impact driver.

MAKMP100DWRX1

12V Lithium-Ion Cordless Inflator Kit (2.0Ah)

 Auto-stop function automatically stops inflation when preset air pressure is reached to prevent overfill High visibility pressure gauge display with back light
25-1/2" hose length for better reach



MAKXWT08M

18V LXT Lithium-Ion 1/2" Drive **Brushless Impact Wrench Kit**

- L.E.D. Light

 L.E.D. Light

 BLTM Motor delivers 1,180 ft.lbs of breakaway torque

 3-speed power selection switch (0-900/ 0-1,000/ 0-1,800 RPM & 0-1,800/ 0-2,000/ 0-2,200 IPM) provides precise fastening control for a wide range of applications

 Includes (2) 18V LXT® Lithium-lon batteries, rapid charger and tool bag



MAKCT324

12V Lithium-Ion Cordless 3 Piece

- Combo Kit (1.5AH)
 Impact Driver with variable speed (0-2,600 RPM &
- O-3,500 IPM) delivers up to 970 in.lbs. of torque
 Variable speed Impact Wrench (0-2,600 RPM & 0-3,200 IPM) provides 103 ft.lbs. of Max Torque
 Compact size for convenient illumination in tight
- spaces
- Rubberized soft grip provides increased comfort on the job
- · Most tools available as "Tool Only" (battery and charger not included), and/or in "Kits"



MAK9227C

- 7" Electronic Sander/Polisher
 Variable speed (0-3,000 RPM) with pre-set maximum
- speed dial; ideal for ultra slow polishing
 Pre-set speed setting dial (from 600-3,000 RPM) for maximum control
- Electric speed control maintains constant speed under load
- Easily converts to a sander
- 3 prong plug to prevent static electricity accumulation



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



MAKP05000CX1

- 5" Dual Action Random Orbit Polisher
- · Conveniently located speed dial (1,600 - 6,800 OPM)
- Dual Action: "Random Orbit with Forced Rotation" or "Random Orbit with Free Rotation"
- · Ergonomically designed knob handle provides precision and control
- Air vent intake covers help prevent fibers from entering the motor



MAK9237CX2

7" Polisher/Sander Kit With Bag

- Variable speed dial and trigger enables user to match the speed to the application
- · Constant speed control maintains constant speed under load
- Soft start for smooth start-ups and less fling off of polish, wax, or paste
- Rubberized loop handle and gear housing for operator comfort and to help protect delicate surfaces from damage

MAK9237C

7" Electronic Control Polisher (bare tool)



MAK9237CX3

- 7" Polisher/Sander
- 10 Amp 7" Corded 3,000 RPM Variable Speed Polisher with Side Handle, Wool Bonnet and 21" Contractor Bag
- Variable speed dial and trigger enables user to match the speed to the application
 Constant speed control maintains constant speed under load
 Soft start for smooth start-ups and less filing off of polish, wax or paste

- Rubberized loop handle and gear housing for operator comfort and to help protect delicate surfaces from damage
- Wire mesh intake covers to prevent wool fibers from entering the motor

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



2 Piece IQv12 Cordless Impact/Ratchet Kit

- W1120 1/4" 12V Impactool Compact tool design and 100 ft-lb of torque
 R1120 1/4" 12V Ratchet Compact and durable motor delivers up to 30 ft-lb of torque with the ability to handle additional manual torquing when needed
- BL1203 12V r2.0 Battery Provides 2.0 Ah of 12-volt power for maximum tool runtime
- . TB4 Tool Bag



IRTIOV12-302

3 Piece 12V Cordless-Impactool, Driver, Ratchet Kit

- W1110 1/4" 12V Impact Driver 1/4" Hex drive for flexible use with various bits and sockets
 W1130 3/8" Impactool: 3/8" Square drive for secure retention of sockets
- R1120 1/4" 12V Ratchet Compact and durable motor delivers up to 30 ft-lb of torque with the ability to handle additional manual torqueing when needed
- BL1203 12V r2.0 Battery Provides 2.0 Ah of 12-volt power for maximum tool runtime
- Tool Bag





IRTG1811-K2 IQV12 G1811 Belt Sander Kit

- ACCESSIBILITY: Take precision sanding to a whole new level. This hose-free sander with 3/8" X 13" narrow-width belts and an 8-position adjustable belt arm gets in and around a car or truck's tightest spots. It's designed to smooth, finish and deburr PERFORMANCE: The G1811 is equipped for both speed and control. It runs at 6,600
- RPM to get you through jobs fast. You can change belts at the touch of a button and a variable speed lever lets you maneuver around tight spots as quickly or carefully as the job demands
- Kit Includes: (2) r2.0 Li-ion Batteries, 12V charger, (3) 60-Grit and (3) 80-Grit Belts

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

IRTW5132-K22 IQV20 3/8" Drive Impact Wrench (2-Battery Kit)

- 550 ft-lbs of nut-busting torque, 365 ft-lbs of MAX torque
- · Best-in-class power-to-weight (only 4.5 lbs) ratio
- Intelligent power regulator that allows you to choose from up to four different settings so it always delivers just the right amount of torque
- The variable-speed switch with electronic brake
- Brushless motor delivers more power and efficiency
- 60 lumen LED light ring

IRTW5132-K12

IQV20 3/8" Drive Impact Wrench (1-Battery Kit)

IRTW7152-K12

IQV20 1/2" High Torque

- Impact Wrench (1-Battery Kit)
- 1500 ft-lbs nut-busting torque and 1000 ft-lbs of MAX torque
 Best in class power-to-weight ratio
 IQV Power Control Systems includes 4 modes: MAX Power, Mid Power, Wrench Tight, and Hand Tight
- 8.1" short tip-to-tail design at only 7.6lbs
 Brushless motor delivers durability and efficiency

IRTW7152-K22

IQV20 1/2" High Torque Impact Wrench (2-Battery Kit)

IQV20 1/2" High Torque Impact Wrench (Bare Tool)

IRTW7252-K22

IQV20 1/2" High Torque Impact Wrench with 2" Extension (2-Battery Kit)

- 1500 ft-lbs nut-busting torque and 1000 ft-lbs of MAX torque
- Best in class power-to-weight ratio
- IQV Power Control Systems includes 4 modes: MAX Power, Mid Power, Wrench Tight, and Hand Tight
- 10.1" short tip-to-tail design at only 7.9lbs
- Brushless motor delivers durability and efficiency

IRTW7252

IQV20 1/2" High Torque Impact Wrench with 2" Extension (Bare Tool)



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KTI10210

Professional 10 inch Waxer/Polisher

- Powerful .65 amp motor. 2,580 rpm (no load)
 Ball bearing construction. High impact ABS housing
- Includes 1 terry cloth bonnet. 110V
- 1 year warranty on material & workmanship



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





KTI10215

Variable Speed Polisher

- 11 Amp electric motor, dial speed control
- Variable speed 1,000 to 3,000 rpm
- Overload protection, 3 position side handle, rubberized for better grip & 7" diameter pad. UL listed.
 1 year warranty on material & workmanship

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



DWTDCK398HM2

20V Max Impact Wrench Combo Kit

- DCF899 Up to 700 ft-lbs of max torque and 1200 ft-lbs of max breakaway torque
- and 1200 ft-lbs of max breakaway torque

 DCF883 Compact (5.70" front to back),
 lightweight (3.4 lbs) design fits into tight areas,
 Up to 130 ft-lbs of torque

 DCL050 3 Bright LED's illuminates dark jobsite work
 areas, 2 Brightness settings 500 & 250 Lumens provides
 flexibility for maximum light output or extended runtime
- (2) DCB204 No memory and virtually no self-discharge for maximum productivity and less downtime. 4.0 amp hour batteries





- 20V Max Lithium-Ion 3-Tool Combo Kit

 DCGG571 20V MAX* Lithium Ion Grease Gun Powerful motor delivers 10,000 max psi to power through clogged grease fittings. High-volume pump pushes up to 5.0 oz/min high-flow applications.
- DCF899H 20V MAX* XR Brushless High Torque Impact Wrench with Hog Ring Anvil
 Delivers up to 700 ft-lbs of max torque and 1200 ft-lbs of max breakaway torque. Provides Multi-speed control for a variety of applications (0-400/ 1,200/ 1,900 RPM).
- DCL043 3 bright LEDs illuminate dark jobsite work areas. Can be seen up to 508 yards or 1,525 feet.
- Kit includes: DCF899HB, DCGG571B, DCL043, (2) DCB204, Charger and Carry Bag

DWTDCGG571M1

20V Max Li-Ion Grease Gun Kit

- Powerful motor delivers 10,000 max psi to power through clogged grease fittings
- High-volume pump pushes up to 5.0 oz/min high-flow applications
- Up to 16 cartridges per charge with a single DEWALT 20V MAX Battery (4.0 Ah)
- Variable speed trigger offers precise control of the grease flow



DWTDCF894HP2

20V MAX XR 1/2" Compact High Torque Impact Wrench Kit

- Up to 330 ft-lbs max of fastening torque at only 3.48 lbs
- · Variable speed trigger helps to provide speed control
- · Compact and lightweight design for comfort when working in tight spaces
- Includes the new Precision Wrench™ Control feature, which helps add more control when using the tool in forward and reverse







DWTDCD980M2

20V MAX Lithium Ion Premium 3-Speed Drill Driver Kit

- DEWALT® 20V Max* XR Premium Lithium Ion batteries offer longer tool runtime and enhanced durability
- 3-speed all-metal transmission matches the tool to task for fastest application speed and improved run time
- Heavy-duty 1/2" metal ratcheting chuck with carbide inserts provides superior bit

- Heavy-duty 1/2 Inetal national gridler with carbida index by provided agripping strength
 LED light with 20 second delay after trigger release
 High power, high efficiency motor delivers 535 unit watts out of max power for superior performance in all drilling and fastening applications
 Kit includes 1 hour charger, (2) 20V Max XR Premium Lithium Ion batteries, 360 degree side handle, and kit box.

DWTDCF899HP2

20v MAX XR High Torque 1/2" Impact Wrench with Hog Ring Anvil Kit (5.0Ah)

- Up to 700 ft-lbs of max torque and 1200 ft-lbs of max breakaway torque
 • Compact design of 8-13/16" in length
- and weighs only 7.2 lbs
- Multi-speed control for a variety of applications (0-400/ 1,200/ 1,900 RPM)
- 1/2" Anvil with Hog Ring
- LED light with 20 second delay for increased visibility



DWTDCK280C2

20 Volt MAX* Compact Drill/Impact Driver Combo

- · Compact, lightweight design fits into tight areas
- Drill high speed transmission delivers 2 speeds (0-600 and 0-2,000 rpm)

- Drill heavy-duty 1/2" ratcheting chuck
 Impact one-handed loading 1/4" hex chuck accepts 1" bit tips
 Impact 3 LED lights with 20 second delay after trigger release

Includes: DCD780 1/2" Drill/Driver, DCF885 1/4" Impact Driver, (2) 20V MAX* Lithium Ion 1.5 Ah Battery Packs, Charger, Belt Hooks, and case

DWTDWP849X

7" High Performance Electronic Polisher

- · Controlled finishing system with soft start
- Variable speed dial sets speed from 0-3500 rpm
- Variable speed trigger controls speed from 0- specified speed

DWTDWP849

7" / 9 Right Angle Polisher



Torque Wrenches

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Digital Torque Wrench 3/8" Drive, 72 Teeth

- 3/8" drive, 72 teeth 14.8-73.8 ft-lbs
- 20-100 Nm
- 1 year warranty on material & workmanship

Digital Torque Wrench 1/2" Dr, 72 Teeth

- 1/2" drive, 72 teeth
 29.5-147.5 ft-lbs
- 40-200 Nm
- 1 year warranty on material & workmanship

KTI72135A Digital Torque Wrench 1/2" Drive, 25-250 Ft-Lbs

- 1/2" drive, 72 teeth25-250 ft-lbs
- Guaranteed accuracy +/- 4%Tool length: 22.44"
- 1 year warranty on material & workmanship

KTI72138

1/2" Drive Digital Torque Adaptor

- Three standard functions: torque setting, measurement setting and mode setting
- Operates is clockwise and counter-clockwise directions
 Torque range is 29.5 147.5 ft-lbs
- 1 year warranty on material & workmanship



ACCURATE EASY-TO-USE ADJUSTMENT

KTI72117

Accuracy: ±4%

& workmanship

1/4" Drive Torque Wrench

Capacity: 30-150 in./lbs.
Overall length: 7-3/4"

Works in clockwise direction

1 year warranty on material

Click-Style Torque Wrenches

- EZ-turn torque adjustment
 Works in clockwise and counter-clockwise directions
- 1 year warranty on material & workmanship

PART# Description

- KTI72140 3/8" Dr. Torque Wrench, 50-250 in/lbs.
- KTI72143 3/8" Dr. Torque Wrench, 10-100 ft/lbs.
- KTI72141 1/2" Dr. Torque Wrench, 30-150 ft/lbs.
- KTI72142 1/2" Dr. Torque Wrench, 30-250 ft/lbs.
- KTI72145 3/4" Dr. Torque Wrench, 100-600 ft/lbs.

Ratcheting-Style Torque Wrenches
• "Clicks" when proper torque is activated

3/8" Drive Ratcheting Torque Wrench

- Capacity: 20-200 in/lbs
- Overall length: 11
- 1 year warranty on material & workmanship

KTI72101

1/2" Drive Torque Wrench Capacity: 10-150 ft./lbs.

- · Overall length: 18'
- 1 year warranty on material & workmanship

KTI72102

1/2" Drive Ratcheting Torque Wrench

- Capacity: 25-250 ft./lbs.
- 1 year warranty on material & workmanship

KTI72175

3/4 Drive Ratcheting Torque Wrench
Ratcheting Torque Wrench, Micrometer Style, 3/4" Drive, 100- 600 ft/lbs, 42" Long, in Case



Micrometer Click Wrenches

- · Patented lock ring is easy to use
- Wide usable scale with 3% accuracy
- · All steel construction for increased durability

PREM1R200HX

1/4" Drive, Micrometer Click Torque Wrench (30-200 in./lbs.)

PREM2FR100F

3/8" Drive Flex Head Micrometer Click Wrench (20-100 ft./lbs.)



PRECISION INSTRUMENTS

"Split Beam" Wrenches

- Convenience: This tool does not have to be "turned down" after use
- Comes with 1 year warranty, dated calibration compliance certificate
- · Packaged in a storage case



3/8" Drive Flex Head "Split Beam" Click Wrench (120 to 600 in./lbs.)



PREC3FR250F 1/2" Dr. "Split Beam" Torque Wrench w/Flex head (40-250 Ft./Lbs)



PRECISION INSTRUMENTS



PREC4D600F

3/4" Drive "Split Beam" Torque Wrench with Detachable Head (200-600 ft/lbs)

PREC5D600F

1" Drive "Split Beam" Click Wrench (200-600 ft./lb.)



PREC4D600F36H

3/4" Torque Wrench and Breaker Bar Combo Pack

 Push button allows the user to select desired length up to 41'

PREC5D600F36H (1" Drive)
• Includes Split Beam Torque Wrench (PREC5D600F) & Breaker Bar Handle (PREXT36H)



Torque Wrenches

PRECISION INSTRUMENTS



Dial-Type Torque Wrenches

The Precision Instruments Dial Type Torque Wrench is 2% accurate from 20% of full scale to full scale. Virtually friction free operation ensures low maintenance and extends the overall life.

PRED2F150HM

3/8" Drive Dial-Type Torque Wrench with Memory Pointer (150 in./lbs.)

- · Perfect for checking differential pinion bearing preload
- · All steel construction, no plastic or rubber
- Square Drive: 3/8"

PRED2F600HM

3/8" Drive Dial-Type Torque Wrench with Memory Pointer (600 in./lbs.)

Central Tools, Inc. 🤰



CEN6387

Torque Multiplier Max Output 2000 ft/lbs.

- Increases the range of your torque wrench as much as 4 to 1
- · Designed with four pinion gears in a compact housing
- · Frictional losses in the gear train may cause a torque loss of 10% to 20%

CEN6380

Torque Multiplier Max Output 1000ft/lbs.

☞ GEARWRENCH



KDT85079

Electronic Torque Wrench 1/2" Drive Flex-Head
• Accuracy 2% CW, 3% CCW in 20 – 100% range

- Angle function with range to 888 degrees
- 15 degree flex-head for access
- 5 torque measurement units: ft-lb, in-lb, Nm, Kg-fm, Kg-fcm



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KDT85078

Electronic Torque Wrench 3/8" Drive Flex-Head



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KDT85076

3/8" Drive Electronic Torque Wrench 7.4 - 99.6 ft/lbs

- 72-Tooth Gear for 5 degree ratcheting arc
- Includes "Target Torque Alert" tone
- Clockwise accuracy ±2%
- Counter clockwise accuracy ±3%
- Accuracy from 20% to 100% of full scale



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KDT85077

1/2" Drive Electronic Torque Wrench

25.1 - 250.8 ft/lbs

- . 72-Tooth Gear for 5 degree ratcheting swing arc
- Includes "Target Torque Alert" tone
- Clockwise accuracy ±2%
- Counter clockwise accuracy ±3%
- Accuracy from 20% to 100% of full scale

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

☞ GEARWRENCH



- Gearwrench patented 120xp head
 Formed low profile tube
 High definition scale in SAE and Metric
- · Rear palm support for added leverage
- · Lifetime warranty on ratchet heads

KDT85171 (1/4" Drive) 120XP 1/4" Drive Micrometer Torque Wrench 30-200 Ft.

KDT85181 (1/2" Drive) 120XP 1/2" Drive Micrometer Torque Wrench 30-250 Ft.

Bolt Extractors

☞ GEARWRENCH



KDT84784

28 Piece 1/4" and 3/8" Drive Bolt Biter Extraction Socket Set

- Bi-directional design for removing and tightening damaged fasteners
 Tapered entry enables socket to easily seat on a damaged fastener
 Minus-size sockets fit a wider range of damaged fasteners

- Black oxide finish provides superior corrosion resistance
 Square drive with hex base for use with impact gun, ratchet, wrench, or pliers

15 Piece 1/4" and 3/8" Drive Bolt Biter **Extraction Socket Set**

1/4" Socket Sets / Combination Ratchets and Accessories



KTI21044 44 Piece 1/4" Drive Fractional & Metric Socket Set

- · Chrome vanadium alloy steel
- Heat treated

Set includes sizes standard length fractional sockets 3/16" to 9/16", deep fractional sockets 1/4" to 9/16", standard length metric sockets from 4mm to 15mm, deep metric sockets 6mm to 15mm. Includes 1/4" drive Pro Ratchet and 2" and 6" extensions. Packaged in a blow molded case.



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

☞ GEARWRENCH

120XP



KDT80300XP

51 Piece 1/4" Drive SAE/Metric 6 Point Standard and Deep Socket Set

1/4" Drive 120XP™ Ratchet

- Thumbwheel Ratchet
- 2" and 6" extensionBlow mold case with removable lid

KDT80300

51 Piece 1/4" Drive 6 Point SAE/Metric Socket Set

☞ GEARWRENCH



KDT80940

219 Piece 1/4", 3/8", 1/2" Drive Metric, SAE Socket and Ratchet Set with 3 Drawer Case

- Includes 219 pieces such as ratchets, sockets, and wrenches
- Drawers are held in by flaps that swing in from both sides
- Drawers slide independent of each other, current versions rest on each other



KDT80944

232 Piece 1/4", 3/8" Drive
Metric & SAE Mechanics Hand Tool Set

Full Polish Chrome Metric and SAE 72 Tooth Ratcheting Combination Wrenches

- Sockets feature Off-Corner Load Anti-Rounding Design to reduce fastener rounding
 1/4" & 3/8" Drive Teardrop, Low Profile, 84 Tooth Ratchets provide better access in tight spaces
- Includes 3-Drawer Storage Box with independent sliding drawers, side flap lock drawers in place, a steel hinged lid and durable handle
 • Meets or exceeds ASME B107.1, B107.5M, B107.10, B107.6

☞ GEARWRENCH

KDT80942

239 Piece 1/4", 3/8", 1/2" Drive Metric, SAE Socket and Ratchet Set with 3 Drawer Case

 Full Polish Chrome Sockets with large hard stamp size markings feature Surface Drive Technology to reduce fasteners rounding

• Full Polish Chrome Combination

Wrenches feature Offset Box End and Surface Drive Technology
 45 Tooth Full Polish Chrome Quick-Release Ratchets
 The Original Allen Brand Hex Keys

- Magnetic Bit Driver with ergonomic dual material handle
- · Three drawer blow molded case with three different tool options



☞ GEARWRENCH



- 1/4", 3/8", 1/2" Drive Tool Set

 Durable 3 Drawer Blow Mold Case, with Locking Hinges, Removable Drawers, and Rugged Handle
- 1/4", 3/8", 1/2" Drive 84 Tooth Full Polish Chrome Ratchets, Providing 4.3°
 Ratcheting AC for Better Access
- 12 Point Long Pattern Combination Wrenches Feature Off-Corner Loading on Open End: Stronger Grip, Reduces Fastener Rounding, Up to 25% More Torque
- SAE & Metric Hex Bit Sockets with S2 Steel Bits for Added Strength • 1/4", 3/8", 1/2" Drive Universal Joints to Reach Hard to Access Fasteners

KDT80966

243 Piece 6 Point 1/4", 3/8", 1/2" Drive Tool Set

1/4" Socket Sets and Accessories

GW GEARWRENCH

KDT81032

1/4 Drive 45 Piece Slim Head Ratchet Set

- Multi-functional head design converts bit driver to ratchet with insertion of 1/4" drive ratchet adapter
- 9 position locking flex-head for maximum access
- Full polish chrome handles, with 6" and 12" handle lengths
 Slim line head design 0.73" wide & 0.49" thick to access tight work areas



2 Piece Set 120XP Extra Long Handle Ratchets, 1/4 Drive

9" Extra long handle on 1/4" Drive

KDT81002

5 Piece 1/4" Drive Extension Set

• Includes 2", 3", 6", 10" and 14" Extensions

KDT81003

3 Piece 1/4" Drive Locking Extension Set
• Includes 2", 3", and 6" Locking extensions



KDT80319

10 Piece 1/4" and 3/8" Drive 6 Point 10MM Socket Set

 Set includes: 1/4" Drive 6 Point Flex Socket 10mm, 3/8" Drive 6 Point Flex Socket 10mm, 1/4" Drive 6 Point Standard Metric Socket 10mm, 1/4" Drive 6 Point Deep Metric Socket 10mm, 3/8" Drive 6 Point Standard Metric Socket 10mm, 3/8" Drive 6 Point Deep Metric Socket 10mm, 1/4" Drive 6 Point Mid Length Metric Socket 10mm and 3/8" Drive 6 Point Mid Length Metric Socket 10mm



KDT81196

10 Piece 1/4" and 3/8" Drive Stubby Torx Bit Driver Set



KDT81180

10 Piece 1/4" Drive Phillips and Slotted Bit Driver

Mid Length Socket Sets

- Knurled base for ease SAE/MM identification Large hard-stamped identification
- · Serration depth as deep as the fastener

· Entry angle guides fastener

KDT80304S

13 Piece 1/4" Drive 6 Point Metric

 Sizes include: 4mm, 5mm, 5.5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm and 15mm



KDT80305S

Piece 1/4" Drive 6 Point SAE
 Sizes include: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2" and 9/16"



7 Piece 1/4" Drive SAE 6 Point Flex Socket Set

Set includes: 3/16", 1/4", 5/16", 3/8', 7/16", 1/2" and 9/16"
 1/4" drive 6 point flex SAE sockets packaged on a slide rail



12 Piece 1/4" Drive Metric 6 Point Flex Socket Set

 Set includes: 5mm, 5.5mm, 6mm, 7mm, 8mm, 9mm. 10mm, 11mm, 12mm, 13mm, 14mm and 15mm 6 point 1/4" drive flex metric sockets packaged in a slide rail



13 Piece 1/4" Drive 6 Point Deep Metric Socket Set

 Set includes: 4-5.5mm, 6-15mm Deep Sockets, packaged on a clip rail



13 Piece 1/4" Drive 6 Point Standard Metric Socket Set

Set includes: 4 through 5.5, 6 through 15mm Standard



Sockets packaged on a clip rail

1/4" Drive Push Button Ratchet

High polish chrome finish



KTI21092

1/4" Drive 4-1/2"

Professional Series Chrome Ratchet

· New design push button socket release

• Thumb lever directional switch


KTI21095

1/4" Drive 7" Long Handled Professional Series Chrome Ratchet

- · Thumb lever directional switch
- Fine tooth thin design

KTI21080

1/4" Drive Flex Handle







AST7412

12 Piece 1/4" Drive 6 Point Metric Flex Socket Set
• Set Include: 5mm, 5.5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm and 15mm flex sockets



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





EZR4S04

1/4" Drive Stubby Quarter Stick

- 4" long
- Custom reversible switch
- · Knurled low profile thumb wheel for extra precision Push Button guick release
- 180 Degree flexible head at
- each end for multiple angles

EZR4S12L

1/4" Drive Combination Quarter Stick

- Extra long 11.75" long • 1/4" Square Drive end
- 1/4" Magnetic Bit end
- Custom reversible switch
- · High polished chrome finish

☞ GEARWRENCH

KDT81027

1/4" Drive Gimbal Ratchet

- · Gimbal design allows ratchet to rotate on two planes for easier access
- 72-tooth ratcheting mechanism for 5 degree swing arc
- Anodized aluminum finish for protection and easy wipe down

TIT49006

- 3 Piece Impact Wobble Socket Adapter Set
- Impact grade
- Wobble range: 30 degrees
- 1/4, 3/8 and 1/2" drive
- Adapts socket to power drills and drivers
 1/4" shank

TIT49003

3 Piece Impact Wobble Socket Adapter Set

- Impact grade
- · Wobble range: 30 degrees
- 1/4, 3/8 and 1/2" drive
- · Adapts sockets to power drills and drivers





3/8" Socket Sets and Accessories



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





K-Tool Socket Sets

Part Number	Description	Included in Set	Point	
KTI22047	47pc 3/8" Drive Standard and Metric Socket Set	3/8" Drive Pro Ratchet, $3"$ and $6"$ extensions, standard length fractional sockets $1/4"$ to $7/8",$ deep sockets $3/8"$ to $7/8",$ standard length metric sockets 6 to 19mm, deep metric sockets 10 to 19mm	6	
KTI27000	26pc 3/8" Drive Metric Socket Set	14 short sockets from 8mm to 21mm, 9 deep sockets from 10mm to 19mm, push button ratchet, spark plug socket and extension	6	
KTI27101	13pc 3/8" Drive Metric Chrome Socket Set	7mm to 19mm	6	
KTI27201	9pc 3/8" Drive Metric Deep Chrome Socket Set	10mm to 18mm	6	
KTI22547	47pc 3/8" Drive Standard and Metric Socket Set	3/8" Drive Pro Ratchet, $3"$ and $6"$ extensions, standard length fractional sockets $1/4"$ to $7/8"$, deep sockets $3/8"$ to $7/8"$, standard length metric sockets 6 to $19mm$, deep metric sockets 10 to $19mm$	12	
KTI27501	15pc 3/8" Drive Shallow Metric Socket Set	7mm to 21mm	12	
KTI22401	13pc 3/8" Drive Deep SAE Socket Set	1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1"	12	
KTI22501	13pc 3/8" Drive Shallow SAE Socket Set	1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1"	12	

GW GEARWRENCH

120XP

KDT80550 57 Piece 3/8" Drive 6 Point SAE/Metric Socket Set

Set includes 1/4" - 1" Standard and 1/4" - 7/8" Deep sockets; 6 - 19mm Standard and Deep Sockets; 3/8" Drive Full Polish Teardrop Ratchet, 3/8" Drive Stubby Full Polish Ratchet, 3" and 6" Extension, and Universal Joint packaged in a blow mold case.



56 Piece 3/8" Drive SAE/Metric 6 Point Standard and Deep Socket Set

Note: Does not include the Stubby Ratchet that is in the traditional 80550 set



- · X-core universal pinless joint for strength and durability
- Over 3x more durable than pinned products
- 30 Degree maximum flex angle
- Smooth 360 degree rotation
- · Lifetime warranty does not cover abuse





GRE81659CRD

59 Piece 3/8" Drive

Grey Pneumatic® Duo-Socket™ Sets

• The thin wall design hand sockets combined with the strength and durability of GP Impact Sockets to create DUO-SOCKET™

• 15° Wobble extensions Includes: 3/8" Dr. Ratchet, 3" & 6" wobble extensions, & Standard & Deep Sockets 7mm to 22mm, and 5/16" to 1".



43343444



Chrome Magnetic Universal **Extension Adaptor Set**

1438MA 1/4" to 3/8" Chrome Magnetic Adapter Individual 1819MUJ 1/4" Drive Chrome Magnetic Universal Joint Individual 19206ME 1/4" Drive Chrome 6" Magnetic Extension Individual 2829MUJ 1/2" Drive Chrome Magnetic Universal Joint Indv 29206ME 1/2" Drive Chrome 6" Magnetic Extension Individual 3812MA 3/8" to 1/2" Chrome Magnetic Adapter Individual 3814MA 3/8" to 1/4" Chrome Magnetic Adapter Individual 3839MUJ 3/8" Drive Chrome Magnetic Universal Joint Individual 39206ME 3/8" Drive Chrome 6" Magnetic Extension Individual



3 Piece 1/4", 3/8", 1/2" Drive Chrome Magnetic Universal Joint Set

Set includes:

1819MUJ 1/4" Drive Chrome Magnetic Universal Joint Individual 2829MUJ 1/2" Drive Chrome Magnetic Universal Joint Individual 3839MUJ 3/8" Drive Chrome Magnetic Universal Joint Individual



SUN132ME

3 Piece 1/4", 3/8", 1/2" Drive Chrome 6" Magnetic Extention Set

Set includes:

19206ME - 1/4" Drive Chrome 6" Magnetic Extension Individual 29206ME - 1/2" Drive Chrome 6" Magnetic Extension Individual 39206ME - 3/8" Drive Chrome 6" Magnetic Extension Individual



TIT68100

19 Piece 3/8" Drive Insulated Socket Set

- Set includes: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 and 20mm
- Extensions: 3, 6 and 10"
- Fully insulated 3/8" drive reversible ratchet with quick release
- Tough storage case included



- Set includes: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 29, 30 and 32mm
- Extensions: 3, 5 and 10"



3/8" Socket Sets and Accessories

GW GEARWRENCH

KDT81230F

4 Piece 84 Tooth Full Polish Flex Handle Ratchet Set

- 4.3 degree ratchet arc
- Low profile head
- Improved access by 28%



KDT81206XP

3 Piece Full Polish Mixed Ratchet Set

(1/4", 3/8", 1/2" Drives)
• 120 positions

- 3 degree ratcheting arc
- Teardrop low profile head and flush mounted on/off switch

2 Piece 84 Tooth Full Polish Flex Handle Ratchet Set

- 1/4" and 3/8" drive ratchets
- 4.3 degree ratchet arc
- Low profile head
- Offset, long, stubby handles

KDT81268

2 Piece 84 Tooth Full Polish Long Handle Ratchet Set

- 84 teeth give a 4.3° ratchet arc so you can reach any fastener
 Teardrop low profile head allows better access in tight spaces
 Set includes: 1/4" Drive (KDT81028) and 3/8" Drive (KDT81264) ratchets

KDT81200

4 Piece 3/8" Drive Extension Set

- Includes 1-1/2", 3", 6", and 12" extensions
- . Made of 6130 Alloy steel


KDT81201

4 Piece 3/8" Drive Wobble Extension Set

Set includes 3", 6", 10" and 12" Wobble Extensions

KDT81202

3 Piece 3/8" Drive Locking Extension Set
• Includes 3", 6", and 10" locking extensions



TIT12079

3 Piece 3/8" Drive

Extra Long Extension Set

Lifetime Warranty

• Set includes: 18", 24", and 30'



☞ GEARWRENCH



Part Number	3/8" GearWrench Ratchets		
KDT81210XP	3/8" Drive 120XP Cushion Grip Flex Teardrop Ratchet	120	
KDT81212XP	(DT81212XP 3/8" Drive 120XP Stubby Flex Teardrop Ratchet		
KDT81215XP	3/8" Drive 120XP Full Polish Flex Teardrop Ratchet	120	
KDT81211XP	3/8" Drive 120XP Full Polish Teardrop Ratchet	120	
KDT81269	3/8" Drive 120XP Extra Long Full Polish Teardrop Ratchet	120	
KDT81265	3/8" Drive Cushion Grip Teardrop Ratchet	84	
KDT81264	3/8" Drive Full Polish Teardrop Ratchet	84	
KDT81266	3/8" Drive Full Polish Locking Flex Teardrop Ratchet	84	
KDT81267	3/8" Drive Cushion Grip Locking Flex Teardrop Ratchet	84	

KDT80565

10 Piece 3/8" Drive Metric 6 Point Flex Socket Set

• Set includes: 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm and 19mm 3/8" drive metric 6 point flex sockets packaged in a socket rail



7 Piece 3/8" Drive SAE 6 Point Flex Socket Set

• Set includes: 3/8" drive 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" and 3/4" 6 point Flex SAE sockets packaged on a socket rail

KDT80554

14 Piece 3/8" Drive 6 Point Deep Metric Socket Set

 Set includes: 6 thru 19mm Deep Sockets packaged on a clip rail

KDT80552

14 Piece 3/8" Drive 6 Point Standard Metric Socket Set

· Set includes: 6 through 19mm Standard Sockets packaged on a clip rail







1/2" Socket Sets and Accessories





1/2" Drive 6 Point Socket Sets

Available in fractional and metric sizes deep & short length.

I AILI π	
KT123200	
KTI23110	

PART #

Description

8 Piece 1/2" Dr. Fractional Deep 1/2"- 15/16" 13 Piece 1/2" Dr. Fractional 7/16" to 1-1/4"

KTI28100 14 Piece 1/2" Dr. Metric 15-24mm KTI28200 10 Piece 1/2" Dr. Metric Deep 15-24mm

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

☞ GEARWRENCH

KDT80700XP

49 Piece 1/2" Drive SAE/Metric 6 Point Standard and Deep Socket Set • 1/2" Drive 120XP™ Ratchet KDT8

- 3" and 5" extension
- Universal Joint

KDT80700

49 Piece 1/2" Drive 6 Point **SAE/Metric Socket Set**



KDT81364

KDT81361

Part Number	1/2" GearWrench Ratchets	Tooth Count			
KDT81306XP	1/2" Drive 120XP Full Polish Flex Teardrop Ratchet	120			
KDT81304XP	1/2" Drive 120XP Full Polish Teardrop Ratchet	120			
KDT81364	1/2" Drive 120XP Extra Long Full Polish Teardrop Ratchet	120	·		
KDT81361	1/2" Drive Cushion Grip Teardrop Ratchet	84			
KDT81362	1/2" Drive Full Polish Locking Flex Teardrop Ratchet	84			
KDT81363	1/2" Drive Long Full Polish Locking Flex Teardrop Ratchet	84			

1/2" Socket Sets and Accessories



All KTool Ratchets Have a Lifetime Warranty

KTI23091

1/2" Drive Push Button Ratchet

- · High polish chrome finish
- Chrome Vanadium steel
- Premium gears
- 9-7/8" in length





MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KTI23092

1/2" Drive 9-7/8" Professional Series Chrome Ratchet

- · Made of high polished chrome
- New design push button socket release
- Thumb lever directional switch
- Fine tooth thin design
- · Knurled handle



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KTI23095

Pro Series 1/2" Drive 15" Long Ratchet

- High polished chrome finish
- Push button release for fast socket changes
- Thumb lever directional switch allows easy one handed socket removal
- Fine-tooth (48) thin design
- Knurled handles for increase grip during high torque applications



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KTI23070

1/2" Sliding T-Handle

- · Manufactured from chrome vanadium steel
- High polish chrome finish
- For use with 1/2" drive sockets



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KTI23080

1/2" Drive 17" Socket Breaker Bar

· Extra leverage for breaking loose rusted or high torque fasteners



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KTI23081

1/2" Drive 24" Breaker Bar

- Diamond knurled handle for a better grip
- · High Polish
- . Made with a mirror chrome finish
- · Designed to be corrosion resistant
- Built for rugged professional environments



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



1/2" Drive Extendable Breaking Bar

- Extendable from 18" to 25"
- Durable Chrome Vanadium construction
- · Lab tested destruction of 6800 in./lbs.
- · Lifetime warranty

KTI's 1/2" drive extending breaker bar transforms from 18" to 25" and back again with the push of a button. This tool fits in any standard tool box. Laser-etched part number provides easy identification.



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KTI23083

1/2" Drive 10" Flex Handle Breaker Bar

- Flex handle
- 10" breaker bar



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

ITAN





TIT12046

15 inch Extra Long 1/2" Drive Ratchet

- Chrome ratchets with cushion handles
- Thumb control directional switch



TIT12073 1/2" Dr. Extendable Ratchet

- Extends: 18" to 24'
- Telescoping handles with at least 5 incremental stops
- Chrome vanadium steel · Contoured cushion grip handle
- Thumb action directional ratchet with quick button action socket release



- Ratchet head swivels 180 degrees
- Maximum torque: 376 lbs/ft
- Lifetime Warranty

TIT12047

1/2" Drive 30" Swivel Head Breaker Bar

- Head swivels 180°
- Maximum torque: 355 ft/lbs.

3-in-1 1/2" & 3/8" Drive Breaker Bar

- Ratchet maximum Torque 3/8 in. 175 ft-lbs 1/2 in. - 405 ft-lbs
- Overall Length 18-5/8 in.
- · Lifetime warranty does not cover abuse

G GEARWRENCH

KDT81300

- 3 Piece 1/2" Drive Extension Set
 Includes 5", 10", and 15" extensions
- . Made of 6130 Alloy steel







EZRMR12FL 1/2 " Drive Extendable Flex Head Ratchet

- 72 tooth ratcheting head angles into tight work spaces
 This tool also extends from 13-1/2" to 19-1/4" and has a locking shaft



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



EZRMR1224FL

1/2" Drive x 22" Locking Flex Head Ratchet

- 72 tooth drive to reach those hard to reach areas
- · Full chrome grip and finish which makes it an easy tool to clean

EZRMR12

1/2" Drive Extendable Ratchet

- Telescopes from 12" to 17" for extra torque
- Quick release drive head
- Lifetime Warranty



3/4" Socket Sets and Accessories



KTI24121

20 Piece 3/4" Drive 6 Point SAE Socket Set

- Includes: 16 sockets: 3/4" to 2", ratchet, T-handle and 2 extensions
- All sockets are 6 point chrome vanadium
 Drop forged heat treated steel
 Packaged in blow molded plastic case

- Limited lifetime warranty

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KTI24070

3/4" Drive Sliding T-Handle Socket

- Made with high polish, chrome vanadium steel
 Allows you accessibility to hard to reach areas
- Limited lifetime warranty

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KTI24080

3/4" Drive Flex Head Breaker Bar - 20"

- Extra leverage for breaking loose rusted or high torque fasteners
- Features high polish chrome finish, knurled handle for sure grip and ball detent to fasten socket to handle without slippage
- Limited lifetime warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Combination Ratchet Sets





EZRMR34

3/4" Drive Extendable Ratchet

- Telescopes from 24" to 39-3/4"
- · Quick-release drive head
- Lifetime Warranty

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Combination Ratchet Sets / Geared Wrenches





EZRMR482XLC

3 Piece Extra Long Non Flex Head Ratchet Set (1/4", 3/8" & 1/2")

Low profile

Full chrome grip

Double extra long

This 3 piece set features 1/4", 3/8" and 1/2" heads. These are full chrome for easy cleaning. All 3 have quick release drive heads. 72 teeth reversible head that reaches into tight spaces. These are a must have for all toolboxes.





Our newest 3 piece set includes 1/4", 3/8", and 1/2" extra long locking flex head ratchets. They all have the extendable locking shaft, that range from 9" to 22" long for all your needs. Durable, heavy duty chrome construction and chemical resistant comfort grip.

STAN

TIT18202 2 Piece Gearless

- Micro Ratchet Set • 1/4" and 3/8" Drive
- Lifetime Warranty







MTNRM6

5 Piece Metric Double Box Universal Spline Reversible Ratcheting Wrench Set

- Patented 90 tooth design
- · Packed in a tray
- Limited lifetime warranty does not cover abuse Includes sizes: 8mm x 10mm, 12mm x 14mm, 13mm x 15mm, 16mm x 18mm and 17mm x 19mm

MTNRF7

4 Piece SAE Double Box Universal Spline Reversible Ratcheting Wrench Set Includes sizes: 5/16" x 3/8", 7/16" x 1/2", 9/16" x 5/8" and 11/16" x 3/4"

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Geared Wrenches

ASK YOUR SALESMAN ABOUT GREAT GEARWRENCH DEALS TODAY!

GW GEARWRENCH

Flex Head Combination Ratcheting Wrench Sets • Flex Head tilts up to 180° at any interval

- Surface Drive® Reduces fastener rounding
- · Needs as little as 5° to move fastener

Part No.	Pcs.	Description
KDT9702	13	SAE 5/16" - 1"
KDT9902	16	Metric 8 - 19, 21, 22, 24, 25mm
KDT9701	8	SAE 5/16" - 3/4"
KDT9901	12	Metric 8mm-19mm



Wrench Rack

Wrench Rack

GEARW



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Reversible Combination Ratcheting Wrench Sets

Needs as little as 5° to move fastener

12

 15° Off-Set provides additional knuckle clearance Pcs. Description

KD 1 3303	13	3AL 3/10 - 1				
KDT9602	16	Metric 8mm-19, 21, 22, 24, 25mm				
KDT9533	8	SAE 5/16" - 3/4"				
KDT9620	12	Metric 8mm-19mm				
-						
2-03-0						
10.4	Section 1	0				

CAE E/16" 1"





Stubby Combination GearWrench Sets

- Stubby wrench beam allows access into tight areas that a standard combination will not
- Packaged in a plastic tray

Part No.

KNT9509

7 Piece SAE Stubby Combination Set

• Set includes sizes: 3/8" to 3/4".

10 Piece Metric Stubby Combination Set

Set includes sizes: 10mm to 19mm.

KDT81903

20 Piece SAE/Metric Stubby Wrench Set

Set includes sizes: SAE: 3/8" thru 15/16' Metric: 10 thru 19mm

GW GEARWRENCH

Combination GearWrench Set

 Set of full polish, fine-toothed combination ratcheting wrenches with Surface

Drive Plus Technology

Combines the speed of a ratchet and the access capabilities of a wrench

KDT9308

8 Piece SAE Combination GearWrench Set

• Includes: 5/16" - 3/4"

KDT9412

12 Piece Metric Combination Gearwrench Set

• Includes: 8mm-19mm



GU GEARWRENCH



 Set of full polish, finetoothed combination ratcheting wrenches with Surface Drive Plus Technology

 Combines the speed of a ratchet and the access capabilities of a wrench

 Patented Wrench Locker Rack holds wrenches in place for transporting and storage

KDT9416 - 16 Piece Metric Set Includes sizes: 8mm to 24mm

KDT9312 - 13 Piece SAE Set Set includes sizes: 1/4" to 1

GW GEARWRENCH



KDT85985

15 Piece XL Gearbox Set, Metric

 Non-Ratcheting Box End Features a Zero Degree Offset Head and Slim Profile Design to Reach the Tightest Places and Recessed Fasteners

Extra Long Double Box End Design with up to a 40% Longer Beam Than Standard Ratcheting Wrenches

Meets or Exceeds ASME Requirements

· Professional, Full Polish Chrome

 72 Tooth Ratcheting Box End Needs as Little as 5°to Move a Fastener

GEARWRENCH



KDT85597

12 Piece Metric Dual Ratcheting Open End

- · Combines the speed of ratcheting with the access of the open end wrench
- · Surface drive reduces fastener rounding

Sizes include: 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm and 19mm.





120XP

KDT86229 - 12 Piece Metric

120XP™ Universal Spline XL Ratcheting Wrench Sets
• 120XP™ Universal Spline XL Ratcheting Wrenches have double-stacked pawls to produce the 120 positions and three-degree swing arc, to turn a fastener in tighter confines

 XL Beam Design is up to 25% longer for improved reach and leverage


 Universal Spline Drive works on 5 different fasteners including 12-point, 6-point, Spline, E-Torx, square and also rounded 6-point, for convenience

GW GEARWRENCH



120XP

Universal Spline XL GearBox™ Flex, 10 Piece Sets



Spline drive to work on more types of fasteners
 Longer beam to increase reach

 Reduced ratcheting end diameter for increased access

· Dual Surface Drive on open end

KDT86126 - Metric

Includes: 10mm-19mm

KDT86142 - SAE

Includes: 1/4" to 3/4'

SAE & Metric Wrench Sets



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Raised Panel Combination Wrench Sets

- Raised panel design
 Heat treated
- · All sets include kit bag organizers, some feature heavy duty kit bags.

 • Limited lifetime warranty

PART # Description

KTI41011 KTI41014 KTI41016

11 Piece Fractional Set 3/8" to 1" 14 Piece Fractional Set 3/8" to 1-1/4" 16 Piece Fractional Set 1/4" to 1-1/4"

with Heavy Duty Kit Bag



13 Piece Metric Combination Wrench Set

· Packaged in heavy duty kit bag organizer Sizes include: 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm.



KTI41013

13 Piece SAE Combination Wrench Set

• Packaged in heavy duty kit bag organizer Sizes include: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and 1"



KTI41304

14 Piece High Polish SAE Combination Wrench Set

 Packaged in a kit bag Sizes include: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8" and 1-1/4".



KTI41305

24 Piece High Polish Combination Wrench Set

- Professional Series Fractional Wrench Set
- · High-polish, smooth-finish, heat treated
- chrome-vanadium steel
- Heavy duty pocketed roll pouch with two velcro bands
 Wrench sizes: 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-9/16" and 1-5/8"
- Lifetime warranty





KTI41300 9 Piece High Polish SAE

- High polish, smooth finish, heat treated Chrome Vanadium steel
- Wrenches are longer than standard combination
- wrenches to enable access to hard to reach places
- · Packaged in a kit bag
- Lifetime warranty

Includes sizes: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16" and 7/8" wrenches.



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KTI41006

6 Piece Raised Panel Jumbo Combination Wrench Set

Includes sizes: 1-3/8", 1-1/2", 1-5/8", 1-3/4", 1-7/8" and 2"

KTI41004

4 Piece Jumbo Raised Panel Combination Wrench Set

 Includes sizes: 2-1/8", 2-1/4", 2-3/8" and 2-1/2"



KTI41801

9 Piece Metric Combination Wrench Set 20mm-28mm

- · High polish, smooth finish
- Heat treated Chrome Vanadium steel
- Length allows access to hard to reach places
- Laser engraved for easy identification
- Lifetime warranty

Wrench ends are angled for greater accessibility. Handle edges are rounded for improved gripping and increased user comfort. Sizes include: 20mm, 21mm, 22mm, 23mm, 24mm, 25mm, 26mm, 27mm and 28mm.

KTI41800

13 Piece High Polish Metric Combination Wrench Set

- · High polish, smooth-finish, heat-treated Chrome Vanadium steel
- Tools are longer than standard combination wrenches to enable access to hard to reach places
- Packaged in a kit bag
- Lifetime warranty
- Includes sizes: 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm wrenches



KTI41803

23 Piece Pro-Series Metric Wrench Set

- Comes in a pouch
- · All tools covered by a Lifetime Warranty

Set includes: 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm, 24mm, 25mm, 26mm, 27mm, 29mm, 30mm and 32mm 12 point wrenches in a pouch.

SAE & Metric Wrench Sets

☞ GEARWRENCH

KDT81900

24 Piece SAE/Metric Long Pattern **Combination Non-Ratcheting Wrench Set**

 Packaged in blow mold tray
 Set includes 1/2" through 1" and 8 through 22mm Wrenches packaged in a blow mold tray.



KDT81902

15 Piece Metric Combination Wrench Set

- · Offset box end
- · Set includes: 8 through 22mm wrenches
- · Packaged in a blow mold tray

15 Piece SAE Combination Wrench Set

- Offset box end
 Set includes: 1/4" through 1" Wrenches
- Packaged in a blow mold tray

KDT81935

27 Piece SAE/Metric Long Pattern **Combination Wrench**

- Open End Off-Corner Loading Design Provides Stronger Grip on Fasteners, Reduces Fastener Rounding, Delivers up to 25% More Torque
- Long Pattern Beam with 15°Offset Box End for Maximum Access



IME WA



☞ GEARWRENCH



KDT81917

- Non-Ratcheting Wrench Set

 Surface Drive Plus™ technology provides stronger grip on fasteners, reduces fastener rounding and delivers up to 25% more torque
- Offset box end

Sizes include: 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8" and 1-1/4"

TOOL

SUN9937

6 Piece Super Jumbo Ratcheting Wrench Set

- Geartech® deep tooth design for increased torque over standard ratchet wrenches
- Specialty Heat Treated Chrome Vanadium Steel



Crowfoot Wrench Sets

GW GEARWRENCH



KDT81910

5 Piece SAE Flex Flare Nut Wrench Set

- Flexible flare ends for greater access around obstructions
- Long pattern length for greater leverage and access
 Set includes: 1/4" x 5/16", 3/8" x 7/16", 1/2" x 9/16", 5/8" x 11/16" and 3/4" x 7/8" flex flare nut wrench. Packaged in a blow molded case with removable lid.





8-Piece 3/8" Drive Fractional Flare Nut Crowfoot Wrench Set

- Used for air conditioning, fuel and hydraulic line fittings
 Heat treated, carded with socket rail.
- Lifetime Warranty

KTI27300

10-Piece 3/8" Drive Metric Flare Nut Crowfoot Wrench Set

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

☞ GEARWRENCH



Ratcheting Crowfoot Wrench Sets KDT89119 - 10 Piece Metric

Sizes include: 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm and 19mm.

KDT89118 - 11 Piece SAE

Sizes include: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1".



KDT81909 - 10 Piece Metric

Sizes include: 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19mm Crowfoot Wrenches packaged in a blow mold tray.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KDT81908 - 11 Piece SAE

Sizes include: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", and 1" Crowfoot Wrenches packaged in a blow mold tray.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



SCH15000

13 Piece 3/8" Drive 12 Point Shouldered Crowfoot Flare Nut Socket Set

- · Shouldered crow foot socket doesn't slide off the flare nut
- · Reinforced socket eliminates socket flex
- 10mm to 22mm



SUN9722

6 Piece 1/2" Drive Jumbo Crowfoot Wrench Set

- · Fully polished drop forged alloy steel
- Reusable blow molded storage tray
 Set includes: 1-5/8", 1-3/4", 1-7/8", 2", 2-1/8" and 2-1/4"
- Lifetime warranty







1/2" Drive JUMBO Crowfoot Wrench Sets

- · Easy to use thin blades; hole on the wall of the square drive
- · Made of drop-forged alloy-steel, fully polished

14 Piece SAE JUMBO Crowfoot Wrench Set

Sizes: 1-1/16" to 2'

V8T7917

17 Piece Metric JUMBO Crowfoot Wrench Set

Sizes: 20mm to 46mm



Specialty Wrenches

MUELLER



MLK745100 Wrench Extender

- · Will work on almost any wrench
- · To loosen tight connections on
- hard to reach areas
- Drop forged

 Extra 1/2" square • 13-1/2" Length

MLK745102 Wrench Extender Large

· Max size: 46mm





KTI49403

Universal Wrench Extender Adaptor

- 1/2" drive or 21 mm hex drive
- Extendable for all kinds of wrenches
- Designed to extend your wrench with another wrench or power bar giving more leverage on stubborn nuts and bolts
- Covered by a 1-year warranty



KTI49401

Non Sparking Aluminum Drum Wrench for 2-3/4" Drum

- Manufactured from non-sparking case aluminum
- Covered by a 1-Year Warranty



KT173636

- 8 in 1 Drain Plug Key Wrench 6 Point, dimensions: S8, S10, S3/8, S1/2, H10, H12, H14, H17
- 1 Year Warranty on Material and Workmanship



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Adjustable Wrenches

SUNEX TOOLS

Wide Jaw Adjustable Wrenches

- 50% wider on average than standard adj. wrenches
- 30% more jaw depth than standard adjustable wrenches
- · Rubber handle provides added grip and comfort

SUN9611 (6" Wide Jaw) **SUN9612 (8" Wide Jaw)** SUN9613 (10" Wide Jaw) SUN9614 (12" Wide Jaw)

SUN9618

4 Piece Adjustable Wrench Set

- Durable laser-etched scale measure fasteners
- Ergonomic no-slip rubber grip

Sizes include: SUN961801 - 6' SUN961802 - 8" SUN961803 - 10" SUN961804 - 12"



Pipe Wrenches

Aluminum Pipe Wrenches

- Cast aluminum housings make these wrenches lighter
 & easier to handle than cast iron wrenches
- Limited lifetime warranty

Description Capacity **KTI49112** 12" Alum. Pipe Wrench 2-1/4" KTI49114 14" Alum. Pipe Wrench 2-5/8" KTI49118 18" Alum. Pipe Wrench 3-1/4" KTI49124 24" Alum. Pipe Wrench 3-1/2" KTI49136 36" Alum. Pipe Wrench

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Hammers



Ball Peen Hammers with Fiberglass Handles

- Features drop forged, heat treated steel head and fiberglass handle for strength and reliability
- Tool boasts contoured, nonslip rubber grip for user comfort
- Limited lifetime warranty

KTI71716 (16 oz.) KTI71725 (24 oz.)



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Hammers



- stronger than wood and fiberglass
- Each hammer is covered by a 1-Year warranty Kit includes:
- 2-1/2 lb. Club Hammer (12" long)
- 24 oz. Ball Pein Hammer (14" long)
- 2-1/2 lb. Cross Pein Hammer (16" long)

KTI71766

32 oz. Ball Pein Hammer

- Handle length: 14 inches long
- Covered by a 1-Year warranty

KTI71765

3-1/2 lbs Cross Pein Hammer

- Handle length: 16 inches long
- Covered by a 1-Year warranty



KTI71770

6 Piece Hammer Set

- 16 oz and 32 oz ball hammers with fiberglass handle with TPR cover and carbon-steel forge heat treatment head
- 3 lb machinist "cross pein" hammer with fiberglass handle with TPR cover and carbon-steel forge heat treatment head
- 3 lb double-faced black smith "club/sledge" hammer with fiberglass handle with TPR cover and carbon-steel forge heat treatment head
- 32 oz rubber mallet with fiberglass handle30 oz recoilless "dead blow" hammer
- Covered by a 1 year warranty

WARNING: Cancer and Reproductive Harm
- www.P65Warnings.ca.gov





- Prevents damage to delicate parts
- Non sparking
- Made in the U.S.A.
- . Limited lifetime warranty

KTI71715 (24 oz.) KTI71733 (32 oz.)

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





TIT63133

3 Piece Dead Blow Hammer Set

- (1) 120Z brass hammer brass non-sparking plated cap for use on soft metals/panels
 (1) 1LB ball-pain hammer steel plated cap for use with striking punches and chisels, shaping and straightening unpercentage. straightening unhardened metals
- (1) 1-1/2LB dead blow hammer for use with non-marring and non-sparking applications

UNBEFAMAB

B.A.S.H Hammer Kits

- Unbreakable® Handle Technology
- · Safety Plate secures head to handle preventing head dislodging
- Ergonomic Handle shaped and thickened for improved comfort and less vibration
- No-Slip Grip vulcanized rubber handle for secure grip while striking



WIL11111

B.A.S.H Mechanics Hammer Kit (3 Piece)

• Trademark Green Head - Hi-Vis, drop forged 46 HRC steel head endures the most demanding applications



WIL11112 B.A.S.H Shop Hammer Kit (3 Piece)

Trademark Green Head - Hi-Vis, drop forged 46 HRC steel head endures the most demanding applications



WIL11113 B.A.S.H Dead Blow Hammer Kit (3 Piece)

- Dead blow function eliminates bounce back when striking hardened surfaces
- · Spark-resistant for safe use near combustible materials - no exposed metal on face, head or shaft



- B.A.S.H 6 Piece Master Hammer Kit
 Feature Unbreakable® Handle Technology
- Revolutionary design, and engineered no-slip rubber grip
- · Covered by Wilton's Lifetime Warranty

Includes: 20212 2-1/2 Lb Head, 12" B.A.S.H® Sledge Hammer, 20412 4 Lb Head, 12" B.A.S.H® Sledge Hammer, 5 5114 1 1/2 Lb, 14"

B.A.S.H® Dead Blow Hammer.

55214 2 Lb, 14" B.A.S.H® Dead Blow Hammer, 30216 2 Lb Head, 16" B.A.S.H® Cross Pein Hammer and the 32414 24 Oz Head, 14" B.A.S.H® Ball Pein Hammer.

WARNING: Cancer and Reproductive Harm

Hammers





WIL11128BH

BASH Special Edition 6.5" Utility Bench Vise and FREE 4 lb. Sledge Hammer Combo

- Special Edition 6 1/2" Utility Vise features 180° swivel base with lockdown for quick and easy positioning, heavy-duty castings with a 30,000 PSI iron body built for rugged use and extended life, built-in pipe jaws and a large anvil work surface
- Jaw Width 6 1/2", Max Opening 5 1/2", Throat Depth 3 13/16", Pipe Capacity 1/8 3"
 FREE B.A.S.H® Sledge Hammer has a 4 lb. head with
- a 12" handle and features Unbreakable® Handle Technology, trademark B.A.S.H Green Hi-Vis drop forged steel head (46 HRC), a safety plate that secures head to handle and an ergonomic handle that's shaped and thickened for improved comfort and less vibration

VAUGHAN

VAU18710

5 Piece Ball Pein Hammer Set

- · Rust resistant black body and durable hickory handle

 High quality - Made in the USA

Set contains 1 each of the following ball pein hammers:

- VAUTC2012 12 oz VAUTC308 - 8 oz.
- VAUTC016 16 oz.
- VAUTC432 32 oz.
- VAUTC224 21 oz.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



TIT63136

6 Piece General Use Hammer Set

Comfortable, textured handles for handling ease

Set includes: (1) 16 oz ball pein hammer, (1) 32 oz ball pein hammer, (1) 32 oz rubber mallet, (1) 3 lb sledge hammer, (1) 3 lb cross pain hammer and (1) 32 oz dead blow hammer

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

GW GEARWRENCH

Dead Blow Hammers

- · Shot filled head reduces bounce-back
- · Polyurethane body is durable and resistant to cuts, splits, and abrasions
- Body is resistant to gasoline, brake fluid, anti-freeze, and solvent
- Textured handle for improved grip
- Available in 24 oz. and 49 oz.

KDT82240 18 oz. Hammer

KDT82241

24 oz. Hammer

KDT82242 33 oz. Hammer

KDT82243

49 oz. Hammer



25 Piece Hex Key Set

· Holder with pivot release feature allows removal of any key without moving adjacent keys out of

Includes the most commonly used SAE and metric sizes 1/16" to 3/8" and 1.27 mm to 10 mm.

TIT12713

13 Piece Extra Long Arm Ball End Hex Key Set - SAE

.05. - 3/8"

Lifetime warranty

TIT12714

9 Piece Extra Long Arm Ball End Hex Key Set – Metric • 1.5mm - 10mm

Lifetime warranty

TIT12715

13 Piece Extra Long Arm Torx® Key Set -**Tamper Resistant**

- T6 to T50.
- Lifetime warranty

10 Piece Tamper Proof Star Key Set

• Star sizes: T6 to T30 • Lifetime warranty

TIT12705

9 Piece Ball Hex Key Set - Metric

• Sizes: 1.5 to 1/4 "

Lifetime warranty

10 Piece Ball Hex Key Set - SAE

• Sizes: 1/16 to 1/4"

Lifetime warranty





BND10990

10 Piece Metric Ball End L-Wrenches Set Sizes included: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6, 7, 8 and 10MM. Made with Protanium® High Torque Steel, which is up to 20% stronger, with more torque and twice the wear resistance of standard grades of steel. Bondhus® ProGuard™ dry surface finish is the most effective solution available.



EKL25024 24 Piece Ergo-Fold Combo Hex Key Set

 Includes Eklind's key sets EKL25911 (sizes: 5/64" - 1/4"), EKL25171 (sizes: 1.5mm - 6mm) & EKL25581 (sizes: T8 - T40)





VMPVT-RSE-60 Recessed Screw Extractor with 2-In-1 Bit Set

- Extract stripped/damaged flathead/ countersunk/recessed screws
- No messy drilling required
- No power required

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov







KNP9R4719043

5 Piece Screw Extractor Double Edged Set

5 Piece Screw Extractor Double Edged Set
Contains the following: (1) 9R 471 001 3 Screw Extractor Double Edged Size 1, (1) 9R 471 002 3 Screw Extractor Double Edged Size 2, (1) 9R 471 003 3 Screw Extractor Double Edged Size 3, (1) 9R 471 004 3 Screw Extractor Double Edged Size 4, (1) 9R 471 005 3 Screw Extractor Double Edged Size 5.
Four double-edged cutting/gripping edges for 8 points of contact

- points of contact
- For both left and right hand threads
- Non-slip engagement removes even the toughest frozen bolts
- Tip has a center point so no additional center punch is required when centering the drill hole





Bondhus T-Handle Hex Sets

- The T-handle is best where maximum torque is needed for insertion/ extraction of hex screws
- · Welded "T" joints for maximum strength Sets below all include T-Handle stands



BND13190 - 10 Piece, 3/32" to 3/8" BND13389 - 8 Piece, 2mm to 10mm BND13390 - 10 Piece, 3/32" to 3/8"



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

BND22199

22 Piece Hex L-Wrench Set

. Metric & Fractional L-Wrench sets

 Color coded locking tool holders Includes: 13 fractional sizes from .050" to 3/8" and 9 metric sizes from 1.5 to 10mm.



- Metric & Fractional L-Wrench sets
- Ball end tips for easy access at up to 25° angle

Includes 13 fractional sizes from .050" to 3/8" & 9 metric sizes 1.5 to 10mm.



TIT16251

50 Piece Torsion **Impact Bit Set**

- Impact grade
- · Comes with blow mold case
- Torsion bit set
- Bit set





VIMTORXTBS

TORX Truck Bed Set

- For Ford Truck Beds & Many Trailer Applications
- Featuring half-cut bits which put out 30% more torque than regular bits and also fit into tighter spaces in T40, T45, T50 & T55 and IP45, IP50 & IP55
- Includes TORX PLUS SOCKET EP24
- · Lifetime warranty does not cover abuse

Spline, Hex and Torx Sockets

☞ GEARWRENCH



KDT80898

13 Piece 1/4", 3/8", and 1/2" **Drive Stubby Torx Bit Set**

· Reduced overall length provides better access in tight spaces



KDT80985

9 Piece 3/8" Drive Universal E-Torx Bit Socket Set
Universal joint allows access when you cannot get

directly on a fastener

KDT80588

10 Piece 1/4" and 3/8" **Drive Long Torx® Bit** Socket Set

- Includes Socket Rail
- · All Bit Sockets 6" Long



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



12 Piece Super Low Profile Torx Bit Set

- Fits on any 10mm, 12mm or 17mm wrench or socket
 Sizes include: T10, T15, T20, T25, T27, T30, T40, T45,
- T47, T50, T55 and T60 Bits.



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

10 Piece Extra Long Metric or SAE Ball Hex **Ratcheting T-Handle Sets**

VIMBHM100 • 2, 2.5, 3, 5, 6, 8mm hex and 8mm ball hex

VIMMTS02

MORTORQ Super Driver 3/8" Square Drive

- For servicing fasteners found on GM & Chrysler vehicles
- Full driver contact of recess offers extreme high-torque capabilities

 • Bit is made of S2 Steel with
- chrome driver holder
- · Limited lifetime warranty





VIMHCT1050-03

10 Piece Half Cut TORX Driver Set, T10 through T50

- Half Cut TORX design increases Torque yield · S2 steel, the strongest hardest bit drivers available
- Half Cut TORX drivers also drive TORX Plus
- Limited Lifetime Warranty

SUNEX TOOLS

LIFETIME WARRANTY


SUN9734

34 Piece Quick Change Bit Set
Set Includes: 152mm S2 Reduced (Round) Shank
Power Bits, 50mm CRV Socket Adapters, 50mm
Magnetic Nutsetter, 50mm S2 Reduced (Round)
Shank Power Bits, 89mm S2 Reduced (Round) Shank Power Bits, Quick Change Chuck

SUN9729

208 Piece Master Bit Set

- · Includes standard and extended bits
- Set includes:
- 99 Pc. 1/4" x 25mm Bits, 46 Pc. 1/4" x 25mm Security Bits, 38 Pc. 1/4" x 50mm Bits, 1 Pc. 1/4" x 1/4" x 25mm Socket
- Adaptor, 22Pc. 1/4" x 38mm Nut Drivers, 1 Pc. 1/4" x 60mm Bit Holder,



SUN9735

16 Piece Quick Change Bit Set

 Includes 2" and 6" length bit holders to quickly change out bits without loosening the chuck Set Inludes: 152mm S2 Power Bits,

50mm Magnetic Nutsetter, 50mm Socket Adapter, 65mm Quick Change Chuck, 89mm S2 Power Bits







KTI22601

12 Piece Torx® Bit Set

- T10-T60
- · Made in U.S.A.
- **WARNING:** Cancer and Reproductive Harm www.P65Warnings.ca.gov





VIMIMPACT-8TX

- **8 Piece Impact Torx Bits** Includes T25 through T55
- 5/16" shank bit
- . Made of S2 high alloy steel
- Lifetime warranty

VIMIMPACT8IP 8 Piece Impact Torx Plus Bit Set

- Includes IP20 through IP55 Torx Plus
- 5/16" shank bit
- Made of S2 high alloy steel
- · Lifetime warranty






LIS27200

12 Piece Alloy Steel Torx® Bit Set

- Includes sizes T-10 through T-50, T-47, T-55 and T-60
- · Comes in a vinyl holder





SUNEX

LIFETIME WARRANTY



Impact Bit and Hex Driver Bit Sets

- Impact grade bits forged from high quality CR-MO Alloy steel
- Sunex Tools® impact sockets meet or exceed ANSI specifications
- · Stubby design is ideal for work in tight spaces
- Includes compact clip rail packaging
- Lifetime warranty.

SUN3640

8 Piece 3/8" Drive Stubby Triple Square Impact Bit Set

· Designed for high torque applications typically found in cylinder head bolts and drive trains Set includes: M4 (304XZN) to M16 (316XZN).

8 Piece 3/8" Drive Stubby Impact **Hex Driver Sets**

· Hex driver impact grade bits

SUN3644 - SAE

Set includes: 1/4" to 3/4"

SUN3645 - Metric

Set includes: 6mm to 19mm





KT120800

51 Piece Master Torx Socket Set

51 Piece Master Torx Socket Set

Includes sizes: 1/4" Drive Torx bit sockets T6, T8, T10, T15, T20, T25, T27, T30, 3/8" Drive Torx bit sockets T40, T45, T47, T50, T55, 1/2" Drive Torx bit sockets T40, T45, T47, T50, T55, 1/2" Drive Torx bit sockets T60; 1/4" Drive Torx external bit sockets E4, E5, E6, E7, E8, 3/8" Drive Torx external bit sockets E10, E12, E14, E16, E18, E20, 1/2" Drive Torx external bit sockets E22, E24; 1/4" Drive Torx Plus bit sockets TP8, TP10, TP15, TP20, TP25, TP27, TP30, 3/8" Drive Torx Plus bit sockets TP40, TP45, TP50, TP55, 1/2" Drive Torx Plus bit sockets TP60; 1/4" Drive Torx Tamper Resistant Bits TT8, TT10, TT15, TT20, TT25, TT27, TT30, 3/8" Drive Torx Tamper Resistant Bits TT40, TT45, TT50, TT55, 1/2" Drive Torx Tamper Resistant Bits TT60. TT55, 1/2" Drive Torx Tamper Resistant Bits TT60.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Spline, Hex and Torx Sockets



- **Torx Plus Driver Set, 11 Pieces** · Torx Plus for increased strength
- · Satin chrome finish
- Stubby Drivers with 3/4" & 1.0" overall length
- . S2 Steel, the strongest & hardest drivers available
- Lifetime warranty



Set Includes:
TP6P-IP8 Torx Plus, 1/4" Sq. Dr. X 3/4" Long
TP6P-IP10 Torx Plus, 1/4" Sq. Dr. X 3/4" Long
TP6P-IP15 Torx Plus, 1/4" Sq. Dr. X 3/4" Long
TP6P-IP20 Torx Plus, 1/4" Sq. Dr. X 3/4" Long
TP6P-IP25 Torx Plus, 1/4" Sq. Dr. X 3/4" Long
TP6P-IP27 Torx Plus, 1/4" Sq. Dr. X 3/4" Long
TP6P-IP30 Torx Plus, 1/4" Sq. Dr. X 3/4" Long
TP6P-IP30 Torx Plus, 1/4" Sq. Dr. X 3/4" Long
TP6P-IP40 Torx Plus, 3/8" Sq. Dr. X 1.0" Long
TP6P-IP50 Torx Plus, 3/8" Sq. Dr. X 1.0" Long
TP6P-IP55 Torx Plus, 3/8" Sq. Dr. X 1.0" Long

VIMTMS77

77 Piece Elite Series

Master Torx Set

- 1/2 Cut = Better Fit, Higher Torque
- S2 Steel, the strongest and hardest drivers
- Heat treated to 58-62 RC

Set Includes: T6 - T70 - Standard Torx, TR8 - TR60 - Tamper Proof Torx, E4 - E24 - Torx Sockets,

IP8 - IP60 - Torx Plus, IPR - IPR 60 - Torx Plus, 5 Point, EP4 -EP24 - Torx Plus Sockets

VIMTMS34PF

34 Piece Torx Master Set

- 13 piece torx drivers T8 thru T60
- 10 piece tamper proof torx T10 thru T55
- 11 piece Torx sockets E4 thru E20
- Blue storage case

VIMV458L-SET 18 Piece Long Blade **Torx Master Set** TORX drivers T10 thru T50

. Set includes both 4.5'

and 8" long TORX Drivers

· Packaged in a blow molded case

Drivers have 1/4" or 3/8" Square Drive





MADE OF









26 Piece Hex Master Set

- 13 Piece Metric hex 2mm through 19mm
 13 Piece SAE fractional hex 3/32" through 3/4"
 S2 steel drive bits in knurled chrome holders
- 1/4", 3/8" and 1/2" square drives Lifetime warranty



VIMXZN100

8 Piece 3/8" Drive Metric Triple Square Bit Socket Set

- For use on all German vehicles
- Includes 8 sizes: 4M 16M
- · Lifetime warranty





VIMMTS100

6 Piece Mortorq Super Spiral Drive System

- Made of S2 steel
- Offers extreme high-torque capabilities
- Full driver contact of recess
 All on 3/8" square drive
- · Lifetime warranty
- For servicing fasteners found on GM & Chrysler vehicles
- Set includes zizes: 00, 0, 1, 2,3 and 4



9 Piece 1/4" Dr. SAE or Metric Stubby Hex Bit Sets

Lifetime warranty

VIMSHI400 - (SAE 3/32" - 3/8")

VIMSHM400 - (Metric 2mm - 10mm)

14 Piece 3/8" Square Drive Extra Long Hex and Ball Hex Driver Sets

- · All drivers are 6" long
- Lifetime warranty
- VIMHXL100 SAE

blade drivers.



VIMHXLM100 - Metric

Includes: 3mm hex blade, 3mm ball hex blade, 4mm hex blade, 4mm ball hex blade, 5mm hex blade, 5mm ball hex blade, 6mm hex blade, 6mm ball hex blade, 7mm hex blade, 7mm ball hex blade, 8mm hex blade, 8mm ball hex blade and 10mm hex blade, 10mm ball hex blade.



VIMV5PSD

10 Piece 3/8" Drive 5 Point Security Driver Set

- · SD8 through SD50 5 Point Security Drivers, with tamper proof pin recess
- Lifetime warranty



Spline, Hex and Torx Sockets / Bit Sets and Bit Drivers



VIMIMPACT50

50 Piece Impact Master Set

- Square Drive
 S2 Steel, Fully Heat Treated,
 & Gun Metal Gray Plating
 1/2 Cut Hi Torque Impact Divers
- Limited Lifetime warranty

- Set includes:
 TORX Impact T20 T60
- XZN Impact XZN04 XZN18
- S.A.E. Impact Hex 3/16"- 3/4" Hex Metric Impact Hex 6MM -18MM Hex
- Impact Phillips Head P1 P4
 Impact Flat Head 1/4" 3/4"

- 3/8" To 1/2" Sq. Drive Adapter
 Heavy duty carry case with tray for hand held impact driver, extensions, or other accessories



VIMVHC77

77 Piece Half Cut Stubby Bit Set

- All bits are stubby half cut, 5/8" (16MM) long
 Includes HBR5 Mini Bit Ratchet
- S2 steel the strongest hardest drivers available
 Heat treated to 58-62 RC; natural finish



HAN1840391

34 Piece Impact Automotive Bit Set

- Impact rated, 3x the life
- 1/4" quick change hex shank
- 1/4" socket adapter to 1/4", 3/8", and 1/2" #1, #2 and #3 x 2", 3" and 6" Phillips power bits T15-T30 x 2", 3-1/2", and 6" power Torx bits



VIMTMS34PF

34 Piece Torx Master Set

- 13 piece torx drivers T8 through T60
 10 piece tamper proof torx T10 through T55
- 11 piece Torx sockets E4 through E20
- Lifetime warranty



VIMXZNS1000

9 Piece Stubby XZN Triple Square Driver Set

- One piece XZN drivers with 1/4", 3/8" and 1/2" square drives
- Lifetime warranty
- Set includes: 4mm, 5mm, 6mm, 8mm, 10mm, 12mm, 14mm, 16mm and 18mm, 14mm, 16mm and 18mm have tamper proof holes



Lifetime warranty



OTC5900A-PLUS

53 Piece Master Torx Bit Socket Set

- Updated 53-piece Master Torx Bit set plus special 24 mm External Torx Plus Socket required for Ford
- Super Duty pick-up beds starting model year 2017
 Socket kit includes various sizes of Torx, Torx PLUS, Tamper Resistant Torx, Bit Sockets and External Torx Sockets in 1/4, 3/8 and 1/2 square drive





12 Piece Torx® Driver Set

Impact Torx® drivers including 1/4" drive (T10, T15, T20, T25, T27, T30), 3/8" drive (T40, T45, T47, T50, T55), and 1/2" drive T60 with case.

Impact Hex Sets

Impact quality hex bits
3/8" and 1/2" square drive

GRE1298HC

13 Piece 3/8" Dr. Impact Hex

• 3/16"-1/2" & 4mm-12mm

GRE1398H

10 Piece 1/2" Dr. Impact Hex

1/4"-3/4"

GRE1598HC

18 Piece 1/2" Dr. Impact Hex• 1/4"-3/4" & 6mm-19mm

7 Piece 3/8" Drive Impact Hex Driver Sets

Engineered specifically for use with impact tools

GRE1297H

Fractional

• Sizes: 3/16" to 1/2"

GRE1297MH Metric

Sizes: 4mm to 12mm

IRWIN HANSON

HAN3057034

34 Piece Quick Change Fastener Bit Set

- All IRWIN Fastener Drive Bits are manufactured from industrial grade tool steel

 Tested to meet the highest standards
- for hardness and torque

HAN3057016

16 Piece Quick Change Fastener Bit Set

- All IRWIN fastener drive bits are manufactured from industrial grade tool steel and tested to meet the highest standards for hardness and torque
- Includes long power bits, square socket adapters and quick change bit holders

HAN1840320

16 Piece Impact Automotive Bit Set

- 1/4" quick change hex shank
- 3x the life
- #1, #2, and #3 x 6" Phillips and T15-30 x 3" and 6" torx bits





SUNEX TOOLS

SUN912313SL

1/4", 3/8" & 1/2" Dr. Long Star Bit Socket Set • Set includes:

1/4" Drive: 18SL / 1/4" Dr. T8, 110SL / 1/4" Dr. T10, 115SL / 1/4" Dr. T15, 120SL / 1/4" Dr. T20, 125SL / 1/4" Dr. T25, 127SL / 1/4" Dr. T27, 130SL / 1/4" Dr. T30

3/8" Drive: 340SL / 3/8" Dr. T40, 345SL / 3/8" Dr. T45, 347SL / 3/8" Dr. T47, 350SL / 3/8" Dr. T50, 355SL / 3/8" Dr. T55 1/2" Drive: 260SL / 1/2" Dr. T60



SUN912311E

11 Piece Inverted Star Socket Set

Set includes:

1/4" Drive: 14E / 1/4" Dr. E4, 15E / 1/4" Dr. E5, 16E / 1/4" Dr. E6, 17E / 1/4" Dr. E7, 18E / 1/4" Dr. E8, 3/8" Drive: 310E 3/8" Dr. E10, 312E / 3/8" Dr. E12, 314E / 3/8" Dr. E14, 316E / 3/8" Dr. E16 1/2" Drive: 218E / 1/2" Dr. E18, 220E / 1/2" Dr. E20



SUN912313S

13 Piece 1/4", 3/8" & 1/2" Star Bit Socket Set

· Set includes:

Set Includes: 14" Drive: 18S / T8, 110S / T10, 1115S / T15, 120S / T20, 125S / T25, 127S / T27, 130S T30 3/8" Drive: 340S / T40, 345S / T45, 347S / T47, 350S / T50, 355S / T55 1/2" Drive: 260S / T60



KT120060

60 Piece, 1/4" Drive Spline Socket Set

- 72 tooth quick release double ended bit ratchet, 1/4" square driver x 1/4" female hex
- 17 piece chrome vanadium spline sockets (8 SAE & 9 metric)
- 1/4" drive 2" chrome vanadium extension and quick release bit extension
- 40 bits, slotted, phillips, hex and torx

KTI20061 40 Piece, 1/4" Drive

Color Coded Bit Set


· Complete S2 Bit Set • Bits included: Pozi Bits: 1, 2, 3, Phillips Bits: 1, 2, 3, Metric Hex Bits: 1,5, 2, 2,5, 3, 4, 5, 6mm, SAE Hex Bits: 5/32, 3/16, 7/32, 1/4, Slotted Bits: 5/32, 3/16, 1/4, Torx Bits: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, Tamperproof Torx Bits: T7, T8, T9, T10, T15, T20, T25, T27, T30, T40



KTI20020

12 Piece, 1/4" Multi Plus Close Quarter Spline Socket Set

- Sockets can also be used with an 11mm wrench or 1/4" Drive square head tool
- . Fits SAE, Metric, 6 point, 12 point, E-Torx and Square Drive sockets
- · Set comes in a storage/carrying case · Sockets and ratchet covered by a lifetime warranty





Bit Sets and Bit Drivers

VIMHBR3

Double Ended 1/4" Hex Bit Ratchet

· Reversible 48-tooth gear head requires only 7.5 degrees of sweep

VIMHBR4

Close Quarters Bit Ratchet with Handle

· Reversible 48-tooth gear head requires only 7.5 degrees of sweep



VIMHBR5

1/4 in. Square Drive and Bit Ratchet Wrench

Works with all 1/4" hex bits and 1/4" drive sockets

VIMHBR8

- 8" Hex Bit Ratchet, 1/4" and 5/16" with Insert

 The quick-disk on the drive head allows for quick tightening or loosening of fasteners when ratcheting is not required
- Reversible 52-tooth gear head requires only 7 degrees of sweep
 Polished Chrome Heat Treated Alloy Steel
 Works with all 1/4" Hex Bits & 1/4" Drive Sockets

- The smallest, lowest profile head in the industry!

VIMMMS23

23 Piece Mechanic's Master Set, Metric • Metric Hex Drivers, 2mm through 22mm

- All bits are made from S2 Steel, the strongest steel available
- Satin Chrome Bit Holders
- 1/4", 3/8" and 1/2" square drives
- Plastic storage case
- Limited lifetime warranty

VIMMMS450

50-Piece Mechanics Master Set, 1/4" SQ Drive Stubby Low Profile Half Cut Drivers

- Made of S2 Steel with Satin Chrome finish
- 1/4" Sq. drives with ball check
- . Half cut drivers are 30% stronger
- · Limited lifetime warranty



☞ GEARWRENCH

KDT82779

56 Piece Set Geardriver

- Contoured, dual material comfort grip
 Magnetic bit holder keeps bits in place
 Precision, fine tooth, reversible
- ratcheting mechanism

STEELMAN PRO

JSP78633 Steelman™PRO Impact Grade Bit Drivers, 50 Piece Set With Case

- · Impact Grade Bit Drivers are made from an industrial grade steel
- Quick disconnect adapters are included in several sizes for ease of use
- Limited lifetime warranty

SUN9726 38 Piece Mini Ratchet and Bit Set

- (36) bits to accommodate
- any application

 Quick release extension bar
- . Made with premium S2 steel
- · Quick change screwdriver handle











KTI71701

12 Piece 1/2" Drive Professional Impact Driver Set

- · Heat-treated and hardened alloy steel
- Professional design is good at rusted or frozen screws
- Comes in a red metal storage case
- Comes in a red interal storage case
 Includes: 1/2" Impact Driver, 1/2" Dr 5/16" Bit Holder, Phillips Bits: PH2, PH3 & PH3 Xtra long, Slotted Bits: 8mm & 10mm, Bolt Removers: M3-M6, M6-M8, M8-M11, M11-M14 & M14-M19

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



LIS29200

Hand Impact Tool Set

Loosens rusted, frozen nuts, bolts & screws 3/8" sq. dr. with 3/8" dr. bit holder; #1, #2, #3, #4



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



EZR412SS

33 Piece 1/4" Drive Bit, Socket Combo Set

- 4S04: Stubby combination bit and socket driver

 4S12L: Extra-long combination bit and socket driver

 1/4" drive, 4" extension bar

 1/4" bits: PH 1, 2, 3. PZ 0, 2 (x2pc), 3. H3, 4, 5, 6. T 8, 10, 15, 20, 25, 27, 30, 35, 40

 1/4" metric sockets: 4mm, 5mm, 6mm, 7mm, 8mm, 10mm, 11mm, 12mm, 12mm, 12mm, 12mm
- 8mm, 9mm, 10mm, 11mm, 12mm, 13mm





TITAN

TIT16148

148 Piece Master Bit Set

- · Includes 3.5" magnetic bit holder and quick-release bit holder
- Includes 1/4" drive socket adapter
- Convenient injection molded storage case



PAstro

AST9448 100 Pieces Professional Screwdriver Bit Set

- · Essential for car, machine tool, household appliance and electronic repairs, etc.
- Blow molded case for easy storage and transport



Screwdrivers



KTI11035

34 Piece Screwdriver Set

34 Piece Screwdriver Set

Set includes: 7 Phillips (#3x6", #2x4", #1x6", #1x3", #0x4",
#0x3", #2x1-1/2"), 8 Slotted (5/16"x6", 1/4"x4", 3/16"x6",
3/16"x3", 5/32"x4", 1/8"x4", 1/8"x3", 1/4"x1-1/2"), 4 Torx
(T10x4", T15x4",T20X4", T25x4"), 2 Square (S1x4", S2x4"),
Bits Driver, 12 Bits (4 Slotted 1/8", 5/32", 3/16", 1/4"; 4 Phillips #0, #1, #2, #3; 4 Torx T10, T15, T20, T25)one year.

Limited lifetime warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Comfort non-slip grips

- Limited lifetime warranty
- KTI16001 Slotted

KTI16002 - Phillips

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KTI16000

10 Piece Professional Screwdriver Set with Triangular Grip Handles

- Includes all tools contained in KTI pro series
- Tools feature comfortable triangular grip, non-slip material and Chrome Vanadium blades
- · Ultimate professional quality

Sizes include: 3", 4", 6", 8" and stubby slotted screwdrivers and #1, #3, #2 x 4, #2 x 10 and stubby Phillips screwdrivers.

8 Piece Black Phillips and Slotted Screwdriver Set

- . 3 Phillips and 5 slotted with hex bolsters for wrench assist
- Limited lifetime warranty

KTI19000 - Black Handles KTI19700 - Neon Orange Handles

KTI19800 - Red Handles

KTI19900 - Neon Green Handles



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KTI11008

8 Piece Screwdriver Set

 Made of Chrome Vanadium steel Set includes: 4 Slotted (5/16" x 6", 3/16" x 4",1/8" x 3", 1/4" x 1-1/2"), 4 Phillips (#2x6", #1x4", #0x3", #2x1-1/2")

KTI11018

18 Piece Screwdriver Set

- Made of Chrome Vanadium steel
- Set includes: 4 Slotted (5/16"x6". 1/4"x4", 3/16"x3", 1/4"x1-1/2"), 4 Phillips (#3x6", #2x4", #1x3", #2x1-1/2"), 10 Precision (6 Torx T5x1-9/16", 7/2/, 10 Flection (6 10/x 15x1-9/16", T6x1-9/16", T7x1-9/16", T8x1-9/16", T9x1-9/16", T10x1-9/16"; 2 Slotted 3/32"x1-9/16", 1/8"x1-9/16"; 2 Phillips #0x1-9/16", #00x1-9/16")

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



TIT17242

42 Piece Magnetic Tip Screwdriver Set with Magnetic Dish

- Magnetic tips
 Mini magnetic parts tray
- Lifetime Warranty

Includes: slotted, phillips, square drive and Torx® drivers, precision picks, tack puller and 9 SAE and 9 Metric 1/4' drive sockets

CHAN NEL LOCK

CHASD-10A

10 Piece Screwdriver Set

- · Four sided, high torque acetate handles
- Acetate handles highly impact resistant and exceptional solvent resistance
- High polished alloy steel blades that are Heat treated for exceptional strength and durability
- Precision machined vapor blast Tips
- Made in USA

Set includes: Phillips sizes #1x3", #1x6", #2x4", #2x6", #3x6"; Slotted sizes 3/16x3", 3/16x6", 1/4x4", 1/4x6", 5/16x6".



MAY66306 CATS PAW™ 10 Piece Capped End Screwdriver Set

- Contains: Phillips (5): #1 x 3", #2 x 4", #2 x 6", #2 x -1/2" and #3 x 6" Slotted (5): 7/32" x 4", 1/4" x 6", 5/16" x 7", 3/8" x 8" and 1/4" x 1-1/2" Lifetime Warranty

☞ GEARWRENCH



KDT80073

7-Piece Tamper Proof Torx Dual Material Screwdriver

- Includes tamper proof Torx sizes T10 T40
- 6" Blades for increased access
- Dual material handle for comfort and performance
- · Speed zone for turning in lower torque applications
- Oil and solvent resistant handles



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KDT82682

8 Piece Orange & Black Phillips/Slotted Screwdriver Set

- Utilizing existing screwdriver and handle design, no changes except color injections
- Oil and solvent resistant"Speed Zone" for turning in lower torque applications
- Black Oxide Non-Slip Tip
- Tri-Lobe ergonomic handle to obtain optimal balance of strength and comfort



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Screwdriver Sets

- "Speed Zone" at base of handle allows faster turning in low back torque applications
- Black oxide non slip tip

KDT80051 - 12 Piece Combination

12 Piece Combination Screwdriver Set includes 1/4" x 12 Tiede Commination 3 of mith Cabinet Tip, 1/4" x 4" with Bolster, 1/4" x 6" with Bolster, 5/16" x 6" with Bolster, 3/8" x 8" with Bolster, No. 0 x 2-1/2", No. 1 x 3", No. 1 x 6", No. 2 x 1-1/2", No. 2 x 4" with Bolster, No. 3 x 6" with Bolster. Packaged in a tray.



KDT80066

20 Piece Master Dual Material Screwdriver Set

- Innovative dual material handle for comfort and performance
- Tri-Lobe ergonomic handle to obtain optimal balance of strength and comfort
- · Oil and solvent resistant
- "Speed Zone" for turning in lower torque applications
- Laser etched part number and size on each blade

GW GEARWRENCH

KDT82208

GearWrench 8" Indexible Pry Bar

- Indexible to over 180 degrees for greater leverage
- 14 locking positions for unmatched access
- Great as a seal pick to remove engine and axle drive seals

KDT82210 10" Indexible Pry Bar KDT82248 48" Indexible / **Extendable Pry Bar**

KDT82216 16" Indexible Pry Bar

KDT82224 24" Indexible Pry Bar

KDT82220 20" Indexible Pry Bar



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



Double Push Lock Indexing Pry Bars

- Heavy duty forged chrome molybdenum head construction
- Head indexing through 180 degrees & 11 locking positions
- Lifetime Warranty

Double Push Lock Indexing Pry Bars						
Product #	Length	Price				
KTI71641	8"					
KTI71643	16"					
KTI71644	24"					
KTI71645	33"					

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KTI71600

4 Piece Pry Bar Set - Lady Slipper Style

- Superior quality
- Heat treated
- · Packaged in a foam display carton
- Includes sizes: 6", 12", 16" and 20". WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





Jimmy Bars

 Forged from chrome alloy steel and heat-treated to resist bending and breaking

OTC7166 5/8" dia. 18" long OTC7167 3/4" dia. 24" long OTC7168 7/8" dia. 30" long

Rolling Head Pry Bars OTC7163 12" long

OTC7164 16" long OTC7165 18" long



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Pry Bars & Hooks and Picks



MAY61355

3 Piece. Dominator® Pry Bar Set • 7-C, 12-C, and 18-C Pry Bars

- Competitors handles will not take this kind of abuse
- Lifetime Warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov




MAY81212

3 Piece Dominator HD Pry Bar Set with FREE 14 Piece Punch and Chisel Set

. Includes: 36" Curved Pry Bar, 18" Straight Pry Bar and 24" Curved Pry Bar and 14pc Punch and Chisel Set

MAY81300

Dominator 58" Curved Screwdriver Pry Bar, 3 Piece Dominator Screwdrive Pry Bar Set and Mayhew T-Shirt



- to strike the pry bar with a hammer without damaging the head
- Handle absorbs shock which

decreases hand fatigue Includes: MAY40162 - 58-C Dominator 58" Curved Screwdrive Pry Bar, MAY61355- 3 Piece Dominator Curved Screwdriver Pry Bar Set and Mayhew T-Shirt

MAY61366 5 Piece Dominator® **Curved Pry Bar Set**

- Custom grip handle with strike-able end cap
- · Lifetime Warranty



TIT17713

3 Piece Pry Bar Tool Set

- · Double-ended design provides multiple tip options, ensuring the right tool for the job
- Access battery compartments, open small body panel

fastener covers, separate electronic assemblies and more

TIT17714

3 Piece Pick Set

 Double-ended design provides multiple tip options, ensuring the right tool for the job

 Access hard to reach areas when removing or replacing O-rings, seals/gaskets, clips and cleaning tight gapes in interior components, handling delicate wiring and connectors, etc.

KTI19240 4 Piece Bent End Pry Bar Set

- with Screwdriver Handles · Feature smooth, comfortable
- square handles Packaged in plastic formed box
- Set includes sizes: 9", 12", 18", 24"



WARNING: Cancer and Reproductive Harm



MLW48-22-9214

4 Piece Pry Bar Set

- Includes: 8", 12", 18" & 24" pry bars
 All Metal I-Beam Core: Up to 40% Stronger
 Comfortable Tri-Lobe Handles
- · Hammer-Ready Strike Cap
- Lifetime Guarantee



minator

MAY60028

4 Piece O-Ring Removal Tool Set

- For removal of o-rings and seals
- · Rounded tips for easy, damage free removal
- 2 tip configurations
- · 2 blade lengths
- Solvent resistant handle for secure grip

Dominator.º




MAY14082

- 4 Piece Dominator Straight Scraper Set
 Capped end in direct contact with tempered steel shaft
 Blade ground for a sharp edge that can be
- Blade ground for a sharp edge that can be re-sharpened after heavy use
 Set Includes: 14171- 1/2", 14172- 3/4", 14173- 1", 14174- 1 1/2" Dominator Wide Scrapers

Also Available Separately:

MAY14171 - 1/2" Wide Scraper MAY14172 - 3/4" Wide Scraper MAY14173 - 1" Wide Scraper MAY14174 - 1-1/2" Wide Scraper

Dominator®



MAY81271

4 Piece Dominator Hook / Pick Set and FREE Mini Hook / Pick Set

- Made of larger shank steel for heavy duty applications

- Features a patented 2-composite handle
 Capped end for solid striking
 Black Oxide finish for additional rust protection

Includes:

10" 90-degree Hook 10" Scratch Awl 10" Curved Hook 10" Complex Hook

Get FREE- MAY60003- 4 Piece Mini Hook and Pick Set

Hooks and Picks / Punches and Chisels / Files / Pliers



MTN6218

5" long Automatic Center Punch

- No Hammer Required
 Alloy Steel Point
 .5" Diameter
- 1 year warranty on material & workmanship



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



KTI72901

15 Piece Punch and Chisel Set

- Pin Punches: 3/32", 1/8", 5/32", 3/16", 1/4"
 Taper Punches: 3/32", 1/8", 5/32", 3/16", 1/4"
- Chisels: 3/8", 1/2", 5/8"
 Center Punches: 1/8", 3/16"
- · All included in a plastic formed tray

KTI72901K

15 Piece Punch and Chisel Set In Kit Bag

KT173000

5 Piece Chisel Set

- · In plastic formed tray
- Includes sizes: 3/8", 1/2", 5/8", 3/4", and 7/8"
 Also available individually.



6 Piece Pin Punch Set

- 3/32", 1/8", 5/32", 3/16", 1/4", and 5/16" punches
- · Packaged in a plastic formed tray

KTI72970

5 Piece Drift Brass Punch Set

- Includes 5 punches all 5-3/4" (147 mm) long, with the following punch diameters: 1/4" (6 mm); 3/8" (10 mm); 1/2" (12 mm); 5/8" (16 mm); 3/4" (19 mm)

 • All five punches come in one pouch



KTI72902 17 Piece Power Punch Kit

and Metal-punching Tool Set • Punches and dies hardened to C50-52

- 7 sets of punches & dies: 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 9/32"
- · Will pierce up to 14 gauge steel
- Handled punch tool is covered by a 1-Year warranty. 7 punch & dies are not covered by warranty



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

ULLMAN

ULLCHP8-L - 8-Piece Set

• Set includes the following 9-3/4" high carbon polished steel picks; 90° pick, straight pick, complex pick, hook pick, combination pick, double angle pick, 45° pick and angle hook pick





MLW48-22-9215

- 4 Piece Hook & Pick Set
- All-Metal Core: Up to 50% More Durable
- Chrome Plated for Rust Protection
- Knurling for Increased Tool Control
- Includes: Straight Pick, Offset Hook, Hook, 90° Hook
- Lifetime Guarantee



GW GEARWRENCH

KDT82821

- Tool grade steel provides
- outstanding cutting ability
 Great for deburring, rounding, and removing tough edges
- . Stores easily in a tool pouch



6 Piece Mini File Set

- Dual material cushion grip handles for added comfort and leverage



MAYHEW



MAY62287

20 Piece Punch and Chisel Kit

- · Heavy duty, heat treated, alloy steel for maximum durability strength
- Black oxide finish for additional rust protection & professional appearance
- · Struck ends are tempered to help reduce chipping



WARNING: Cancer and Reproductive Harm




MAY66907

3 Piece Hardcap Alignment Punch Set

- Reinforced polymer by DuPont reduces noise by up to 80%
- · Cap-and-cushion grip reduces the amount of shock by up to 90%
- Striking surface enlarged by 2 1/2 times, eliminates flying metal fragments, reduces glancing blows, and reduces hammer kickback and trauma to wrist and elbow





IRWIN. VISE:GRIP



VGP1078TRAY

10 Piece Locking Pliers Set

Ideal for tightening, clamping, twisting and turning

Set includes: 10R, 10WR, 7R, 7WR, 7LW, 5WR, 6LN, 9LN, 6R and 11R. Packaged in a tray.

VISE-GRIP

VGP8R

8" Locking Sheet Metal Plier

- · Constructed of heat-treated alloy steel
- · Jaw capacity of 1/2'
- Throat depth of 1-3/4"



Locking C-Clamps

- Adjusting screw for exacting pressureGuarded release trigger

VGP6R - 6" Locking C-Clamp

•1-1/2" x 2" Throat

VGP11R - 11" Locking C-Clamp

• 3" x 3-3/4" Throat

VGP18R - 18" Locking C-Clamp

9-1/2" x 3-3/4" Throat

OUR #1SET



VGP538KB

5-Piece Vise Grip Set

- Contains (1) each
 10R 10" Straight jaw locking pliers
 10CR 10" Curved jaw locking pliers.
 7" Curved jaw locking pliers w/ wire cutters
- 6LN 6" Long nose locking pliers
 5WR 5" Locking pliers. Curved jaw locking pliers with wire cutters.



VGP1802537

7 Piece IRWIN Traditional and Locking Pliers Set

Set contains: 6" GrooveLock V-Jaw, 8" Long Nose Pliers, 8" Angled Head Diagonal Cutting Pliers, 9.5" Linemans Plier, 10CR Vise-Grip Fast Release, 9LN Vise-Grip Fast Release and 10" GrooveLock Straight Jaw. All in a roll up kit bag.



VGP2078712

8 Piece GrooveLock/ProPliers Kit Bag Set

Set includes one each: 8, 10, 12" GrooveLock Pliers, 10" Adjustable Wrench, 8" Long Nose Plier, 8" Linesman's Plier, 6" Diagonal Cutter, 6" Slip Joint Plier

HAND TOOLS

IRWIN. **VISE-GRIP**

VGP2078704 3 Piece ProPliers Set

• 6" Long Nose, 6" Slip Joint, 10" Groove Joint Pliers

VGP2078709

2 Piece GrooveLock Pliers

· 2X faster press and slide button quickly adjusts lower jaw

Long Nose Locking Pliers with Wire Cutter

· High grade alloy steel with hardened teeth to grip at any angle

VGP4LN - 4" VGP6LN - 6"



in a Canvas Tool Tote Bag

 Guarded release trigger quickly unlocks and protects from accidental release

TAN

TIT12445

- Heat treated blades



CHAN NET LOCK



CHA431KB 5 Piece Tongue

and Groove Plier Set

Includes: 9-1/2" & 10" tongue and groove pliers, 7" cutting plier with lap joint, 6" slip joint plier with wire cutting shear, 7-1/2" long nose plier without side cutter

Pliers








CHAPC-LC12

CHAPG-LUIZ
12 Piece Precision Tool Set with Storage Tray
Set Includes: 4" HL Diag Cutting plier, 4" HL End Cutting
Plier, 5" HL Long Nose Plier w/cutter, 6" Snipe Nose
Plier, 4.5" Slip Joint Plier, 4.5" Tongue & Groove, and 6
Precision Drivers: 3 TORX®, 2 Phillips, 1 Slotted Precision in a convenient storage tray sion in a convenient storage tray







Crimping and Cutting Tool

 For use on both insulated and non-insulated solderless connections and terminals



CHA367

7.5" High Leverage Linemen's Pliers

· High leverage less force required for cutting



CHA449

9" Curved High Leverage Cutting Plier

High carbon steel for superior performance

CHA758

7.5" Flush Cutter Plier

• Cleanly cuts plastic and 10-20 AWG stranded copper wire

Individual Tongue and Groove Pliers

- SAFE-T-STOP prevents finger pinch
- Right angle teeth grip in all directions
- Undercut tongue and groove, won't slip





Part Number	Description	Adjustments
CHA460	16" tongue and groove plier	8
CHA442	12" curved jaw tongue and groove plier	7
CHA440	12" tongue and groove plier	7
CHA430	10" tongue and groove plier	7
CHA422	9-1/2" curved jaw tongue and groove plier	5
CHA420	9-1/2" tongue and groove plier	5
CHA426	6-1/2" tongue and groove plier	5
CHA424	4-1/2" tongue and groove plier	3
CHA428	8" tongue and groove plier	4
CHA480	20.25" Big Azz® tongue and groove plier	12



VMPVT-001-8 VamPLIERS™ Pro

8" Screw Extraction Linesman Pliers

- Remove stripped/rusted/corroded/stuck/one-side/Torx screws, nuts and bolts
- Target screws can be extracted using top jaw or side jaw
 Wire cutters hardened to HRC58±2 (Rockwell standard)



VMPVT-001-S4B

- 4 Piece Set of VamPLIERSTM (5", 6.25", 7.5", 8")

 Set includes 5", 6.25", 7.5", 8"

 Remove stripped/rusted/corroded/stuck/one-side/
 Torx screws, nuts and bolts.

 Designed with VamPLIERSTM Technology.
- Perfect nose for access to confined spaces.
- Inside jaw surface hardened to HRC58±2 (for 5" and 6.25") and HRC60±2 (for 7.5" LN and 8" Pro)
- · Ergonomic elastomer handles for unmatched comfort



- VMPVT-001-7LN VamPLIERS™ 7.5" Long Nose Pliers Remove stripped/rusted/corroded/stuck/one-side/ Torx screws, nuts and bolts
- Vertical serrations bite screw heads without slippage
- · Intermeshed teeth hold thin plates without slippage
- · T-shaped forged handles



VMPVT-003-7LP VamPLIERS™ JAWZ 7.5" **Screw Extraction Locking Pliers**

- Vertical serrations to bite and grip a screw head without slippage
- · Gripping vise remains closed securely while pliers are turned
- Quick Release enables you to unlock the pliers instantly Equipped with anti-slip elastomer
- handles for safety 3 year warranty on material and workmanship

Pliers



KTI54053 Parrot Plier

- Parrot nose jaws grip 3 sides of a fastener or pipe for a non slipping grip
- · Adjust pressure by turning screw
- Jaw capacity: 15/64" to 1-1/4" (6-32mm)
- Covered by a Lifetime Warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

GU GEARWRENCH



7 Piece Mixed Dipped Handle Plier Set Includes; 10" Tongue and Groove, 12 Tongue and Groove, 8 Slip Joint, 7" Long Nose, 8" Linesman, 7" Diagonal, and 7" End Nippers.

Slip Joint Pliers KDT82068 (6-1/2")





KDT82124

2 Piece GW PivotForce Compound Action Pliers, **Long Nose and Diagonal**

- Unique compound action uses 40% less effort to cut
- . Induction hardened cutting edges for long life

KDT82120

GW PivotForce Compound Action Diagonal Pliers

☞ GEARWRENCH



3 Piece Push Button Tongue

- and Groove Plier Set 8", 10", 12"

 Quick and easy push button adjustment
- Over 23 jaw positions (size dependent)





KNP9K0080115US

2 Piece 10" Pliers Set with Keeper Pouch

- Includes 10" Cobra® Pliers and 10" High Leverage Diagonal Cutter
- The 10" Cobra Pliers stays locked in position until you change it
- The 10" High Leverage Diagonal Cutter has long and precise induction hardened (64 HRC) cutting edges for extra long life and easy cutting of all sorts of wire including piano wire up to 1/8".





KNP9K0080136US

4 Piece Automotive Set

Includes 10" Cobra Pliers, 10" High Leverage Diagonal Cutters, 10" Pliers Wrench and 10" Hose Clamp Pliers



KNP8601250

10" Pliers Wrench

- Adjustment at the touch of a button
- 19 adjustment positions to adjust to hex nuts up to 2'

WARNING: Cancer and Reproductive Harm ww.P65Warnings.ca.gov



KNP9K0080109US

2 Piece Pliers Wrench Set with Keeper Pouch

- . Two of the most popular Pliers Wrenches in one set • (1) 86 03 180 7-1/4" Pliers Wrench,
- (1) 86 03 250 10" Pliers Wrench Contains a one-of-a kind tool that replaces a full set of inch and metric open end wrenches
- Adjustment at the touch of a button



KNP1342165

Dismantling Pliers

 Dismantling and stripping of all common round and damp-proof installation cables such as NYM cable (For metric wire only -Not designed for NM or NM-B cable)



KNP1274180SB

Automatic Stripping Pliers

- For control and sensor cables/actuator cables
- · Also for dismantling flexible 3-core feed cables and extension cables
- No damage to inner conductor or shield braid



KNP10981220

8-3/4" Ear Clamp Pliers with Front Jaws

- Suitable for simple and reliable clamping of 1-ear and 2-ear clamps without damaging the press points
- For clamps on CV boots, coolant and fuel lines, air pressure systems, compressors





KNP9K008098US

3 Piece Automotive Tool Set

- 10" Cobra Pliers
- 8" Cable Shear
- 8" Long Nose Pliers with Cutter

Alligator" Push Button Adjust Pliers

- Self-gripping on pipes and nuts The guard prevents operators' fingers being pinched 7-position adjustment
- aterial: Chrome vanadium electric steel, oil-hardened 10" 1/8" 1 1/4

Part Number	Description	Head	KNIPEX
KNP8801-10	10" tongue and groove plier	Polished	
KNP8801-12	12" tongue and groove plier	Polished	

Cobra" Push Button Adjust Pliers

- New generation of water pump pliers for easier, safer work
 Press button action for fast and firm adjustment directly on the workpiece
 Made of chrome vanadium steel and oil hardened
 Box joint construction

· ·			KNIDEX
Part Number	Description	Head	
KNP8701125	5" tongue and groove plier	Polished	
KNP8701-6	6" tongue and groove plier	Polished	
KNP8701-7	7" tongue and groove plier	Polished	
KNP8701-10	10" tongue and groove plier	Polished	
KNP267487	3pc 10" Cobra w/ 8" long nose & 8" cutter plier	Polished	
KNP3X87	3pc Cobra Set with 7", 10" & 12"	Polished	
KNP8701-12	12" tongue and groove plier	Polished	

HAND TOOLS





- KNP9K0080129US
 2 Piece 10" Diagonal Cutter Set
 Includes the 74 01 250 (10" Straight Diagonal Cutter) & 74 21 250 (10" Angled Diagonal cutter)
 High leverage performance due to optimum coordination of cutting angle, transmission angle and ergonomic handle
 Precision cutting edges induction hardened cutting
- · Precision cutting edges induction hardened cutting edge, hardness approximately 64 HRC



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KNP9455200 **Anvil Shears**

- The perfect tool for cutting soft material like rubber, leather, and hose
- Cuts round material up to 1 and flat material up to 1.5"
- Includes opening spring and locking device



8" Internal and External Snap Ring Pliers

- Unique jaw design to easily remove for straight and 90° angle tips
- Alloy steel and PVC grip with storage for tips
- . Includes 3 pairs of tips and hex key for storage
- Covered by a 1 Year Warranty

WARNING: Cancer and Reproductive Harm



LIS49200

Convertable Internal / **External Snap Ring Pliers**

- Ten tip sets in a handy plastic pouch are included to fit a wide range of snap ring sizes

 Tips are easily interchanged
- Wrench included

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Pliers and Cutters





KAS3595 12 Piece Quick Switch Snap Ring Pliers

- 4 tip sizes in straight, 45° and 90° degree angles
 Four different tip diameters, .038, .047, .070, & .090



KAS1500

3 Piece Hose Pinch Off Pliers Set

- · Contains all three pliers, small, medium & large
- · Comes in a plastic pouch
- Made in USA
- 1 year warranty



KAS1487

2 Piece 16IN Snap Ring Pliers Set

- Contains one each of 16" external and internal pliers
 2 sets of tips, straight, 45 & 90 degree
- · Spring locking mechanism to hold snap rings
- Made in the USA
- · Lifetime warranty does not cover abuse



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

PAstro



AST9401

10 Piece Snap Ring Plier Set

- Operates both internal and external rings
- · Cr Mo steel, heat-treated

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KTI55112

12 Piece Universal Snap Ring Plier Kit

- Versatile, heavy duty pliers are designed for the removal and installation of either internal or external snap rings on a wide range of applications
- Includes the four most popular sizes in straight, 45 and 90 degree angle configurations
 Plastic red gripped handles for comfort and extra leverage



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KTI52009 Heavy Duty Cable Cutters

- For cutting copper and aluminum cable
 Not for use on ACSR cable or steel wire.



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





KTI51103

3 Pc. 11" Long Reach Needle Nose Plier Set

Set includes: 15°, 45° and 90° bent nose

KTI51111 - 11" Long Nose, 90° Bend

KTI51211 - 11" Long Nose, 45° Bend KTI51311 - 11" Long Nose, 15° Offset

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



Quick Release Push-Lock Plier

- 4 Piece Set with Case Prevents knuckles
- from being smashed Removes fittings in difficult locations
- Includes: DSIQRPSA DSIQRPSV-P, DSIQRPLA, DSIQRPLV-P



ELECTRONICS & DIAGNOSTICS



BOSCH

Invented for life



BSDADS325

ADS 325 Corded Diagnostic Scan Tool with 7" Display

- Full system coverage for Domestic, Asian and European vehicles covering all makes/models
- Auto ID VINs, read all DTC types from all controllers, view data PIDS, perform bi-directional controls, calibrations, resets, relearns provides complete diagnostic needs

BSDADS625

- ADS 625 Diagnostic Scan Tool with 10" Display

 Full system coverage for Domestic, Asian and European vehicles covering all makes/models
- Auto ID VINs, read all DTC types from all controllers, view data PIDS, perform bi-directional controls, calibrations, resets, relearns provides
- Bosch 'Repair-Source' is now available to all ADS customers

Scan Tools



BOSCH

Invented for life



B0S3824A

- Soz44
 Sil [truck] HD Diagnostic Solution
 with HDS 1000 Tablet
 Enhanced bidirectional controls, including diesel particulate filter (DPF) regeneration, cylinder cut-out, injector coding, component actuation, special tests, and more
- · Useful technical information to aid in diagnosis, maintenance, and repair



OTC3896

Evolve Professional Diagnostic Tool

- 10.4 inch optically bonded screen providing unmatched visibility in most conditions
- Dual wifi architecture includes separate handset-VCl wifi and additional shop internet connection allowing the technician to move freely around the vehicle
- Embedded Identifix® assets available during every type of repair, including Code-Assist™, Symptom-Assist™ and Repair-Trac[†]



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

- OTC3211
 OTC 3211 OBD I and II Scan Tool
 Includes OBD I Cables for 1984-95 GM and Ford vehicles and 1989-95 Chrysler and Toyota vehicles
- OBD I Live engine data for pre-1996 vehicles for faster vehicle diagnosis
- CodeConnect Over 26+ million fixes that provide the most likely fix for the issue that is both vehicle and code specific
- ABS and Airbag Code coverage for most Domestic and Asian vehicles 1996-2013
 Color screen Oil Light Reset
 Dual PID Graphing Battery Life Reset







OTC3209

OBDII, ABS & Airbag Scan Tool

Read ABS & Airbag codes and definitions for most 1996-2003 GM, Ford, Chrysler, Toyota, Honda, Nissan and Hyundai vehicles



CDOCPRO

- Android Scan Tool for Passenger Car & Light Truck

 Full system access with bi-directional controls
 and special functions

 Auto-IDs the vehicle
- Resets include: ABS brake bleed, battery matching,
 CVT reset, CKP learning, immobilizer, oil service reset,
 EPB reset, TPMS, throttle position and steering angle reset
- 8" IPS high-resolution screen
- Asian, European and domestic vehicles covered

AUTEL MAXISYS



AULADASCOMPLTE

Complete ADAS Calibration Package

- Includes Calibration Standard Package with Frame & Wheel Clamps w/Lasers
- Includes LDW Targets and Target Holder
 Includes AVM/RCW Patterns and Center Axis Laser
- Includes BSD Radar Calibration Kit
- & NV Calibration Kit

AULADASCAL1

Camera, Radar and NV Calibration Package

- Includes Center Axis Laser, Radar Calibration Plate, Box and Corner Reflector with Stand
- Includes Night Vision Calibrator and Box
 Includes RCW Patterns for Nissan,
- Volkswagen, and Mercedes
- Includes AVM Patterns for Cadillac. Honda and Volkswagen
- Compatible with Autel ADAS Calibration Frame (not included)

AULLDWTARGET1 Targets and Holder for LDW Calibration

- Package Expands Lane Departure Warning Calibration Capabilities
- Includes LDW Calibration Targets for Honda, Nissan, Infiniti, Toyota, Lexus, Hyundai and Kia
- Includes Target Holder that Inserts into Autel's Calibration Frame
- Compatible with the Autel ADAS Calibration Frame (not included)

AULLDWTARGET2

Expansion Set of Targets for LDW Calibration

- Package Expands Lane Departure Warning Calibration Capabilities
- Includes LDW Calibration Targets for Nissan, Mazda, Mercedes, Mitsubishi and Subaru
- Compatible with the Autel ADAS System (Target Holder and Calibration Frame Sold Separately)

AUTEL MAXISYS



AULMSADAS MaxiSYS ADAS Calibration Tablet

- ADAS Calibration & Diagnostic Tablet
 Performs Calibrations for Vehicles with Camera, Radar & NV ADAS Systems
 Requires Autel ADAS Calibration Frame (not included)
 AutoVIN 2006+ /AutoSCAN: All Modules in All Systems
 Includes MaxiFlash Elite J2534 Pass-Thru Programming Device & VCI

AULMSCHRY12+8

OBDII Cable Adapter

- For Chrysler / Fiat 12+8
- Required to Access Chrysler / Fiat Vehicles
 Needed to access 80% of 2018 Chrysler / Fiat vehicles and 100% of 2019 Chrysler / Fiat vehicles
 Enables Read and Clear Codes
- Designed to work with your MaxiSYS Tablet



Scan Tools

AUTEL MAXISYS



AULMS908S

Powerful Complete Diagnostic System

- AutoVIN 2006+ / AutoSCAN: All Modules in All Systems
- 21 Service Functions / Bi-Directional Control/Perform Active Tests
- Covers Domestic, Asian and European Vehicle Manufacturers (1996+) Including SuperCars
- 10" Touchscreen / 1.3GHz+1.7GHz Processor /64GB Memory / 2GB ŔAM
- 1Yr FREE Software & 1Yr Warranty / Eligible for Extended TCP Coverage

AULMS908SPR0

Advanced Diagnostics Tablet with J2534



AULMS908CV

Commercial Vehicle Diagnostic System

- Class 1- 9 Commercial Vehicles / SAE J1939/SAE J1708
 MFG. CUST. J1939/J1708 Protocols
- AutoVIN 2006+ / AutoSCAN: All Modules in All Systems
- Statistics
 Service Functions / Bi-Directional Control
 Includes J2534 MaxiFlash Elite Pass-Thru Programming Device
 Includes Deutsch 6Pin & 9Pin and Full Probe Set
- 10" Touchscreen /1.4GHz Processor/ 32GB Memory / 2GB RAM 1Yr FREE Software & 1Yr Warranty / Eligible for Extended
- TCP Coverage
- · Android 4.0.4 / WiFi Software Updates
- · Class 1-9 Reset Diesel Emissions /DPF Regeneration
- Includes OBDII Connector Kit & Carry Case
- · Covers domestic, Asian and European Vehicle Manufacturers (1996+) Including SuperCars

AULMS906CV

Diesel Diagnostic Service - HD

- Advanced Service Features / All Systems Diagnostic
- Class 1-9 Commercial Vehicles / All Makes & Models
- AutoVIN / AutoSCAN All Modules In All Systems
- Includes Connector Kit / New Deutsch 6pin & 9pin

AULMS906BT

Affordable Diagnostics

- AutoVIN 2006+ / AutoSCAN: All Modules in All Systems
 20 Service Functions / Bi-Directional Control
 8" Touchscreen /1.3GHz + 1.7GHz Hexa-Core Processor
 1Yr FREE Software & 1Yr Warranty / Eligible for Extended
- TCP Coverage

 Android 4.4.2/ WiFi Software Updates
- · Reset Diesel Emissions on Select Light/Med. Duty / DPF Regeneration



DUTY

AUTEL MaxiCheck

AULMX808

- Advanced Service + All Systems Diagnostics

 AutoVIN 2006+ /AutoSCAN: All Modules in All Systems 17 Service Functions / Generates Printable Diagnostic
- · Covers Domestic, Asian and European Vehicle Manufacturers (1996+) 1Yr FREE
- 7" Touchscreen /1.5GHz Quad-Core Processor /32GB Memory /2GB RAM
- Android 4.4.4 /WiFi Software Updates
- I/M Readiness / Emissions Testing



NEW LOW PASS FILTER SOFTWARE

AULMP408-BASIC

MaxiScope 4-Channel Digital Oscilloscope

- New Low Pass Filter Software
- · Color Coded 4-Channel Control Panel / Easily Adjusted Trigger Point
- Measure/ Test Vehicle Electrical Emissions Components
- 1-Click Auto Setup Voltage Scale / 1-Click Auto Setup Time Base



AUTEL AutoLink

AULAL329

Code Reader with One-Press I/M Readiness Key

- Covers Domestic, Asian and European Vehicle Manufacturers (1996 to Present)
- Auto VIN for Quick DTC Definitions
 Read/ Erase DTCs for Engine
- One Click I/M Readiness/ LED Indicator
- Display Live & Freeze Frame Data
 Support All 10 OBDII Test Modes
- FREE Lifetime Software/ 1Yr Warrantv



- AL629 ABS/SRS/Engine/Transmission Code Reader
 Covers All Domestic, Asian and European Vehicle
 Manufacturers (1996 to Present)
- Auto VIN for Quick DTC Definitions
- Read/ Erase DTCs for ABS/SRS
- · Read/ Erase DTCs for Engine/Transmission
- I/M Emissions Readiness
- · Graph, Record & Playback Live Data
- Display Freeze Frame Data
- Support All 10 OBDII Test Modes
- Enhanced Mode 6 Diagnostics
- Tests: 02 Monitor, On-Board Monitor, Component & Oxygen Sensor

 FREE Lifetime Software/ 1Yr Warranty



AULAL529HD

Heavy Duty Vehicle Code Reader

- Supports J1939 & J1708 HD Protocols
 Covers All Domestic, Asian and European
- Vehicle Manufacturers (1996 to Present)

 Auto VIN for Quick DTC Definitions

 Read/ Erase Heavy Duty Engine DTCs

- Read Enhanced Powertrain System Codes on GM/Ford/Chrysler
- One Click I/M Readiness/ LED Indicator
- · Graph, Record & Playback Live Data
- . Display Freeze Frame Data Support All 10 OBDII Test Modes
- Enhanced Mode 6 Diagnostics
- Tests: 02 Monitor, On-Board Monitor, Component & Oxygen Sensor
- FREE Lifetime Software/ 1Yr Warranty



MaxiTPMS

AULTS508K-1

TS508 Tool & 8 1-Sensors

- Quick Mode & Advanced Mode Options
 Read/Activate/Relearn All Known Sensors
- Detect & Display TPMS System Faults
- Display Vehicle-Specific Relearn Proce-
- dures; Perform OBDII Relearns
- 8 Autel MX-Sensors Included



Scan Tools

LAUNCH

LAU301190189

X431 Pro Scan Tool

- Featuring the latest in a Tablet and MKT 4 core processor running an open Android™ operating
- OE-level access to Asian, European and Domestic applications for module coding, resets, relearns & bi-directional capabilities
- · Code Search: quickest response for code solutions, auto searches Google with DTC and related info
- Includes OBD I & proprietary cables and connectors



LAUNCH



LAU301180411

Pad II AE

 The PAD II AE is a robust, drop-tested and waterproof Android based scan tool tablet with a 10.1 inch ultra-high resolution IPS touch screen. The PAD II boasts the same award winning software as previous Launch Pro-line scan tools – including vast vehicle coverage, powerful special test functions, accurate and ultra-fast live data and graphing, along with module coding capabilities

LAU301050139 Launch CReader VII

- For use on all '96 & newer domestic & import cars, SUV's & light trucks (Communicates with all OBDII Protocols/CAN compliant)
- Coverage for the latest modes 1 through 10



Millennium 70

- Read DTCs, clear DTCs, and read data streams for the ABS system 4
- . 02 sensor test, On-board monitor test, read vehicle information



LAU301050345

Millennium 90 reader w/live ABS and 6 spec functions

- Read DTCs. Clear DTCs, and read data streams for the SRS and ABS system
- Special Functions: EPB, BMS, DPF, SAS reset, Brake Bleeding

LAU301050344

Millennium 80 Reset Tool

- Displays Live data and 4 graphs of OBDII information
 6 Special Functions: Oil resets, EPB, BMS, DPF, SAS reset and Brake Bleeding
- · Record and replay data
- 4 Inch color screen



LAUNCH

LAU301050367

Millennium HD PRO-Heavy Duty Code Scanner with DPF

- Read DTCs, Clear DTCs and Data Stream for Heavy Duty OBD(J1780 AND J1939)
- Support DPF reset for most makes and models in the market.
- Support DFF reset for most makes and modes in the market, especially engineering vehicles, like CAT.
 Support 6pin, 9pin, 16pin and CAT 9 adapters.
 For gasoline vehicles, supporting Read DTCs, Clear DTCs, Read Freeze Frame Data and Vehicle Information, Graphic Display.
- Update online





EPI3150F

CanOBD2 Tool with ABS and SRS

- Reads and clears ABS & SRS codes
 Oil Light Reset

- Charging System Test
 Bluetooth Connection/Mobile App
 Battery Reset & Initialization

EPI3160G

ScanTool CanOBD2 with ABS & SRS

- Reads airbag/supplemental restraint system (SRS) codes on most newer-model vehicles (GM, Ford, Chrysler, Toyota, and Honda)
- View live-data stream
- · Graph, read, and record live-data values
- Freeze frame shows engine conditions such as fuel trim, engine coolant temp, etc., at the time the Malfunction Indicator Lamp (MIL) was set

EPI3160E

Scan Tool Can OBD2 with ABS and SRS

- Battery Initialization Function
 OBD2 Live-Data Stream Display
- · ABS & SRS Read & Erase most 1996+ Domestic, Asian and European
- · Read & clear Check Engine lights on any foreign or domestic 1996 & newer
- . 1 year warranty from date of shipment from vendor



COJ29366CVKIT

Jaltest Commercial Vehicle Diagnostics Kit

- · Provides end-users with state-of-the-art diagnostics for trucks, buses, and trailers, as well as access to light commercial vehicles
- Read and clear trouble codes
- · View live data PIDs
- Perform functional tests and special functions such as calibrations that complete repairs
- Includes one year of info online, the latest in repair and diagnostic procedures support, including wiring diagrams

Kit includes: COJ29366 Jaltest Link Kit, COJ29300 Software Activation for Commercial Vehicles, COJ29053 Software One-Year License of Use and COJ29428 Jaltest Info Online One-Year of Use

COJ29750AGKIT

Jaltest Complete Agriculture Diagnostic Kit

Kit includes: COJ29750 AGV Kit, COJ29762 Software Activation AGV, COJ29761 Software One-Year License and COJ29758 Jaltest AGV Cable Set

COJ29981MAKIT

Jaltest Complete Marine Diagnostics Kit Kit includes: COJ29981 Marine Link Kit, COJ29990 Software Activation Full Kit, COJ29982 Boat Cable Set and COJ29982 Jet Ski Cable Set

ELECTRONICS & DIAGNOSTICS







NRS263025-NS

JPRO® Professional™ Diagnostic Toolbox with Next Step™

- Perform simultaneous assessment of the ENTIRE truck (including all engine, ABS, body, and chassis controllers) in less than one minute, without prior knowledge of the vehicle's configuration
- Provides bi-directional features and tests for Mack, Volvo, Detroit Diesel, Cummins, International, PACCAR, Isuzu, Wabco, and Bendix
- · Proprietary heavy-duty coverage for all makes and models
- Includes: JPRO® Professional Diagnostic Software (Annual Subscription), Next Step™ Service Information, Panasonic Toughbook CF-53, DLA+ 2.0 Adapter, Type-2 Vehicle Cables (6-Pin, 9-Pin), Type-B OBDII Cables (Ford, GM, Sprinter, Mack & Volvo, and Isuzu)



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

NRS212100-NS

JPRO® Professional™ Diagnostic Software with Next Step™

Includes: Software only, no hardware included



NRS263025

JPRO® Professional™ Diagnostic Toolbox

 Includes: JPRO Professional Diagnostic Software (Annual Subscription), Panasonic Toughbook CF-53, DLA+ 2.0 Adapter, Type 2 Vehicle Cables (6-Pin & 9-Pin), Type-B OBDII Cables (Ford, GM, Sprinter, Mack & Volvo, and Isuzu) and USB Cable.



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

NRS232125-NS

JPRO® Professional™ Diagnostic Software and Adapter Kit with Next Step™

• Includes: JPRO® Professional Diagnostic Software (Annual Subscription), Next Step Service Information, DLA+ 2.0 Adapter, Type-2 Vehicle Cables (6-Pin, 9-Pin)and Type-B OBDII Cables (Ford, GM, Sprinter, Mack & Volvo, and Isuzu).

NRS122061

JPRO DLA+ 2.0 Adapter Kit

- DLA+ 2.0 adapters work with all TMC R01210 compliant heavy-duty OEM diagnostic software applications and will work with vehicles manufactured before 2017
- All DLA+ 2.0 and DLA+ 2.0 wireless adapters come with a 1-year warranty



Scan Tools

MPS124032

USB Link 2: Bluetooth Edition

- · Class 1 Bluetooth provides up to 100 feet of wireless freedom
- · Flexible configuration supports wired or wireless connectivity
- Compatible with applications that diagnose engines, transmissions. ABS, instrument panels and more
- Reduce programming times with direct USB connection
- Quick access to vehicle data for maintenance or management reports

CDOHDMOBILE

VCI and Application for Heavy Duty Class 4-8

- Works with iOS and Android
- Class 4-8 Coverage along with OBDII
- Light-Medium Duty Coverage
- Read and Clear Codes
- . DPF Resets and Regens





CDOHDPROTAB

Android Tablet for Heavy Duty

- True IP65 Rated Android Tablet with Wireless Bluetooth VCI
- Class 4-8, Light-Medium Duty and Agricultural Coverage
 Read/Clear Codes, View/Graph Live Data
- and full Bi-directional controls
- Perform OEM Level Resets & Regeneration





- Heavy Duty Codereader with Caterpillar and DPF

 Heavy Duty Codereader with Caterpillar and DPF

 Class 4-8 Heavy Duty Truck Full Coverage Code Scanner
- · Auto-IDs all systems and modules, including Brakes, Transmission, Body Controls and more!
- CAT Industrial, Construction and Power Equipment Coverage
- · Now with DPF Regens for Fuso, Cummins and Detroit more to come! • Free Internet Updates





DRWCARDAQ-PLUS3 BT

- CarDAQ-Plus3 Bluetooth Device Kit

 Most universally validated & compatible Bluetooth device with OEM applications
- Excellent educational materials and technical support provided for the life of the tool
- Keep the job in your shop, by using the OEM Right 2 Repair applications!
- Now has FD CAN, DOIP and supports 4 CAN channels at the same time

Test Leads, Probes, Pins & Clips





3 x 10' Magnetic Retractable Test Leads

- · Magnetic back allows for mounting on steel surfaces
- · Retractable test leads pull out and stay at desired length
- 18-gauge copper wire




WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

ESI618

Mini Back Probes/Wire Piercers

· Great for backprobing weather pack style connectors used with numerous automotive sensors









ESI1351

16 Piece Spade Terminal Test Lead Kit

- 7 different sizes of flat/spade type connector terminals
- Works with multimeters and digital oscilloscopes
 Includes 48" stacking banana plug test leads (2 pcs) - Storage case included
- Male spade sizes (2 ea.): 1.0MM, 2.2MM, 2.8MM, 4.8MM Female spade sizes (2 ea.); 2.2MM, 3.0MM, 7.7MM

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



ESI143

Automotive Test Lead Kit

• Includes: Interconnect Leads (64"), Test Probes, Flexible Silicon Back Probe Pins, Shielded Alligator Clips, Large Crocodile Clips and Pouch





MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

ESI142-5


Flexible Automotive Back Probe Pins


· Flexible 1.5 inch silicon pins provide easy back probing connections for DMM and Scope measurements





LOADpro® Dynamic Test Leads





Diagnostic Specialty Testers



OTC3415 CAN Test Box

- Connects between Diagnostic Link Connector (DLC) and scan tool

 • Alarm warning when voltage drops
- below 11.6v or rises above 15.2v





PFXPROS-500T

Smoke Monster Ultimate Smoke Leak Locator - Turbo

 Comes with: plastic accessory case, baby oil/ mineral oil, EVAP removal tool, EVAP port hose, adaptor plug assortment, Cone+ (2 in 1 exhaust or EVAP gas tank adaptor), LED flashlight, 2 x bladder blocker, instruction manual and Quick start guide

PFXPROS-200

Smoke Monster Ultimate

Smoke Leak Locator - PRO Series

 Comes with: plastic accessory case, baby oil/ min-eral oil, EVAP removal tool, EVAP port hose, adaptor plug assortment, exhaust cone, LED flashlight, instruction manual and Quick start guide

PFXPROS-50

Smoke Monster Junior Ultimate Smoke Leak Locator

· Comes with: plastic accessory case, baby oil/ mineral oil, EVAP removal tool, EVAP port hose, adaptor plug assortment, cone adaptor - exhaust, LED flashlight, instruction manual and Quick start guide

Relay Testers



ESI191

- Relay Buddy® Pro Test Kit
 Relay Buddy is a quick go / no-go tester for the most common automotive relays
- Now test 5 different types of relays including shielded relays

ESI193 Diagnostic Relay Buddy

12/24 Pro Test Kit

- Tests both 12 and 24 Volt relays 4 and 5 pin Diagnostic trouble codes indicate the cause
- of failure 3 different codes



Emissions-Vacuum Testers








RDL95-0003C

Redline Smoke Pro Total Tech

- Find all types of leaks
- Improve accuracy of repairs
- · Easy Intake now included with accessory kit
- 2 year warranty
- . Made in the USA



KTI TPMS Pro Tool



- Vehicle make, model, year lookup and relearn procedures
 Activates and reads 100% TPMS sensors
 Displays all sensor data in seconds: ID, tire pressure, tire temperature, battery status, etc.
- Provides indirect, manual and auto relearn procedure information

TPMS Tools

1 year warranty

KTITPMSOBD

Includes KTI TPMS PRO with OBD II and Softshell Case

KTITPMSOBDKIT

 Includes KTI TPMS PRO, OBD2 module, softshell case and 20 Hamaton U-Pro hybrid 2.0 sensors



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KTITPMSTOOL

TPMS Sensor Activation & Programming Tool

- · Comprehensive make, model, year lookup with
- Multi-lingual, 19+ languages

 Activates and reads 100% TPMS sensors and includes TPMS sensor part number look-up (OE and aftermarket)
- Programs all leading aftermarket programmable sensors Displays TPMS sensor data (ID, tire pressure, tire temperature,
- battery status, frequency)
 Covered by a 1-Year Warranty with 1 Year FREE Updates and includes worldwide TPMS technical support.



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





Ignition / Timing



EPI3568

- INNOVA® Digital Timing Light

 Split-screen digital LCD readout displays Tachometer and Advance functions simultaneously
 Digital Tach: 249 to 9,990 RPM
 Digital Advance 908 to 908
- Digital Advance: 0° to 90°
- Detachable leads, metal inductive pickup
- Patented Skip Circuitry Test up to 9,990 RPM





ESI328

EZ Tach Plus

- Can measure RPM on a wide variety of engines from string trimmers to automotive
- Reads engine revolutions up to 20,000 RPM
- Built-in LED Flashlight
- Picks up signal wireless or with supplied inductive pickup



ESI332

Pro Laser Tachometer

- High intesity laser beam not affected by shop light, detects RPM from up to 6 feet away
- Simple operation, just aim at reflective mark to get RPM
- Memory function saves maximum and minimum RPM readings
- Reflective tape included. Rpm range: 0 to 99,999



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

ELECTRONICS & DIAGNOSTICS

Voltage Circuit Testers



PPRPPECT3000

Intelligent Circuit Tracer for Shorts and Opens

- Automatic and manual sensitivity locking
- Arrow indicates direction to short
- · Signal Distance indicator bar
- 10 minute auto shut off
- Ergonomic housing



Power Probe III Test Light and Voltmeters

- 20' Jumper Lead Set
- · Bad Ground Indicator and Short Circuit Indicator
- · Continuity Tester
- Relay and Component Tester
 Built in flashlight

PPR319FTC-RED - Red PPR319FTC-BLU - Blue PPR319FTC-FIRE - Fire PPR319FTC-BLK - Black PPRPP319CAMO - Camo

PPR319FTC-CARB - Carbon Fiber





Power Probe Tek

Power Probe IV Diagnostic Circuit Tester

- Large Multi-Line Color LCD Screen (60% larger than the PPIII)
 Measure DC, AC, and Frequency (HZ)
- Test resistance on live and unloaded circuits
- Fuel Injector Tester Mode

PPRPPIVGRN (Green) PPRPPIV (Red)

PPRPPKIT04

Power Probe IV Master Kit with PPRPPECT3000

- · Supplies Power and Ground for Functional Component Testing

 • Fuel Injector tester for easy circuit diagnosis
- Signal Distance indicator bar
- . 10 minute auto shut off
- Large Color LCD Screen with Easy to Navigate User Menu







Power Probe 3EZ with Case & Accessories

- Test voltages and power up components on and off the vehicle
- EZ Learning software, teaches the user how to operate the tool
- EZ Diagnostics software, teaches the user how to perform common diagnostic applications on a vehicle
- Menu driven navigation
- Packaged in a case with a cigarette adapter and a 20ft extension cord

PPRPP3EZCAMOAS - Camo PPRPP3EZCARBAS - Carbon Fiber PPRPP3EZGRNAS - Green PPRPP3EZREDAS - Red

Power Probe PP3EZ Digital Voltmeter

- EZ Diagnostics mode coaches you through the basic electrical diagnostic testing procedures
 Embedded CR and a sufficient to the sufficient of the su
- Embedded QR codes within the tool provide knowledgeable videos for the everyday technician
- The PP3EZ has a menu driven screen giving you access to DC voltmeter, min, max, peak to peak, flip screen modes

PPRPP3EZCAMOCS - Camo PPRPP3EZCARBCS - Carbon Fiber PPRPP3EZGRNCS - Green PPRPP3EZREDCS - Red



Power Probe Tek

PPRLS01

- **Power Probe Leadset**
- Super flexible 10 gauge leads (1',3' & 6' stackable)
- 2 auto centering wire piercing probes (28-8AWG)
- High current 4mm shrouded banana plugs & jacks
- Male/Male & Female/Female Adapters



PPRPPROKIT01

Professional Testing Electrical Kit

CAT-IV 600V Hybrid Safe AC/DC Voltmeter

Power Probe Tek

- Measures Resistance to 60M 0hms
- Measures Current from .001 Amps to 10 Amps Measures Temperatures from -4°F - 1832°F (-20°C - 1000°C)
- Supplies Power and Ground for functional component testing

PPRPPTM01AS **POWER PROBE MAESTRO**

- Connects to the Power Probe Tek application that works with the Android and iOS devices for greater diagnostic functionality.
- Compatible with Scan Tools that allow 3rd party app downloads.
- DC Voltmeter: capable of applying battery supplied voltage or ground. AC voltmeter: TRMS, Peak-to-Peak/MIN/MAX, Frequency, Duty Cycle. Trace mode offers scope-like functionality. Resistance testing with a live or unloaded circuit. Fuel-injector test mode. Driver test for testing Module drivers.

PPRPPT5VA

5V Adapter

- Reduces the power probe tip voltage from battery voltage to 5 VDC and limits the current output
- Simple add-on accessory that works with all Power Probes with 4mm banana tip
- · Safely simulate sensor reference voltages and outputs
- Safely test sensors without damaging components
- Able to check sensor voltage on fuel injectors, cam. and crank sensors



PPRPPTVM01

DC Voltage Tester

- Performs quick battery checks and voltage checks
- · Can be checked on reverse polarity
- Reads 5 Volts 35 Volts
- · Display screen to view voltage
- The cable length is 1.5 feet long





Multimeters





MTN8720





WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Part Number	Auto Ranging	DC Current Max	DC Volt Max	CAT III 1000V Hybrid	RPM	# of Test Ranges	# of Test Functions	Diode Test	Audible Continuity	Freq	Dwell	Temp	Analog BarGraph	Ms Pulse Width	
EPI3320	•	10A	600V					•	•						
ESI480A	•	10A	600V			43	10	•	•	•					
ESI485	•	10A	600V	•		43	12	•	•	•		•			
ESI501	•	10A	500V			16	6	•							
ESI582		20A	1000V			33	11	•	•	•		•			
ESI585K	•	10A	1000V		•	45	14	•	•	•	•	•	•	•	
ESI590	•	20A	1000V		•	48	15	•	•	•	•	•		•	
ESI595	•	20A	1000V	•	•	58	16	•	•	•	•	•	•	•	
ESITMX-589	•	10A	1000V	•		44	11	•	•	•		•	•		
FLU115	•	10A	600V	•				•	•	•		•			
FLU87-5	•	10A	1000V	•				•	•	•		•			
FLU88-5	•	10A	1000V	•	•			•	•	•		•			
FLU88-5/AKIT	•	10A	1000V	•	•			•	•	•		•			
MTN8720		10A	600V			20	7	•	•			•			
OTC3505A	•	10A	600V		•			•	•	•	•	•		•	



ESI688

True RMS Low Current Clamp Meter

- Designed to provide stable and accurate measurements down to 1mA, great tool for parasitic drain testing - measures up to 80A, DC/AC
- Large 19mm clamp size

- Large 19thm claims size
 Zippered carrying case, temp probe and test leads included
 Peak Min/Max, Min/Max 5000 count LCD display with backlighting andanalog bargraph
 True RMS accuracy also measures DC/AC Volts, Ohms, Capacitance, Frequency, Temperature, Continuity and Diodes




WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



PPRPPDMM

- CAT-IV 600V Rugged Digital Multimeter
 CAT-IV 600V Rybrid Safe AC/DC Voltmeter
 DC Voltage, AC Voltage TRMS, Ohm, Amp, Temperature meter

- Measures Resistance to 60M Ohms
 Measures Current from .001Amps to 10 Amps
 Measures Temperatures from -4°F 1832°F
 (-20°C 1000°C)
- Measures Frequency and Duty Cycle







FLUKE



- FLU233/A Remote Display Digital Multimeter Kit Removable head for readings up to 30 feet away from base

 Measures up to 1000 V ac and dc

 True RMS ac voltage and current for accurate
- measurements on non-linear signals



Vehicle Lifts





ALL ATLAS EQUIPMENT REQUIRES FREIGHT DELIVERY OR PICK UP.
TO PICK UP, ORDER THE ITEM IN THE CATALOG, FOR PREPAID DELIVERY, ADD "-FPD" TO THE END OF THE PART NUMBER.
FREIGHT PREPAID PRODUCTS MUST SHIP TO A COMMERCIAL ADDRESS AND THE CUSTOMER IS 100% RESPONSIBLE FOR UNLOADING.

NOTE: IN CANADA ALL ATLAS PLATINUM LIFTS ARE BLUE IN COLOR AND BRANDED APEX



ATEAP-PVL10

Atlas Platinum ALI Cert 2-Post Lift • 3 stage front and rear arms

- Higher quality powder coating
 Truck adapter set included
- · Premium power unit
- 5 year structural and 2 year power unit warranties
- In Canada use Part# ATEATTD-APEX10




WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

ATEAP-PVL12

Atlas Platinum 12,000 lbs. **ALI Certified 2-Post Lift**

 3-Stage front and rear arms and 4.5" minimum pad height



Warranty: 5 year structural, 2 year hydraulic, Parts Only material and workmanship 90 days on wear items


 In Canada use Part# ATEATTD-APEX12

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

ATEAP-PVL15 Atlas Platinum PVL 15K

- **ALI Certified 2 Post Lift**
- 3 stage front and rear arms

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



- 4.5" pad heightPremium Power Unit
- In Canada use Part# ATEATTD-APEX15



ATEAP-PVL140F-EXT Atlas Platinum 14,000 Lb. Capacity

- 4-Post Open Front Alignment Lift
- Open Front ALI Certified
- · Extended length
- Premium Power Unit
- In Canada use Part# ATEXH-P14K0FEXT

ATEAP-PVL14

Atlas Platinum 14,000 Lb. Capacity 4-Post Lift

- Higher Quality Powder Coat Finish
- Single Point Lock Release
- Double Lock Safety System Mounting Hardware Included
- 5-Year Structural Warranty
 Shipping Weight: 2,800 Lbs.

In Canada use Part# ATEATTD-APEX14





ATEATTD-APEX8

8,000 lb. Capacity Hobbyist 4-post Lift, ETL/ALI C Lifting height: 72 5/6" (6' 5/6") Runway length: 169 1/2" (14' 1 1/2") Designed for the Heavy DIY

- ETL/ALI Certified
- · Warranty: 5 year structural, 2 year hydraulic, Parts Only material and workmanship 90 days on wear items



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Vehicle Lifts





ALL ATLAS EQUIPMENT REQUIRES FREIGHT DELIVERY OR PICK UP. TO PICK UP, ORDER THE ITEM IN THE CATALOG. FOR PREPAID DELIVERY, ADD "-FPD" TO THE END OF THE PART NUMBER.

FREIGHT PREPAID PRODUCTS MUST SHIP TO A COMMERCIAL ADDRESS AND THE CUSTOMER IS 100% RESPONSIBLE FOR UNLOADING.





ATEATLAS-WHLSTD Set of 4 Atlas Wheel Stands

- · Includes 4 steel wheel stands
- Includes 4 alignment turntables
- 6,000 lb. capacity (1,500 lb. capacity per stand)
- 36 1/2" height
- Shipping weight: 680 lbs.
- Warranty: 1 year parts warranty; parts only material and workmanship.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

ATEATTD-6MR

6,000 lb. Capacity Mid-Rise Scissor Lift

- Lifting height: 53 1/2" (4' 5 1/2")
- 7 locking positions
- Shipping weight: 1,050 lb.
- Warranty: 2 year structural, 2 year hydraulic limited warranty. Parts only material and workmanship 90 days on wear items.



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

ATEATPK-202015

- 1 1/2" Truck Frame Adapter for 2-post Lifts
- One pair (2) of truck frame adapters
 Fits lifts with 1 1/2" peg holes
- Warranty: 1 year warranty material and workmanship



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

ATEATTD-RIMROD

Plastic Inserts for Mount/Demount Heads

- 200 lb. capacity
- · Reduces risk of back injuries
- · Installs in under a minute
- · Protective plastic coating on steel support
- Warranty: 1 year parts, material and workmanship

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov







OMET-5355A

550 lb Capacity Lawn Mower Lift

- With a 550 lb. capacity it will easily lift most riding lawn mowers and zero turn mowers
- Adjustable wheel baskets to accommodate wider wheel bases
- Mechanical safety lock engages automatically when lifting
- · Raises front of the mower for easy access to belts, blades,
- fluids and other common service areas
- Foot pedal operated for easy use

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



6,000 Lb. Capacity Rolling Jack

- Air/hydraulic operation
 Shipping weight: 350 lb.
 90 day warranty on material and workmanship





ATEXH-PROJACK35

3,500 lb. Capacity Sliding Jack • Shipping weight: 350 lb.

- Designed for use on hobbyist lifts with no welded slide on runways. Glide blocks under extension ears allow the jack to be positioned under correct lifting point of vehicle.
- Warranty: 1 year parts warranty; parts only material and workmanship 90 days on wear items.



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



ATEHT-CYCLELIFT

1,000 lb. Capacity Motorcycle Lift

- Lifting height: 33" (2' 9")
 Length: 93" (7' 9")
- Lift operates between 90-100 PSI. The Cycle Lift is the perfect addition to the service department of all professional motorcycle dealers or for the person who wants to work on his personal bike.
- · Warranty: 1 year limited warranty; parts only material and workmanship 90 days on wear items.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Floor Service Jacks For Heavy Trucks


- · Built in lock mechanism
- Two points of contact lifts the whole front or rear end
- Extendable handle from 5ft to 9ft no need to crawl on floor
- Air/hydraulic design, no pumping required, runs on shop air
- 14X larger base to support the load
- Optional trailer adapter
- Optional differential adapter allows for easy lifting of the rear of trucks

SCPTJ12S

- 12 Ton (24,000 lb. capacity)
- 7.5" collapsed height to go under the lowest axles
- Optional trailer adapter
- Optional differential adapter allows for easy lifting of the rear of trucks

SCPTJ12SL (Low Profile)

 The scorpion SCPTJ12SL is a lower profile version of the SCPTJ12S with all the same features and capabilities and its 3/4" lower



SCPTJ14

- 14 Ton (28,000 lb capacity)
- 8.5" collapsed height to go under the lowest axles
- SCPTJ14 can be used as an Axle Jack, a Bumper Jack, or a Trailer Jack, simply purchase the adapter you need to handle





KTI63133A

- 3.33 Ton Low Profile Service Jack (XD)

 Low Profile with lifting range 3-3/4" to 21-3/4"

 Pump stroke to load: 8; Low Height: 3-3/4"; High Height: 21-3/4"; Chassis Length: 28-1/3"; Overall Width: 14"; Chassis Height: 6-1/2"; Handle length: 49-1/5"; Saddle Diameter: 4-7/10"; Net Weight: 97 lbs.
- 2 year warranty on material & workmanship



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Service Jacks



KTI63098A

KTool XD 2 Ton Aluminum Service Jack

- Minimum height: 3-1/2
- Maximum height: 18-3/8"
- Dual pump system for quick lifting (6 strokes to top under no load)
- Overall size jack base: 25-1/4" L x 12-3/8" W x 9-1/8" H
- Weight: 42.3 lbs
- Covered by a 2 year warranty



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



KTI63094

1.5 Ton Aluminum Racing Jack

- High lift range: 3-5/8" 14-1/4";
 Handle length: 37-2/5"; Saddle diameter: 3-4/5"
 High lift range / Extra long, low profile design
 Length: 19-5/8"; Width: 10"; Height: 8"; Weight: 31 lbs.
 1 year warranty on material & workmanship



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KTI63101A

2T Low Profile Service Jack (XD)

- Low Profile with lifting range 3" to 19-15/16"
 Chassis Length: 26-1/5"; Chassis Height: 5-2/5";
 Overall width: 13-4/5"; Handle Length: 45"; Saddle Diameter: 4-1/4", Caster Diameter: 2-2/5"; Front Wheels: 2-2/5"; Net Weight: 69.2 lbs
- 2 year warranty on material & workmanship



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KTI63092

- 2 Ton Aluminum Service Jack (XD)
- Low Profile with lifting range 3-1/4" to 18-1/2"
- Heavy-duty, 100% aluminum construction provides stability and endurance. Light weight!
- · Built-in valve protects against jack over-loading
- 2-Year Warranty



KTI63131A

3 Ton Compact Service Jack

- Lifting range: 5.5" 18.75"
 Sealed hydraulic power unit prevents
- Sealed hydraulic power unit prevents contaminants from entering system
 Length: 24"; Chassis Width: 13.4"; Handle Length: 39.4"; Saddle Diameter: 3.75"
 1 year warranty on material & workmanship

WARNING: Cancer and Reproductive Harm

www.P65Warnings.ca.gov



KTI63105A

2 Ton Extra Long Low Profile Service Jack (XD)

- Low Profile Setvice Sack (XD)
 Low Profile with lifting range 2-3/4" to 24"
 Pump stroke to load: 8; Cassis Length: 33-7/10"; Low clearance length: 15"; Overall Width: 14-3/5"; Chassis Height: 5-1/2"; Handle length: 49-1/5"; Saddle Diameter: 3-9/10"
 2 year warranty on material & workmanship



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



KTI63099

3 Ton Aluminum Service Jack XD

- Weighs 59 lbs. Complies with ASME PASE/2014 Safety Standards

 7 strokes to top under no load
- Lifting range 3 3/4" 19 1/4" · 2 year warranty on material & workmanship
- WARNING: Cancer and Reproductive Harm
- www.P65Warnings.ca.gov









KTI63129

Service Jack 3-1/4 Ton Hydraulic Low Profile

- 3-1/4 Ton low-profile hydraulic jack
- 4" low pick up height
 21" maximum lift height
- Complies to ASME/PASE 2014 current safety standards
- · 2 year warranty on material & workmanship





Service Jacks

SUNEX TO O L S



SUN6602LP

2 Ton Low Profile Service Jack

- . Ultra low height at 2.75" and max height of 24"
- Ideal for sports cars, exotic cars and vehicles with flat tires
- True low-profile chassis; Extra long chassis lifts vehicles up to 24" for undercarriage maintenance



- Two-speed design reaches full height in just 5 pumps
 • Carrying handles, a 2-piece handle, and light-
- weight aircraft grade aluminum construction
 ASME-PASE-2014 Compliant





SUN66037JPK

- 3.5 Ton Floor Service Jack with 6 Ton Jack Stands
 Service jack also features wide front wheels and ball bearing mounted rear caster wheels for stability and easy maneuverability. Low height: 3.875"; high height: 20.5"; handle length: 50"; saddle diameter: 4.75".
 Jack stands feature self locking handle and pawl secure column in place. Low height: 11.25"; high height: 17"; base: 7" x 7 5".
- base: 7" x 7.5".



OTC1526A

Stinger Quick Lift 3-1/2 Ton Floor Service Jack

- Gets to the load quickly
- One pump to load, three pumps to full height unloaded
- Extra wide lift range from 4" to 21"
 A long 48" spring-loaded handle provides rapid return after each pump
- Heavy-duty construction rolled edges add strength and resist twisting





SUN66035SJ

3.5 Ton Steel Service Jack

- · Upgraded power unit includes long lasting, high performance seals and hydraulic fluid
- Rapid-Rise (TM) Technology with dual pump pistons for fast saddle rise to load
- Steel construction provides strength, stability, and effortless maneuverability
- Low profile, long reach frame provides access to hard-to-reach lift points



OTC5300

3 Ton Jack Pack

Jack pack includes a 3 Ton Service Jack with lifting range of 5-3/4" to 18-1/2" and a pair of 3 Ton Jack Stands with a base of 8-1/4" x 7-1/2" and height range of 12" to 17-11/16'



Double-Pumper Floor Jack Lifts from 4" to 19-1/2" Pinned steel saddle (1-1/8" stud) with rubber

- pad for added vehicle protection

 One piece 50-/4" padded handle parks upright



INT400SS

- 4 Ton Heavy Duty Floor Jack

 Padded handle bumper protects vehicle finish
- Convenient parts tray for small components
- Rear mounted swivel casters for easy mobility
- Two piece handle for easy storage

Meets ASME 2014

Service Jacks - Aluminum

OMEGA!!!!!



OME27036

3-1/2 Ton Service Jack, 1 Piece Handle with Magic Lift Technology

- . Innovative Magic Lift design, U.S. Patent No. 6,199,379, offers a quick lift for professional performance
- Heavy gauge steel construction with rugged universal joint release valve



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



3 Ton Service Jack

- Heavy duty frame for rugged applications
 Longer chassis ideal for truck and SUV

- Large front wheels and rear casters for easy maneuvering
 Easy alignment over performs specifications, long life, designed for the discriminating professional and it's repairable
- Made in the U.S.A.

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



HD Service Jacks







KTI63155A

- K1163133A
 5 Ton Service Jack (HD)
 Lifting range 6-3/10" to 22"
 Heavy-duty steel construction provides stability and endurance
 Swivel rear casters provide smooth maneuvering and positioning
 Built-in valve protects against jack over-loading
 Ovice start double pump technology for fast operation to contact Quick start double pump technology for fast operation to contact point
- 2 Year Warranty on material and workmanship

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

- 10 Ton Service Jack (HD)
 Lift range from 6.25" to 22.5"
- 45.75" long pump handle with release knob works independently of handle position
 • 2 Year Warranty on material and workmanship
- Complies With ASME PASE/2014 Safety Standards



OMEGA**!!!!!**



20 Ton Long Chassis Service Jack with Air

- High speed Air TurboMotor is equipped to raise the load to the desired height efficiently, effortlessly, and safely
 Wide stance and low center of gravity provide optimum
- stability under load stress
- · Heavy gauge, steel frame helps prevent distortion or twisting
- Handle actuated release valve provides precise metered control of lowering speeds
- · Convenient foot pedal designed for fast, no load lifts

OME22101

10 Ton Air Over Hydraulic Floor Jack

OME22050

5 Ton Long Chassis Jack







AMERICAN FORGE&FOUNDRY INC.

INT3225

20 Ton Air/Hydraulic Long Chassis Jack

- Uses 225 cubic ft/min of compressed air at 100 PSI
 Heavy duty pumps, rams, and cylinders
 Automatic overload safety valves
 Foot operated pump
 Three position page.

- Three position control handle





· Powerful internal air motor lifts 20 tons with ease Heavy gauge steel frame resist twisting under pressure
 Manual foot pump option bypasses air motor

· Large frontal quad-casters support load up to 20 tons with superior durability



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





OTC1505B

for portable applications

5 Ton Hydraulic Floor Service Jack
Lifting range: 6" to 22"; Saddle diameter: 5-1/8"; Overall reach: 47"; Frame height: 7-3/4".

OTC1507B

5 Ton Air/Hydraulic Service Jack

Air pressure: 80-120 PSI, lifting range: 5-7/8"-22" saddle dia.: 6-5/8", overall reach: 87", frame height: 8", handle length: 40'

OTC1510B

Oton Hydraulic Service Jack
Lifting range: 6-1/4" to 22"; Saddle diameter: 6"; Overall reach: 51"; Frame height: 9-3/4". Floor space: 18" to 60"

OTC1511B

10 Ton Air Assit SVC Jack

- Brings the versatility of air-assist operation to your lifting tasks
- Huge front wheels mounted in bear-ings provide trouble-free service life



OTC1512

20 Ton Stinger Floor Service Jack

- The 20-ton capacity with a lifting range of 7-1/2" to 24"
 Overall reach: 97"; frame height: 10-1/4"; handle length: 42"; floor space: 18-1/8" to 61-3/8".

Jack Stands and Bottle Jacks











KTI63207



KTI63250A

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Part Number	Capacity	Lifting Range	XD/HD	Qty	Warranty
KTI61202	3 Ton	11.6" - 16.75"	XD	2	2 Year
OME32038	3 Ton	N/A	-	2	1 Year
KTI61205A	6 Ton	15-3/4" - 24-2/5"	XD	2	2 Year
OME32068	6 Ton	N/A	-	2	1 Year
INT3309A	10 Ton	18-1/2" - 30"	-	1	1 Year
KTI61211	12 Ton	19.63" - 30.25"	XD	2	2 Year
OME32128	12 Ton	N/A	-	2	1 Year
KTI61222A	22 Ton	13-3/10" - 19-7/10"	HD	2	2 Year
OME32225	22 Ton	12-1/2" - 19-7/8"	-	2	1 Year







- · Ram extension screw adjusts low height to get full use of ram travel
- · Load-limiting and bypass valves prevent against over loading and over extension
- · Ductile iron hydraulic base for added strength

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Axle Jacks





KTI63194ACOMBO

22 Ton Air/Hydraulic Truck Jack AND 1" Air Impact Wrench

Heavy Duty Combo includes:



22 Ton Air Hydraulic Truck Jack (KTI63194)

- Lift range from 9" to 18"
 Load-limiting and bypass valves which prevent use beyond rated capacity and overextension of ram with spring activated self retracting ram
- Release knob at the top of the T handle works at any handle position and narrow width fits between tandem wheels
- 2 year warranty on material and workmanship

1" Drive Air Impact Wrench with 6" Extended Anvil (KTI81798A) • 1,600 ft/lbs of torque

- 3 forward and 3 reverse power settings
- D side handle for ease of use
- · Side exhaust which directs air away from the job
- 1 vear warrantv



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





KTI63198 KTool HD 50 Ton Air Hydraulic Truck Jack

. 50 ton capacity KTool HD

truck jack with lift range from 11.4" to 21.25"

- Narrow width fits between tandem wheels
- · Load-limiting and bypass valves prevent use beyond rated capacity and over-extension of ram

 • Spring activated self-retracting ram
- Release knob at top of T handle works at any handle position
- 2 Year Warranty on material and workmanship Complies With ASME PASE/2014 Safety Standards



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

OMEGA!!!!!

OME23221 22 Ton Air Actuated Hydraulic "Axle" Jack with Extension Screw

- · Material: Steel
- Min. height: 9-7/8'
- Max. height: 22-1/2" (with 2-1/2" adapter)
- Net weight: 100 lbs



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



INT565E 22 Ton Air/Hydraulic Axle Jack with 3 Piece Ext Kit

- Alloy steel lifting mechanism for added durability, Lifts between 8-3/4" to 23"
- · Automatic in-line oiler to lubricate air motor

 Corrosion-resistant aluminum
- and nylon composite air motor
- Large 7-3/4" rear wheels for easy positioning



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov









- 22 Ton Under Axle Jack Long 49-1/2" T-handle lets you easily position jack under vehicles with long overhands
- Minimum Lifting Height: 8 1/4"
 Maximum Lifting Height with 3/4" Saddle: 17-3/4", 3-7/8" Saddle: 20-7/8"



SUN6622

22 Ton Air / Hydraulic Jack

- Narrow chassis design fits easily between tandem wheels
- · Release knob on top of handle operates independently of handle locking lever
- Four adapters (1.875" and 2.625" diameter saddles, 2" and 4" extension adapters) with handle mounted saddle holder included




WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Axle Jacks / Transmission Jacks

OTC5292 27.5 Ton Under Axle Jack

- · Robust design with completely sealed piston
- · New lever design and pneumatic release valve allows for more precise release control, does not require separate valve operation step
- Four position handle includes 'stow away' position

 • Spring return piston
- Includes two height adapters, ANSI/PALD certified







22 Ton Premium Air Hydraulic Truck Jack

- Full air actuation lifts saddle to lift point rapidly, eliminating downward resistance from springs
- · Capacity 22 Tons
- Min height 8.9"
- Max height 22.0"
- Screw adjust 4.1' • PSI 100 - 120

www.P65Warnings.ca.gov





10 Ton Air Lift for Trucks and Trailers

- · Adjustable lifting saddles and an extra wide stance for extra stability
- 10 ton lifting capacity at 200 PSI air supply
 Lifting range is 13" to 52" with a 14" reach
- · An automatic mechanical safety catch engages in five height positions, it must be manually released to lower the load
- Two large swivel casters and pneumatic tires make it easy to maneuver, even on loose gravel

OTC



OTC1591B

10 Ton Combination Air Lift & Stand Angle-adjustable 40" removable

- handle and 8' air hose
- Minimum height (unpinned): 18-1/4"
 Maximum height (extension pinned): 51-1/4"
- Stroke: 10-7/8"
 Product weight 187 lbs.
- Product dimensions 40.91 x 13.86 x 37.2"
- OTC Lifetime Warranty



nueti

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov







KTI63502 1000 Lb Single Stage

- Transmission Jack (XD)
- Lifting Range: 43.625"- 71"
 Saddle tilt: 23 degrees forward and 16 degrees backward

 • Complies With ASME
- PASE/2014 Safety Standards
- 2 year warranty on material & workmanship



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



maneuvering and postitioning

& workmanship



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



AMERICAN FORGE&FOUNDRY INC.

INT3182

2,500 lb. Capacity Powertrain Lift Table

• Mechanical safety latches at 30%, 50% and 80% of max height provides

 additional operator safety
 Air/hydraulic foot pump with nine foot extension allows access anywhere around the work area perimeter and provides hands free operation

• Scissors lift design allows access

- to all four sides of a component
- 8" diameter swivel casters for easy maneuverability under the heaviest loads
- Lifts from 33" to over 77"





OMEGA!!!!



OME41000

1,000 lb. Manual Telescoping Transmission Jack


- 2 Stage Chrome-plated rams maximize its high reach operated by a user-friendly foot pedal
- Adjustable ratchet style saddle
- Min Ht: 37-7/8" Max Ht: 77-5/8" Wt: 180



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

OME41001

1,000 lb. Air Hydraulic



SUNEX®



SUN7793B

1,000 lb. Capacity Telescoping Transmission Jack

- Low height: 35.5"; High height: 79.5"
- Saddle tilt forward: 53 degrees saddle tilt backward: 30 degrees saddle tilt side to side: 10-30 degrees
- Base size: 35" x 31.25"
 Shipping weight: 167 lbs.

SUN7796

1,000 lb. (1/2 Ton) Capacity Air/Hydraulic Telescopic Transmission Jack

- Fully adjustable lifting saddle with four ratchet adjustment fingers that quickly adjust to the transmission pan configuration
- Low lift height of 35" and maximum lift height of 75"
- · Foot activated pedal raises air cylinder's ram to maximum load in seconds. Manual pump second stage quickly raises lifting saddle to desired and precise work height



OTC1728

1,000 lb. Air Assisted

High Lift Transmission Jack

- Head adjustable to 19-1/2" x 18".
 Overall height: 34-1/2", Maximum height: 75"
 Maximum forward tilt: 50 degrees
- Maximum backward tilt: 20 degrees and maximum side tilt either side: 10 degrees
- Meets or exceeds ANSI PALD standards
- Carries OTC Lifetime Marathon Warranty

OTC5237

1.000 lb. Transmission Jack

- Lifting range from 37" to 73-3/4"
 Two-stage hydraulic cylinder design
- Innovative folding foot pedal and release provides precise ease of control when positioning or removing a transmission
- ANSI/PALD compliant



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

OTC5078

Air Assisted 2,000 lb. Capacity High Lift Transmission Jack for Trucks and Buses

- Low height of 41-1/2
- A dedicated adapter that fits the popular Allison 500 and 600 series automatic transmissions in included



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Transmission Jacks



INT3102

- 1 Ton 2 Stage Transmission Jack
- Two scope telescopic ram
 Designed for medium duty truck transmissions, transfer cases, and differentials
- Double pump hydraulic system
 Chrome plated pump core and piston designed for long life



INT3102A

1 Ton 2 Stage Transmission Jack with Air Assist

- Two scope telescopic ram
 Designed for medium duty truck transmissions, transfer cases, and differentials
- Double pump hydraulic system
- Chrome plated pump core and piston designed for long life
- Powder coated finish



SUN7798

Ton Heavy Duty Telescopic Transmission Jack

- Extendable and reversable fingers of different lengths ideal for supporting various transmissions and transaxles
- 2" non-Marring, tension straps, replacing cumbersome ratchet straps and chain, make work holding and positioning adjustments safer, faster and easier





WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



1200 Lb Low Profile Transmission Jack KTool XD

- 1200 pound capacity transmission jack with a lift range from 5.75" to 31.5"
- 2 year warranty on material & workmanship

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Ton Floor Style Transmission Jack

- Wishbone design allows unit more mobility
- Tubular steel frame
- 360° swivel casters
- Load restraint chain
- Designed for heavy duty transmissions



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





OTC1793A Stinger 1,000 Lb. Capacity High Lift Transmission Jack

 Universal saddle tilts front to back and side to side; features adjustable corner brackets and safety chain for optimum positioning of the load
 Wide leg base with 4" polyurethane

swivel wheels that provide stability and easy maneuvering (brakes on two of the wheels)



Stinger Air/Hydraulic 1,000 Lb. Capacity **High Lift Transmission Jack**



OTC1522A Stinger Heavy Duty 2,000 lb.

Low-Lift Transmission Jack Rugged, stable unit is ideal for handling

- heavy transmissions Includes adapter plate for Eaton® Fuller®
- Road Ranger® transmissions

 Low profile design gets under the lowest clearance
- trucks, making it ideal for clutch repair work Pump handle rotates 360 degrees for operator
- convenience

Transmission Jacks / Wheel Handling

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

1.5 Ton Foldable Engine Crane W/ Fast Rise (XD)

Boom Adjustable length: 40-1/2", 47-3/10",

• 2 year warranty on material & workmanship

Boblin Adjustable length: 40-1/2, 47-67-53-9/10", 60-3/5"
Open Base dimensions: Back width: 34", Front width: 39", length 65"
Power Unit 8 Ton Heavy Duty Fast Rise



KTI63517A

1.5 Ton Truck Trans Jack (HD)

- Low height: 7-4/5"
- High height: 36-1/2"
- Chassis Length: 43-1/2"; Chassis Width: 26
- Saddle Tilt 10 degrees
- 2 year warranty on material & workmanship

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



. Boom capcity: 3300 lbs







KTI62115 1500 Lb. Engine Sling 1500 lb. capacity engine sling for use with an engine crane

 Complies with ASME PASE/2014 safety standards



KTI62108 800 Lb H-Style

KTI63421A

Engine Stand KTool XD

- . H-frame design base with four wheels provides stability
- Stand made of structural steel Stand made of structural steel tubing for strength and light enough for easy maneuverability
 Complies with ASME PASE/2014 safety standards
- 2 year warranty on material & workmanship



1000 Lb Engine Support Bar KTool HD

- Designed to support front wheel drive engines for repairs or servicing of engine mounts
- 1000 pound capacity transverse bar extends up to 64"
- 2 year warranty on material & workmanship





Transmission Jack 4400 Lb

- · Fully adjustable saddle with maximum tilt for easier alignment
- 32" handle pivots 360° around pump along with rugged industrial-grade 4" casters

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



with a 2,200 Lb. Capacity

- Has a 2,200 lb capacity
 Maximum height: 36-1/2"
- with a minimum height of 8-1/4"
- Degree of tilt: 20 degree back, 15 degree forward, 12 degree side to side
 Swiveling pump handle permits ease
- of operation in restricted working spaces



- Includes the tilting plate
- Height range is 29-1/2" to 68-1/2"
 Table size: 20-1/2" x 30-1/2"
- Supports up to 1,250 lbs.








Part Number	Description	Min Height	Max Height	Notes	Price
KTI61076	1,650 lb. Utility Underhoist Stand (XD)	53"	79"	-	
KTI61077	1,650 lb. Utility Underhoist Stand with Pedal (XD)	53"	79"	Foot Pedal	
KTI61002	2 Ton Tripod Underhoist Stand (HD)	68"	76"	Tripod Style	
SUN6809	3/4 Ton Underhoist Stand 53" to 79"	53"	79"	-	
SUN6810	Underhoist Stand with Foot Pedal	53"	80"	Foot Pedal	
OTC2015A	1,500 lb. Stinger Pedestal Stand	54.25"	80.75"	-	
OTC2016A	1500 lb. High Lift Stand with Pedal	53.25"	80.75"	Foot Pedal	
OTC2018A	2 Ton Stinger Tripod Underhoist Stand	58.875"	91.625"	Tripod Style	

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Wheel Handling



MRIMIC-5

5 Bar Tire Inflation Cage

- Used for changing and inflating tires for trucks, buses, military vehicles, etc.
- Exceed the requirements of OSHA Standard 29 CFR 1910.177 in the U.S
- The steel tubing size and powder-coated paint are superior to our competitors

 • Max. tire size: 54" OD X 20" W



4 Bar Tire Inflation Cage Complete Kit

 Equipped with an automatic tire inflator (MRIMW-60), a stand for automatic tire inflator and a roller kit

MRIMIC-4

4 Bar Tire Inflation Cage

MRIMIC-3

- 3 Bar Tire Inflation Cage
- Max. tire size: 54" OD X 20" W

MRIMIC-2WB

2 Bar Foldable Wide-Base

Portable Tire Inflation Cage
• Max. tire size: 48" OD X 21" W

MRIMIC-2

2 Bar Portable Tire Inflation Cage

- Max tire size: 48" OD X 13" W
 Portable perfect for road service vehicles

MRIMTWL

Rechargable Tire and Wheel Lifter

- With its two long lasting 12 Volts rechargeable batteries you will be able to work all day* without having to be stuck with an extension cord being in your way
 Its heavy duty steel and aluminum case construction and frame allows the Rechargeable Tire & Wheel Lifter
- to handle mounted tires of up to 110 LB
- Tested with a 23,5 kg (52 lb) tire for 8 consecutive working hours without being recharged





TMRTC3000

Rubber Wheel Chock

- · Features an eye bolt for chain or rope attachment
- · Either side of wheel chock can be positioned against the tire

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





MRIMW-60-4WAY

Automatic Tire Inflator High Flow

145PSI x 4 Outlets

- Designed to inflate 4 tires simultaneously. but you can also inflate one, two or three tires at a time without any problems

 • Measures air pressure with 4 types of unit
- of measurement that are PSI, BAR, kPA and Kg/Cm2. The reading accuracy is only 0,29 PSI / 0,02 Bar / 1,99 KPa





WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



ESC20414

Pneu Tec Tire Demount Package with Mounting Bar

- Patented design with bead-grasping heel
 Bead locks and wedge with mounting bar
 Multiple applications and wide range of tire sizes
- Leverage handle for better positioning of tool
- Extension foot for bead grabbing and dismounting



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

ZENDEX

UNI6313

GoJak® 13" Self Loading Auto Jack/Dolly • Steel rollers, wider 1-3/4" axles

- Steel foliers, which is 3/4 axiss
 Two heavy-duty 5" diameter and two heavy-duty 4" diameter, double-ball raceway (ANSI ICWM-2012) casters
 A set of four is able to jack vehicles weighing up to 6,300
- pounds (1,575 pounds per wheel/GoJak®)

 Accepts tires widths up to 13" (330mm)

 5° offset pedal for additional foot-to-tire clearance

AMN15309

Urethane Wheel Chock

- · For tires up to 35" diameter · Rated for vehicles with a gross
- operating weight up to 30,000lbs. Lightweight polyurethane construction
- Mounting hole for ropes
- or chains for easy use




®ESCO

ESC70134 Wheel Dolly

Car Dollies and Pallet Jacks

- Easy removal & installation of truck tire wheels assembly
- Heavy duty
- Easy maneuvering
- Easy to package and ship







KTI63800

6,500 lb. Pallet Jack

- Adjustable height: 3" to 7"
- Overall width 27"
- . Length of forks: 48"
- · Weight: 187 lbs.





Portable Rams / Engine Support Bars



KTI63703A

4 Ton Portable Ram Kit (XD)

- Output pressure of 8,200 PSI • Ram minimum 10-1/2"; Stroke:
- 4-3/4" (133mm)
- Oil capacity: 10.5oz
 Packaged in durable blow molded case for storage
- 2 year warranty on material & workmanship



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov









KTI63709A

10 Ton Portable Ram Kit (XD)

- Output pressure of 9,100 PSI
 Ram minimum 12-11/16"; Stroke: 5-1/4
- Oil capacity: 17.5 oz
 Packaged in durable blow molded case for storage
- · 2 year warranty on material & workmanship

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Blackhawk Automotive

BHKB65115

10 Ton Porto-Power Kit

- Snap-lock design for quick and easy assembly
- Automatic pump overload system protects against damage to rams and equipment
- 1/2 ton capacity hydraulic spreader features 2" jaws and spreads from 5/8" to 3-3/4'
- 1 Year Limited Warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



BHKB65114

4 Ton Porto-Power Kit

- . Snap lock design for quick and easy assembly
- Automatic pump overload system protects against damage to rams and equipment
- 1/2 ton capacity hydraulic spreader features 2" jaws and spreads from 5/8" to 3-3/4"
- 1 Year Limited Warranty



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

OTC2510A

Stinger Air/Hydraulic Pump

- Ideal all-around power source develops 10,000 PSI at 100
- · Internal relief valve
- Two stage release mechanism
 Pump, hold, or release load
- with pedal control
- 98 cu. in. of usable oil



OME22903

Air Actuated Foot Pump

- · Efficiently operate any single-acting rams up to 55 ton capacity in many industrial
- and construction applications

 Provides up to 10,000 PSI with standard shop air supply of 90-175 PSI
- User fiendly foot-actualted design for easy control of moving fluid at tremendous rate; use 3/8" NPT fluid coupler



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



- requires 90 PSI air pressure
- · Designed to be used with single acting cylinders
- Usable fluid capacity 98 cubic inches
- Flow rate 42 cu. in. with no load, 8.5 cu. in. with load
- Complies with ASME PASE/2014 safety standards 2 year warranty on material & workmanship

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov







OTC1750A 6,000 lb Capacity Revolver® **Diesel Engine Stand with Adapter Assembly**

- 96:1 ratio worm and gear set rotates components a full 360 degrees
 Crank handle can be locked in any position
 Integral 12 ton jack raties the work to provide the work to provide the work and the provide red
- the swing radius needed clearnace
- · Includes universal engine adapter assembly
- Two front wheels and two rear casters provide mobility

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Tire Changers / Wheel Balancers / Alignment Machine





ALL ATLAS EQUIPMENT REQUIRES FREIGHT DELIVERY OR PICK UP. TO PICK UP, ORDER THE ITEM IN THE CATALOG. FOR PREPAID DELIVERY, ADD "-FPD" TO THE END OF THE PART NUMBER. FREIGHT PREPAID PRODUCTS MUST SHIP TO A COMMERCIAL ADDRESS AND THE CUSTOMER IS 100% RESPONSIBLE FOR UNLOADING.

EXCLUSIVE

ATEATTC230 ATLAS TC230 TIRE CHANGER

- Clamping Range: 9 3/4" 23 1/4"
- 3 positions for clamping jaws
- Bead Blaster Included
- 90-110 PSI 110V
- In Canada use Part# ATEATTC229


EXCLUSIVE

ATEATTC290 ATLAS TC290 TIRE CHANGER

- Clamping range: 11 7/8"-28" (outside)
- SE tested and approved
- Beadblaster included
- · Electric/Pneumatic wheel clamp tire changer
- 110V Shipping Weight of 650lbs
- In Canada use Part# ATEATTC289

ATETC289DAA Atlas TC 289 Tire Changer

with Dual Assist Arms



EXCLUSIVE

ATEATWB10 Atlas Manual Data-Entry Computer Wheel Balancer

- Premium LED Display
- Rugged and easy to use keypad interface
 Magnetic Hood Switch
- Durable Quick-Release Wing Nut
- Easy calibration program with self-diagnosis capability
- In Canada use Part# ATEATWB11

ATEATWB41

Computer Wheel Balancer

- Rim sizes: 10"-32
- . Max. wheel weight: 150 lb.
- 110 V/1-phase
- Display in standard or metric units
 • Self-diagnosis/
- self-calibration
- . Has all the same features as the WB11 with a larger wheel weight capacity tray





MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



ATEHNWY-WA-40 Atlas WA40 CCD Fully-Computerized Wheel Alignment

- CCD Alignment Machine
- Affordably Priced
- · Rechargeable Alignment heads
- Calibration Bar Included

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov





ATEAP-PWA901

Atlas Wheel Alignment System with ADAS

ATEATTC230

- ADAS Calibration Assistance Reduces Panel Setup Time and Uses Vehicle Thrust Angle
- Wireless Bluetooth2 Cordless Communication

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



ATEAP-PWB90XL

3D Video Wheel Balancer

- Super automatic 3D data entry
- Fast and easy split function (FES)
- Has laser liné
- · High resolution monitor display
- Optimatch software

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



ATEAP-PTC300 Atlas Platinum Tire Changer with Left-Hand Assist

- · Clamping range: 10"-26'
- Maximum Tire Diameter: 43"
- Integrated Beadblaster
- 110 Volt motor and High-Torque Gearbox







ATEAP-PTC500

Atlas Platinum Center Post Tire Changer

- Clamping Range: 12" to 30"Maximum Tire Diameter: 43"
- Includes Patented 'Lever No Lever System' and 'Smart Lock' quick lock system
- Integrated Hand-Held Beadblast and Pedal operated Wheel Lift
- 2 year parts warranty

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



Brake Lathes & Accessories











AMM4000B

Brake Lathe with Twin Cutters

- Twin Cutter Tools and quick drum-to-rotor changeover
- Adjustable spindle speeds (if desired) allow for quick rough cut/finish cut settings
- Infinitely adjustable spindle-feed gear box
- User-friendly ergonomics
- · Supports drums or rotors up to 100 lbs. using the standard one inch (25.4mm) arbor

Purchase of Adapter Kit Mandatory!

AMM4000E

- Digital Brake Lathe

 Custom Digital Finishes: by digitally controlling the feed rates, it's easier to find that sweet spot for your particular application that gives you the highest possible quality finish available
- Shift On the Fly 3 Speed: integrated synchronous gearbox and shifter, choose the speed that makes the most sense for your workplace
- Forged alloy steel arbor; two tapered mounting surfaces add stability and handle up to 200 lbs.

Note: Ammco Coats Warranty Does Not Apply in Puerto Rico and Guam



AMM2500 Bench Kit for all Ammco Lathes










TMRAS70040

Quick 3 Jaw Chuck Adapter Kit for Domestic and Foreign Vehicles

- "3 Jaw Chuck" Simple, Fast And Efficient Adapter Unit Self centering feature eliminates mounting problems
- · Fits most domestic and foreign vehicles with center
- holes from 2-1/8" 3-1/2"

 Works on all 1" Arbor Brake Lathes
- 3 Piece Kit includes Adapter with Mounted Passenger Car Jaws



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

TMRAS900002B

Hubless And Hubless Brake Lathe Adapter Kit (21 Pcs)

- For Most Cars, Light Trucks, and 1/2 Ton Vehicles
- Replaces Ammco 900002B Hubless Brake Lathe Adapter Kit



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



TMRAS8240

Lite Dual Chuck Brake Lathe Adapter Kit, 6 Piece Kit

- · Made from light weight composite material that will not rust and is 50% lighter than other adapters
- Set includes adapter with mounted dual jaws, 4 plates, and key
- · Dual Jaws: Passenger car mounted on one side; Truck jaws mounted on other side for quick conversion
- Fits on all popular 1" Arbor Brake Lathe Machines
- · Self centering feature eliminates set-up and run-out problems



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

TMRCB90488

Positive Rake Carbide Bit (10 Pk)

- Replacement For Ammco 40410. Not For Use On Ammco Lathes, Ammco Part Number For Other Brands Reference

 Replacement For FMC/John Bean/Snap-On 90488
- Replacement For HofmannW139 (5 pack). Use with Models Trucut 400, 401, On The Car 201, Standard1115 HD



TMRCB6914-10

- Negative Rake Carbide Bit (10 Pk)
 Replacement For Ammco 90691410, 40420, 40430 Use with Models; 1000, 2002, 3000, 4000, 4100, 7000, 7700
- Replacement For FMC/John Bean 90817
- Replacement For Hunter221-580-2, 221-617-2Use with Models BL300, BL500, BL505, OCL360, OCL400, OCL430MD



TMRCB7681-10

Ammco Type Positive Rake Bit (10 Pk)

- Replacement For Ammco 9076812, 9076816Use with Models 4000, 7000, 800 OTV
 Replacement For Hunter212-583-3Use With Models BL300, BL500, BL505, OCL360,
- OCL400, OCL430MD

TMRBS17-2

Small Black Solid Rotor Silencer Band


- 6"-9" Diameter (Small)
 For Use On Thin Solid Rotors
- Replacment For Ammco 906922



TMRBS22-2

Large Black Solid Rotor Silencer Band (2 Pk) • 10"-12" Diameter (Large)

- For Use On Thin Solid Rotors
- Replacment For Ammco 906921



Adjustable Ventilated Rotor Silencer Band

TMRBS80A

Premium 1 3/4 Drum Silencer Band • Length 6' (Extra Long) • Replacment For Ammco 905280



TMRCS1 Clip On Disc Silencer



Fluid Drainage / Waste



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KTI74647

Antifreeze Drain Pan 4.5 Gallon

- Built-in anti-splash lip & baffles
- · Large spout for fast pouring. Includes spout cap for spill protection
- High density polyethylene construction, chemical & solvent resistant
 Green color provides visual identification for use with antifreeze
- 1 year warranty on material and workmanship

KTI74645

4-1/4 Gallon Capacity Oil Drain Pan

- Chemical / solvent resistant high density polyethylene construction
- Large spout for fast pouring complete with spout cap
- Built-in ant-splash lip and baffles
- 1 year warranty on material and workmanship





KTI74923

Heavy Duty Drum Dolly

for 55 Gallon Drums

- Load capacity 1200 pounds Four welded cast iron wheels
- 1-Year Warranty

KTI74922

Band Dolly for 16 Gallon Pails

- · Load capacity 120 pounds
- Four removable phenolic wheels
- 1-Year Warranty

KTI74921

Band Dolly for 5 Gallon Pails

- Load capacity 25-50 pounds
 Four removable phenolic wheels
- 1-Year Warranty



LINCOLN

LIN3665

17 Gallon Low Profile Truck Drain

- 6 ft (1.8 m) long discharge hose with 3/4" male camlock connector for fluid extraction
- Four large 4" (100 mm) diameter swivel casters

LIN3669

Low Profile Truck Drain with Electric Pump

 Includes 120v electric discharge pump for fluid evacuation



JohnDow Industries

DOWJDI-27DC

27 Gallon Deluxe Self-Evacuating Poly Oil Drain

- 16" deep drain funnel with expanded metal screen height adjustments from 45" to 70"
- · Self-evacuating with regular shop air
- Built in tool pockets on top of the tank, molded for "cap-style" filter wrenches

DOWI25HDC

25 Gallon Heavy Duty Self-Evacuating Portable Oil Drain

16" dia. steel funnel with expanded metal screen

- Height adjustment from 50" to 70"
- Uses Air Pressure to Empty Tank
- Removable 6' Quick-Disconnect Discharge Hose





LIS19852

Truck and Trailer Wheel Pan

- Prevents oil mess during wheel repair
 Fits rims with 13-3/4" ID and larger



KT174640

Axle Drain Pan

· Works for most dual and super single wheels, sizes 22.5 and 24.5



DOWJDI-LP4

- 17 Gallon Low Boy Oil Drain 48" long x 25 " wide x 9 high · Gravity or pressure drain
- 9 low profile
- 6" casters



DOWJDI-27GFD

27-Gallon Portable Poly Oil Drain

• 27-Gallon Heavy-duty polypropylene tank with 4" Heavy Duty casters

• 16" deep drain funnel with expanded metal screen - height adjustments from 45" to 70



DOWJDI-8DCP

8 Gallon Poly Portable Oil Drain

- 18" diameter funnel with strainer • 2-1/2" heavy-duty casters
- Spout for evacuation

DOWJDI-18DCP

18-Gallon Poly Portable Oil Drain

- Same features as the DOWJDI-8DCP
- 18 Gallon poly tank



DOWJDI-8DCP



Fluid Drainage / Waste





26 Gallon Black Polyethylene Used Fluid Drain

Heavy-duty 26-gallon tank is molded of durable, lightweight, corrosion resistant polyethylene

 Durable 4" swivel casters and 10" fixed-axle wheels are resistant to shop chemicals and run smoothly across rough shop floors. Large handles on the front and back make the drain easy to maneuver and for storing vital tools and drain plugs

 Large 17" diameter offset funnel rotates to catch streaming oil and includes a removable filter screen





LIN3635 25 Gallon Used Fluid Drain

 Application:collection of used fluids including motor oil, transmission fluid, and coolant from under lift-mounted vehicles

 Convenient tool tray for storing vital tools and drain plugs

15" diameter drain bowl with

- removable filter screen and 24" wide-mouth funnel extension
- Height adjusts from 51" to 76"
- 7' long discharge hose

LIN3508

8 Gallon Used Fluids Drain

 Durable, high-density polyethylene reservoir. Reservoir's flat-top design holds drain filters, tools, nuts, bolts, etc.

 Quick-adjustment clamp enables simple raising and lowering of the drain funnel Drain adjusts from 36" to 65" (91 to 165 cm) in height

Splashguard for overspray protection
 Optional cam lock evacuation kit for use

with diaphragm pump systems Collects used fluids such as motor oil, transmission fluid, and coolant from lift mounted vehicles

LIN3675

25 Gallon Fuel Caddy

 Large capacity 25-gallon heavy-duty welded steel tank

2-way rotary pump dispenses or extracts fuel at a rate of 1 gallon per 12 revolutions

 Easy-to-read sight gauge clearly indicates fuel volume in tank

 7' (2.1 m) wire-reinforced fluid transfer hose with anti-spark tip and internal ground wire

LIN3677

25 Gallon Fuel Caddy with 2 Way Filter System



DOWFC-25GC

25 Gallon Gas Caddy

- UL Listed; complies with OSHA guidelines
- Fill level gauge

DOWFC-25DC 25 Gallon Diesel Caddy

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

DOWFC-25GC



LIN3601

18 Gallon Used Oil Receiver

 Tank includes a preset air regulator that allows the use of standard shop air up to 150 PSI

14" telescoping bowl with a height adjustment range of 45" to 72"



LIN3614 20 Gallon Pressurized Used Oil Evacuation Drain

· Steel pressurized used oil drain with 18" offset bowl

· Catches fluid without repositioning tank Telescopic bowl 44-72 - for greater flexability

Low profile design - extremely stable and easy to maneuver



LIN3639

LINCOLN

LIN3637

25 Gallon Used Fluid Evacuator

Powerful compressed-air-operated venturi vacuum

 Powerful compressed-arr-operated venturi vacuum quickly draws fluids from reservoirs
 Includes six evacuation wands of varying flexibility, diameter and length
 25-gallon (95-liter) welded steel tank supported by heavy-duty 4" (100mm) swivel casters and 6" (150mm) fixed-axle wheels

· Convenient tool tray for storing vital tools and drain plugs; tank-mounted clip and handle hook to secure discharge hose and evacuation hose

 Pressurized self-evacuation feature requires only shop-air and a tire chuck to discharge fluids

LIN3639

25 Gallon Combination **Drain & Evacuator**



O dota Dos



DOWJDI-6EV

6 Gallon Fluid Evacuator

- Includes five suction probes (metal & flexible plastic)
 Adapters for BMW, Mercedes & WW are also included
 Path Emphysical Vigorum
- · Both Empty and Vacuum Change by using Air Pressure
- 6-gallon steel tank (evacs 70% of capacity)
- " wheels for easy handling
- 10' evacuation hose





Fluid Evacuation





WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Part #	Description	NPT
BLBOSFHONE10	Oil Shield® Farm Fuel Hose Assembly 1" x 10'	1"
BLBOSFHONE12	Oil Shield® Farm Fuel Hose Assembly 1" x 12'	1"
BLBOSFHONE15	Oil Shield® Farm Fuel Hose Assembly 1" x 15'	1"
BLBOSFHONE20	Oil Shield® Farm Fuel Hose Assembly 1" x 20'	1"

Oil Shield® Farm Fuel Hose

For use with diesel, gasoline, kerosene, biodiesel B10 and B20


- · 8" Internal strain relief springs on each end
- · 2x kink resistant than other fuel hoses
- RMA Class A oil-resistant tube & cover
- Factory crimped 3/4" NPT ends fits most fuel nozzles
- Covered by a 1 year warranty

Part #	Description	NPT
BLB0SFH3410	Oil Shield® Farm Fuel Hose Assembly 3/4" x 10'	3/4"
BLB0SFH3412	Oil Shield® Farm Fuel Hose Assembly 3/4" x 12'	3/4"
BLB0SFH3415	Oil Shield® Farm Fuel Hose Assembly 3/4" x 15'	3/4"
BLB0SFH3420	Oil Shield® Farm Fuel Hose Assembly 3/4" x 20'	3/4"

KTOOL

Extraction Filling Syringe - 1500 CC

- Hand Operated Fluid Syringe (1500 C.C.)
- Translucent design allows easy inspection of oils and fluids
- Suitable for the transfer of oils/fluids to and from vehicle components
- Applicable such as gear oil and differential fluid
- Material: Polypropylene
- Covered by a 1 year warranty







MITMVA6851

- Fluid Extractor
- · Compact, streamlined design allows access into tight spaces
- Simple syringe-type action extracts or dispenses fluid quickly and cleanly



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



- **ATF Refill Accessory Adapter Kit** • Facilitates the use of Mityvac MV7201 Fluid Evacuator Plus to fill and top-off sealed automatic transmissions
- Includes ten (10) custom ATF refill adapters to fit most manufacturer's transmissions

MITMV6412

2.5 Gallon ATF Refill System

- Integrated manual pump adds air above the fluid level to prevent aeration and fluid is dispensed under pressure for smooth continual flow
- Includes ten (10) adapters to connect for Ford, Toyota, BMW, Honda, Nissan, VW, Audi, Mercedes and Volvo transmissions
- Pressure gauge indicates fluid dispensing pressure
- 5' fluid dispensing hose with flow control and auto-shutoff valves

MITMV6410

ATF/Drive Line Refill System

- 1.2-gallon (5-liter) fluid reservoir · Reservoir lid with integrated manual pump, pressure gauge, and pressure relief valve
- MVA5800 ATF refill adapter kit (includes ten adapters, part numbers MVA580 - MVA589)











suction and discharge hoses

MIT7201

PBT71196

QuickFlow Drill Pump

The Fluid Evacuator Plus

• Evacuates or dispenses at the push of a button

Use with cordless drill to pump most all fluid types
Universal adaptor with rubber mounting strap allows

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

all drill sizes to be quickly mounted to pump

One hand operation leaves free hand to manage

- · Convenient manual pump operation
- Integrated 2.3 gallon capacity reservoir
 Large base with foot stabilizer

MIT7300

Air Operated Fluid Evacuator

- · 2.3 gallon capacity
- Automatic shut-off valve prevents overfilling

Includes:

- 5' of flexible hose
- 2 rigid dipstick tubes
- · Universal brake-bleeding adapter
- · Air connection at bottom of unit for greater stability



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

MIT7400

Fluid Evacuator

- Large 1.9 Gallon Reservoir (7.3 Liters)
 Hand operated pump no shop air or electricity required
- Includes . 5' long flex hose and 2 dipstick hoses

Oily Waste Disposal Cans



Oily Waste Disposal Cans

- · Essential wherever solvent cloths and wiping rags are used
- Foot lever activation

DESCRIPTION PART # JUS09100 6 Gallon Waste Can JUS09300 10 Gallon Waste Can



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





Funnels Double Cap

. Double capped funnel keeps the drips in and the dirt out

KTI74607 - 1 Pint - Orange

. Height (without cap): 8.75" Top ID: 3"
 Spout OD: 1/2"

KTI74608 - 1.25 Quart - Dark Blue

• Top ID: 4" Spout OD: 3/4" . Height (without cap): 10.5"

KTI74609 - 1.3 Quart - Black• Top ID: 4" • Spout OD: 1.375"

. Height (without cap): 16.5"

KTI74611 - 1.5 Quart - Yellow

Top ID: 4"
 Spout OD: 3/4"

 Height (without cap): 14.25" · Flexible spout

KTI74613 - 1.66 Quart - Dark Red

• Height (without cap): 14.25" Top ID: 4"Spout OD: 1.375" Flexible spout

KTI74612 **3 Quart Drum Funnel** with Hinged Lid and 2" Bung

Tough Industrial QualityChemically resistant polyethylene





KT174620

2 Piece Universal Oil Funnel

 For refilling engine oil, coolants, etc. in passenger vehicles, commercial vehicle, tractors, earth moving equipment, etc.

• 1 year warranty



KTI74621

1.2 gal. Fuel and Oil Funnel

1-Year Warranty

KTI74619

9-1/2" Plastic Anti-Splash Funnel, 3.5 L

1-Year Warranty

KTI74618

8" Plastic Anti-Splash Funnel, 1.7 L

1-Year Warranty



8 Ot Plastic Measure with Flex Spout

 Translucent body Includes dust cover, flexible

1 year warranty

spout & spout cap
• Graduated in quarts & liters

KTI74641

Polyethylene Drip Tray

- 22" x 22" x 1.5
- Made in the U.S.A.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

FORM-A-FUNNEL®

Form A Funnels

Moldable

Fluid Dispensing

- · Impervious to most liquids
- · Unaffected by freezing or temperatures up to 425 degrees
- High tensile aluminum with nitrile coating

 • Stores flat or rolled up

Part Number	Description	
FAFGP-102	General Purpose Form A Funnel	
FAFAV-104	Aviation Form A Funnel	
FAFTT-103	Truck and Tractor Form A Funnel	

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



LIS24680 Spill Free™ Funnel

 Eliminates trapped air pockets which usually cause erratic cooling system and heater performance



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



LIS19612

12 Piece Multi App Oil Funnel Set

Helps eliminate oil spills when refilling

crankcases, especially those with baffle valve covers

1.6 qt. translucent funnel comes with 12 different color-coded adapters and a 45° elbow to work on many applications and save valuable storage space

Adapter holders keep adapters organized in toolbox or on pegboard

• Use spout only as a standard funnel • Tethered lid and cap keep the funnel clean

· Adapters fit crankcases securely

WHITESIDE

WHIFNLBDY

"Funnel Buddy" Funnel Holder

Keeps dust out of funnel

· Includes funnel, bottle, and mounting hardware for wall or toolbox



- Moves up to 3.5 gallons a minute
- 6 foot anti-static tube



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Fluid Dispensing

FILL-RITE

FILRD812NH

12 Volt Portable Fuel Transfer Pump with Hose and Nozzle

 Includes pump, manual nozzle, 8' discharge hose, 6' suction hose and 10' quick connect power cord with alligator clips.

FILFR1210G 12 Volt DC Pump with Manual Nozzle

- Up to 15 GPM
- 1/4 HP motor
- Diesel/Gasoline/Kerosene/E15/BD up to B20
- 2" Threaded base for tank mounting
- · Heavy duty cast iron construction

FILFR610G

115 Volt Heavy Duty Pump with Hose and Manual Nozzle

- 15 GPM (57 LPM)
- 1/4 HP motor
- · Heavy duty cast iron construction
- · 2" Threaded base for tank mounting
- . UL/cUL Listed Pump and Motor





WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

WARNING: Cancer and Reproductive Harm

www.P65Warnings.ca.gov

LIN1550

Heavy Duty 12V DC Fuel Transfer Pump, 15 GPM

 Safely transfers Diesel, Kerosene and Mineral spirits, delivering up 15 gal./min

 18 ft. (5,5 m) cable for operator convenience

13 ft. (4 m), commercial-grade, kink-resistant, anti-static hose











LINCOLN



IPA9070A

120V AC DEF Transfer System with Automatic Shut-Off Nozzle

The #9070 DEF Transfer System is a professional and complete turnkey solution, powered by an innovative and durable 9 GPM 120V AC pump

 Standard equipment includes bracket assembly for totes, DEF-rated 6' intake and 8' output hoses, DEF-rated transfer nozzle (automatic shut-off)

· Conveniently mounts to DEF tote containers

· 3 year warranty



WARNING: Cancer and Reproductive Harm

- www.P65Warnings.ca.gov

MITMV6400

Fluid Dispensing System

Large 1.2-gallon (5-liter) fluid capacity

 Integrated manual pump adds air above the fluid level to prevent aeration



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



IPA7862H

Grease Joint Rejuvenator® Professional Model

- · Loosens hardened grease in joints
- · Opens clogged grease fittings
- . 5" flex hose for hard to reach fittings
- Limited Lifetime Warranty
- Blow molded storage case





WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

Plastic Rotary Transfer Pump

- Glass filled, Polypropylene (PP) body with Ryton Rotor & Vanes and Viton seals
- 1 year warranty on material & workmanship

KTI72202 Vertical Lift Chemical Pump

- For use with 55 gallon drums
- For use with Antifreeze, Detergent, DEF, Lacquer Thinners, Acetone, etc.
- Not for use with gasoline, diesel, fuel oil, kerosene, etc.
- 1 year warranty on material & workmanship

KTI72210

Lever Transfer Pump 15-55 Gal. Drums

- · For use with DEF, antifreeze, detergents, windshield fluids, heavy oils, etc
- 1 year warranty on material & workmanship

KTI72215

Electric Rechargeable Drum Pump 19.2V

- · Cordless pump with 19.2V rechargeable battery Telescopic pump tube for use with 55 gal. (205 Litre)
- drums as well as 275-330 gal. (1000 to 1250 Litre) IBC's . Delivers up to 28 lpm (7.4 gpm) or up to 410 litre
- (110 gal.) on a single battery charge 1 year warranty on material & workmanship






KTI72205


Barrel Pump

• Fits 30 to 55 gallon drums













WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

SUR1000

32 oz. Sure Shot® Pressurized Sprayer

- · An inexpensive way to apply bulk chemicals
- · Uses compressed air, instead of flammable or dangerous propellants, and it's reusable
- Use with oil & solvent based materials
- · Made in the USA





WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

TIT19419

32 oz. Spot Spray Non-Aerosol Sprayers

- · Uses compressed shop air as a propellant
- 80-150 psi operating pressure (200 psi max) · Eliminates dangerous or harmful propellants
- Not for use with paint products
 Do not use with flammable propellents



Fluid Dispensing



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KT173970

Battery Powered 19.2V Cordless Grease Gun

- Includes two 1.5Ah Lithium Ion 19.2V battery packs, cUL listed 110V AC one hour quick charger. 30" high pressure grease hose and coupler

 • Develops up to 6000 PSI
- 1 year warranty on material & workmanship

KT173900

Air-powered, Pistol-Grip Grease Gun

- Air pressure ranges from 1,200 psi to 6,000 psi
- Uses 400cc bulk loading or standard 14 oz. cartridge
- Includes rigid and flexible extensions
- 90 day warranty on material & workmanship



Standard Lever Grease Gun 14oz

- Standard lever grease gun 14 oz
- 6.000 PSI
- 3-Way loading 14 oz cartridge, bulk and suction fill
 Complete with 6" steel extension & coupler
 1 year warranty on material & workmanship

KTI73919

Suction Gun with12" Vinvl Hose

- · Transfer gun designed to get gear oils both into and out of gear boxes, transfer cases and differentials
 • Capacity 16 oz • 1 Year Warranty





WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KT173930

Mini Pistol Grease Gun 3 oz

- 3 oz mini pistol grease gun
- Dual discharge ports with pull type pistol mechanism
- 3,500 PSI
- · Complete with 4" steel extension & coupler
- 1 year warranty on material & workmanship

KTI73962

Continuous Flow Grease Gun, Air Operated

- Air operated continuous flow grease gun, 14 oz / minute
- 3-way loading: 14 oz cartridge, bulk and suction fill
- Develops up to 4.800 PSI
- Air inlet: 40 120 PSI
- Supplied complete with 6" steel extension & coupler
- 1 year warranty on material & workmanship

KTI73933

Heavy Duty Pistol Grip Grease Gun 14 oz

- Heavy duty pistol grip grease gun 14 oz
- Die cast aluminum head fitted with steel block nut
- . Complete with 18" flexible hose extension & coupler
- 3-way loading: 14 oz cartridge, bulk and suction fill
- 1 year warranty on material & workmanship

KTI73942

Heavy Duty Lever Grease Gun 14 oz

- . 3-way loading: 14 oz cartridge, bulk and suction fill
- Grease gun handle fitted with rubber grip
- Develops up to 10,000 PSI with built-in variable stroke · Supplied complete with 6" steel extension & coupler
- 1 year warranty on material & workmanship

KTI73956

Quick Locking Grease Coupler

- · Quick locking grease gun coupler with 1/8" NPT
- Coupler body is heat-treated to withstand high pressures without deformation and is 1-1/2 times stronger than regular couplers
- Case hardened rollers hold the coupler in position at 6 points
- Allows hands free operation, once couple is engaged
- 1 year warranty on material & workmanship

SKR INDUSTRIES



Grip and Grease Lock on Grease Couplers

- Locks on up to 10000 psi
- Integrated pressure relief valve
- · Case hardened steel bearings and sleeve construction
- · Easy on/easy off

Fits most grease guns, zerks and accessories. Proven for use in applications up to 10,000 PSI. Ideal for use with both Cordless and Air Operated Grease Guns. 1 Year Limited Warranty

SKR944IRV

GripNLube Lock-On Grease Coupler exclusive integrated pressure release valve

SKR924IRVBC

 GripNLube Lock-On Grease Coupler 4 inch reach Lock on coupler for recessed zerks with exclusive integrated pressure release valve

SKR968IRVBC

· GripNLube Lock-On Grease Coupler 6 inch reach with exclusive integrated pressure release valve. Fits most grease guns, zerks and accessories



LINAC2440

120-Volt Corded Grease Gun

 120v motor provides the highest torque values in its class



Heavy Duty Lever Gun

- · Rugged cast iron pump head
- 16 oz. bulk or 14.5 oz cartridge

LIN1133

Heavy Duty Pistol Grip Grease Gun
• 18" whip hose



Fully Automatic

Pneumatic Grease Gun

- 30 high-pressure hose
- with coupler & attachment clip
 Air operating range 40-150 psi, and has greasing capabilities of 6000 psi



SHOP TOOLS & EQUIPMENT

Fluid Dispensing



FROM THE ORIGINATORS OF THE BATTERY OPERATED GREASE GUN. THE BRAND PROS DEMAND, SINCE 1910.

DAY YEAR YEAR **YEAR** WARRANT'



Lithium-Ion Batteries



- · Built-in LED illuminates dimly lit areas
- · Integrated hose holder
- Air purge valve to prevent loss of prime
- · Balanced, lightweight design
- · Stable 3-point stance keeps the tool upright and within reach
- 5 Year Warranty on Tool and 2 Year Warranty on Battery and Charger

Part Number	Description	
LIN1264	2 Battery Kit	
LIN1262	1 Battery Kit	
LIN1260-NB	Bare Gun ONLY	
LIN1261	12-Volt Li-Ion Battery	
LIN1870	AC Charger for 12 to 20-Volt Li-lon Battery	

20-Volt Lithium Ion PowerLuber Grease Gun

- . Stable 3-point stance keeps the tool upright and within reach
- Electronically controlled two-speed motor
- LCD identifies: Empty cartridge, Loss of prime, Grease output and Blocked fitting
- 5 Year Warranty on Tool and 2 Year Warranty on Battery and Charger

Part Number	Description	
LIN1884	2 Battery Kit	
LIN1882	1 Battery Kit	
LIN1880-NB	Bare Gun ONLY	
LIN1871	12-Volt Li-Ion Battery	
LIN1870	AC Charger for 12 to 20-Volt Li-lon Battery	
LIN1875A	DC Mobile Charger for 20-Volt Li-lon Battery	



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

NiCad Batteries



12-Volt PowerLuber NiCad Battery Cordless Rechargeable Grease Gun

- Powerful 12v motor
- · Continuous operation for fast service
- High capacity 12v NiCad battery
- 30" Whip hose with Dual Spring Guard 1 Year Warranty



18-Volt NiCad Battery Operated PowerLuber Grease Gun

- Versatile two-speed design high-volume and high-pressure matches the tool to the task
- Patented stroke counter for measureable grease output
- High-efficiency combination valve purges trapped air
 Dual motor protection circuit breaker and pressure relief valve
- Outstanding performance in high-pressure applications
- 1 Year Warranty

Part Number	Description	
LIN1844	2 Battery Kit	
LIN1842	1 Battery Kit	
LIN1800-NB	Bare Gun ONLY	
LIN1410	AC Charger for 14 to 18-Volt NiCad Battery	
LIN1875A	DC Mobile Charger for 20-Volt NiCad Battery	

14.4 Volt NiCad Battery Operated PowerLuber Grease Gun

- · Two-Speed Switch design delivers high volume or high pressure to help meet your individual needs
- Powerful 14.4 volt high torque motor 7,500 PSI working output pressure, 10 oz./min. grease output at 1,000 PSI
- 1 Year Warranty



14.4 Volt NiCad PowerLuber **Grease Gun Kit with 2 Batteries**

14.4 Volt NiCad PowerLuber **Grease Gun Kit with 1 Battery**





Oxyacetylene

Welders





FPW0384-2682

Firepower Oxyfuel 350 Heavy Duty Outfit

- Cutting torch and handle are ready for multiple gas options; Oxy-Acetylene, Propane, Butane, Natural and LP Gases
- Cut 1/8" (3.2 mm) to 6" (152 mm) with optional tips
 Weld up to 1/2" Steel



<u>repower</u>




MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



FPW1444-0871

- MST 180i 3-in-1 Mig, Stick, And Tig Welding System

 Maximum Output: 180 Amp. MIG: 180A/23V at 20%
 Duty Cycle. 145A/22.5V at 30% Duty Cycle
- Stick: 175A/27V at 20% Duty Cycle. 140A/25.6V at 30% Duty Cycle. TIG 175A/17V at 25%. 160A/16.4V at 30%.
- MIG Voltage Range: 10-25V. Nominal OCV Volt DC: 62V. Maximum Plate Thickness: 1/4"



FPW1444-0872

MST 220i 3-in-1 Welding System

- MIG, STICK, and TIG (DC) welding processes
- Maximum plate thickness
- Dual voltage machine 115V-208/230VAC Uses 208/230VĂC with maximum output 210 Amps
- · Spool gun capable aluminum MIG welding
- 3-year warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov







FPW0558102240

ESAB Rebel Series EMP 215ic MIG/TIG/STICK Package

- ESAB® Rebel Welding Power Source, Tweco Fusion® 180 MIG Gun with 10 ft (3 m) Cable, Spare MIG Gun parts kit, including bonus Contact Tips, and Drive Rolls for .023" (0.6 mm), .030" (0.8 mm)

 Primary Voltage 120VAC, 208//230 VAC Dual Voltage

 Wire Diameter Range Mild Steel: .023" – .035" (0.6 – 0.9 mm)

- Maximum Output 240 Amp MIG (GMAW/FCAW)
- True multi-process performance for best-in-class MIG, Stick, TIG

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

FPW0700000800

- Welding Helmet ESAB Sentinel A50
 Revolutionary shell design high impact resistance nylon
 Halo headgear ergonomic, infinitely-adjustable 5 point head
- gear provides extreme comfort and balance Low-profile design, central pivot point allows for maximum
- head clearance while helmet is in the up position
- 3.93 x 2.36 in. (100 x 60 mm) viewing area. 1/1/1/2 –5-13 ADF
- Color touch screen control panel with 8 separate memory settings and externally activated shade 4 Grind Button







MLL951715

Millermatic 211 MIG Welder

- 6.5 ft (2 m) power cord and MVPTM adapter plugs for 120V and 240V
 10 ft (3 m) MDXTM-100 MIG gun

- 10 ft (3 m) work cable and clamp
 Argon and AR/CO2 mix regulator/flow ga
- Spool of Hobart .030 in (0.8 mm) solid w... Two contact tips for .030 in (0.8 mm) wire
- Quick Select drive roll for .024 in (0.6 mm) or .030/.035 in (0.8/0.9 mm) solid wire, and .030/.035 (0.8/0.9 mm) flux cored wire
- Material thickness gauge #229895

MLL951821 Millermatic 255 Auto

- Three Guns: One for steel, one for aluminum and one for silicon bronze to optimize welding performance and
- to optimize weighting the wire and minimize cross-contamination
 Easy weld start by just setting the wire and gas type, wire diameter (.023 in./6 mm to .047 in./1.2 mm), and material thickness to increase productivity
- Easy-to-understand interface ensures proper machine setup, reducing setup time and increasing weld time



MLL907579

Spectrum® 625 X-TREME 12-ft. XT40 Quick Connect • Spectrum 625 X-TREME

- Spectrum 625 X-TREME
 XT40 hand-held torch with 12-ft. (3.7 m) cable.
 Torches include a complete set of 40 A consumables
 Heavy-duty work clamp and flexible cable with quick connect
 12-ft. (3.7 m) power cord with 240 V L6-30P twist lock plug for MVPTM adapters with 240 V, 50A (6-50P) plug
- and 120 V, 15 A (5-15P) plug

 X-CASE™ provides protection during transport and storage
- Shoulder Strap
- Consumables box with 2 electrodes, 2 tips (40 A), 1 tip (30 A), drag shield (30 A), deflector, and air fitting




- Miller Spoolmate™ 200 MIG Spoolgun

 Miller Spoolmate™ 200 MIG Spoolgun is a highly reliable and economical spool gun with excellent feeding to weld aluminum

 ■ Ideal For use with the Millermatic® 212 Auto-Set™.

- Light Industrial spool gun rated at 160 amps at 60% duty cycle. Ideal for welding with .023 .035 wires
 Wire speed adjustment located on the gun handle allows the user to conveniently change wire speed directly from the spool gun





MALWPAK 6 Piece Axial Plier Set

- Clamp Metal Profiles for Easy Welding
- Eliminates provisional welding
 Axial motions allows offset clamping
- · Fast and easy one-hand operation
- Forged steel construction and durable finishes



SHOP TOOLS & EQUIPMENT

Welders / Welding Helmets



Portable Inverter Mig Welders

· Package includes inverter power supply, HSL15 torch 10', 200A earth clamp 10', gas regulator with hose, steel & flux-cored welding wire and operator manual



Portable Inverter MIG Welders					
Product #	Price				
HSW6213	130	115VAC @ 20 Amps	130 Amps @ 20%		
HSW6214	140	115VAC @ 20 Amps	140 Amps @ 35%		
HSW6220	200	230VAC @ 20 Amps	200 Amps @ 35%		

Professional Inverter Plasma Cutters

- Features air purge switch, adjustable air regulator/dryer with gauge
- Package includes inverter power supply, plasma torch 12', 200A earth clamp, spare tips & electrodes and operator manual



Professional Inverter Plasma Cutters						
Product # Amps Input Power Output Power Genuine / Sever Price Cut						
HSW6004	40	115-230VAC @ 20 Amps	40 Amps @ 35%	1/2" / 1"		
HSW6006	60	230VAC @ 50 Amps	60 Amps @ 95%	3/4" / 1-1/4"		

TIT41200 30 AMP Plasma Cutter with Attached Torch

- Powerful and reliable IGBT inverter technology delivers 30 Amp at a 35% duty cycle
- Dual voltage-sensing technology (115V or 230V) lets you plug into any common power supply with included adapter
- 1 year warranty on material and workmanship



KT170046

- Auto Darkening Welding Goggles Kit

 Adjustable shade 5-13 for grinding to TIG welding

 Kit contains: fire retardant hood and
- bump cap, auto darkening welding goggles, protective shield and carrying bag
- Covered by a 1 Year warranty

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



HSW6420-03 200 AMP MULTIWELD 3-IN-1 (MIG, STICK, TIG)

- Professional multimig synergic inverter welder provides 200 amps of power for MIG, TIG and Stick applications on either a 115 or 230 volt line
- Standard package includes synergic inverter power supply, HSL15 torch 10', 200A earth clamp 10', HSM17 TIG torch 12.5', 200A electrode holder 10', foot pedal control 12.5', gas regulator with hose, steel welding wire, AK-2 kit and operator manual. Optional aluminum spool gun is available
- Input Power: 115-230VAC @ 20 Amps | Output Power: 200 Amps @ 35%

HSW6321

200 AMP AC/DC TIG WELDER

- Used for aluminum & steel alloys and provides 30-200 amps of power on either 115 or 230 volt line
- Features digital control selection of lift-arc, HF or MMA modes, 2T/4T trigger, square, sine, triangle AC or DC wave form, pre and post gas, slope, power range, pulse,
- frequency, AC balance and 10 program memory
 Includes pulse inverter power supply, HSM17 TIG torch 12.5', 200A electrode holder 10', 200A earth clamp 10', foot pedal control 12.5', gas regulator with hose, AK-2 kit and operator manual



STC23240 Mig LED Light

- LED light attachment for a MIG Torch which is easily adjusted for accurate illumination of the area to be welded
- Flexible mounting bracket attaches to the neck of standard (1/2" to 3/4") MIG welding torches





Welding Wire



Part Number	Wire Type	Wire Diameter	Spool Size	Welding Amps	Material Thickness Price
MTNWEW-6210	Mild Steel ER70S-6	.023" (0.6mm)	4 Inch Spool	35 - 70	#22 - #18
MTNWEW-6215	Mild Steel ER70S-6	.030" (0.8mm)	4 Inch Spool	50 - 100	#22 - 1/8"
MTNWEW-6211	Mild Steel ER70S-6	.023" (0.6mm)	8 Inch Spool	35 - 70	#22 - #18
MTNWEW-6216	Mild Steel ER70S-6	.030" (0.8mm)	8 Inch Spool	50 - 100	#22 - 1/8"
MTNWEW-6221	Mild Steel ER70S-6	.035" (0.9mm)	8 Inch Spool	100 - 150	#18 - 1/4"
MTNWEW-6230	Flux-Cored E71T-GS	.030" (0.8mm)	4 Inch Spool	40 - 100	#20 - #14
MTNWEW-6235	Flux-Cored E71T-GS	.035" (0.9mm)	4 Inch Spool	100 - 130	#18 - 3/16"
MTNWEW-6231	Flux-Cored E71T-GS	.030" (0.8mm)	8 Inch Spool	40 - 100	#20 - #14
MTNWEW-6236	Flux-Cored E71T-GS	.035" (0.9mm)	8 Inch Spool	100 - 130	#18 - 3/16"
MTNWEW-6245	Stainless ER308	.030" (0.8mm)	4 Inch Spool	50 - 100	#22 - 1/8"
MTNWEW-6240	Aluminum ER5356	.030" (0.8mm)	4 Inch Spool	60 - 100	#22 - 3/16"
MTNWEW-6445	Aluminum ER5356	.035" (0.9mm)	4 Inch Spool	100 - 160	#18 - 5/16"

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



MTN9603

Deluxe Welding Helmet · Welding 9-13 stepless adjustment

- Solar powered
- Shade Control: DIN 4 / 5-9 / 9-13
- Optical rating: 1/1/1/2
 Viewing area: 3.94" x 2.64" (100 x 67mm)
- Covered by a 1 Year Warrantv



- Welding 9-13 stepless adjustment
- Grind: protection against high-speed particles (EN 175 B)
- Sensitivity and delay control
 Suitable for all welding process and plasm cutting
- Two sensors
- Solar powered
- Covered by a 1 Year Warranty



Welding Helmets

SHOP TRUN

TIT41279

Auto Darkening Solar Powered Welding Helmet - Skull Graphics

- Durable, lightweight material is corrosion resistant and flame retardant
- · Ultra high performance filters protect against UV and IR
- 2.125 x 4" viewing area



Wide Lens Solar Powered Welding Helmets

- Ultra high performance filters protects against UV & IR
 Large viewable area: 3.86 inches wide x 2.17 inches high
- Utilizes high performance solar cells with built-in lithium batteries as back-up
 Variable shades from DIN 9 to DIN 13

Part #	Description	Price
TIT41260	Wide Lens Solar Powered - Red	
TIT41262	Wide Lens Solar Powered - Black	
TIT41265	Wide Lens Solar Powered - Eagle Graphics	
TIT41266	Wide Lens Solar Powered - Flame Graphics	
TIT41282	Wide Lens Solar Powered - Skull and Pistol Graphics	
TIT41288	Wide Lens Solar Powered - Pinup Girl Graphics	
TIT41289	Wide Lens Solar Powered - Forge Skull Graphics	
TIT41290	Wide Lens Solar Powered - Gear Head	
TIT45000	Wide Lens Solar Powered - Motorcycle Pinup	
 TIT45005	Wide Lens Solar Powered - Hot Rod Pinup	

SPC3012503



SAVE PHACE

TIT41290

SPC3010738

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

TIT41288

EFP Helmet Elementary Series Metal Hed• World's 1st and ONLY Grinding Mask that can be

- converted into a Welding Helmet. Only gridning/splash guard helmet with 180 degree viewing area
- Face forming profile that lets you get into tight spaces
 Round profile lets hot air escape easier making it 6
- degrees cooler than other helmets



EFP Gen Y Series Helmets

- . ONLY 180 degree welding lens allowing you to see from ear to ear when weldling
- Largest viewing area in the World at over 23 Sq. Inches
- 4/9-13 Adjustable auto darkeining filter with grind mode

SPC3011230 - Murda Out SPC3011322 - "Gate Keeper"



TIT45005

SPC3011230 SPC3011322

- EFP Helmet Gen X Welding Helmets
 Offers a Fixed Shade 3/10 ADF (Auto Darkening Filter) integrated into a 180° lens design
- 9 Point high quality adjustable halo headgear with replaceable sweat absorbent headband
- Made from high heat & high impact nylon
- ANSI, CE, AUS/NZ and CSA Approved

SPC3010059 - Black Asp Graphics SPC3010066 - DOA Graphics



SPC3012435

RFP E-Series Helmets

- A huge 4" X 4" ADF set in a shade 10 passive lens for 40 square inches of 180 degree vision when your arc is struck
- . One of the highest rated ADF's in the world
- Externally adjustable 4 / 9-13 ADF with grind mode
- One of the lightest welding helmets on the market with 9 way adjustable halo for the maximum adjustability and comfort

SPC3012435 - "Day of the Dead" SPC3012442 - "Ripped"



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov







SAVE PHACE

EFP I-Series Welding Helmets

- The first and only welding helmets in the world with an internally adjustable 2 X 4 ADF set in a shade 10 passive welding lens for 180 degree vision the instant you strike your arc
- ADF rated 1.1.1.1.; the highest possible rating
 Internally adjustable ADF, 4 / 9-13 with grind mode

SPC3012480 - "Patriot" SPC3012503 - "Iron Man"

SPC3012695

- RFP F-Series Welding Helmet "War Machine"
 The Save Phace RFP F-Series welding helmets feature a huge 4 X 4 shade 3-10 ADF mounted in a shade 10 passive welding lens for a whopping 40 square inches of ear to ear vision the instant your arc is struck
- One of the highest rated ADF's available
- Durable, lightweight balistic nylon construction with a 9 way adjustable halo for the ultimate in comfort

40VizI4 Series RFP Welding Helmets

- 1st and ONLY Welding Helmet in the world that offers you an adjustable 4 sensor 4/9-13 ADF (Auto Darkening) integrated into a 180° lens design giving you ear to ear vision when welding

 ADF features: internal adjustments, 4 sensor, fully
- automatic, grind mode, sensitivity, delay controls, grind flash indicator, low battery warning

SPC3011704 - Warpig Graphics

SPC3011698 - Captain Jack Graphics

SPC3011629 - Dead King Graphics

SPC3011674 - Kannibal Graphics

SPC3011681 - MO3





SPC3012480

SPC3011674

SPC3011629

Soldering Guns / Torches



WLELG400C







INDUCTION

INNOVATIONS

Trig-R-Heat 150-400 Watt Soldering Gun

- High wattage heats tip to over 1000 degrees F in less than 10 seconds, lower wattage maintains rated tip temperature
- At only 15.2 oz. this gun is easy to control and helps reduce user fatigue
- Control is convenient, easy to use, and provides instant response

WLELG550

Trig-R-Heat 300-550 Watt Soldering Gun

- High wattage heats tip to over 1000 degrees F in less than 10 seconds. lower wattage maintains rated tip temperature.
- At only 1.7 lbs. this gun is easy to control and helps reduce user fatigue.

Weller®

260/200 Watt. 120V Professional Soldering Gun Kit

- . Dual heat gun produces 260 or 200 watts
- · Pistol grip design, ready to use in 6 seconds
- Fingertip trigger selects high (1st trigger position) or low output (2nd trigger position)
- Heave gauge, high efficiency, tin plated copper tip



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

IDIMDV-777

Mini-Ductor Venom®

- Coil Twist Lock: coils now lock down with one simple turn (no more thumb screws) and Venom works with all Mini-Ductor coils
- LED Usage Indicator: a Red LED will light under fault conditions and Green LED lights while the trigger is active and the tool is heating properly
- Two Year Limited Warranty: Venom has a two year parts and labor warranty



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

IDIMD-700

Mini-Ductor II Magnetic Induction Heater Kit

- Grenade grip for a greasy hand technician
- . Work illuminating L.E.D. for increased vision of product application
- Operates on 120 volts/1000 watts of power



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

IDIMDV-777-FORD

Mini-Ductor Venom Ford Kit

- Aids in the removal of Ford 6.7L EGR Tubes
- Coil Twist Lock™ coils now lock down with one simple turn (no more thumb screws) and Venom works with all Mini-Ductor coils
- · 2 year warranty on material and workmanship

IDIMD99-606

1/2" Long Preformed Coil

Works best with 3/8" fasteners and smaller



PPRMTKIT01 Micro Torch Kit

- Maximum temperature: 2500 F (torch mode)
- Maximum temperature of 950 F (soldering mode)
 120 watt 580 BTU



PTLSP-1K

Self Igniting Soldering Iron and Heat Tool Kit

- 25 125 Watts; To 2,372°F/1,300°C
- 10 second refill time simply fill with standard butane and use
- 40 second heat up time; 90 minute run time



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Self Igniting Propane Torch Head

- High energy flame
 Angled swivel tube to reach difficult areas
- 1 year warranty on material & workmanship

Self Igniting Propane Torch Head

- Self igniting propance torch head with piezo igniter for instant flame
- · Safety lock feature to prevent accidental ignition
- Ignition button lock for continuous use
- 1 year warranty on material & workmanship

KT170058

Hand-Held Pro Butane Torch

- Piezo ignition and safety kill/off switch
- Tank contains fuel for 190 minutes of operation at mid setting
- Flame temperature: 2400° fahrenheit (1300° degrees celcius)
- 1 year warranty on material & workmanship

KTI70052

Hand Held Butane Torch Lighter

· Light duty soldering such as: shrinking heat seal tubing, craft projects, thawing frozen locks, lighting camp stoves

1 year warranty on material & workmanship









Heat Shrink Tube Assortments

Allows protection and insulation of automotive wires, electrical and mechanical components from heat, moisture, and corrosion.

Description

KTI07740 Heat Shrink Tube Assortment 235 Piece 3/32", 1/8", 3/16", 1/4", 3/8", 1/2", 5/8", and 3/4" ID. Assorted colors.

KTI00035 Heat Shrink Tube Assortment 85 Piece Diameters: 1/8", 3/16", 1/4", 3/8", and 1/2" ID. Color: Black

4PAstro

AST9425

Dual Temperature Heat Gun Kit

- Two heat settings (572°F and 932°F) . Meets IEC standards and has GS, CE,
- EMS, CSA, and UL certifications



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov





MASHG-501D Master Heat Gun 120V, 1200F, 14.5A, 27 CFM

 Upgraded long-life universal motor delivers 2X PLUS run life, High 27 CFM airflow gets tough jobs done faster







MASVT-751D

Varitemp Heat Gun 120V, 100 to 1200F,14.5A, 27 CFM · Upgraded long-life universal motor delivers 2X PLUS run life, High 27 CFM airflow gets tough jobs done faster



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

SHOP TOOLS & EQUIPMENT

TOOLS



SUN5000A

16 Speed Drill Press with 3/4 HP Motor

- Heavy duty 3/4 HP motor with 5-1/8" drill capacity
- Convenient belt tension lever for quick speed transition
- Table rotates 360 degrees and pivots from 0 degrees to 45 degrees on each side with indicator to facilitate setting
- UL and CSA listed



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

Drill Presses







JET354402

JET J-2550 20" Floor Model Drill Press

- · Cast Iron head
- Head casting features a permanently lubricated ball bearing spindle assembly, using four heavy duty ball bearings in an enclosed quill for longer life
- Massive T-slotted production work table (Model J-2550 only)
- Table tilts 45 degrees
- Not available for sale in Canada

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



JET354550

JET J-A5816 15" Variable Speed Floor Drill Press, 1 HP, 115-230V, 1 PH

- Speeds from 400 to 5000 RPM
- · Handwheel adjustment sets the speeds
- Large 2-1/4" quill allows
- greater accuracy

 3" column diameter for maximum head support
- Full bearing support on guill for maximum spindle stiffness
- Not available for sale in Canada









KILONI XD





KTI63619A

20 Ton KTool XD Shop Press

- Overall frame height: 59.5"; Frame width: 25.25"; Base depth: 27.75"; Ram stroke:
- Throat height: 38"; Throat width: 21.25";
 Distance between Bed Rails: 4.25"
 Bed height adjustments: 4.75" x 9"
- 2 Year Warranty on material and workmanship



KTI63611

12 Ton Shop Press

safety standards

and workmanship

filled gauge

• Pump, 7.1" stroke self-retracting ram and hose with glycerine

• 53" frame height, 21.5" width, and 27.5" base leg length

• Complies with ASME PASE/2014

• 2 Year Warranty on material

www.P65Warnings.ca.gov

WARNING: Cancer and Reproductive Harm

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



Shop Presses







FORGE&FOUNDRY

Super Duty Shop Presses

- guard for added safety
- Large liquid filled gauge to accurately show pressing force

INT850ASD (20 Ton) INT852ASD (30 Ton) INT854ASD (50 Ton) INT856SD (75 Ton) INT859SD (100 Ton)



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



MLK432650

Universal Press Support Set For mounting and

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov









- Welded frame for added stability · Shatter resistant polycarbonate

- Air pressure 110-120 psi

- demounting jobs
- Safety alignment for workshop press



Vises

Supplier	Part Number	Base	Style	Jaw Opening	Jaw Width	
Wilton	WIL11105	180 Degree Swivel	Bench	0-5"	5"	
Wilton	WIL1780A	360 Degree Swivel	Tradesman	0-7"	8"	
Wilton	WIL676	180 Degree Swivel	Utility	0-5-1/2"	6-1/2"	
Wilton	WIL745	360 Degree Swivel	Mechanic's	0-5-1/4"	5"	
Wilton	WIL746	360 Degree Swivel	Mechanic's	0-5-3/4"	6"	
Wilton	WIL11128BH	180 Degree Swivel Includes FREE Hammer	Utility	0-5-1/2"	6-1/2"	
K Tool International	KTI64105	Swivel	Bench	0-7"	5"	
K Tool International	KTI64106	Swivel	Bench	0-8"	6"	
K Tool International	KTI64108	Swivel	Bench	0-9"	8"	















WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Bench Grinders



KTI60060

6" Heavy Duty Bench Grinder

- 1/3 HP, 115 volt with 3450 RPM no load speed
- Cast iron motor housing for heavy duty applications and long life
- Includes: 1 course 36-grit grinding wheel and 1 wire wheel
- Two adjustable tool rests to accommodate a variety of uses and provide additional stability for precision grinding
- UL listed



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



JET JBG-8A 8" Industrial Bench Grinder

- · Sharpens, shapes, deburrs and removes material fast
- · Totally enclosed, pre-lubricated ball bearings
- Heavy-duty guarded toggle switch on 8'
- Not available for sale in Canada





SUNEX TOOLS

SUN5002A

8" Bench Grinder with Light

- Has two 8" grit wheels: coarse 36 and medium 60
- · Mounting holes and rubber feet make grinder easy to mount on a stand or use on an approved worktable or workbench
- . Has two 8" grit wheels: coarse 36 and medium 60

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





AMERICAN FORGE&FOUNDRY INC.

INT31200B

20 Gallon Parts Washer

- 50 GPH pump output
- Safety GFCI plug
- Removable work shelf and parts basket



WARNING: Cancer and Reproductive Harm

www.P65Warnings.ca.gov

INT31400B

40 Gallon Industrial Parts Washer

- 22-gallon working capacity 50 GPH pump output
- Safety GFCI plug at 110V/0.5A
- Removable work shelf & parts basket
- 45" x 21-1/4" x 35-5/8" overall size



WARNING: Cancer and Reproductive Harm

www.P65Warnings.ca.gov



CR®

CRC14740

SmartWasher SW-423

Mobile Parts Washer Kit

- · Preventative maintenance
- Water-based Self-cleaning
- · Non-flammable, non-toxic
- Microbes remove grease, oil, and other contaminants
 Kit includes: SW23 SmartWasher Unit, (3) 5-Gallon jugs of SW4 cleaning fluid and regular grade FL4 Ozzymat filter



C-Clamps / Chain Pullers

540A Series Carriage C-Clamp Kit

- Includes four of our most popular sizes 540A Series C-Clamp 0 2-1/2" Opening Capacity, 540A Series C-Clamp 0 - 4" Opening Capacity, 540A Series C-Clamp 0 - 6" Opening Capacity and 540A Series C-Clamp 0 - 8" Opening Capacity.
- Not available for sale in Canada



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

C-Clamps					
Supplier	Part Number	Style	Jaw Opening	Throat Depth	
Wilton	WIL540A-6	Carriage Clamp	0-6"	2-3/4"	
Wilton	WIL540A-8	Carriage Clamp	0-8"	3-1/4"	
Wilton	WIL41409	Carriage Clamp	0-8"	4"	



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Chain Pullers Size Lift Supplier **Part Number** Series Style Capacity **American Power Pull AMG605** Chain Puller 3/4 Ton 5' **American Power Pull** AMG615 Chain Puller 1-1/2 Ton 5' **American Power Pull** AMG635 Chain Puller 3 Ton 5' **American Power Pull** AMG72A **Puller Winch** 2 Ton 6 JET287100 JLP-025A-5 Weston 1/4 Ton 5' JET (Not available for sale in Canada) JLP-025A-10 1/4 Ton JET (Not available for sale in Canada) JET287101 Weston 10' Weston JET (Not available for sale in Canada) JET287201 JLP-050A-10 1/2 Ton 10'

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Headlight Aimers



SYMSCA1

Headlight Alignment System

- Not for state inspection in Maryland or Virginia
- ISO color technology finds lamp hot spot
- Includes laser floor slope, has field calibration, and is repeatable and accurate



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



SHOP TOOLS & EQUIPMENT





HECSP3-1-12

12" 3 in 1 Bend-Roll-Shear Machine

- Shear, brake and roll all in one machine
- · 4 adjustable hardened fingers for building boxes and pans
- 1-1/2" diameter slip rolls with 1/16", 1/8" and 3/16" arooves for wire rolling
- 20 gauge capacity
- Material hold down clamp and adjustable back gauge included

HECWFBR6 18" Bead Roller Kit

- 18" Throat depth
- 18" gauge capacity mild steel
- 1/2" steel construction
- Includes 6 sets of dies 1/4", 3/8" and 1/2" bead roll, 1/16", 1/8" and 1/4" step dies

Fabrication Equipment

HECWFS-5

- **Throatless Hand Shear** - Multi Purpose Cutter
- · Multi purpose sheet metal'/ plastic cutter
- · Cuts up to 14 gauge mild steel, 18 gauge stainless steel
- 5" Blade length
- · Geared reduction handle makes cutting easy

HECSPHS8

- 8" Throatless Hand Shear
- 8" blade length
- Throatless design cut any length and width
- 3/16" capacity mild steel , 1/4" aluminum
- Incorporated 3/8" round bar cutter
- · Indexable bottom blade

HECWFSG

Sheet Metal Thickness Gauge

- 3-1/4" diameter
- . 0 to 30 gauge on front
- .0125" to .3125" on back

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov







MAKE SMOOTH KINK FREE **BENDS EASILY**

HECSPBENDKIT Pipe and Tube Bending Kit

- 3/8", 1/2", 5/8", 9/16", 3/4", 7/8" rounds 3/4" and 1" square tube
- · Rugged cast iron construction
- Mount to bench top or vise
- Includes storage case

HECWFB2

Manual Pipe and Tube Bender

- Bends up to 2" diameter tubing
 CNC machined components
- Includes degree ring and handle
 Ratcheting style handle improves leverage
- · Dies available for round and square tubing (sold separate)





Towing and Recovery Ropes

TOOL

Heavy Duty Tow Straps with hooks

PART# Description KTI73801 1-7/8" X 10 ft. Strap

KTI73802 1-3/4" X 15 ft. Strap KTI73803

1-3/4" X 25 ft. Strap

Capacity 7.000 lbs.

10,000 lbs.

10,000 lbs.

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Heavy Duty Tow Straps (Loop Ends)

PART# Description Capacity KTI73810 2" X 20 ft. Strap 15.000 lbs. KTI73811 3" X 20 ft. Strap 22,500 lbs. KTI73812 3" X 30 ft. Strap 30,000 lbs. KTI73813 4" X 30 ft. Strap 40.000 lbs. KTI73814 6" X 30 ft. Strap 60.000 lbs.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KT173873

TOOL

Cam Buckle Tie Down 1" X 13' - 900 lb. 2 Pack

- · Features 900 lb. cam buckle with aggressive gripping teeth
- . For your safety, K-Tool recommends that the working load not exceed 1/3 of products rated capacity. (300 lbs)



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KTI73864

Motorcycle Tie Down 1" x 6' - 1,200 lbs

- Includes cam buckle and hooks
- For your safety, K-Tool recommends that the working load not exceed 1/3 of products rated capacity. (400 lbs)



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KT173870

Ratcheting Tie Down Strap 1" x 15' 4 Pack

- 900 pound capacity rating
- For your safety, K-Tool recommends that the working load not exceed 1/3 of products rated capacity. (300 lbs)



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KTI73861 Ratcheting Tie Down Strap 1" x 15'

- Rated for 900 lbs.
- . For your safety, K-Tool recommends that the working load not exceed 1/3 of products rated capacity. (300 lbs.)



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KTI73862

Ratcheting Tie Down Strap with Looped Ends 1" x 13' - 900 lbs.

Rated for 900 pounds

 For your safety, K-Tool recommends that the working load not exceed 1/3 of products rated capacity. (300 lbs.)

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KTI73871

Universal Tie Down 1" X 10' 900 lb. Capacity

- . Measures 1" x 10' rated for 900 lbs.
- For your safety, K-Tool recommends that the working load not exceed 1/3 of products rated capacity. (300 lbs)












EPDM Rubber Strap Bungee Cords 10 pack

 EPDM rubber is crack, abrasion and rot resistant and stretches to 1-1/2 times its length without losing flexibility

KTI73850 (21") KTI73851 (31")







MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

SHOP TOOLS & EQUIPMENT



Creeper Seat Storage Under Seat

- Padded creeper seat (14" x 10") with storage under the seat; two side drawers, storage compartment and screwdriver bracket on front side and 1" spacing pegboard on the back side
- (2) Drawer size: 6.496" (165mm) x 10.039" (255mm) x 3.661" (93mm) - one on each side of seat
- Ball-bearing slider drawers
 Four 2-1/2" casters
- Creeper dimensions: 14.1" (36cm) x 19.291" (49cm) x 18.898" (48cm)
- Weight capacity: 300 lbs.
- Covered by a 1 Year Warranty





Adjustable Mechanic's Seat

- · Round, adjustable mechanic's seat
- Padded 12" seat for added comfort
- · Adjustable pneumatic cylinder from 14" to 19"
- · Large steel base also serves as storage for tools while working
- Features five (5) 2-1/2" oil-resistant rubber casters



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

KTI74981 **Padded Mechanic's Seat**

- Plastic tray has three sections to store tools or small parts
- Features four (4) 2-1/2 oil-resistant rubber casters





KTI74961

with Adjustable Headrest Fully padded for comfort

- Six (6) 2-inch oil-resistant rubber casters
- Steel frame epoxy-coated to prevent rusting
 Sour (4) cross rails for support

KT174956 KTI74951 40" Metal Frame Creeper 36" Metal Frame Creeper

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KT174906

Car Creeper Seat

- · Heavy duty seven wheel creeper with adjustable headrest
- Overall dimensions: 40" L x 16-15/16" W x 3-7/8" H
- . Maximum weight capacity: 250 lbs
- · Caster wheels size: 2.5" and made of PP plastic, head & seat cushions made of high density foam, head cushion is 2.6" thick and seat cushion is 1.4" thick
- Covered by a 1 Year Warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

SUNEX TOOLS

SUN8514

Tractor Seat

- · Air cylinder adjusts height from 18" to 22"
- Five 3-1/2" heavy duty casters

WHITESIDE

WHIHRS

Large Padded Mechanic's Seat

- 15" x 15" storage tray with magnetic strip to hold small parts and tools
- 3" oil resistant swivel rollers



WARNING: Cancer and Reproductive Harm

- www.P65Warnings.ca.gov

OME91305 2-n-1 Mechanics

- Steel tread plate for
- grip while standing

 5 3" oil resistant
 solid PCV wheels
- 350 lb capacity
- Tool tray included





LARSTUSA-1

USA Eagle Shop Stool, 30" High

- 30" high with 14" round seat
- Seat graphics protected by durable easy clean vinyl cover
- Padded seat swivels 360 degrees



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

TEEPERS CREEPER

Low Profile Plastic Creepers

- (2" longer & 3/4" taller) Low profile: 3/8" floor clearance

LIS92102 - Red

LIS93102 - Yellow

LIS94102 - Blue



WARNING: Cancer and Reproductive Harm

www.P65Warnings.ca.gov





BNE6031R The Bone

Mechanics Creepers 300 lb. capacity

- Big 5 inch wheels that easily roll over common shop obstacles
- Lifetime warranty on wheels and casters

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Creepers, Specialty Creepers & Creeper Seats



TRX1-200

King Crawler All-Terrain Creeper with 5" Casters

- Equipped with 5" PVC Casters on a patented frame for full 360° un-obstructed mobility

 • Constructed of a 1" square powder coated steel frame
- 400-lb. capacity

TRX1-220

King Crawler All-Terrain Creeper with LeverBrake

WHITESIDE

WHIUTDII

Under the Dash Creeper

- Provides a comfortable work position for technicians who work under an automotive dashboard
 • Adjusts from 13" to 24" to accomodate cars,
- trucks, and SUVs
- Heavy duty steel frame folds easily for storage
 Sturdy USA Made HDF board supports 350 lbs.





TRX1-100

ProGear Wide Body Creeper

- Wide Body Deck for increased comfort and productivity Low profile, with 5" rubber casters that roll over most
- common shop items Contoured deck provides extra padding and lumbar support

TRAXION engineered products

TRX3-100

- Foldable TopSide Creeper Adjustable from 48" to 64"
- Durable powder coated steel frame construction



TRX3-700

ProGear TopSide Creeper

- New and improved design, safe and productive engine access
- 17% higher reach, 18% wider steps, I frame design give 20%





MEASUREMENT TOOLS

STORM

CEN3M114

4 Piece Outside Micrometer Set

- 0-4" Range
- .0001" graduations
- Fitted case
- Carbide measuring faces





FOW72-224-103

0-3" Digital Counter Micrometer

- · Carbide tipped measuring faces
- Digital counter reads to .001"
 Resolution: .0001" (using vernier)

FOW72-234-223

Metric Mechanical Digital

Disc Brake Micrometer

• 7-32mm Range • .01mm Graduations





Rotocal Reach Electronic Rotor Gauge

Measures most rotors while the wheels

are still mounted on the vehicle

 Range: 0-3.25"/0-82.5mm; Resolution: .0005"/.01mm (fractions in 1/64" increments)

Rotocal® Electronic Rotor Gage

- Range: 5.5"/140mm
- Reads in inch, metric, and fraction • Resolution: .0005"/.01mm
- (Fractions in 1/64" increments)
- Water resistant to IP54 standards
- Conical anvil for groove measurements
- Includes molded case
- FOW74-150-006

Rotocal with 3.5" jaw depth (shown)

FOW74-150-004

Rotocal with Twin Conical Anvils, 3.5" jaw depth

FOW74-150-002

Rotocal with Extended Jaw Depth, 6" jaw depth





CEN3M336

Low Profile Wheels on Rotor Gauge

- Quick check to see if wheels should be pulled
- Can swap one pointed anvil with one flat anvil

Brake and Drum Gauge





CEN3M746

Electronic Digital Depth Gauge

- Full 16" measuring rangeLarge, easy to read digital display
- · Wide base for stability and large holes

Brake and Drum Gauge Sets



F0W74-150-020

- EZ-Drum Electronic Brake Drum Gauge

 4" to 20"/100 to 500mm capacity

 4" Drum preset

 Preset depth at 1" and 1.5"

 Includes Wooden Case
 Resolution: .0005"/.01mm (fractions in 1/64" increments) Includes Wooden Case
- Zero Set, Hold function



- Measuring range: 0-150mm / 0-6"
- LCD display
- Accuracy: + 0.02mm / 0.001"

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Calipers



- Zeroing feature Comes w/extra battery

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Fowler



Xtra Value Electronic Caliper

- Accuracy: ±.001"/.02mm
 Resolution: .0005"/.01mm
- Direct inch/metric conversion

FOW74-101-150-2 0-6"/150mm

FOW74-101-300-1 0-12"/300mm



FOW74-101-175

Poly-Cal® Electronic Caliper 0-6"/150mm

- Polycarbonate frame
- Resolution: .0005"/.01mm/fractions by 1/64" increments

Dial Indicator Sets

STORM

CEN3D101

0 to 1" Dial Indicator Set with Magnetic Base

- .001 inch graduations
- · Compact magnetic base



- Range: 0 1"
- · Packaged in a wooden box





FOW72-585-155

and Magnetic Base Set

Fine Adjustment Magnetic Base:

• 85 lb. pull • On-Off lever release magnet • V-base

IP54 X-Proof Indicator:

- Travel: 1" Reading: .001" Continuous reading: 0-100
 Rubber bellows on stem 0-ring seal on safety cap
- O-ring protection for bezel and rotating dial
 Sealed back plate

Miscellaneous Measuring





STUD Tape Measures

- EX0360™ Blade Technology delivers the Longest Lasting, Rip and Wear Resistant Blade
 Fully Reinforced, Impact Resistant Frame Survives 80' Drop
 Up to 10' Straight Standout
 Finger Stop delivers retraction control

- Wire form Belt Clip

MLW48-22-9916 (16') MLW48-22-9925 (25')





Komelon® Self-Lock **Retractable Measures**

Nylon coated blades

· Impact resistant rubberized case KOMSL2816 - 16 Foot, 3/4" Width KOMSL2825 - 25 Foot, 1" Width





KOMT3725

Tradesmen™ 25 Foot Tape Measure
• 1 inch Wide x 25 foot long
• Slide button lock • Belt clip

WARNING: Cancer and Reproductive Harm
- www.P65Warnings.ca.gov

Electrical Tools

LIS20750

LIS60610

LIS57750

Relay Test Jumper Kit II Set includes four jumpers to fit many popular relays on Honda, Nissan, Toyota, newer Ford and GM mini micro relays as

well as International trucks.

Wire Terminal Tool Kit

on many GM vehicles

EZRED

157 Piece Heat Shrink Set

Terminal tools work on conventional

terminals as well as Pack-Con and

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Convenient 3/8" drive holding fixtures on top and bottom

Crimps cable terminal ends onto cables up to 4 awg

Adjustable wrench holding slot on back of tool

Weather-Pack terminals found

Remote Starter

· Tough, smooth-working reliable switch

Features heavy gauge, rubber-covered copper wire
Depress button to job or start the engine

THX852 Circuit Energizer

- Can be used with most all 12 Volt power sources by utilizing the alligator clips for power connection
- Factory correct terminals means less need to back probe (ensures good connection) saving time
- Isolates component from the rest of the circuit which results in less damage to entire wiring/computer modules
- Made in USA







Micro Round Files

- · Specifically engineered sizes designed for small round connector types
- Diameter sizes range from .030" to .120" and 5" long
- Comes in a premium-quality holster with magnetic class
- Individual sizes are marked and available for replacements



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

IPA8040

Diamond-Tip Electrical Terminal Cleaners

- · Highly durable with mild abrasive coating
- Pivoting-handle design for added versatility
- . Works for both male and female connectors on flat (spade) pin-type terminals



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

IPA9038

Fuel Pump Relay Bypass Master Kit

- Actuates fuel pump when the engine is not running
- · Plugs in place of relay
- Controls fuel pump independent of "key-on/key-off" systems
- Operating range: Up to 20 amp continuous, 30 amp surge (12V)
- Covers most common makes and models



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

IPA7865

7 Round Pin Tractor Trailer Circuit Tester

- "One-man testing" for male and female 7-way round pin tractor trailer plugs
- Plugs into the vehicle side socket
- LEDs indicate that each circuit is working



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

IPA9101

Light Ranger MUTT®

- Portable, water-resistant trailer tester for lights and electric brakes
- Tests 7-way flat (spade), 6-way round, and 4/5 pin trailer side harnesses
 Short circuit protection
- Turn signal simulation and power verification LED
- Includes 500mA battery charger and 3-way trailer adapter

IPA9102

Heavy Ranger MUTT®


- Portable, water-resistant trailer tester for lights
- Tests 7-way round pin trailer side harnesses
- Short circuit protection
- Turn signal simulation and power verification LED
- Includes 500mA battery charger



IPA5700

Alpha MUTT® Trailer Tester · Capture detailed pass/fail inspection results

- · Remote and tablet-controlled light and air brake testing
- Advanced diagnostics with 5mA resolution
- Also Available: IPA5700A with ABS Plugin















EZRB1218

EZRHS34

EZRB7946 3 Point Crimper

Wire Shear Cable Cutter

· Suitable for cutting electrical wire, copper, and aluminum cables up to 4 AWG

• 8 different size tubes • 2:1 Shrink Ratio

- · Portable compact design
- Can be used with 3/8 impact/battery powered tool
- Easy to bench mount High grade heavy duty steel

LIS65150


4 Piece Flexible Back Probes Set

For use up to 30 volts

EZRBCK18

Cable Cutter/Crimper Kit

- · B7946 battery terminal crimper
- . BK793 battery cable stripper
- B1218 copper strand cable cutter
- BCK18-022 mini breaker bar
- . B1218-BM universal bench mount
- 1 yr warranty on material and workmanship







STEELMAN PRO

JSP78922

IPA8048 HD Fleet Technician's

IPA5700

6

Bluetooth Trailer Tester

- · Test trailer lights at the trailer hitch using your smart device
- · Test running lights, brake lights, reverse lights, turn signals and trailer brake link
- Free app available for download











WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Ensures proper diagnostic connectivity

Includes: Large and Small Diamond-Tip Electrical Terminal Cleaners, 7-Way
Round Pin Terminal Cleaners, ABS Sensor/Power Connector Cleaner Ten
Diamond-Coated Micro Round Files, Trailer Light Bullet Connector Cleaner, 2 ml DeoxIT® Contact Cleaner and a premium quality holster with magnetic clasp













Compact Multi-Function Wire Strippers

- · Cuts and strips insulated wires
- The pliers end grabs wire for twisting and holding
- A convenient wire gauge key is marked on tools

LIS68280 (8-14 Gauge) LIS68250 (14-24 Gauge)

LIS68440

- Wire Stripper/Cutter/Crimper

 Crimps 10-22 AWG insulated and non-insulated terminals and 7-8mm automotive terminals
- Six screw cutting/sizing stations which offer excellent leverage required to shear
- Sizes included are 10-24, 6-32, 8-32, 10-32, 4-40 and 5-40

LIS68450

Wire Crimper/Cutter/Stripper

- Strip 8-18 gauge solid and 10-22 gauge stranded wire and crimp 10-22 AWG insulated & non-insulated connectors
- · Five screw cutting/sizing stations are located near the pivot point and require less effort when shearing bolts
- There is a cutter behind the pivot



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



OTC5950K

- CrimPro 4-In-1 Wire Service Set

 Set includes both the OTC 5950S CrimPro™ 4-in-1 Wire Tool and OTC 5950A CrimPro™ 4-in-1 Angled Wire Tool

 Both tools feature a compact, 7" design used 4 ways.
- Gripping nose to pull, twist, bend, and shape. Crimper crimps 12-20 AWG insulated and non-insulated wire. Stripper strips 12-20 AWG wire. Cutter has the ability to make cuts both above and below pivot

 The OTC 5950A has an angled feature which allows
- access to close quarters and facilitates superior crimps

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Electrical Tools





KTI56205

- 8.7" Ratcheting Terminal Crimper
 8.7" Ratchet Crimper for insulated terminal
- Tool capacity: Red 22-18 AWG, Blue 16-14 AWG, Yellow 12-10 AWG
- Limited lifetime warranty

KTI56203

Professional Crimping Tool -0.5/1.5/2.5/4.0/6.0 MM2

- Crimps non-insulated terminals
- Limited lifetime warranty





Ratcheting Spark Plug Wire Crimper

- AWG 17, 1 mm2
 Limited lifetime warranty



KTI56300

2-in-1 Multi-Tool

- 3 functions wire tool with reverse switch
- action and built in safety lock
 Swivel to change tools. Easy one-hand selector switch
 Stripping capacity: 0.8, 1. 1.3, 1.6, 2, 2.6mm / 20, 18, 16, 14, 12, 10 AWG. Crimps insulated terminals in wire sizes: 22-10
- · Covered by a 1 Year Warranty



KTI59000

9" Auto Return Wire Twister Pliers

- Includes an automatic spring return for quick and efficient operation
- Overall length of 8-3/4" and wire capacity of .041"
- Covered by a Lifetime Warranty

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KNIPEX

KNP13818

Knipex 8" Electrical Installation Pliers

- Multi-function pliers grips, strips, cuts & crimps
- Widu-full-toll piles grips, strips, cus & cl.
 Stripping holes for 12 & 14 AWG
 Cuts copper & aluminum wire; up to 9/16" stranded and 5/32" solid wire
 Crimp die for 12-20 AWG



3 Piece Steel Deutsch **Terminal Release Tool Kit**

- Can be used on 3 wire gauges 14-16 ga, 16-18 ga, 20-24 ga
- Steel shafts with knurled anodized aluminum handles



SGT19000 Wire Stripper

- Cuts and strips solid or stranded 12-22 gauge wire
- Handles single or multiple conductor wire
 Not designed to strip teflon or similar insulations

SGT18915

Terminal Crimper

- Steel construction
- 4 wire crimping positions
- 2 seal crimping positions
- · Easily crimps Weather Pack, Metri Pack, Molex and other open barrel terminals and seal in two operations



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





LIS71750

- 27 Piece LED Quick Change Terminal Tool Set

 Lights the Work Area and Removes Wires
 from terminals without damage

 The lighted handle illuminates electrical connectors
- Includes 24 quick-connect terminal disconnect tools, sheathing ripper, and terminal pin repair tool
- Compact handle uses three LR626 batterie

ITAN

TIT11980

- On/Off retractor knob




STEELMAN.

JSP95978

19 Piece Master Terminal Tool Kit

- Covers Chrysler, Hyundai, KIA, Mitsubishi & most other modern vehicles
- · Easily removes terminals from electrical connectors and eliminates damage to wires and terminal blocks







SGT18840

Terminal Crimper for 8-4/0 AWF Uninsulated

- Crimps 8-4/0 AWG copper electrical & battery terminals using stranded wire
- Rotating die set
- Long handles for increased leverage
 Comfortable handle grips
- · Sturdy 26" overall length



SGT18650

6 Plece Deutsch Terminal Service Kit

- SGT18880 Crimper for 14-18 ga.
 SGT18890 Crimper for 20-22 ga.
 SGT18600 open barrel crimping tool
- SGT18550 Deutsch Terminal Release Tool Kit



OTC6502

Master Brake Line Flaring Tool Kit

- Single Flare Standard Lines 3/16" 5/8"
- Single Flare Metric Lines 4mm 14mm
- Double Flare Standard Lines 3/16" 1/2"
- Double Flare Metric Lines 4mm 10mm
 Bubble Flare Standard Lines 3/16" 1/2"
- Bubble Flare Metric Lines 4.75mm 10mm



OTC4503

Double Flaring Tool Kit

- For double or single flare in copper, aluminum, soft For double of single lide in copper, autimitain, 3 steel brake line, and brass tubing (to 45°)
 Five (5) adapters 3/16" to 1/2" (4.8 to 12.7mm).

OTC4504

Bubble (I.S.O.) Flaring Tool Kit

- For crack free bubble flares on soft steel tubing used in automotive brake systems
 • Includes 4 dies (4.75, 6, 8, and 10mm)

OTC6596

Brake Pad Gauge

- Allows definitive measurement of brake pads to determine remaining life
- Can attain a brake pad measurement without removal of any parts



WARNING: Cancer and Reproductive Harm vww.P65Warnings.ca.gov

OTC5081

Air Brake Spring Tool

· Simply hook the retaining spring loop and press down against the axles






- Truck Brake Spring Tool
 Slotted ends on tool always hold spring at correct work angle
- No need to leverage tool against a solid surface during spring installation
- Easily connects rear drum brake return springs

KTOOL

KTI70120

LED Brake Fluid Tester

- Suitable for DOT 3, DOT 4, DOT 5.1 and for specific brands of DOT 3
- Not for Class 8 Heavy Duty TrucksCovered by a 1 Year warranty



Brake Tools





CAL165

Master In-Line Flaring Tool Kit

- Unique design locks the adapters, cone and tube in a line making perfect factory flares every time with less risk of breaking adapters
- Includes everything needed to do the following: 3/16", 1/4", 5/16", 3/8" Double and Single Flares, 4.75mm, 6mm, 8mm Double, Bubble and Single Flares.

WARNING: Cancer and Reproductive Harm



Air Brake Line Release Tool

- Separate connectors on the P/S system and EGR coolers without damage
- Also works on connectors on other liquid and air lines
 Each tool has two sizes. 3/8" and 5/8"; 1/2" and 3/4"
 Similar to J-45666 & J-42971

- Applications: 2003-later Medium Duty trucks





4-in-1 Brake Caliper Spreader

- · Works on twin and quad piston calipers and floating calipers
- Full 360 degree swing

KAS277

Small Brake Caliper Press

Size range .95" to 2.25"



KAS4651

Automatic Slack Adjuster Release Tool and Wrench Used for adjusting Rockwell Automatic Slack

- Adjusters
- Comfortable, E-Z Grip, screwdriver-style handle allows user to apply more turning power with less pressure and fatigue to the hand
- The 5/16" double square offset reversible wrench features an E-Z grip handle



KAS7578

7/16" Automatic Slack Adjuster Wrench

- Used for brake adjustment on heavy-duty trucks equipped with Haldex slack adjusters
- wrench with an extra long handle and a 7/161/2 SH wheel
- 7/16½ single hex wheel fits the drive on Haldex slack adjusters


WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KT170130

Slack Adjuster Release Tool with 5/16 Wrench

- Truck air brake adjusting wrench set
- 1 Year Warranty on Material and Workmanship





KTI70081

Brake Line Flaring Tool Kit

- · Easily form 45-degree double, single and bubble flares in OE steel, stainless steel, and soft metal tubing
- Use with 3/16"-, 1/4"-, 5/16"- and 3/8"-diameter lines
 T-handle screw clamp securely holds line in place
- during formina
- 1 year warranty on material & workmanship

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KT170080

Double Flaring Tool Kit

- Includes 5 adapters for brake and fuel lines. Adapters: 3/16", 1/4", 5/16", 3/8" 1/2". Made in USA.
- 1 year warranty on material & workmanship







KAS5455

2 Piece Brake Bleeder Wrench Set

- Contains 2 ratcheting wrenches 5/16"x 3/8" and 8mm x 10mm
- Ratchet allows for continuous
- loosening and tightening

 One way check valve in hose
- to prevent air when pumping brakes
 One person operation Made in USA
- 1 year warranty on material and workmanship



PPIBAKIT01

Brake Bleeder Adapter Master Kit

- 12 High quality brake master cylinder adapters
 Anodized finish protects the adapter while
- enabling easy identification

 Aluminum & Cast Iron Bodies



LIS10990

7/9mm Brake Bleeder Wrench

- For bleeding air from brake cylinders with 7mm & 9mm bleeder screws
- · Double ended tools are offset for easy access to hard to reach bleeder screws

LIS11000 8/10mm Brake Bleeder Wrench









Pressure Brake Bleeder Bundle with Bleeder Tank and Adapter Kit

- 3 liter capacity tank with pressure release valve, filling hole with screw cap, 0-70 PSI gauge and an updated 10 foot long hose with Nitto quick-disconnect coupler
- · Assortment of adapters covering most makes and models

PAstro

2 Kits Combined into 1 Super Kit!

AST78619

18 Piece Brake Caliper Wind Back Tool and 8 Piece Pro Brake Adapters

- · Provides both left-handed and right-handed thrust bolt assemblies
- Adaptor plates with thrust bolt assembly and reaction plate are precisely made; updated adaptor set applicable for wide variety of vehicles

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Prevents damaging pistons and seals





BR-EZ14

Brake Line Replacement Kits

- Everything required to replace brake lines quickly and easily is included in these convenient, all-in-one kits. Replace up to 20 brake lines with one kit
- Metric and standard fittings included
- Conforms to SAE specifications, pressure-rated up to 3,000 PSI

41 Piece 1/4" Brake Line Replacement Kit
• Includes 41 Pieces plus 25 foot of tubing to fit 1/4" brake lines

SRRBR-EZ316

112 Piece 3/16" Brake Line Replacement Kit

Includes 112 Pieces plus 25 foot of tubing to fit 3/16" brake lines



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



LIS25750

Dual Piston Brake Pad Spreader

Same basic design as the popular LIS24300 Speedy brake pad Spreader except it is designed to work on dual brake pistons

LIS24300

Speedy Brake Pad Spreader

- Compresses brake pistons in seconds
- · Squeeze the handle and the fast acting plunger compresses disc brake pistons in seconds

LIS48020

Brake Caliper Hanger Set, 2pc

- Hangs the disc brake caliper out of the way during service while keeping tension off the brake line
- Helps prevent damage to calipers and lines when servicing brakes, suspension, hubs and more
- Overall length of 9" for hanging the disc brake caliper out of the way while keeping tension off the brake line
- Lifetime warranty does not cover abuse



PBT70852

800ml Brake Bleeder

- · Compact size allows easy operation within wheel arch area
- · Universal rubber fitting holds securely on brake screw
- Quick connect coupler for hose interchange as required
- · Float valve shuts vacuum down when container is full to prevent brake fluid spray



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Brake Tools



KTI70150

Metal Brake Line

- Thickness Gauges
 Color coded brake gauge identifies thickness levels for quick inspection of brake linings
- Lifetime warranty



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

mityvac



MITMV6840

Pressure Bleed System

- Includes seven (7) master cylinder adapters to connect to most American, Asian, and European
- Large 1.2-gallon (5-liter) fluid capacity
- · Pressure gauge indicates fluid dispensing pressure, integrated safety and manual pressure relief valve. ON/OFF and flow control valve are conveniently located near fluid output

MITMV6835

Vacuum Brake Bleed Kit with Refill Bottle

Kit includes:

- Brake bleeder (MIT6830)3 Universal bleed screw adapters
- 6' (1.8 m) long bleed hose assembly
- 4' (1.2 m) long fluid evacuation hose
- Molded base with screws for bench mounting
- Clamp-on style auto-refill kit (MITMVA6832)

MITMV6830

Vacuum Brake Bleeder

- Compressed air operationIntegrated 1.9 quart (1.8 liter) capacity fluid collection reservoir
- Variable control thumb throttle
- · Swivel air inlet with quick disconnect · Quick disconnect coupler for accessories



MITMV8500

Silverline Elite Hand Vacuum / Pressure Pump Kit

- Produces vacuum or pressure at the turn of a switch
 Includes everything for performing
- hundreds of automotive diagnostic and mechanical tess, and one person brake bleeding



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

MITMV8000

Automotive Tune Up and Brake Bleeding Kit

 Includes durable, accurate gearless diaphragm style vacuum gauge with pinned connection for 360° rotation



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Oil Change Tools







WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Swivel Style Oil Filter Wrenches

Part#	Size	Duty	Style	
LIS53100	4-3/8" to 5-5/8"	Heavy Duty	Swivel	
LIS53200	4-3/4" to 5-3/16"	Heavy Duty	Swivel	
LIS53700	2-7/8" - 3-1/4"	Standard	Swivel	
LIS53500	3-1/2" - 3-7/8"	Standard	Swivel	
LIS54400	2-3/8" to 2-5/8"	Standard	Swivel	
LIS53900	3-1/2" to 3-7/8"	Standard	Swivel	
LIS53250	4-1/8" - 4-1/2"	Heavy Duty	Swivel	
LIS54200	4-5/16" - 4-3/4"	Heavy Duty	Cummins & Detroit Diesel	
LIS54300	5-1/4" - 5-3/4"	Heavy Duty	For Caterpillar	
LIS57020	2.875" -3.25"	Small	Swivel	
LIS57030	3.5" - 3.875"	Standard	Swivel	



LIS61060

Diesel Filter Wrench for Paccar


 All metal wrench to remove and install bowls on newer Paccar Chassis Mounted Fuel Filter Assemblies



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



MTN8057 **Oil Filter Wrench**



· So strong it can be used with an impact wrench

Fits all sizes of oil filters from 2-1/2" - 5" diameter

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Oil Filter Pliers

Part#	Size	
VIMV243	2" - 4-1/4"	
LIS50750	2-1/4" - 4"	
LIS50950	3-5/8" - 6"	
CHA209	2-3/4 to 3-3/4"	
CHA212	4-1/4" - 108mm	
CHA215	5-1/2" - 140mm	
CHAOF1	2pc Set CHA212 & CH215	
CAL291	3-1/4" - 7"	
CAL302	2-1/4" - 5-3/4"	
IPA7899	1.5" - 8"	
KTI73621	4" - 7"	
KTI73620	2-1/4" - 5"	
AST78515	2-1/4" - 4-3/4"	



VIMV243







CHAOF-2 2 Piece Oil Filter/ Plier Set - 9" and 12" Pliers







KT173635

17 Piece Master Oil Filter Wrench Set

- 3/8" drive cap oil filter wrenches
- Fits 95% of domestic and import automotive applications
- Limited lifetime warranty

WARNING: Cancer and Reproductive Harm
- www.P65Warnings.ca.gov

KTI73630

Oil Filter Wrench Toyota/Lexus

- Aluminum oil filter wrench
- 54.5mm diameter with 14 flutes
- Use with 3/8" square drive
- Fits Toyota, Lexus, Scion, Honda and Nissan filters
- Limited lifetime warranty





LIS61500

17 Piece Heavy Duty **End Cap Wrench Set**

 Includes the 61600 for Toyota applications with heat-treated and welded plate

 Set Includes: 61510, 61520, 61530, 61540, 61550, 61560, 61570, 61580, 61590, 61600, 61610, 61620, 61630, 61640, 61650, 61660 and 61670



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



CTA026400 10 Piece 0EM 0il & Fuel Filter Service Kit

4 low-profile metric cap sockets and 6 fluted metric cap wrenches
 Services oil and fuel filter housings,

plus new spin-on OEM filters, found on Mazda, Toyota, Volvo, Hyundai, Lexus, Jeep, VW, BMW, Porsche, Mercedes, Audi, Smart, Saturn, GM, Ford, Mini and more



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CTA1726

Toyota Oil Filter Wrench

- Services ALL Toyota/Lexus oil filter housing caps for 4, 6 & 8 cylinder engines
- Slim design reaches all caps
- · Heavy-welded steel for precision fit and high torque when removing oil filter housings
- Also fits many spin on filters, including Honda, Infiniti & Nissan
- 64mm x 14 Pt 1/2" square drive



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Oil Change Tools



LIS13300

5 Piece Filter Socket Set

Set of low profile oil and fuel filter canister sockets in one handy case

 Contains very low profile, 6 point 24mm, 27mm, 32mm, 35/36mm, and 39mm sockets for use on oil and fuel filter canisters when replacing the element. 3/8" drive



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LIS57180

Oil Filter Plug Tool, Cummins

- Plugs oil filters on 2013-2017 Dodge Ram Cummins 2500/3500 heavy-duty trucks
- Threads into the filter for a secure seal
- Filter can be removed without spilling oil
- . T-handle makes removal and installation easier



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LIS50720

Mega Gripper Filter Pliers 3" to 5-1/2"

 11" / 14" overall length. The jaws open from 3" to 5.5" wide



NARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KTI73631

Oil Filter Socket Wrench

for Toyota, 64.5mm-P14 1/2" Dr 21mm • Fits most Toyota 1.8 & 2.0 liter vehicles

- Drop forged body, hard chrome plated
 3/8" drive hole for ratchet handle or square drive handle
- Designed for use on Toyota models where 6 additional flutes help drive the wrench
- Covered by a 1-year warranty



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KTI73604

Toyota / Lexus

Oil Filter Housing Wrench

- Size: 1/2" Dr., 64.5mm, 14PT
 Made of high quality steel
 Applicable: T0Y0TA: 3.5L since 2007; LEXUS: IS250, IS350, GS300, GS350, GS450HE, S350, RX350, LS460, LS600H
- 1 Year Warranty on Material and Workmanship



NARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





PBT71115A

Toyota/Lexus Oil Filter Wrench Kit

- Complete service kit for Toyota/Lexus
- Hose assembly allows oil to be drained from the filter housing before removal
- 24MM (15/16") HEX 64.5mm with 14 Flutes

Kit contains one each:

71110A Toyota/Lexus Oil Filter Wrench – 4 cylinder 71113A Toyota/Lexus Oil Filter Wrench – 6 & 8 cylinder 71114 Toyota/Lexus Oil Filter Drain Hose Assembly



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

PBT71110A

Toyota/Lexus Oil Filter **Housing Tool 4CYL**

PBT71113A

Toyota/Lexus Oil Filter Housing Tool 6 & 8 CYL



STATU16A

Transmission and Engine Oil Pressure Tester

- 2 1/2" gauge for readings
- 3 1/2" guage for readings





CTA2470

3 Piece Toyota/Lexus/Scion Oil Change Kit

- . 64mm x 14 Flute Oil Filter Wrench Steel-forged, machined & chrome-plated. Services 6 & 8 cyl engines
- 64mm x 14 Flute Oil Filter Wrench Aluminum-forged, machined & sand-blast finished. Low-profile design for 4 cyl. engines
- Oil Drain Hose connects to the Filter Housing Cap & opens the one-way valve to drain oil before changing cartridge filter
- Kit services Toyota/Lexus/Scion 4, 6 & 8 cylinder engines



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



ASSOFAUD1000

Euro 1/4 Turn Oil Filler

- Fits BMW 6 and 8 cylinders 1996-Newer
- Fits Dodge Sprinter
- Fits Mercedes 112 and 113 Engines
- Fits VW/Audi Engines: 1.8T, 1.9L TDI, 2.0T, 2.8L(30v), 3.0L(30v), 3.2L, 3.6L, and 4.2L(40v)

ASSOFHON1033

Asian/Domestic Oil Funnel . Threads and seals onto

- the valve cover
- . Made in the U.S.A.



ASSOFTOY1001 **Toyota Oil Filler**

- Fits all Toyota and Lexus models
- with 3.0L and 3.3L V6 Engines Patent-Pending

ASSOFTOY1038 **Toyota Threaded Oil Funnel**

- . Threads and seals onto the valve cover
- . Made in the U.S.A.





ASSVW10549

Oil Drain Plug Tool for VW

- For removing and installing engine oil drain plug on [2015-2016] VW/Audi 1.8 and 2.0 turbo gas engines
 Applicable engines: CPKA, CPRA, CPPA, CBFA, CCTA,
- CBEA, CNTA, CXCA, CCXBB, CXBA, CPKA, CNSB and CNSA







Fuel System Tools





Fuel Line Replacement Kits

- Cost Effective Save up to 70% vs. 0EM fuel lines
 Easy To Use No special insertion tools require; reduces labor time

- Complete Coverage Create fuel lines for virtually any vehicle
 Safe Nylon lines hold up to 200 PSI
 Easy installation, simple 3 steps: 1. Attach Nylon Tube, 2. Push-on, 3. Crimp Clamp
- No special disconnect tools required
- · Works with domestic and foreign vehicles

SRRKP1500

169 Piece Deluxe Fuel Line Replacement Kit

Includes 169 Pieces plus 75 ft of tubing for 1/4", 5/16" & 3/8" fuel lines



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





SCH13300

Duramax LLY, LBZ, And LMM Injector Puller Kit

2005 to 2010 Duramax with LLY, LBZ and LMM engines

 13300 Duramax diesel injector puller is designed to remove injectors on 2005 to 2010 LLY, LBZ and LMM engines. Heavy carbon buildup on the head and injector tip can make Heavy carbon buildup on the head and injector tip can make the injector difficult to remove. Competative tools don't pull the injector straight increasing friction drag between the injector and head potentially damaging either component. The 13300 puller is designed to pull the injector straight and completely out of the head reducing injector and head damage. The 13300 kit includes all components required to prove the injector in one continue pull reducing to remove the injector in one continous pull reducing component damage and reducing R&R service times.

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



SCH17200

Cummings 5.9L & 6.7L ISBE & HPCR Injector Puller

- Diesel Injector Puller for Cummings ISBE & HPCR engines
- 2003 to Current ISBE & HPCR Engines
 Adjustable Height for 5.9L & 6.7L engines
- Pulls injector straight reducing injector & head damage
- Includes Feed Tube Puller
- 1 year warranty on material and workmanship

SCH17600

Sprinter 2.7L CDI Diesel Injector Puller

- Removes stuck Sprinter 2.7L CDI diesel injectors in minutes
- · Pulls the injector straight reducing injector, head & valve cover damage damage
- · Includes puller, seat cleaner & tread chaser
- Dodge Sprinter 2500 / 3500 2.7L, 2003 to 2009
 Freightliner Sprinter 2500 / 3500 2.7L, 2002 to 2007
- 1 year warranty on material and workmanship





SCH16300

Ford 6.7L Power Stroke Diesel Injector Puller

- Injector Puller fits 2011 to current 6.7L Power Stroke diesel engines
- · Pulls the Injector Straight reducing damage to the head & injector
- Pulls Diesel Injectors in the vehicle without removing the head
- Lifts the injector completely out of the head
 Made of heat treated alloy for rigidity and durability

mityvac[®]



MITMV5545

PRO Fuel System Tester

- Measures fuel system pressure and flow to accurately pinpoint fuel system failures
- · Saves hours of troubleshooting time by diagnosing a bad fuel pump and other related drivability problems in seconds
- . This fuel system tester combines BOTH fuel pressure & volume at the same time allowing the technician to simulate a wide open throttle and under load condition without the vehicle having to leave the shop
- While supplies last



KTI70325

Injector Puller Set for Cummins Injector Puller Set for Cummins

- Two jaw design firmly grips the injector, with sliding hammer
 The two jaws have heat treatment
- · Helpful puller will handle a variety of injectors found in Cummins engines: mechanical L-10 PDT and PTD top-stop 855NH

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





OTC6550

Master Fuel Injection Kit

- · Test fuel injection systems on most GMs, Ford, Chrysler, and Jeep vehicles
- · Also works on imports, including CIS & CISE fuel systems

Includes

- 0100 PSI fuel pressure gauge
- 35 of the popular OTC fuel injection adapters, each equipped with a quick-connect Schrader valve for safety
- Replacement seal kit included

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



OTC6770 Ford 6.0L Diesel Service Tool Kit

• 8 of our popular 6.0L diesel service tools in one convenient kit

- Includes fuel filter cap wrench as well as glow plug and injector harness release tools
- Also includes oil line disconnect tool, EGR removal tool, IPR controller, IPR socket tool, and fuel rail pressure adapters

OTC7649A

Fuel Injector Cleaning Kit

- Holds up to 22 oz.Easy to read 3-1/2" gauge
- · Includes our most common rail adapters
- Also includes decarbonizing adapter

OTC7448A

Fuel Injection Cleaner

- · Connects directly to your shop air
- When used with recommended solvent. will clean injectors more effectively than aerosol methods
- Includes gauge, hose and instructions
- Limited Lifetime Warranty

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



LIS67000

Master Line Stopper Set

- The set includes four stoppers to seal lines in automotive flare type steel brake lines, power steering and transmission cooler lines
- Two line clamp pliers 6-1/4" and 7-1/4" in length seal flexible brake lines, fuel and vacuum lines, with smooth rounded edges that will not damage internal hose reinforcement



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



STATU443

Deluxe Fuel Injection Pressure Test Kit

(For all systems) Features 3-1/2" gauge, hose, fittings & adapters for most cars & trucks world-wide

STATU-15-55 Diesel Compression Kit

- Test cylinder pressure on light-duty diesel trucks
- Dual scale gauge
- Wire reinforced hose 16 1/2" long
- Swivel end quick disconnect coupler
- · Comes in blow mold case



ACTCP7818

Fuel Pressure Tester Kit

- Safely test car and truck fuel pressure sately test car and truck flet pressure systems equipped with a Schrader or fuel access valve test port on the fuel line
 Including Ford high pressure central fuel injection and GM, Ford, and Chrysler multi-port fuel injection

ACTCP7838

Professional Fuel Pressure Tester

- · Diagnose driveability problems caused by poor fuel pressure
- Measure the available fuel pressure with engine running or off
- Asian, European and domestic makes with "banjo bolt" connection 12mm x 1.25





SCH13100

Duramax Water-in-Fuel Sensor Double Sided Wrench

- · Two tools in one
- 42mm 6 side fits 2011 to current years
- 40mm 12 side fits 2001 to 2010
- Used every time a fuel filter is replaced



WARNING: Cancer and Reproductive Harm

Fuel System Tools





KAS524 Fuel/Oil Filter Socket 24 & 36mm

- · Double sided socket for fuel and oil filter cartridges
- · 24mm 6pt one side 36mm slotted other side · Made in the USA
- Lifetime warranty



LIS61150

Fuel Filter Wrench For Ram EcoDiesel

- Fuel filter wrench for the 2014-current Ram 1500 EcoDiesel
- · Filter wrench is made of cast aluminum with a 3/8" square drive and 7/8" hex drive



CTA1809

Fuel Line Flex Sockets

- . Specialty sockets flex at 45° to securely grip to the direct fuel line
- Sockets fit around direct fuel line without losing torque
- Includes sizes: 11, 13, 14, 15 & 17mm



CTA7850

Ford Fuel/Temp. Flow Sensor Socket - 19mm

- Thin-wall design3/8" Drive. OAL 3"
- · Application 2010-2017 Ford Transit Connect

WARNING: Cancer and Reproductive Harm vww.P65Warnings.ca.gov





LIS39900

Master Disconnect Set

- 8 popular disconnect tools for all A/C & fuel line disconnects
- · Stored in a handy blow molded case
- · Contains the following: 37000 AC/Fuel line disconnect set, 39400 Angled AC/Fuel line disconnect set, 35000 GM Flex fuel line disconnect, 37500 GM fuel line disconnect, 39930 5/16" & 3/8" scissors disconnect, 39940 Coupler disconnect and 39960 Ford transmission line disconnect

WARNING: Cancer and Reproductive Harm



LIS63000

- Puel Tank Lock Ring Tool
 A stout tool to remove and install plastic fuel tank lock rings from 4" to 7-1/4" without damage
 Channel design on body allows the legs to adjust to fit a wide process of surjustices and leges to adjust to fit a wide process of surjustices and leges to adjust to fit as wide process of surjustices and leges to adjust to fit.
- wide range of applications and keeps the drive centered
- · Works on the new smaller GM serrated rings & traditional rings

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

PAstro



AST78930

15 Piece Master Disconnect Kit

• Includes: fuel, air conditioning and transmission line disconnect sets and oil cooler line remover Includes: 1/4", 5/16", 3/8" and 1/2" oil cooler line disconnect tool. 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8" for air conditioning and fuel line disconnect tools



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



AST7898

Deluxe Noid Lite & GM AC Signal Test Lights Set
 Quickly & easily checks for systems of GM TBI, Bosch
 PFI Ford TBI, GM PFI, Geo TBI & GM SCPI



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





ASSCP2015

Fuel Hose Clamp Crimping Pliers

- Used to crimp BMW fuel hose clamps
- Pliers are also used on some outboard boat motors and some lawn mower applications



LIS38450

3 Piece STC Disconnect Kit

- Quickly and Easily Release STC® Design Fittings.
 The Angle Provides Extra Clearance in Tight Spaces
- The angle provides extra clearance in tight spaces

 Works on GM step vans with Allison transmission cooler lines and Ford 6.0L/7.3L high pressure oil lines
- · Also works on Case International and John Deere tractors; hydraulic lines, power steering lines, cooler lines and brake lines
- Includes three sizes: 6, 8 and 10



WARNING: Cancer and Reproductive Harm
- www.P65Warnings.ca.gov

3/8" Low Profile Jiffy-Tite™ Disconnect

 Disengages the line from Jiffy-tite quick connect fittings without removal

quick connect fittings without removal of the clip

Teeth of the tool fit perfectly into tight tolerance of Jiffy-tite™ connectors and when rotated allow the line to be pulled without damage to the connector or retaining clip so they can be reused. Fits the 3/8" Jiffy-tite™ fitting on oil cooler lines used on transmissions and radiators and more sions and radiators and more.



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov





MTN9200

Ford Spark Plug Insert Installer Set

- Used to repair damaged threads from blown or deteriorated spark plugs in 4.6L, 534L, & 6.8 V10 Ford Triton engines.
- With this item cylinder can be repaired without removing the head. Takes a little less than an hour, saving the mechanic about 1 day worth of labor

MTN9201

Spark Plug Inserts For Ford Cylinder Head Repair Kit



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





Timing Gear Holder Kit

- Securely holds the timing gear during removal or installation
- Prevents timing gear movement while the retaining bolt is removed
- Allows rotation of cam gear to align valve timing marks
- Single CamClamps lock each gear individually during timing belt replacement
- · Holds valve timing during belt replacement
- · Complete timing belt service kit includes (1) Timing Gear Holder, (4) CamClamp Singles, and blow



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



ASSF1248

Ford Camshaft Tining Locking Plates

- Comparable to Ford tool #303-1248 Comparable to Ford tool #303-1530
- Camshaft Holding Fixtures
- Chain tensioner pin
- Applicable to Ford/Lincoln models with 3.5L, 3.5L Eco-boost and 3.7L [2007-newer].



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

ASSF20T **FORD 2.0L Ecoboost Timing Set**

- Timing set for [2012-newer] Ford models with 2.0L turbo EcoBoost engine
- . Set includes the T.D.C. crank timing pin, cam locking plate and the crank position sensor (CPS) alignment block





SUNEX TOOLS

SUN8844

4 Piece 3/8" Drive Universal

- Spark Plug Socket Set

 Fully polished chrome vanadium alloy steel for durability
- Rubber inserts hold spark plug securely during installation and removal
- Includes new 9/16" size





WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov


IPA7880

Standard TDC Indicator

- · Accurately displays piston movement
- 6-1/4" long (14 mm thread)
- 1/8" gradient marks



CAL39300 Ford Triton 3 Valve Insert Kit



- Tool repairs Ford 3 valve engines where plug has either blown out or threads are too badly damaged to hold a spark plug
- Includes Quantity of 8 M16x1.5 Inserts

CAL843

Oxygen Sensor Wrench

- Long reach handle for access
- Flex Head to get at tough angles
- Works on Ford Contour, 4.6L, & 5.4L Ford Modular Engines
- 7/8" and 22mm knock sensors used on mid sized trucks, SUV's and vans



WARNING: Cancer and Reproductive Harm

TIT51739

Offset Oxygen Sensor Socket

- · For removing and installing oxygen sensors and vacuum switches in most foreign and domestic vehicles (7/8" and 2mm)
 • 3/8" square drive

TIT51704

Oxygen Sensor Socket

- For removing and installing oxygen sensors and vacuum switches in most foreign and domestic vehicles (7/8" & 22mm)
- Can be used with 3/8" drive ratchet or 7/8" wrench
- · 2-1/2" deep socket easily removes long sensors



LIS65000

Deep Hole Aluminum Head M14x1.25 Spark Plug Hole Repair Kit

Replaces stripped spark plug threads on aluminum heads with 14mm spark plugs. Set includes one-piece drill tap, long tap holder, short tap holder, insert installer, swedger and handle. Includes three insert sizes: 5/16", 7/16" and 11/16". Kit comes in blow-molded case.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



OTC6918

Ford Spark Plug Remover Kit, Triton 3V

- · Unique design helps prevent breakage by locking the plug porcelain core to the plug hex allowing it to turn as one complete unit
- Unlike similar tools which are designed to remove the spark plug once it has broken

GU GEARWRENCH



KDT80601

5 Piece Magnetic Spark Plug Socket Set

 Contains: (1) 5/8" Swivel Spark Plug Socket - Magnetic Plug 4" Length, (1) 5/8" Swivel Spark Socket - Magnetic 6" Length, (1) 5/8" Swivel Spark Plug Socket - Magnetic 11" Length, (1) 9/16" Spark Plug Socket - Magnetic 2.5" Length and (1) 9/16" Swivel Spark Plug Socket -Magnetic 6" Length.



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



LIS65700

Broken Plug Remover Kit Ford 3V A three step kit for removing spark plugs that have

- seized in the engine head and broken Includes a unique Porcelain Puller Tool that snaps onto the terminal of a broken spark plug to pull
- the porcelain out Comes in a blow molded plastic case for storage




WARNING: Cancer and Reproductive Harm



KTI22525

3/8" Drive 10" Spark Plug Socket • Size: 3/8" drive X 16mm

- . Type: 12 point
- 1 Year Warranty on Material and Workmanship




KTI27014

3/8" Drive 14mm BMW Spark Plug Socket

- Size: 3/8" drive x 9/16"(14mm)
- Type: 12 point
- Heat treated chrome vanadium steel with
- rubber insert to hold the plugs when working

 1 Year Warranty on Material and Workmanship



KT170707

- Ford Broken Spark Plug Remover with Tap Spark Plug Rethreading Kit Ford 4.6, 5.4, V10 2 Valve Engines
- Applicable: Ford 2004 and newer Triton 3 valve cyclinder engines
- 1 Year Warranty on Material and Workmanship



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Inspection

AUTEL MaxiVideo



MaxiVideo™ Digital Inspection Scope FREE Lifetime Software/ 1Yr Warranty

AULMV400-5.5 MV400 with 3.5" Screen and 5.5mm Head • Image Head- 5.5mm Diameter

- JPG images 640x480, AVI videos 320x240
- On-Screen Horizontal/ Vertical Reverse

ULLMAN

ULLHTK-2

Rectangular Inspection Mirror

- Large viewing mirror 2-9/16" x 3-3/4"Adjusts from 6-3/4" to 29-3/4"

ULLHTC-2

2-1/4" Diameter Telescoping Inspection Mirror

- Telescopes from 6-1/2" to 36-3/8"
- All-angle ball joint holds mirror firmly for 360 degree viewing



LED Lighted Telescoping Inspection Mirror

- 2-3/8" mirror diameter
- Telescoping from 6-1/2" to 36-3/8"

Magnetic Pick-Up Tool with Powercap®

- Neodymium Iron Boron extra high flux magnet for maximum strength
- ULLHT-1 (Over 2-1/2 lb. Capacity)
- Telescopes from 6-5/8" to 33-1/4"
- ULLHT-2 (Over 5 lb Capacity)
- Telescopes from 7-1/2" to 33-1/4"

ULLHT-3 - (Over 10 lb. Capacity)

Telescopes from 8-1/4" to 30-1/4

ULLHT-55FL

Extra Long 55" Flexible Magnetic Pick Up Tool

- . Neodymium-iron-born magnet that lifts up to 8 lbs.
- Designed to sweep metal filings from large diesel trucks fuel tank

ULLMAN





ULLE-DM-1

- Telescopic Digital Mirror

 Small profile to fit in tight areas
- Take and record video and pictures in HD
- · Wifi enabled to work with any smartphone
- · Built in illumination
- Telescopes to over 3 feet in length





ULLMAN

LSLTM2000

- Inspector II Model 2000 Tint Meter

 2-piece design that allows you to sandwich the glass you are testing
- A magnet alignment mechanism and auto-calibration promote consistently accurate readings
 • Auto-calibration, accurate to within ±2%

TRACERLINE®





TRATP9367L

Marksman II Ultrasonic Tool with Laser Pointer

- Convert and amplify inaudible ultrasonic sounds into audible "natural" sounds
- Perfect for pressurized leaks
- Perfect for non-pressurized leaks using included emitter
 Great for hearing wear with solid contact probe included
- Hard carrying case included
- · 5-LED signal intensity indicator and audible alarm
- Unique ultrasonic emitter helps locate faulty leaks in non-pressurized enclosures

LIS66540

Mini Flex Magnetic Pick-up Tool

- Picks up all ferrous metal objects up to 2 lbs. Adjustable telescoping action
- Extends from 4-1/2" to 13'
- With a 2-1/2" flexible segment to get into tight spots

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



JSP06600

Chassis Ear Electronic Squeek & Rattle Finder

- · Listen to 6 under-chassis locations in one road test
- Hear noises that cannot be duplicated in the shop
- Saves needless warranty expense



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





JSP60635

Wireless ChassisEAR®

- · Detects squeaks and rattles throughout a car or truck's chassis
- Noises can be transmitted up to 50 foot from transmitter to receiver allowing Wireless ChassisEAR® to be used on larger vehicles
- No messy wires to string
- · Hear noises that can not be duplicated in the stall
- Quickly pin-points source and location of noise

WARNING: Cancer and Reproductive Harm

THEXTOR



THX849

Master Brake Bleeder and Plug Kit

- . Master cylinder brake bleeding & plug kit includes long-lasting aluminum adapters for SAE and Metric fittings.

 Bleeder adapters fit most makes and models
- to remove air from master cylinder
 Includes the new Ford F-150's adapters
- · Plugs test whether the internal seals are leaking or in good condition

THX838

Portable Trailer Light Tester

- Uses alligator clamps so it can be
- used with any power source

 8 amp breaker for circuit protection
 Gives you the freedom to check the
- lights by yourself quickly

 Test-left and right turn signals, taillights, and brake lights
- Can also test electric brakes, reverse lights, and auxiliary lights if combined with THX839 7 Blade Adapter



LIS17350

Pipe Stretcher Kit

- Expands Pipes from 1-5/8" to 4-1/4"
- Works on Stainless Steel

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

LIS64100

Actuator Motor Wrench Set

- · Toothless, infinite ratchet and hinged handle design make it easier to remove and replace fasteners on small electric HVAC motors
- · Can flip to switch from clockwise to counterclockwise drive
- Includes 8mm socket and 1/4" Square Drive Adapter for use with 1/4" sockets and bit holders
- . Most commonly found fasteners are 5.5mm, 8mm and T-15 Torx®

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LIS71490

Dodge 5.7 Drill Plate

 Removes broken exhaust manifold bolts on Dodge 5.7L Hemi motors without damaging the cylinder



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Exhaust / Specialty Application Tools

Astro



- sets expand pipes from 1-5/8" to 4-1/4"
 Expands Pipes from 1 5/8" 2 1/2" Collet



OTC6982PMC-DGC

Professional Mechanic Collet

- · Designed to securely grasp studs with as little as 1/4" exposed
- Draws tight within 1/16" of head surface to greatly reduce tipping Includes 4 collet sizes - 6mm, 7mm,
- 8mm, and 10mm
- Lifetime warranty



LIS23400

5 Piece Transmission / Transaxle Plugs

- Stops loss of transmission fluid
- Five stepped plugs fit both transmissions and transaxles on most import and domestic cars and pickups

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





OTC6982DGS

Drilling Guide System

- · Drill perfectly centered holes in broken studs
- · Anchor rail guide on any open hole within reach of broken stud - 6 inch reach
- 4 bushings for common stud sizes 6mm, 8mm, 10mm, and 12mm
- 4 drilling guides for progressive drilling 1/16", 3/32", 1/8" and 5/32"
 Lifetime warranty



LIS38350

Rubber Support Bracket Removal Pliers for Exhaust Systems This tool separates the rubber supports

- from exhaust hanger brackets
- The tool works on all import and domestic car and truck exhaust systems that use the rubber hanger supports

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



EZRPPT13

Roll Pin Remover for Clutch Cylinders

- Removes and installs the roll pin that retains the hydraulic line to the master and slave cylinder
- · Removes and installs roll pins on Hydraulic clutch lines

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Underhood



MITMV5532

Digital Compression Test Kit

- Stores maximum compression value up to 12 cylinders
- Includes 10mm, 12mm, 14mm, 18mm threaded adapters and Ford Triton adapter
- Uses standard 9V battery

MIT5530

Analog Professional Compression Kit

· Perform both wet and dry compression tests diagnosing worn piston rings, cylinders and valve train damage

GW GEARWRENCH



KDT41580

Fan Clutch Service Kit

- . This versatile kit covers most vehicles with bolt or pulleys and also newer Chrysler engines with press on pulleys requiring special pins to hold housing
- Features the patented 35W universal pulley holder
 Lifetime warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KDT89000

Serpentine Belt Tool with Locking

- Flex head Ratcheting Wrench

 Locking Flex-Head Ratcheting Wrench for better access
- Get around obstructions lines, motor mounts, pulleys
- 5 locking positions straight, +2 positions -2 positions. Each position 17°

WARNING: Cancer and Reproductive Harm
- www.P65Warnings.ca.gov

TLTOM INDUSTRIES, INC.


MILS1251

Deluxe Compression Tester

 Includes 14mm long reach adapter 0-21 kg/cm2 0-21 Bars

0-2100 kPa







LIS59370

Stretch Belt Remover/Installer


- Combination removal and installation tool for most stretch belt applications found on many accessory drive systems

 • Unique magnetic faces hold the tool in
- place on the pulley

LIS44180



• For GM, Jeep and Dodge trucks, vans and SUV's with pressed on water pump pulleys.







LIS68500 **Exhaust Manifold Drill Template Set for Ford**

- · Designed to remove broken exhaust manifold studs on 4.6L, 5.4L 2 valve, 5.4L 3 valve and 6.8L v10 Ford engines without damaging the block

- Interchangeable plates ensure drill is centered
 Depth gauge for drilling is marked on the template
 The stripped screw extractor is then used to remove the broken stud



LIS71500

Manifold Drill Template Dodge

- Removes broken exhaust manifold bolts on Dodge 5.7L Hemi motors without damaging the cylinder head

 Tapered bolts center base plate over bolt holes and slip
- fit bushing allows you to move from hole to hole without moving base plate
- The screw extractor is then used to remove the broken bolt
- . Includes bushing to drill to tap size when extractor cannot be used

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



LIS71400

Manifold Drill Template GM LSIII

 Removes broken exhaust manifold bolts on GM LS III 4.8L, 5.3L and 6.0L motors without damaging the cylinder head



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



LIS71380 **GM LSIII Drill Plate**

· Removes broken exhaust manifold bolts on GM LS III 4.8L, 5.3L and 6.0L motors without damaging the cylinder head.



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Underhood



STATU15-51 American Diesel Compression Test Set

- · Swivel-end quick coupler for
- Swivel-end quick coupler for easy connection to adapters
 16-1/2" long reinforced hydraulic hose
 2-1/4" gauge, dual scale dial with ranges from 0-1000 PSI and 0-70 bar
- Adapters included for Audi, GM, Isuzu, Lincoln, Ford/Navistar, Mercedes, Peugeot, Toyota, VW, Volvo and more.



STACLT-2PB

Cylinder Leakage Tester

- Features (2) gauges in a plastic box
- Furnished with rubber
- boots to protect gauges
- Includes a precision regulator with a M14 adapter on a 26" hose assembly



STATU16PB

Quick Change Automatic Transmission

- to Engine Oil Pressure Tester

 Two gauges included: 2-1/2" gauge has 0-100 PSI/0-7 bar dial, 3-1/2" gauge has 0-400 PSI/0-28 kg/cm2 dial Quick coupler connections, easy & fast change of gauges
- . With 6' of Nitrile (oil proof) hose to make testing easier, plus U.S. and Metric fittings



KAS5333

9 Piece Fine Tooth Serpentine Belt Wrench Set

- Used to service automotive serpentine belts equipped with spring loaded tensioners, without having to remove other components
- Multiple size adapters allow service to most automotive serpentine belt applications
- Set includes: 6 point 3/8" square drive 13mm (1/2"); 1/2" square drive 14mm (9/16"), 15mm, 16mm (5/8"), 18mm, 19mm (3/4")



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



The Nino™ 200 Series EGR Repair Ford 6.7 Diesel

- Facilitates EGR repair in Ford 6.7L Diesel
- · Heavy duty stainless steel inserts for a permanent no-hassle repair
- Precision-machined 6061 hard-coated aluminum with Speed-Fast™ bushings
- Special machine tooling that cuts through titanium for easy on-the-truck repair



CTA1016

Mini Cooper Serpentine Belt Tool Set

- 2 long-handle (22" / 55cm) wrenches to service late model Mini Cooper Serpentine Belts
- Offset working ends with small and large 12 point wrenches

CTA1809

Fuel Line Flex Sockets

- Specialty sockets flex at 45° to securely grip to the direct fuel line
- Includes sizes: 11, 13, 14, 15 & 17mm

CTA9666

- 3 Piece EP Torx Plus Socket Set
 Includes EP20, EP22, EP24
 Services elliptical-shaped fasteners as found on, Ford Super-Duty, Honda Civics,
 Nissan Altima & Rogue, and other apps

 Black finish and impact quality

 1/2" square drive

1/2" Drive EP Torx Plus Sockets

- New design services elliptical-shaped fasteners now found on many vehicle applications
 Standard Torx or Ribe designs will
- not fit these fasteners
- Black finish Impact quality

CTA9662 - EP22 CTA9664 - EP24




Hole Punch Kit

- · Easy smooth operation
- · Will pierce up to 14 gauge steel
- 7 sets punches and dies
 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", and 9/32"
- Carry case

OTC4437

8 Piece Sensor Socket Set

- Special set for hard to reach sensors
- · Vacuum switches thermal sensor, 02 sensor oil pressor sensor
- Carry case
- One year warranty



- Duramax 6.6L engine, 2001 2004

 Product Dimensions: 4" × 2" × 2";

 Product Weight: 1 lb
- Similar to Factory Tool J-44639
- OTC Lifetime Warranty
- . Made in the USA

OTC6768 Ford 6.0L Glow Plug Remover and Installer Tool

 Safely remove and install the glow plug harness on 2004 and newer Ford 6.0L Diesel engines



Pullers and Puller Sets

OTC4579

Stinger 9 Way Slide Hammer Puller Set

- Pulls Flange-type rear axle and most front wheel drive hubs
 Internal and External Jaws provide a variety of combinations
- to pull bearings, gears and seals
- Set includes grip wrench adapter and dent puller
- . Two and three-way cross blocks and cone provide perfect jaw configuration for many jobs













OTC7793

Master Bolt Grip Kit

- · Multi-Purpose applications such as steering wheels, flywheels, harmonic balancers, pulleys and gears with tapped holes
- Includes special stepped bolts for 1990 and newer GM 3300-3800 V6 crankshaft pulleys
- 4-way slotted puller yoke and 2 lengths of hardened 'live-center" forcing screws
- A set of 3 interchangeable forcing screw tips is included to optimize pressure and prevent 'walking'

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



OTC7984

Master Steering Wheel Service Set

- Complete steering wheel service set with all of the tools you need to remove steering wheels on most of today's
- Covers all lock plates and steering columns
 Covers tilt and telescoping steering wheels
- with or without air bags

 Set includes: Flange, Collar, Set screw, Steering pilot pin remover, Special screw kit, Steering wheel puller legs, Steering wheel lock plate remover kit, Washer Hd bolts 1/4"-28 UNF x 3", Hex Head flange bolts 3/8-16 UNC x 3.5", Hex Head flange bolts 5/16-24 UNF x 3.5", Hex Head flange bolts M8 x 1.25 x 90mm, Flange head cap screw 5/16-18 UNC, Power thread lube, Storage case



Flange Type Puller Combination

• You get two pullers in one box A flange type puller and a steer-

ing wheel, pulley, & fly wheel

Mechanical Grip-O-Matic® Pullers Forged from quality steel, heat treated, and subjected to rigorous tests

OTC1023	2-Ton, 2/3-Jaw	
OTC1026	5-Ton, 2/3-Jaw	
OTC1027	5-Ton, Long 2/3-Jaw	
OTC1035	7-Ton, 2-Jaw	



Pullers and Puller Sets



OTC4531

Harmonic Balancer Puller/ Installer

- For easy removal of most press-fit harmonic balancers and drive pulleys
- A bearing-centered circular 2/3-way and an assortment of metric and fractional bolts and adapters for wide
- Adapter sizes included: M16 x 2.0. M14 x 1.5. M12 x 1.5, 1/2"-20, 7/16"-20, 3/4"-16, 5/8"-18 and 9/16"-18.

OTC4530

Power Steering Pump Pulley Service Set

· A complete set of tools required to remove and install power steering pump pulleys of most domestic vehicles

Fits pulley hubs with diameters of 1-1/8", 1-1/4", 1- 5/16" and 1-3/8"

OTC7185

Power Steering Pump Alternator Pulley Remover

Removes pulleys on most Chrysler, Ford, GM, and VW vehicles fitted with Saginaw, Thompson, or Ford's C2 and C111 power steering pumps; GM belt-driven vacuum pumps on cars; and press-on water pump pulleys on GM 4-and 6-cylinder engines.

- GM Duramax Injector Puller

 Designed to pull injectors on GM Duramax engines
- Coverage from 2005 to 2011
- Same as Factory Tool J-46594 OTC Lifetime Warranty

OTC7494A Rear Axle Bearing Puller Set

For quick & easy removal of semi-floating rear axle bearings

- . Set of (3) pullers services most domestic cars
- · Use with slide hammer

Injector Rail Assembly Remover

- · Used for removal of the direct injection fuel rail without damage
- Similar to EN-49248
- Applications: 2007-2014 General Motors Direct Injection Engines including those used in Pontiac, Saturn, Cadillac and Chevrolet vehicles





The Slugger, Heavy Duty Slide Hammer In A Tool Box

· Packed in a handy metal tool box which can be locked

- Perfectly designed for the toughest repair applications
- 10 lb. slide weight designed for in-line impact
- Balanced for continued use without fatigue
- . Special hand-fit weight for ease of work

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





KQTK-2030-10+S

- 2-arm and 3-arm Puller Set

 Medium Universal 2-jaw and 3-jaw puller set
- with narrow, quick-adjusting pulling jaws
 The thin pulling hooks are suitable for narrow, difficult-to-access locations
- · A manual adjustment knurl allows rapid loosening and adjusting of the extractor jaws on the cross-beam without using a wrench



K0T204-V

Puller for Inner Races

- · Safe and simple disassembly of the bearing inner race. When the tension clamp is tightened, the pulling jaws grip below the part to be removed and loosen it before the actual removal process.
- · Adapter fits on all common axial holes, e.g. on VAG and other models





SCH64900A

GM/Chrysler Harmonic Damper Pulley Puller

- Spring loaded legs for leg position retention · Remove the harmonic damper pulley on many Chrysler and GM engines
- Eliminates the time consuming process of removing the radiator or other components on Autos, Pickups, SUV's and vans
- WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

SCH13450 Dodge 5.7L V8 & 3.5L V6 Harmonic Balancer Puller

 Remover harmonic balancers on Dodge 5.7L V8 and 3.5L V6 with narrow puller access windows



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





LTILT855A Texas Twister

 Converts air hammer into a pneumatic slide hammer
 New Puller Connector - 1/2"-20 to 5/8" and 1/2" - 20 to 3/4" to connect Texas Twister to your 5/8" and 3/4" slide hammer bits and pullers



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KTOOL

Ratcheting Gear Pullers

- Quick convenient conversion from 2 to 3 jaws
- Easily reversible jaws for external or internal pulling of gears and bearings

 • Covered by a Lifetime Warranty

KTI70307

2 Ton Ratcheting Gear Puller

• 2" to 3-1/8" spread range


5 Ton Ratcheting Gear Puller

4" to 6" spread range





WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



2 AND 3 JAW Reversible PULLERS

- The reversible jaws feature a wide face on one end and a narrow face on the other
- Jaws grip tighten as pressure is applied
 Drop forged
 Alloy steel, hardened to 45 HRc. Lifetime Guarantee

Pullers and Puller Sets

Part #	Description	Capacity	. Reach	. Spread
KTI70301	. 2 Jaw	2 Ton,	. 3-1/4"	. 4"
KTI70302	.2-3 Jaw	2 Ton,	. 3-1/2"	. 4-3/4"
KTI70303	.2 Jaw	4 Ton,	. 3-1/4"	. 6"
KTI70304	.2-3 Jaw	5 Ton,	. 3-1/4"	. 7"
KTI70305	.2 Jaw	5 Ton,	. 3-1/4"	. 6"
KTI70306	.2-3 Jaw	5 Ton,	. 3-1/4"	. 7"





☞ GEARWRENCH



KDT41560

Power Steering Pump Pulley Kit

- · Removes and installs power steering pump pulleys off most domestic vehicles
- . Includes the necessary adapters for servicing GM 3.1 L, 3100, 3400, and 3800 V6 engines, GM 2.3L Quad 4 four cylinder engines and Ford 4.6L, 5.4L, and 5.8L modular V8 engines
- Fits pulley hubs with diameters of 1-1/8 in., 1-1/4 in., 1-5/16 in. and 1-3/8 in.
- Includes quick disconnect tool
- Includes 4030 for GM 1/2, 3/4, and 1 ton pickups
 Includes KDT3893 Disconnect Tool; KDT41561 Bushing and Screw Set and the KDT41562 Bushing and Screw Set



WARNING: Cancer and Reproductive Harm





Axle Popper Wedge and Shim Kit

- Wedge forked end (71411) applies even pressure to both sides of the shaft for sure release of the shaft
- It is versatile as the tapered ends of the fork allow the technician to strike the Axle Popper Wedge or use it as a pry bar to release the half shaft
- The Shim (71412) is included to fill the gap between the half shaft and the transaxle on some vehicles





LIS54810

Harmonic Balancer Puller Set


- · Includes a standard harmonic balancer puller, pulling screws, adapters for 3300 and 3800 GM V6 engines, and a Harmonic Damper Pulley Puller for Chrysler, GM, Mitsubishi, & Dodge
- Includes new interchangeable puller jaws for 3.6L V6 Chevrolet Camaro and Dodge 5.7L Hemi

LIS51450

Harmonic Damper Pulley Puller

- Fits many domestic and some import applications
- Works on Chrysler, GM, Mitsubishi, and Dodge





OTC7318

Pilot Bearing Puller

- Operates on many models with engine in chassis
- Capacity: 1/2" to 1-1/2" I.D. reach 3/4"

OTC6497

Super Duty Pitman Arm Puller

- · Pitman arm can be removed while steering gear is on vehicle
- 3-1/4" spread handles the large pitman arms
- Works on 2005-current Ford Super Duty trucks

2 Ton GripLock 2 or 3 Jaw Puller

 2 or 3 Jaw application, with a 4' maximum reach, 3" to 4" spread

OTC465

5 Ton GripLock 2 or 3 Jaw Puller

• 2 or 3 Jaw application, with a 7" maximum reach, 3" to 7" spread

U-Joint Removing / Installing Tool

This helpful tool uses a forcing screw press to safely remove and replace automotive universal joints with needle bearings, including GM plastic pin CV U-joints

OTC4422

Pilot Bearing Puller

- Use to pull a pilot bearing from the end of the crankshaft
- Spread covers ranges of 1/2" to 1-1/2" and 3/8" to 1-3/8"
- Reach has a min/max range of 3/16" to 1-1/4"

OTC6496

Pitman Arm Puller

• Cuts removal time from 3-1/2 hours to 40 Minutes! Works on four-wheel drive vehicles for the years 1998-2002

OTC6667 GM/Chrysler/Mitsubishi Harmonic Damper

- **Pulley Puller** 3/8" drive for use with ratchet
- 3/4" drive for wrench or socket use



Cal-Van

Heavy Duty U-Joint Puller

 Used to remove the HD vehicle driveline u-joints on class 7 & 8 trucks using an impact wrench up to 1"





OTC6295 **Front End Service Set**

- Kit includes 5 popular tools used for servicing Pitman arms, ball joints, and tie rods on most vehicles
- Two Pitman Arm Pullers for large or small ball joint applications • Two ball joint separators
- Three different tie rod pullers

Astro

Universal Ball Joint Separator

- Adjustable for Different Size Ball Joints • 1-1/8" & 2-1/8" (30 & 56mm) Maximum
- **Opening Capacity** . 1 year warranty on material and workmanship



KTI71560

- **Ball Joint Separator** 15/16"(24mm)Fork, 11-7/8"(300mm) length replaces worn out ball joints easily with a hammer striking
- Also removes CV drive shafts on FWD vehicles
- · Covered by a lifetime warranty



KTI71557

5 Piece Tie-Rod / Ball-Joint Splitter Set

- 3 drop forged forks: 11/16", 15/16" & 1-1/8"
- 1 Handle for use with hammer
- 1 Handle designed for use with pneumatic air hammer
- Individual pieces covered by a lifetime warranty



KTI71561

5 Piece Pitman Arm Puller/Ball Joint Separator/ Tie Rod Front End Service Tool Kit

- Professional front end service tool set easily separates pitman arms, tie rods, and ball joints without damage

 Made of heat-treated alloy steel for strength and durability
 Individual pieces covered by a 1-year warranty




KTOOL

KTI81985

Air Hammer Drifts

- · CR-MO material for a more durable, longer lasting tool lifetime
- Pin punch by impact tool drive
- 7" long parallel shaft
- Six common sizes: 1/2", 3/8", 5/16", 9/32", 1/4", 3/16"
- Individual pieces covered by a 1-year warranty



Astro

GM Heavy Duty Torsion Bar Unloading Tool

- Needed to service torsion arm and front suspension on many 2010 and older GM vehicles including GMC and Oldsmobile
- Forged alloy design with 1" hex drive bolt
- Thread Size 3/4-16" Drive size 1
- 1 year warranty on material and workmanship

AST78823

Late Model GM Heavy Duty Torsion Bar Unloader 2011

 Needed to service torsion arm and front suspension on many 2011 and newer full-size GM trucks



LIS41970

Heavy Duty Pitman Arm Puller

For 2005 and later Ford F250, F350



LIS41500 6 Piece Ball Joint / Tie Rod / Pitman Arm Separator Set

- All forks are threaded to interchange with either handle
- Includes: 41510 handle, 41520 pneumatic driver, 41530 1 1/8" fork, 41540 15/16" fork, 41550 11/16" fork and Clam shell package



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LIS45750

Inner Tie Rod Tool

- New crowsfoot added; now includes 1-1/2" crowsfoot for Chevrolet Colorado and GMC Canyon
- · Works on the inner tie rods with inaccessible wrench flats
- . The 45750 tool utilizes six crows feet, sizes 1-1/2, 1-3/16, 1-1/4, 1-5/16, 1 7/16" and 33.6mm, to engage the



LIS46800

Master Inner Tie Rod Set

Nine Crowfoot Adapters



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

mituvac.

MITMVA670

Power Steering Air Bleed Adapter Kit


· Kit Includes: Universal power steering bleed adapter MVA660, Ford power steering bleed adapter MVA662, GM power steering bleed adapter MVA661 and instruction sheet



MITMVA661 **GM Power Steering Bleed Adapter**

MITMVA662

Ford Power Steering Bleed Adapter



Steering / Suspension



KFN7326

New Super Hub Shark System

 Kit now includes a 3/4" Center Screw to accommodate smaller import axles










BRA7600

Strut Spring Compressor

- Doesn't require adaptors
- . Heavy duty Acme thread
- Multi-position hooks
- · Versatile mounting options







OTC6637-ST

Strut Tamer II Extreme with Stand

- · New forged locking jaws includes larger pads and offset to clamp onto and compress springs even tighter than before
- New extra thick 5/8" compression arms for superior strength, stability and safety
- Includes stand with wheels for easy mobility in the shop



Strut Tamer II Extreme



Ball Joint Service Tool and Master Adapter Set

- For removing and replacing ball joints Remove and replace universal joints
- by using the C-Frame press
- Includes one live center forcing screw, receiver tubes, and removing/installing adapters



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

PAstro

AST7897 Ball Joint Service Tool and Master Adapter Set

 Set includes all the receiver tubes and removing/installing adapters needed to work on press-fit upper and lower ball joints on most GM, Ford, and Dodge 2 and 4 wheel drive Pickups, Vans and Sport Utility vehicles through 1997.

Ball Joint and 4 Wheel Drive Service Tool Kit

 Set includes: C-frame press, 3 receiver tubes sizes: 2-3/4" x 3", 2-1/4" x 2-1/2" and 1-3/4" x 2", installation and removing adapters: 4-wheel drive ball joint service kit that allows service for 1967 thru current 1/2 and 3/4 ton 4WD vehicles having the Dana 44 front axle (found on Ford, GM, Dodge, IHC and Jeep vehicles).

AST78825

Master Front Wheel Drive Bearing Adapter Kit

- Includes heavy duty Grade 8 7/8" drive bolt for twice the durability of the industry standard
- · Replace wheel bearings without the need for alignment



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov









OTC6539

Truck Master Ball Joint Service Kit

- This 55+ piece kit covers press-in ball joints on Trucks/Vans/SUV's
- Application cross reference and instructions included
- · Complete master set
- Adapters are designed for specific vehicles
- Shows what adapters are required and how to use them when servicing ball joints

OTC6575

OTC Hub Grappler

- Service wheel hubs and bearings on the car
- New puller design increases applied force and rated for use with an impact gun
 Can be used on either the front or rear application
- Eliminates the need to re-align the vehicle
- No need to remove steering components or knuckle

OTC6530

Ball Joint Super Set

- Combines the popular OTC7249, OTC7918 and OTC7996 ball joint sets into one SUPER set
 Comes complete with an application cross
- reference and instructions in a blow-molded case
- This assembly enables the user to remove and install ball joints without removing the control arm from the vehicle



OTC7249

Ball Joint Service Kit

- The C frame press alone can be used to remove & replace universal joints
- Contains: C-frame press, 3 receiver tubes (2-3/4" I.D. x 3" 0.D., 2-1/4" I.D. x 2-1/2" 0.D., and 1-3/4" I.D. x 2" O.D.), installing adapter, removing adapter and plastic carrying case, Weight: 15 lbs., 3 oz.



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Steering / Suspension

KTOOL

KTI70370

McPherson Strut Spring Compressor

- Compressor works on most MacPherson strut assemblies and is used with replacements
- Use the compressor when replacing bent strut or strut tube and damaged spindles

 • Use on or off vehicle

KTI72907

7 Piece Special Vibro Chisel Set

- Drop forged handle
- Soft tip air hammer set includes aluminum, brass, steel, and nylon air tipped tools
- Non sparking or marring for sensitive surfaces
- Replacable hammer heads
- For aluminum body cars, 0.401" shank tools
- Covered by a 1-year warranty



KTI70327

GM Torsion Bar Unloading Tool

- · Drop forged frame
- Built for GM's K-3500 series trucks with heavy-duty Applications: 1988-2003 GMC and Chevrolet 1/2, 3/4,
- and 1 ton pick-ups; the S-10 Blazer and S-15 Jimmy, 4WD pickups with 4.3L V6 engines and 1991-2001 Oldsmobile Bravada
- Covered by a 1-year warranty



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Astro

AST78830

Heavy Duty Hub Drum and Rotor Puller Kit

- Use with impact wrench to remove hubs, drums and brake rotors
- Durable forged design, made from the same alloy as Astro's famous ball joint press
- Use with 1-1/4" socket and 1-1/4" or 32mm wrench
- 1 year warranty on material and workmanship



Lockout tools



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

STC32900 The Big Easy™ Complete Lockout Tool Kit

- No danger of airbag activation or disconnected door linkages
- · Fast: actuate the door handle, manual lock button, or electric lock button on more than 98% of all cars and trucks

- BigEasy™ Glo / Easy Wedge Kit

 Glow-in-the-dark yellow allows you to see the tool at night or through tinted windows
- Easy wedge offers controlled opening
 Lock knob lifter for flat lock knobs at the top of the door





LTI450

Deluxe Master Lockout

This 12 piece kit unlocks most domestic cars and trucks on the road today





LTI146

Multi-Piece Easy Access Kit With Inflate-A-Wedge

- Snap and lock design
 Fast quick connect
- 5 piece kit adjustable. 33" reach with 7" tip; 54" reach with 2-27" rods



Accessillools.

"The Undisputed Leader in Specialty Tools"

AETOHJS4LC

One Hand Jack Set with Long Case

Includes Training DVD & Manual

AETFACOS

Fast Access Car Opening Set

- Best selling air jack and one hand jack tool included
- Instructional DVD







WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

- Emergency Response Kit
 Designed by First Responders
 All of the most popular accessories
 Gets into any vehicle

- Emergency ready
 Kit includes Quick Max Long Reach Tool, Flex Max Tool, Button Master, Glassman Tool For Vehicles With Frameless Windows, Super Air Jack Air Wedge, One Hand Jack Tool, Super One Hand Jack Tool, Wonder Shield, and Heavy Duty 54" Carrying Case



PAstro

8 Pc Torque Limiting Extension and Protective Socket Set

- Lug Nut sockets feature protective sleeves and inserts to prevent wheel damage
- 4 Torque Limiting Extensions: 90, 100,
- 110 and 120 ft-lbs.
- 4 Protective Lug Nut Impact Sockets: 17mm, 19mm (3/4"), 21mm (13/16"), and 7/8"



AST78810TD

10 Piece Torque Limiting and 2 Piece Lock/Lug Removal

- AST78810: Accurately torque wheel nuts
- AST78810: Increase efficiency and eliminate damage caused by impact wrenches
- AST78810: No maintenance or calibration necessary
- AST7402: 2 piece 1/2" Drive Double End Damaged Wheel Lock and Lug Nut Removal Twist Socket

AST7404

Flank Bite Damaged Lug Nut Socket Set w/ Spinning Protective Sleeves

 Kit Includes: 17mm, 19mm (3/4"), 21mm (3/16") and 22mm lug nut sockets



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

TMRTI-KX1052

Universal Mounting Paste for Tire Service (Case of 4)

7.7lb pail

TMRTI-KX1052N **Unviversal Mounting Paste** (Low Profile Bucket)



WARNING: Cancer and Reproductive Harm







Tire Wheel Tools



KTI33350

7 Piece Torque Extension Set

- 1/2" Drive torque extension set
- Set includes: 55 ft/lb red color, 65 ft/lb yellow color, 80ft/lb green color, 100 ft/lb light blue color, 120 ft/lb white color, 140 ft/lb black color, 175ft/lb orange color.
- Limited lifetime warranty

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KTI33300

7 Piece 1/2" Drive Thin Wall Protective Socket Set

Sockets made of chrome moly steel

• Set includes: 17mm blue color, 19mm gold color, 21mm red color, 13/16" purple color, 7/8" green color, 1" titanium color, 1-1/16" black color

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



TMR17-1045BC

Tire Gauge

Premium Dual Foot Tire Gauge 10 -150psi

TMR17-6568BC

Straight-On Tilt Chuck Closed

· Premium straight-on tilt-lock dual foot air chuck

WARNING: Cancer and Reproductive Harm





GRE2191D 1/2" Drive 22mm x 22.5mm Flip Socket

GRE2190D

1/2" Drive 21mm x 21.5mm Flip Socket

· For use with extended anvil impact wrenches or with an extension




GRE2017MF

1/2" Drive x 17mm Deep Length Mercedes Protector Impact

• For use on Mercedes C-Class / GLK (W204) E-Class (W211 W212 W207) SLK (W172) M-Class (W164 W166) CL-Class (W216) S-Class (W221 W222) & Maybach • Lifetime Warranty





CAL90300

Wheel Hub Removal Adaptor Dodge

 Designed to remove the front hubs found on 3/4-ton (2500 series) and 1 ton (3500 series) Dodge pick ups







WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

The Main Resource				
Automotive Professional Products	Rubber Snap-In Valves			
Product #	Description	Size	Qty.	Price
TMRTR413-1	Rubber Snap-In	1/14" Long	500	
TMRTR414-1	Rubber Snap-In	1/2" Long	500	















TMRTI956

UWT Pliers / Hammer

· removes all wheel weights, including clip-only weights



Tread Depth Gauge with Tri-Color Coating (Pack of 2)

Measure in 32nd and mm

TMRTI78

Tire Tread Depth Gauge

Measures in 32nd & mm



TMRTC2505

Bead Lift "Wave" Tool Bar

· Specially shaped for difficult tire beads

TMRTC435685

Bead Depressor Drop Center Tool



TMRTI1506

Angled Applicator Brush For Euro White Paste Wooden Handle Length 7 3/4"Brush Length 1 3/4"





LIS61850

5 Piece Truck Hub Seal Installer Kit

· For driving seals on hubs with deep brake drums without removing the drums



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LIS12800

Master Pneumatic Bearing Race and Seal Driver Set

· Contains 11 drivers to fit automobiles and trucks up to 1 ton



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LIS12600

Bearing and Seal Installer

· Quickly Flushes out old grease and repacks bearings with less mess



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LIS22800

Wheel Stud Installer Auto & Light Duty Truck

• Use with a ratchet or impact wrench



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





KTI89005

Professional Tire Inflator Gauge

- Fitted with 2-1/2" mechanical pressure gage with protective shroud. 24" long flexible hose and rigid steel extension with grip, built in swivel & dual chuck for truck tires
- Inlet 1/4" NPT, maximum pressure 230 PSI
- Super accurate to within +/- 1.6%



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



AMN37330

AME Hub Buddy Impact Driven Lug / Hub Surface Cleaner

- Designed to be used with 1/2" impact wrench
- Includes 1 Cleaning Disc

AMN37335

AME Hub Buddy 6-Disc Refill Pack

. Designed to be used with 1/2" impact wrench





AMN24869

Dura-flate Digital Tire Inflator

- Supply Pressure: Maximum 200 p.s.i. (1380 kPa) / Minimum 100 p.s.i. (690 kPa)
- Connection: Inlet 1/4" NPT. internal thread
- Hose length: 19.7" Dual hold-on chuck

AMN24866

Accu-Flate Digital Tire Inflator

- Hose length: 20" with swivel
- Powered by: 2x AAA batteries (included)
- · Wire sheathed hose on flex area of hose to eliminate kinking







KTI70385

Dual Wheel Separator

• This innovative "one-piece" pusher won't fall apart during use and is ball bearing-driven for near-zero turning resistance

Tire Wheel Tools

 Forcing screw and pullers have powerful 1-1/8" diameter x 11 threads for years of reliable service

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





OTC5693

Dual/Single Wheel Separator

- Outer drive hook includes a handle that allows for fast and easy alignment as well as a flat side, both to eliminate turning during useThe pusher end has two grooves, one for 16"-
- 17", and the other for 19.5"-24.5" wheels
- · Includes four adapters: dual wheel outer, dual wheel inner (long cupped), single wheel (short cupped), and flat

STEELMAN PRO

JSP78537

16 Piece Locking **Lug Key Master Set**

- Double hex-head design fits most lug wrenches as well as 13/16" and 7/8" sockets · Chrome Vanadium Steel con-
- struction. Heat treated to C38-CC HRC



32 Pc Master Lug Key Set For Volkswagen

- Includes new high security flower pattern keys along with traditional spline keys
- · Dual drive hex head allows for use with 17mm and 19mm tools
- Set contains the keys needed to remove locking lugs from late model Volkswagens from 1997 onward
- Lifetime warranty

INTERNATIONAL

KT189006

Tire Inflator with 2" Gauge

- 1/4" (6.4mm) Male NPT
- Inflation gun, chuck, and gauge are all combined in one easy-to-use unit
- · Clip design enables hands-free check use

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

INDUSTRIES, INC.

MILS448

Tire Tread Depth Gauge

 Round aluminum indicator bar calibrated for 0 to 1" in 1/32" markings



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Bead Bazooka® Tommy Guns

- · Lightweight design
- The main valve is completely replaceable
- 3 Year Warranty

GAIBB3LM (3 Liter) **GAIBB6LM (6 Liter) GAIBB9LM (9 Liter)**

GAIGB-5M

5G MIS Bead Booster

- Uses the MIS release valve
- The tank is CE/ASME certified





MRIMABS-5AL

5 Gallon Automatic Release Aluminum Bead Seater

· Nitrogen compatible bead seater that can seat tires positioned horizontally or vertically up to 120PSI/8.27Bar

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KEN34549 Dual Wheel Separator

- · Pusher is ball bearing-driven for near-zero turning resistance; pusher heat-treated for strength and durability
- Includes two pullers to cover large and small dual wheels
- · Proudly made in U.S.A.

KEN30254


4 Piece Lug Nut Remover

- Impact Socket Set Patented, internal tapered reverse threads lock onto damaged nut and easily pulls off
- using impact wrench

 Limited Lifetime Warranty
- Includes sizes: 3/4", 13/16", 1" and 1-1/8"

KEN34649

T45AS Super Duty Tubeless Truck Tire Iron



- · Precision forged ends, heat-treated throughout for a tough, slip-free grip on the rim and bead
- 7/8" shaft for strength and durability; value priced. Made in U.S.A.

Winter Harry

KEN29999


ValvecapperPRO Cap and Core Remover/Installer

- 4 tools in 1
- Cap and core remover/installer
- · No more dropped caps holds onto caps and valve cores for removing and replacing



KEN35440

Blue Cobra™ Truck Tire Demount Tool



· Comes with 31810 Leather Rim Protector

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Tire Wheel Tools



KEN35657

23" Pro-Passenger Fractional (T57)Sizes: 3/4", 13/16", 7/8", 15/16". HD Steel 5/8" Stock

KEN35690

25" Light Truck Fractional (T90)Sizes: 7/8", 15/16", 1", 1-1/16". HD Steel 3/4" Stock

20" Economy Passenger Truck Fractional (T9520) Sizes: 3/4", 13/16", 7/8", 17mm. HD Steel 9/16" Stock

KEN34644

Standard T45A® Style Tubeless Tire Iron

- Tip on one end for grabbing the rim
 37" long with 3/4" stock

KEN34645

Tubeless Tire Mount / Demount Iron

- Makes it easier to mount and demount tires
 37" long with 3/4" stock

KEN35429

Duck Billed Bead Breaking Wedges

- Fiberglass handle
 - 32" Long
- TG11E model

32" Replacement Fiberglass Handle




WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KTOOL

KTI71940

- **4-way Lug Wrench (SAE)** 11/16", 3/4", 13/16"and 7/8"
- Limited lifetime warranty Does not cover abuse



KTI71942

- Lugnut Wrench 18" 4 Way SAE/Metric Combo
 Sizes include: 7/8" x 22mm, 13/16" x 21mm, 3/4" x 19mm and 11/16" x 17mm
- Limited lifetime warranty Does not cover abuse

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KTI71980

- 4-way Lug Wrench (Metric)
- 17mm, 19mm, 21mm, 23mm
- Limited lifetime warranty Does not cover abuse

WARNING: Cancer and Reproductive Harm - www P65Warnings ca gov





ESC20408

Pneu-Tek Universal

Impact-Driven Tire Demounter

- · Fast and Powerful
- Hand held Impact Driven Demount Tool
- Do a wide rande of tires from a 12" golf cart to a 24" roadgrader tire
- Portable, runs off 90-120 lbs air pressure air tool, or electric impact gun





TMRTIPL-R

Wheel Weight Remover Pliers

- No pinching finger's or handsHeavy duty- made in the USA

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



TMRTI804

Heavy Duty Wheel Weight Plier Hammer

- · Plastic soft head will not mar alloy wheels
- WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



TV-2 Screwdriver Valve Core Tool



TMRTI44

Steel Valve Puller With Rubber Block

- · For the removal and installation of tire valve stems
- MARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

Adhesive Wheel Weight Remover

- . Heavy Duty Nylon Chisel Style Remover

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LIS36050

Valve Keeper Remover and Installer Kit

- Works on valve stems from
- 4.5mm to 7.5mm and 5/16" to 3/8"
- Smaller size fits new Chrysler New World Engine and some Toyota four cylinders



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LIS36880

Dual Overhead Cam Lock Tool

. This versatile tool easily locks and holds both camshaft sprockets firmly in place.



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LIS37410

Camshaft Alignment Kit

. For servicing the timing belt, chains, head gaskets, or other valve train repairs on Ford, Mercury and Mazda Vehicles



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LIS77080

19mm Harmonic Balancer Socket

· Can be used on Honda engines that use a 19mm hex pulley damper bolt or other 19mm applications

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Use with 1/2" drive



Combustion Leak Detector Fluid changes from blue to yellow when exposed to combustion gases from the radiator



Internal Engine Tools



Twisted Wire Bore Brush Set

- 6-piece set (8, 10, 12, 15, 17 and 19mm sizes)
- 14" hex shank
- Do Not Exceed 600 RMP
- These brushes are meant for push, pull and clockwise use only
- Do Not Turn Counterclockwise

IPA8080 - Stainless Steel IPA008081 - Brass

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov







Ford 4.6L, 5.4L, 6.8L 3V Cam Tool Set

- Designed to service Ford 4.6L 3V V8 engines used in
- 05-10 Mustang, 06-10 Explorer, 09 F-Series trucks

 Designed to service Ford 5.4L 3V V8 engines used in 04-12 F-Series, 05-10 Expedition, 05-12 Lincoln Navigator
- Designed to service Ford 6.8L 3V V10 engines used in 05-12 F-Series 250-350-450



PBT70960 Crankshaft and Camshaft Seal Tool Kit

· Compact puller with unique extracting hooks engage seal for quick removal

Suits seal sizes 21.5mm - 64mm



SCH65510

Toyota / Lexus V6 Cam Seal Removal and Installation Tool

· Remove old seal using seal removal tool, not a pick

SCH11400

Ford Power Stroke

- 6.7L Diesel Injector Socket
- 17mm 12 point for easy install at any angle









Floy Hone for Block Cylinders or Liners

Flex mone for block Cylinders of Liners					
BRMGB3-1/4	Standard Duty Flex Hone 3-1/4"				
BRMGB3-1/2	Standard Duty Flex Hone 3-1/2"				
BRMGB3-3/4	Standard Duty Flex Hone 3-3/4"				
BRMGB4-1/8	Standard Duty Flex Hone 4"				
BRMGBD3	Standard Duty Flex Hone 3"				
BRMGBD3-1/4	Standard Duty Flex Hone 3-1/4"				
BRMGBD3-1/2	Standard Duty Flex Hone 3-1/2"				
BRMGBD3-3/4	Standard Duty Flex Hone 3-3/4"				
BRMGBD4	Standard Duty Flex Hone 4"				
BRMGBD4-1/4	Standard Duty Flex Hone 4-1/4"				
BRMGBD4-1/2	Standard Duty Flex Hone 4-1/2"				
BRMGBD5	Standard Duty Flex Hone 5"				
BRMGBD5-1/2	Standard Duty Flex Hone 5-1/2"				

Spray Guns



- Finex™ FX3000 Gravity Feed HVLP Spray Guns
 A full size HVLP gun with large fan pattern, up to 12.5"
 Includes 600cc aluminum cup, wrench and cleaning brush
- Black Nickel finish
 One year warranty
 Includes: 29% fewer parts, precision lids, repair kits, optional 3M™ PPS™ adapter, optional interchangeable aluminum cups and lowest trigger pull among all guns in its class. Applications: base coat, clear coat, single stage, sealers low solid clear.

SHA288879 - with 1.3mm Nozzle SHA288880 - with 1.4mm Nozzle SHA288882 - with 1.8mm Nozzle



- Two finger control for anti-fatigue painting in confined access areas
- Includes FX1000 gun, 125cc cup, wrench and cleaning brush
- Large pattern size, up to 9" · Applications: clear and base coats

SHA289200 - with 1.0mm Nozzle SHA289222 - with 1.4mm Nozzle





Spray Equipment

SAT1061887

X5500 HVLP Spray Gun, 1.3 I, with RPS Cups

- Noticeably more quiet due to Whispering nozzle™ which has optimized air flow geometry
- · Low maintenance: there is no air distribution insert, thus ensuring a faster and easier cleaning process
- Parallel spray fan with minimal dry zone
- Improved control during the coating process
- Reduced film build per coat





X5500 RP Spray Gun, 1.3 I, with RPS Cups

- Noticeably more quiet due to Whispering nozzle™ which has optimized air flow geometry

 • Low maintenance: there is no air distribution insert,
- thus ensuring a faster and easier cleaning process
 Parallel spray fan with minimal dry zone
 Improved control during the coating process

- · Reduced film build per coat

SAT1061704

X5500 RP Dig Spray Gun, 1.3 I, with RPS Cups





Spray Equipment

SAT170175

SATAjet® 4000 B HVLP Standard Spray Gun with 1.3mm Nozzle and RPS Cups

- The "Super Saver" SATAjet® 4000 B HVLP achieves particularly high transfer efficiency rates, due to its low pressure technology
- Lightweight, perfect balance and ergonomics
- Extremely quiet-noise level reduced by 50% compared to the SATAjet 3000 B
- Soft, controllable fan for even laydown of material

- SATAjet® 4000 B HVLP Standard Spray Gun with 1.4mm Nozzle and RPS Cups
 The "Super Saver" SATAjet® 4000 B HVLP achieves particularly high transfer efficiency rates, due to its low pressure technology
- Lightweight, perfect balance and ergonomics
- Extremely quiet-noise level reduced by 50% compared to the SATAjet 3000 B
- Soft, controllable fan for even laydown of material
 New 1/4 turn fan control knob for easy adjustments

SAT210765 SATAjet ® 5000 B HVLP

Standard Gun, 1.3 with RPS Cups

- Optimized nozzle concept for highest possible versatility concerning inlet pressure and spray distance

 • Pearlchrome™ surface for easy cleaning,
- corrosion-resistant
- Optimized half-turn spray fan control
- Safely positioned trigger sleeve for easy safe and quick insertion of the paint needle
- · Identical compact-size gun handle for non-digital and digital spray guns

SATAjet® 5000 B RP Standard Gun, 1.3 With RPS Cups

SATAjet® 5000 B HVLP Standard Gun, 1.4 with RPS Cups



LPH400-144LV Center Post Gravity Feed HVLP Spray Guns

- LV Technology for fine atomization and less overspray
 Low air consumption, operates on 9.5 CFM
- Superior atomization
- Applicable in solvent or waterborne products
 Designed for Base and Clear coat, single stage products

IWA5550 - Spray Gun Only

IWA5552 - with 700ml Aluminum Cup

AZ3HV2-13GC with 1.3 Nozzle HVLP Spray Guns

- Redesigned performance
- · Low cost affordable spray gun
- New ergonomic lighter body
 Soft trigger pull to reduce fatigue · New polished surface for easier clean up

IWA9230 - AZ3HV2-13GC with 1.3 Nozzle

IWA9231 - AZ3HV2-15GC with 1.5 Nozzle

IWA9232 - AZ3HV2-18GC with 1.8 Nozzle





Spray Guns / Painting Accessories

DEVILBISS

DEV703566 TEKNA® ProLite Spray Gun with Aluminum Cup (1.2, 1.3, 1.4 Nozzles; TE10, TE20 Air Caps)

- TEKNA® ProLite Any Climate, optimized performance in climates varying from hot and humid to cold and dry
- . Any Paint, excellent for solvent-based coatings and a must for waterborne
- Includes 900cc Aluminum Cup, packaged as a solution with multiple components allowing the painter to adapt to changing environments
- Fully coated both inside and out with amazing QuickClean™ coating which has non-stick properties
- TEKNA® ProLite spray gun is well-balanced and ergonomically designed for increased comfort and performance

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



FinishLine® Solvent-Based Spray Gun Value Kit

- Enhanced atomization technology for the latest coatings
 Includes multiple fluid tips (HVLP 1.3, 1.5, 1.8),
 900 cc aluminum cup and air adjusting valve with gauge
- HVLP high transfer efficiency
 Waterborne compatible, anodized internal passages, easy to clean, high grade stainless steel components
- . Applications: solvent base coats, top coats, and light primers



DEV703517 TEKNA® ProLite Spray Gun, Uncupped with 1.3, 1.4 Needle TE20, HV30

- · Engineered for all climate performance
- · Well balanced and ergonomically designed for increased comfort and performance
- Fully coated inside and outside with amazing QuickClean™ non stick coating
- Unique "no-kick" co-axial air valve make blends and fades easier
- · Packaged as a solution with multiple components


WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

allowing the painter to adapt to changing environments



DEV704198 TEKNA Clearcoat Gun (1.2, 1.3, 1.4, TE25, HV30)

- Superior atomization reduces texture
- Improved spray pattern for even material distribution
- Uniform atomization for ease of application
- Suitable for all types of clearcoats
 Higher transfer efficiency





MTNRP8824-A

4 Piece Waterborne HVLP Spray Gun Kit

- Waterborne spray guns kit (all guns are waterborne compatible)
- · Gravity-feed design optimizes use of all material, preventing waste • 1.4mm spray gun is used to apply lighter materials such as base and clear coats
- 1.7mm spray gun is used to apply heavy materials such as primers
- 1.0mm touch up gun is used to apply lighter materials and touch up work
- Lifetime warranty Does not cover abuse

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Preval Spray Gun

- Comes complete with power unit and glass bottle
- . No cords, batteries, or hoses to get in the way
- Handle all kinds of liquids: paints, lacquers, shellac, cleaners, solvents, gel coats, and much more
- Sprays up to 16 oz. of product





SAT1012129

True Sun LED Light

- Near perfect daylight conditions on any color shade; no need to move the project outside
- . Uniform distribution of the light intensity across the entire light cone
- · Battery life approximately 70 minutes at full light intensity,
- lasting for an entire days production in most shops
 Uniform light intensity unaffected by the battery charge level



AST232

ONYX Pinstripe Removal Kit

 Specialty tool developed for the removal of pinstripes, adhesives, double faced tapes and moldings with ASTRO'S Smart Eraser® Pads (qty 12)



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Smart Eraser® Pad for Pinstripe Removal Tool





Spray Equipment

SAT1005603

Air Vision 5000 Set w/ Air Reg

- High breathing air quality: The air supply independent of the ambient air eliminates all potential risks for the painter by contaminated spray booth air
- No inhalation resistance, very comfortable breathing
- High level of protection, suitable for prolonged application intervals
- Visor allows one-hand operation
- Non-reflecting view due to solvent-resistant special foil





MTN6182

Air Regulator With Gauge

- Includes a 0-160 PSI pressure gauge
 Provides fine air control for spray guns and air tools
- Air outlet: 1/4"NPT

MTN6183

Air Regulator for Devilbiss Paint Guns

- Easy installation 5/16" thread size
- Includes 0-160 psi pressure gauge
- 1 year limited warranty





MTN4526 4 inch Plastic Spreaders

100 Pieces Per Box

Ideal for spreading body filler



PAINT & BODY TOOLS

Sanders

HUTCHINS

HUT2000

Model 2000 Hustler Straightline **Reciprocal Air Sander**

 The only 2-Cylinder, common piston straightline with vertically-engaged, twin-drive gears

· Double rack and pinion gear assemblies give twice-normal gear contact for maximum balance and thrust



Model 800 Orbital Sander

- RPM: 8,500 +
- Air consumption: 11.4 cfm 90 PSI
- Noise level: 89 dBa
 Pad size: 2-3/4" x 16"

ProFinisher™ 600 Random Orbit Action Sander

- The 3/16" offset delivers aggressive material removal with comfortable low vibration operation
 • Designed to use either 5" or 6" pad

HUT500

ProFinisher™ 500 Random Orbit Action Sander

• 3/32" offset with a less aggressive sanding action and is perfect for pre and post paint sanding applications

HUT4500

Random Orbit Action Air Sander

- · Flex-cover gives comfortable gri
- Low profile, vibration-free motor insures full contact sanding



- · Flexible design allows for optimal sanding of flat and curved surfaces
 • Spring-loaded clamps for simple
- replacement of sandpaper
- Pad size 9-1/2" x 2-3/4"





LIFETIME WARRANTY

DYB59010

- 3/8" Dynorbital-Spirit™ Random Orbital Sander
 0.25 Hp, 12,000 RPM, Ergo palm style grip, with rear exhaust
- Includes: low profile, premium urethane, weight-mated, non-vac pad (PN56107)
- One-piece speed control dial
- · Use for aggresive sanding



DYB59025

3/16" Dynorbital-Spirit™ Random Orbital Sander • Use for general sanding



- KT185300
 Air Belt Sander 1/2" x 18"

 Belt Speed: 1320 (M/Min); Free speed: 20,000 RPMs; Average air consumption: 3.9 CFM (110 L/min)
- Length: 14.4" (365mm); Weight: 2lbs (0.92kg)
 Inlet threaded 1/4" NPT (F); Hose size: 3/8" ID
- Includes 3 belts: (40#, 60#, 80#)
- Covered by a 1 year warranty

KTI85807

7" Horizontal Air Sander • 2800 RPM

- 1/4" NPT air inlet, 7 cfm air consumption
- 90 PSI air pressure recommended
- · Covered by a 1 year warranty



6" Pad x 8-1/4" Long Horizontal Air Sander with 10.000 RPM and 4CFM

- 10,000 RPM
- 90 PSI, 1/2 HP, 4 CFM, 3/8" hose inlet
- · Covered by a 1 year warranty





WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Ultra Duty Vacuum-Ready Random Orbital Air Sander • 12,000 RPM free speed for swirl-free finishes

- · Durable, lightweight composite design weighs less than 2 lbs.
- Pad diameter: 6"



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

IRT315

Heavy Duty Twin Piston Straight Line Air Sander

- 3,000 reciprocating strokes per minute
- Quick action paper clamps
- · Smooth, reliable power
- Free speed: 3,000 RPM
 2-3/4" x 17-1/2" Pad



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



6" Random Orbital Sander

- · Low profile design with ergonomic grip
- Variable air speed control
- 5mm orbit for rapid material removal
- Ideal for pre-paint preparation, sanding, feather edging and touch up work



Painting Accessories



PTKEO-300BSR

Body Shop Rack with 3 Shelves • Shelves measure 40"W x 24"D

- · Shelves adjust every 3"
- 125 lbs. per shelf Includes 3 shelves and 6 storage hooks and 2-18" arms





PTKEQ-300SYD Paint Rack (Spyder)

- Adjustable support arms from 7" to 44" in width
- Ideal for holding light weight parts
- Rubber boots keeps stand areas free of overspray



Painting Accessories

PAstro

Portable Work Stand

- Heavy duty construction (500 lb. capacity)
 Steel tubing with 1/2" foam padded top
- · Great for auto-body work (doors, fenders, hoods, & bumpers)
- Height adjusts: 33" to 40"

AST557010

Extra Heavy Duty Portable Work Stand

Adjustable to 45" tall

AST557100

- The Fender Extender 80" Adjustable Extension
 Extension tailored for long or wide bumpers, hoods and fenders that
- would normally be difficult to balance on a work stand
 a way adjustable from 77.5" to 80" in length, works on any tube design work stand
- Works best on stand height settings of 30-36" (or affixed w/ 5-6 chain lengths)

AST7300

Universal Rotating Super Work Stand

- Comes with 8 adjustable bars to fit almost any panel securely
- Allows for single handed rotation of panels 350 degrees in 16 degree increments
- Weight Capacity: 200 lbs.





PAstro

18" Masking Machine for 2 Paper Rolls and 4 Tape

- Large adjustable washers maintain paper alignment
- Wing nuts for easier paper loading
 Sharp, anodized blade for smooth cutting



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KT179750 Work Stand Adjustable & Foldable 41 x 43 x 35

- Load Capacity: 500 lbsHeavy gauge chain has 6 connectors, which can be placed to adust height and width
- 1-Year Warranty

KT179755

Work Stand Adjustable & Foldable 31 x 36 x 41"

- Load Capacity: 750 lbs
- · Heavy gauge chain has 6 connectors, which can be placed to adust height and width
- 1-Year Warranty



PBE Specialty Tools

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



STC35900

panel tree (paint stand)

Center post design allows access to edge, bottom and both sides of the panel

STC35800

Bumper Tree

• Tilt while painting to give easy access to top, bottom, front, back and wrap-around ends

STC21870

E-Z Rest Door Hanger

- · Quickly adapts to most floor jacks with removable saddles
- Hang bumpers, store glass, many other uses

STC32955DLX

Big Easy Glow Lock Out Tool

 Ğlow in the dark yellow allows you to see the tool at night or through tinted windows

STC21730 Easy Pry Tool

 Non-marring wedge has a 1" blade with a curved clip end that allows easy access and removal of plastic bezels, mouldings, trim and panels without scratching the surface

STC21720

Sure Grip Trim Clip Pliers

- Won't break clips
- insulation, etc.



DENDF-EZAP StaticZAP Anti-Static Device

- . Keeps the surface clean during the paint process
- to avoid unnecessary reworking and buffing

 The Kit includes a lightweight, durable gun, rechargeable lithium ion battery, two emitter pins, and safety keys.





KILART251

Bumper Hole Punch for parking sensors

- 10 sizes for US and imported vehicles
- Faster, easier, perfect results



KILART12DX

Deluxe Door Skin Tool Kit

- Door skins applied in less than 10 minutes
- Deluxe kit includes extra chisel, extra spring and a blow molded case



KILART90MINI

Mini Squaring Tram

- Extends 20" to 58"
- · Easily fits under the hoods of small vehicles like Honda Fit
- Comes with 2..5" & 2...12' calibrated pointers + nylon bag



KILART45

Heavy Duty Door Lift Operated by Air Ratchet


- One man can remove or replace doors
- Built to last with 1-1/2 inch steel tubing
- · Precision height adjustment



ASTDS1000

Pneumatic Door Skinner Tool

- Saves significant time and cost in skinning doors
 Produces factory like results in one pass
 Design allows tool to maneuver around inner and outer curves as well as most body design features. Close tolerance design and manufacturing, results in a tool that is incredibly smooth, quiet, and easy to use





PAINT & BODY TOOLS

Body Repair Tools and Riveters

KILART38-220DX Deluxe Dent Removal System 220 Volt

- . 5 times faster than using pin welders
- · Comes with pulling package and welding cart
- 5 year limited warranty
- Built in the USA
- · Complete with 6 finger claw, wiggle wire and 20 foot cord

KILART38-110DX Deluxe Dent Removal System 110 Volt







URE5700HT

Mini-Weld Model 7 Airless Plastic Welder Kit

- The Mini-Weld Model 7 Airless Plastic Welder is a complete kit that you can use to repair all kinds of plastic
- It's a complete, ready-to-use kit that is jam packed with benefits



URE6146

Bumper Pliers Kit

- Accurately repair torn slots and recessed bolt hold in bumper covers
- Reduce sanding time by squeezing plastic to correct thickness
 Restore correct dimensions of slot for proper panel installation
- 7 different sized forming dies fit most bumper slot sizes



IDIGB-20311

Inductor Glass Blaster

- · Removes automotive glass
- Removes spray-on bed liner
- 110v power
- Includes: 1 ea. 110v Inductor power supply (22.5"W x 11"L x 10.3"H)(15.4
 Ib.) w/ hardwired U-311 & in box storage, 68" power cord, instructional DVD, 2 ea. L-0810A, & 1 year warranty.






DENDF15DX

Spot Annihilator Spot Weld Drill Kit

- · Applies cutting pressure for you, no need to push
- Depth adjustable, cut out only the spot weld
- 1000 rpm, for harder steels in todays cars Leading spot weld drill in the industry
- · Guaranteed customer satisfication



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

- · Includes one 6mm, three 8mm, and one 10mm
- Extra hard edge
- Lower friction





DENDF-CT887 Slimline Plastic Pop Riveter

· Pulls 2 sizes of rivets





DENDF-505

The 'Original Maxi' Dent Pulling Station • Very powerful - 220 volt power

- Provides the technician with the power they need to shrink, pull rocker panels, hail damage, créases, dents in hard to access areas and all types of metal damage
- The efficiency of this tool increases the workers productivity while producing a cleaner, better repair
- . Made in the USA with a five year warranty

DENDF-900B

Mini Aluspot Repair System

Kit includes:

- An aluminum specific stud welder with the ground integrated on the gun
- · Spitznagel Design self-locking stud pull fingers
- Two kinds of alu-studs
- · Metal bar for crease pulling
- · 2 Kinds of brushes with metal bristles
- · A mobile storage cart with electrical power strip
- Consumable storage case
- Twist-on eyelets
 Leverage puller
 Stud cut pliers
 Dust cover

DENDF-EZN1GEZ Nitrogen Plastic Welder Generator

- · Eliminates the need for refilling nitrogen tanks and has a smaller footprint
- Includes plastic rod in various types and sizes
- 110volts and a maximum of 10amps, total consumption is a maximum of 600 watts

DENDF-EZN1

Nitro EZ Plastic Welder - 1 nitrogen and 1 airless

- The DF-EZN1 EZ NITRO PLASTIC WELDER is unique in its use of proprietary Flow Adjust Switch Technology (FAST)
- Equipped with two welders, the DF-EZN1 EZ NITRO incorporates both a nitrogen welding torch and an airless welding torch.

DENDF-900DXE

 Number - 900DAE
 Aluspot Extended Aluminum Repair System
 The DF-900DX/E Aluspot Extended includes everything that the Ford Approved Aluspot (DF-900DX) does PLUS Aluminum-Head Hammer Set (DF-AH714), POM Nylon Dolly Set (DF-AB712), two more storage drawers, an in-cabinet electrical power strip, and a holster on the side of the cabinet to hang the heat gun.

DENDF-900DX

Aluspot Deluxe Aluminum Repair Station

- · Everything you need to repair aluminum panels
- The most complete aluminum repair station from a name you know and trust!
- The capacitor discharge welder is 110 volt powered. Re-charge time for the capacitors is less than 3 seconds. The ground is on the weld gun itself
- The DF-900DX includes everthing found in the DF-900A but also includes a bridge puller, 3rd drawer and dust cover

DENDF-800BR

Hot Stapler Plastic Repair Deluxe 110V Kit

- Staples plastic pieces together
- · Allows flexibility for fitting the part
- · Creates great strength to prevent re-breaking or cracking
 Save bumpers, headlight assemblies and
- other plastic parts
- 5 year warranty



Body Repair Tools and Riveters

Polyvance

URE6080-CG

- Nitrocell Welding System

 Make stronger repairs than with any other method
- · Profit from repairing plastic rather than replacing it
- · Repair tabs, mounting holes, and slots that are impossible to repair with two-part adhesives
- Large selection of welding rod in organizer case
- Includes Bumper Mate workstation and Bumper Pliers Kit



URE6204 Hot Spot Cordless Stapler

- Muliti-position staple contacts.
- · LED light for illuminating tight spaces
- DC rechargeable power allows up to 700 staples on a single charge
- Simple one button operation



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

LNXLP2000

230 Volt Portable Dent Puller

- Primary voltage: 208/230 single phase 60/50 Hz
- Line fuse: 30 AMP
- Size: 11-1/2"H X 15"W x 16-3/4"L
- Power input cable: 25', No. 12/3 wire
 Cable assembly length: 7' ground,
- 7' power
- Maximum welding capacity: 20 gauge Autobody steel
 • Weight: 64 lbs. (29 kg)

LNXLP2000/120

120 Volt Portable Dent Puller

LNXL4000

Markii Autobody Dual Spot Welder

- Primary Voltage 208/230 single phase
- KVA Rating 4
 Line Fuse 50 Fuse
- Power Input Cable 50` No. 10/3 Wire
- Welding Cable Length 5
- Maximum Welding Capability 20 Gauge Autobody Steel





FREE MO CLAMP CATALOG CALL 800.678.5548

MOC0800

Tac-N-Pull™ Set with 3 Pull Plates

· For hard to hold pulls

M0C0802

Tac-N-Pull™ Pull Plates 1-1/2"

MOC0805

Tac-N-Pull™ Pull Plate Kit

- Reusable plates
- Includes the following: (10) 0801 1" Pull Plates,
 (5) 0802 1" Pull Plates, and (5) 0803 3" Pull Plates



KILART77PC Compact Hot Stapler

- Compact design fits into tight places
- 3 staple settings
- Machined brass electrodes for durability
- . Bright LED'S for easy viewing









TADAF44L

6 Piece Dura-Block Sanding Kit

- Uniform machined surfaces
- Hard surface tension
- . Multiple blocks in one kit covers a variety of jobs

- TADAF4400 Dura-Block Standard Sanding Block
- TADAF4401 1/3 Dura-Block 5-1/4" Sanding Block
 TADAF4402 2/3 Dura-Block 10-1/2" Sanding Block
- TADAF4403 Dura-Block 16-1/2" Full Size Sanding Block
 TADAF4404 Dura-Block 11" Tubular Sanding Block
- TADAF4405 Dura-Block Scruff Block

TADAF44HL

Piece Dura-Block Hook and Loop Sanding Blocks Dura-Block conforms to the panel curve Will not dig into fill material



HSA4550

Starter Kit Plus Stud Welder Kit

- · Built in overload protection Exclusive Stud Ease Technology
- Super sensitive trigger in handle for one-handed operation
 Upgraded 1016 "T" handle slide hammer

HSA9000

Uni-Spotter Deluxe Stud Welder Kit

 Features the Uni-Spotter exclusive "Stud Ease Technology"
 Includes: Uni-spotter deluxe gun, deluxe slidehammer, mini puller, eliminator side-by -side adaptor with extend-a-tip, 2.2mm flexpert welding studs, 2.6mm heavy weight welding studs, mold rivets, stud welding tip, mold rivet tip, shrink tip, custom molded toolbox

HSA5500

Uni-Spotter Stinger Plus Stud Starter Welding Kit

- Complete mid-range kit, featuring the most powerful mid-range welder available
- Features the Uni-Spotter exclusive "Stud Ease Technology"
 Includes: Stud gun, deluxe slide hammer, stud tip, mold rivet tip, shrink tip,
- eliminator, mini puller, blackhead studs, flexpert studs, mold rivets

Dual-Spotter Deluxe Alum/Steel Stud Welder

- Hand held alum/steel stud welder
- · Adjustable output power
- Includes stud welder, power supply, ground cables, weld tips
- · Heavy duty ABS carrying case



MRT647KFG 7 Piece Body and Fender Repair Set with Fiberglass Handles

· Includes: cross chisel curved hammer, shrinking hammer, utility pick hammer, light dinging spoon, toe dolly block, heel dolly block and general purpose dolly block.
All made with the quality and durability to last.



MRT644KFG

4 Piece Body and Fender Kit with Fiberglass Handles

- Pick Hammer 1-1/2" diameter low crown round face for smoothing and stretching

 Curved Hammer - Used for prying and smoothing

 Dinging spoon - this spreads the blow over a large area

- making a smooth job and preventing damage to metal or the finish
 Dolly block Excellent forming and caulking tool for the deep pockets of doors, quarter-panels, rear fenders and lower trunk panels



PAINT & BODY TOOLS

Body Repair Tools and Riveters



KTI79100


Heavy Duty Hand Riveter

Sets 3/32", 1/8", 5/32" & 3/16" diameter rivets Complete with rivet samples

KT179110

1/4" Super Duty Riveter
17" Long Handles with 5 nose pieces

Set 1/8", 5/32", 3/16", 7/32" and 1/4" rivets









ALC77175

The Hustler Stick Alignment Bar

- Heavy duty 1-1/4" diameter tubing with two welded hooks for strength and versatility
- 1/4" chain, 6 foot long with hooks on both ends.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Cut Slapping Files

- Ideal for panel shrinking and metal removal
- Shaped for easy hand use
 Fully heat treated
- Made in the USA

ALC77505 - Medium Second

ALC77506 - Coarse Bastard



marson

MAR39000

HP-2® Professional Hand Riveter

Sets up to 3/16" rivets and comes with 4 mounted nosepieces and a service tool in a Hang-tab box

MAR39001

Marson® Hand Riveter Kit

- Marson's popular HP-2 hand riveter, plus 200 assorted Klik-Fast rivets in popular sizes, and storage case
- 4 nose pieces for 3/32", 1/8", 5/32" and 3/16" rivets.



ALC77043

Monkey-On-A-Stick Jack Set



Up to 3,000 lbs. push/pull power

- Multiple position handle for hard to reach areas
- Friction jack features 5 hardened friction plates for minute adjustments

TOOL

PAstro

AST1442

Nut & Thread Setting Hand Riveter Kit

- 13" Long riveter with shorter handles and double compound hinges that maximizes leverage
- Patented structure increases power and reduces shock
- 6 interchangeable mandrel/nosepiece sets in metric (M5, M6, M8) and in SAE (10-24, 1/4-20, 5/16-18) Kit complete with 10 pieces of each of the following rivet nuts: M5, M6, M8, 10-24, 1/4-20, and 5/16-18



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

AST1452

XL Nut/Thread Setting Hand Riveter Kit 1/2" Capacity

 Includes six interchangeable mandrel/nosepiece sets in Metric and SAE sizes: M8, M10, M12, 5/16", 3/8", and 1/2"

Also includes 10 piece rivet nuts of each included size

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

EVERC@AT

30oz. Glaze Coat Putty

- Spreads to an ultra-smooth finish with a fine taper, easily filling pinholes, grind marks, low spots and other minor imperfections
- · Tack-free formula for easy sanding without clogging sandpaper

FIB282

- Z-Grip Non-Clog Lightweight Filler Gallon
- Clog-free formula improves sanding
- · Enables optimal adhesion to substrates like galvanized steel, bare steel, aluminum, SMC and E-coats

Headlight Restoration

MMM39008

3M™ Headlight Lens Restoration System

- Plastic lenses can yellow with age,
- Plastic lenses can yellow with agreducing headlight brightness
 Shine and restore plastic lenses, including headlights, taillights, fog and directional lights
- 4 Štep process restores clarity and improves night-time road visibility. Includes sanding discs, 3" polishing pad, backing pad, & polish sample
 • For use with any household drill

MMM02516

3M™ Headlight Lens Restoration System

- Includes 3" polisher and 3" DA sander
- . The fast and easy way to restore the clarity back to headlight lenses that have become dull or cloudy over time
- Designed with the professional in mind to maximize productivity and performance
- Easy, fast and effective

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





FTZHR31501

Headlight Restoration Kit


- Removes haziness from plastic headlights in one easy step
- · Complete kit includes everything needed to restore headlights



WARNING: Cancer and Reproductive Harm - www P65Warnings ca gov



 One product, Many uses: Metal, Plastic, Fiberglass, Glass,... Tough, durable protection; Non-abrasive; Non-toxic; Non-flammable; USDA authorized; Protects up to 6 months in fresh water; up to 3 months in salt water.









ABRASIVES & GRINDING





DYBNZ1

Nitro Series - NITROZIP Surface Preparation Tool

- · Outperforms conventional spiral-wound wheels without clogging
- Excellent power for removing seam sealer and paint
- Tool duplicates sand-blasting effect without surface fatigue
 Excellent for removing two-sided adhesive molding tape and decal material with use of rubber eraser wheel
- 1 year warranty on material and workmanship



Sand Paper

MMM2602

Superfine Softback Sanding Sponges

- 4-1/2" x 5-1/2"
- 20 sponges per box

MMM2604

Fine Softback Sanding Sponges

- 4-1/2" x 5-1/2"
- 20 sponges per box



MMM2044

Imperial Wetordry Sheets • 5-1/2" x 9" • ANSI grade: 2000

- 50 per sleeve

MMM2023

- **Imperial Wetordry Sheets**
- 5-1/2" x 9" • ANSI grade: 1500
- 50 per sleeve







Cut-off Wheels

Part #	Туре	Size	Qty	Price
MMM1987	General Purpose	3" x 1/32" x 3/8"	50/Case	
MMM1988	General Purpose	3" x 1/16" x 3/8"	50/Case	
MMM1989	Green Corps	3" x 1/32" x 3/8"	5/Pack	
MMM1990	Green Corps	3" x 1/16" x 3/8"	5/Pack	

Surface Preparation

Roloc Bristle Discs

				S ROBBARD	
Part #	Size	Grit	Color	Qty	Price
MMM7524	2"	50	Green	10	
MMM7525	2"	80	Yellow	10	
MMM7526	3"	50	Green	10	
MMM7527	3"	80	Yellow	10	
MMM7528	2"	120	White	10	
MMM7529	3"	120	White	10	

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Surface Prep Discs - Roloc (For Steel Parts)

Part #	Size	Texture	Qty Per Box	Price
MMM7480	2"	Coarse	25	
MMM7481	2"	Medium	25	
MMM7485	3"	Coarse	25	
MMM7486	3"	Medium	25	
MMM7482	4"	Coarse	10	

Surface Prep Discs - (Green Corps, Sanding Discs)

Part #	Size	Grit	Qty Per Box	Price
MMM1396	2"	50	25	
MMM1397	2"	36	25	
MMM1398	2"	24	25	
MMM1406	3"	50	25	
MMM1407	3"	36	25	
MMM1408	3"	24	25	

Roloc - Holders

Part #	Size	Price
MMM5539	2"	
MMM5540	3"	

ABRASIVES & GRINDING

Surface Preparation



Twist and Lock Style Surface Prep Disc

 Made in the U.S.A. Box of 25

MTN8481

2 in. Medium Surface Disc 25/box

MTN9485 3 in Coarse Roloc Disc 25/box MTN9486 3 in Medium Roloc Disc 25/box



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov






#1 Selling



MTN4601-5 (5/Pk.)

2-7/8" x 1/16" x 3/8"








KTI70550 Sanding Pen

- Over 20,000 glass fibers in pen point
- · Goes where other tools or sandpaper can't reach
- Includes extra pen point in rear cap
- Made in U.S.A.
- Limited lifetime warranty





WARNING: Cancer and Reproductive Harm

ww.P65Warnings.ca.gov

KTI70551

Sanding Pen Refill 2 Pack



KTI71303

3" X 1/32" Cut-Off Wheel, 6/pk

High quality abrasive wheels with 3/8" arbor hole

• For cutting mufflers, light metals, fiberglass and more

KTI71301

Cut-Off Discs 3 x 1/16 25 pc
• Abrasive Cut Off Discs, 3" Diameter, 3/8" Arbor, 1/16" Thick, Pack of 25

KTI71300

Cut-Off Discs 3 x 1/16 50 pc
• Abrasive Cut Off Discs, 3" Diameter, 3/8" Arbor, 1/16" Thick, Pack of 50

KTI71306

3" X 1/16" Cut-Off Wheel, 6/pk

- High quality abrasive wheels with 3/8" arbor hole
- · For cutting mufflers, light metals, fiberglass and more

KTI70013


Cut Off Wheel Arbor

- Drill adapter for cut-off discsFits any drill 1/4" capacity or larger











MTN8540 - 3" Surface Prep Holder with 1/4" Shank



Norton 6" Cyclonic Multi-Air Discs

 The sharp, cool-cutting ceramic grain performs well on conventional paints and primers as well as hard-to-sand surfaces like ceramic clears, E-coated panels, aluminum and composites



Part #	Size	Grit	Qty	Price
NOR07775	6"	P180B	50	
NOR07787	6"	P800B	50	
NOR07781	6"	P320B	50	
NOR07786	6"	P600B	50	
NOR07784	6"	P400B	50	
NOR07770	6"	P80C	50	

NOR03077

SoftTouch Ultra Fine Sponges

- 4-1/2" x 5-1/2"
- 20 Pack



AST2181

8 Piece Double Cut Carbide Burr Set

Set includes:

- SA-5: Cylindrical shape 1/2" x 1"
 SA-3: Cylindrical shape 3/8" x 3/4"
- SC-3: Cylindrical radius end 3/8" x 3/4" SC-1: Cylindrical radius end 1/4" x 5/8"
- SD-1: Ball shape 1/4"
- SD-3: Ball shape 3/8"
- SF-3: Tree shaped radius end 3/8" x 3/4"
- SF-5: Tree shaped radius end 1/2" x 1

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



PAstro







IPADGW18

Diamond Grinding Wheel Bundle 2018

- For grinding, deburring, surface prepping, cutting sheet metal, fiberglass and more
 Outperform standard grinding wheels; maintain diameter, last longer and cut faster
- Core bonding technology increases wheel life a minimum of 2,000% (20X) by exposing the full diamond particles which provides maximum grinding performance
- Access hard-to-reach areas
- · Low sparks, odor and debris
- Includes (1) IPA8150, (6) IPA8151, (6) IPA8120.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

IPA8150

4.5" Diamond Grinding Wheel


WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

IPA8151

3" 3-in-1 Diamond Grinding Wheel



2" 3-in1 Diamond Grinding Wheel



TECHNICIAN ESSENTIALS



BERTBLBCK

Bluetooth

- BeatBlock Bluetooth Speaker
 Charges with USB Connection
 Long Battery Life
- Rubberized Coating
- 10 hour battery life

ANCTLBBT1

TechLifeTwins Stereo Pairing Bluetooth Speakers

- Dual pairing for true stereo listening
- 20 watt power output gives beautiful, full bodied sound
- · Can be mounted anywhere via the built in mounting holes
- 10 hour battery life

ANCTL35BM-00

BOSS 35w Portable Bluetooth Speaker

- Sync up to 100 BOSS Speakers adaptable to any listening environment
- . 35 watts of bass pumping power
- 12 hour battery life
- Speakerphone capability
- Water resistant





SONDPEX.

SONRBS-E15B Bluetooth Speaker Bar and Music Player

- Working Range: 30 feet, Distortion: less than 0.5%
- · Handsfree to answer calls with built-in mic
- 1000mA rechargeable battery
- Run time: 4-8 hours
- Support line-in, hand-free call with internal mic and MicroSD slot

Bluetooth

Three language (English, Spanish, French) voice prompt





MTNBT705TJ

In-Ear Headphone - Bluetooth 4.2

- Receiver distance:10m/360°
- Successive working time: About 5 hours



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

SUNEX[®] TOOLS

SUNSUN32ELEANOR

Eleanor Mini Fridge, 3.2 cu-ft

- · Full width in-door storage shelves
- · Adjustable wire shelves for larger items
- Fréezer compartment at the top of the fridge



CRKM16-10KZ

Carson M16® Every Day Carry E.D.C. Knife • Liner Lock with Zytel® scales and a dual

- 2Cr13 stainless steel liner InterFrame
 AutoLAWKS™ safety system
- · Black EDP blade, black frame and hardware

Shuffle BlackWash™ Finish Knifes

- Stainless steel blade, BlackWash™ finish
- Handle: Glass-filled nylon, K-Texture™ grip
- Blade length: 2.4 in. (6.1 cm)
- . Thumb stud, Manual opening, Liner lock and Reversible pocket clip (left/right)
- Bottle opener, screwdriver, lanyard hole

KER8700LIMEBW (Lime Green) KER8700PURBW (Purple) **KER8700TEALBW (Teal)**

KER8700 (Black / Non-BlackWash)



LANSKY

LANLKCLX

Deluxe Knife Sharpening System Kit

- Flip over knife clamp
- Sharpening hones on color coated, finger grooved safety holders
- . One guide rod for each honing stone
- · Specially formulated honing oil

LANLCD5D

Deluxe Turn Box Sharpener

- · Pre-set knife sharpening angles
- 20 degree and 25 degree
- This 2-Stage Knife Sharpening System features a hardwood turnbox with internal rod storage in the base, and four 5" long alumina ceramic rods. (2 medium grit grey rods, 2 fine grit white rods)

LANPSMED01

Blademedic™ Knife Sharpener

- Tungsten Carbide
 Diamond Tapered Rod
 Ceramic Sharpening Rods
 Serrated Knife Sharpener

LANQSHARP Quick Sharpening System

- Four Sharpening Angles: 17°, 20°, 25°, and 30°
- Carbide slots sharpen in 3-4 strokes
- · Ceramic benchstone for fine polishing





DARWSKTS

Work Sharp Knife and Tool Sharpener

- · Sharpens hunting knives, kitchen knives, pocket knives, even serrated edges, scissors, and gut hooks!
- · Comes with two precision guides to hold the proper angles on your blades and provide quick, precise, and repeatable results

DARWSCMB

Work Sharp Combo Knife Sharpener

- It combines powered flexible abrasive belt technology with a manual ceramic honing rod
- Professional knife makers use flexible belts to put a razor sharp edge on their blades, now you can have the same technology at home any time your knives get dull

DARWSKTS-KO

Ken Onion Edition Work Sharp **Knife and Tool Sharpener**

- 3/4" x 12" Flexible Engineered Norton Abrasive Belts
- Adjustable Sharpening Guide 15° to 30° (in 1° increments)
 Variable Speed Heavy Duty Motor
 Multi-Position Sharpening Module

DARWSGFS221

Work Sharp Guided Field Sharpener

- Built in sharpening guides ensure a consistent bevel angle across the entire length of any blade - 20 and 25 degree angles • 5 abrasive steps provide the complete sharpening solution - 2 diamond plates, 2
- ceramic rods, and even 1 leather strop for final honing





Gloves

MICR@FLEX®

ADDITIONAL SIZES AVAILABLE

Black Dragon® Powder Free Black Latex Exam Gloves (100 Per Box)

- Fully textured for excellent tactile sensitivity
- Manufactured under an ISO 13485 quality system
- Meets maximum powder and maximum water extractable protein requirements

MFXBD1003PF-L - Large MFXBD1004PF-XL- X-Large



Diamond Grip Powder-Free Latex Gloves (100 Per Box)

- Fingertip textured
- · Beaded cuff

MFXMF300L - Large MFXMF300XL - X-Large



Safe Grip Powder-Free Latex Gloves (50 Per Box)

4X thicker than standard examination gloves

MFXSG375L - Large MFXSG375XL - X-Large



Black Dragon Zero PF Nitrile Exam Gloves (100 Per Box)

- Textured fingertips allow a secure grip on tools
- Powder free
 Black color masks stains

MFXBD1003NPF-L MFXBD1004NPF-XL



Dura Flock

8 mil Flock-lined Green Nitrile Glove

- 25% thicker than standard disposable gloves for increased durability
- 100% nitrile, latex-free
- Reusable (Saves Money)

When ordering Dura Flock" always order the size larger than you normally would.

MFXDFK608L - Large MFXDFK608XL - X-Large



MidKnight Powder-Free **Nitrile Examination Gloves**

- Non-Sterile Single Use
- NOT MADE FROM NATURAL RUBBER LATEX

MFXMK296-XL - X-Large MFXMK296-XXL - XX-Large



ONYX® Black Nitrile

Examination Gloves, Box of 100

- Economical PF medical grade
- · Black nitrile





Raven™ Powder Free Black Nitrile Gloves

- Superior puncture and abrasion resistance
- 6 Mil. powder free
- Latex free
- · Textured grip
- Ambidextrous
- Box of 100

SAS66517 - Medium

SAS66518 - Large

SAS66519 - X Large

SAS66520 - XX Large

ASTRO Grip Powder Free Orange Nitrile Gloves

- Dual Sided Scale Grip
- Bright Orange for High Visibilty
 6 Mil. powder free
 Box of 100

SAS66572 - Medium

SAS66573 - Large

SAS66574 - X Large











The Original® Glove

- · Clarino Synthetic Leather palm and fingertips
- Thermal Plastic Rubber hook and loop cuff closure and two-way stretch Spandex top

MECMG-01-010 - Yellow, Large

MECMG-02-010 - Red, Large

MECMG-03-010 - Blue, Large

MECMG-05-010 - Black, Large

ADDITIONAL SIZES AVAILABLE

The Original® Wolf Grey Gloves

- Form-fitting TrekDry®
- Thermal Plastic Rubber closure with hook and loop

MECMG-88-009 - Medium

MECMG-88-010 - Large

MECMG-88-011 - X-large

Mpact® Glove with Poron XRD

Padded palm
 Poron XRD enhanced

MECMPT-52-010 - Black/Red, Large

MECMPT-58-010 - Black/Grey, Large

ADDITIONAL SIZES AVAILABLE

MECFFTAB-78-011 - X-Large Multicam Fast Fit Gloves

- .6mm Synthetic leather provides Hi-dexterity
- Fully touchscreen capable
- Form fitting Trek Dry provides evaporating cooling





Safety Pro Lighted Gloves

- . Hi Viz safety glove DOT compliant
- · 3 touch screen fingertips to use on mobile devices
- · LED safety cull illumination
- Padded knuckles

CLCL146XX (2X) CLCL146XL (X-Large)





Eye, Face and Hearing Protection



Acadia Eyewear

- 3/4 frame design offers high impact protection, with sculpted padded temples
- Soft, ribbed nosepiece is ergonomically designed
- · Bold, sport-inspired style
- Meets the ANSI Z87.1-2015 standards

UVXS4164 (Red Shades) UVXS4162XP (Amber Shades) UVXS4160XP (Clear Shades) UVXS4161XP (Gray Shades)



UVEX® Ignite™ Safety Eyewear

- Nine-Base, wrap around lens
- Bold temple design with soft tip pads
 Adjustable nose piece helps reduce slippage
- Allows 50% of available light to pass through
- Ideal for transition from indoor to outdoors



UVXS4411 - Grav Lens & Red/Silver Frame UVXS4412 - Reflect 50 Lens & Red/Silver Frame

UVXS4413 - Silver Mirror Lens & Red/Silver Frame



UVXS8500

Uvex® Bionic Face Shield®

- · Protection from airborne debris
- · Replaceable visor
- · Comfort foam on head gear
- · Breathable, removable, washable headband
- Comfortably worn with most goggles and respirators
- Passes ANSI and CSA standards Lens: Clear



CABZIPZB14

Original Cablz® Zipz Eyewear Retainer

- Adjustable and snag proof when "zipped"
- Stavs off neck







NSX Turbo Safety Glasses, Polybag

- High polycarbonate lens
 Single lens design
 Scratch resistant coating • 99.9% UV Protection
- · Lightweight wrap around lens
- SAS5330 with Clear Lens
- SAS5331 with Shade Lens
- SAS5332 with Yellow Lens
- SAS5333 with Light Blue Lens
- SAS5334 with Indoor/Outdoor Mirror Lens





SAS5340

NSX Safety Glasses with Clear Lens, Black Temple, Polybag

- High impact polycarbonate lenses
 Scratch resistant lenses
- · Anti-fog coating on lenses
- 99.9% UV protection





SAS5106

Deluxe Overspray Goggles

- Impact resistant polycarbonate lens with 99.9% UV protection
- Anti-splash: special vents prevent liquid from getting into eyes
 Meets current ANSI Z87.1 Standard

SAS5103

"Gloggles"

- · Interchangeable from goggles to safety glasses
- Lenses provide 99.9% protection against UV rays
- Clear lens



Super-soft ear plugs conform to the inner ear





Banded Earplugs

· Lightweight, comfortable reusable banded plugs

SAS5145

Deluxe Clear Faceshield

- Polycarbonate lens
- · Features a new curved design
- 8" x 15-1/2" x 0.060" lens
 Complies with OSHA standards

SAS2985

Nuisance Dust Mask 50 / Box

· Dust mask protects against non-toxic dusts, powders, pollen, and other common airborne



Disposable N95 Particulate Respirator


- N95- Particulate Filter (98% filter efficiency level) effective against particulate aerosols free of oil
- One size fits all
 NIOSH approved

SAS8611 - Valved Box of 10 SAS8610 - Disposable Box of 20



• Soft, blue thermoplastic elastomer (TPE) face piece is form fitting and can be worn for hours

NIOSH approved • Organic Vapor cartridge/N95 filter assembly





SAS6025

25 Person First Aid Kit

· Contains practical, single-use disposable items to treat injuries in a sanitary and simple way






SAS5134-00

9 Gallon Eyewash Station

- One-hand operation
- . Holds 9.11 gallons of water
- Gravity fed, no plumbing required
 Provides 15-minute flushing period
- Complies with ANSI Z3581.-2014





CUTTING & THREADING

KTI10330

326 Piece Master Drill Bit Set

- · Comprehensive set of drill bits and accessories
- 326 piece set includes bits and accessories for nearly every job

 • Unique storage case fully opens
- to access bits and accessories
- Two (2) bottom trays fold and slide into portable carrying case
- Transport from job to job quickly and easily!




KNK29KK5DB

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Drill Bit Sets

29 Piece Fractional Jobber Length
Drill Bit Buddy Set

• For jobber length drills from 1/16"
through 1/2" by 64ths



KNK13KK5 - 13 Piece KNK21KK5 - 21 Piece



KNK5KK9

5 Piece Jobber Length Carbide Tip Drill Bit Set

- · Carbide tipped and made for use in drilling hardened steel in the range of 48 to 65 Rockwell "C"
- Drill without annealing or changing the structure of the material
 Sizes include: 1/8", 3/16", 1/4", 5/16" x 4", 3/8" x 4".



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



MLW48-32-4062

Nilwaukee

- 74 Piece SHOCKWAVE Impact Duty Driver Bit Set
 Optimized Shock Zone™ geometry absorbs peak torque and prevents breaking
 Custom Alloy76™ Steel maximizes resistance to wear and shock

- Absorbs 3X more torque vs. impact bits
 Precise fit custom machined tipTM prevents stripping and reduces wobble
- Up to 30x life

Drill Bit Sharpeners





DAR500X **DD500X Drill Bit Sharpener**

- Sharpens 3/32" 1/2" drill bits;
 High-speed Steel, Carbide, Cobalt,
 TiN-coated and Masonry bits
 One piece alignment system improves
 procision and adjust bility.
- precision, and adjustability



DAR750X

Drill Doctor 750X

- Sharpen bits form 3/32" to 3/4" with a single, convenient chuck
- Adjust the point angle from 115° to 140°
- Sharpen high-speed steel, masonry, carbide, cobalt, TiN-coated and split-point bits

High Speed Steel Drill Bits

FULL LINE OF OPEN STOCK AVAILAB

IRWIN

HANSON

29 Piece Cobalt Metal Index Reduced Shank Drill Bit Sets

Cobalt steel extends cutting edge life

 Set contains the following drill bit sizes: 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 11/64", 3/16", 13/64", 7/32", 15/6", 1/4", 17/64", 9/32", 19/64", 5/16", 21/64", 11/32", 23/64", 3/8", 25/64", 13/32", 27/64", 7/16", 29/64", 15/32", 31/64", 1/2".

HAN3018002 - M-35 HAN3018002B - M-42

HAN3018005

29 Piece Black and Gold Metal Index Drill Bit Set

- · Oxide treatment resists corrosion, helps prevent bit from rusting
- Turbomax tip starts up to 10 times faster
- Flatted shanks above 11/64" eliminates slippage in drill chuck

Set contains the following drill bit sizes: 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 11/64", 3/16", 13/64", 7/32", 15/16", 14/", 17/64", 9/32", 19/64", 5/16", 21/64", 11/32", 23/64", 3/8", 25/64", 13/32", 27/64", 7/16", 29/64", 15/32", 31/64", 1/2".

HAN3018006B

29 Piece Turbomax Metal Index Drill Bit Set

- Oxide treatment resists corrosion, helps prevent bit from rusting
- Reduced shank above 3/8" allows the use of larger drill bits in a 3/8" chuck
- 18" 3/36 cultains the following drill bit sizes: 1/16", 5/64", 3/32", 7/64" 1/8", 9/64", 5/32", 11/64", 3/16", 13/64", 7/32", 15/16", 1/4", 17/64", 9/32", 19/64", 5/16", 21/64", 11/32", 23/64", 3/8", 25/64", 13/32", 27/64", 7/16", 29/64", 15/32", 31/64", 3/8", 25/64", 13/32", 27/64", 7/16", 29/64", 15/32", 31/64", 1/87/16", 29/64", 15/32", 31/64", 1/87/16", 29/64", 15/32", 31/64", 1/87/16", 29/64", 15/32", 31/64", 1/87/16", 29/64", 15/32", 31/64", 1/87/16", 29/64", 15/32", 31/64", 1/87/16", 29/64", 15/32", 31/64", 1/87/16", 29/64", 15/32", 31/64", 1/87/16", 29/64", 29/64"

HAN30520

5 Piece Cobalt Left Hand Mechanics Length High Speed Steel Drill Bit Set

- Constructed of M-42 8 percent cobalt high speed steel for super abrasive resistance in tough metals
 • Sizes: 5/64", 7/64", 5/32", 1/4" and 19/64"

IRWIN

Double Ended Drill Bits

HAN60608

12 Pack 1/8" Double Ended Drill Bit

- · Black oxide finish for corrosion resistance
- · Bit is constructed of M-2 high speed steel for best combination of strength, heat resistance, and wear resistance

Step Drill Bits

Unibit® Step Drills

- · Cut round holes in thin materials
- Multiple hole sizes on a single drill bit, laser marked sizes

VGPUN1 - 13 Hole Step

• 1/8" to 1/2" by 1/32nds

VGPUN3 - 9 Hole Step

• 1/4" to 3/4" by 1/16ths

VGPUN4 - 12 Hole Step

• 3/16" to 7/8" by 1/16ths





MLW48-89-9221

Milwaukee 3 Piece Step Drill Bit Set (#1, #2, #4)

- JAM-FREE Performance: Dual-flute design provides greater speed and control
- Rapid Strike[™] Tip: Creates fast, accurate starts and generates less heat
- Includes bits #1 (48-89-9201), #2 (48-89-9202), and #4 (48-89-9204) in a sturdy storage case



Extractors

Set

IRWIN



Spiral flute sizes: EX-1 thru EX-5
Left-hand Cobalt drill bit sizes: 5/64" thru 19/64"

• Comes in a plastic case

HAN11135 35 Piece Screw Extractor / Drill Bit Set

Full range of screw extractors from 3/32" to 15/16" (Including metric sizes)





• 10 piece set includes sizes: 1/8" thru 13/32"

25 Piece Hex Head Multi-Spline

Screw Extractor Set

• 7/8" thru 13/32'

HAN53535

· Straight flute



HAN54113

13 Piece Bolt Extractor Set

• 3/8" drive for use with socket wrench or impact wrench. Remove rusted, rounded and seized bolts

• Fits 8mm, 10mm, 11mm, 12mm, 13mm, 14mm, 16mm, 17mm, 19mm, 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"

Bolt Grip Sets

IRWIN

HANSON

HAN53228

Hex Head Multi-Spline Screw **Extractor Set**

• 15 Piece Multi-Spline Set Sizes: 1/8" to 9/16"





CTA9046

Screw Extractor #6

- Material Steel
- Bolt/Stud/Screw Size .75" to 1"
- Pipe Size 3/8" • Drill Size 13/32"
- Lifetime warranty does not cover abuse

CTA9047

Screw Extractor #7

- Material Steel
- Bolt/Stud/Screw Size 1" to 1-3/8"
- Drill Size 17/32"
- Pipe Size 1/2" Lifetime warranty does not cover abuse





KNP9R4719043

 Piece Screw Extractor Double Edged Set
 Contains the following: (1) 9R 471 001 3 Screw Extractor
 A 471 001 3 Screw Extractor Double Edged Size 1, (1) 9R 471 002 3 Screw Extractor Double Edged Size 2, (1) 9R 471 003 3 Screw Extractor Double Edged Size 3, (1) 9R 471 004 3 Screw Extractor Double Edged Size 4, (1) 9R 471 005 3 Screw Extractor Double Edged Size 5.

Thread Repair Kits

HeliCoil

Thread Repair Kits

 Provide permanent conventional 60° internal screw threads that accommodate standard bolt or screw

· Inserts boast a high wearing tensile strength, low thread friction with tight tolerances, and a high surface quality as well as corrosive and heat-resistant properties

Include tap, insert tool, stainless steel inserts and

instructions

HEL5521-5 - 5/16 x 18 Thread

HEL5521-6 - 3/8 x 16 Thread

HEL5521-8 - 1/2 x 13 Thread

HEL5528-4 - 1/4 x 28 Thread

HEL5528-5 - 5/16 x 24 Thread

HEL5528-7 - 7/16 x 2 Thread

HEL5543-10 - M1 x 1.25 Metric

HEL5544-12 - M12 x 1.5 Metric

HEL5546-8 - M8 x 1.25 Metric

HEL5546-9 - M9 x 1.25 Metric

HEL5546-10 - M10 x 1.5 Metric

HEL5546-11 - M11 x 1.5 Metric

HEL5546-12 - M12 x 1.75 Metric



ANGNES1025 - 6-Piece

Contains external NES1A and NES2 with a working capacity of 5/32" - 1.1/2" and Internal NES21, NES22, NES23 and NES24 with a working capacity of 5/16" - 1.1/4".



Burr Sets

IRWIN HANSON.

BOLT-GRIP™ SETS Reverse spiral

flutes bite down to provide maximum

gripping power

• Universal lobular design fits all types of fasteners even damaged or rounded fasteners

 Square drive for use with ratchet or impact wrench; hex flats for use with open end wrench

HAN394001

5 Piece BOLT-GRIP Base Set

• Includes sizes: 3/8", 7/16"(11mm), 1/2", 9/16"(14mm), 5/8"(16mm)

HAN3094001

5 Piece BOLT-GRIP DEEP WELL Base Set

Includes sizes: 3/8", 7/16"(11mm), 1/2", 9/16"(14mm), 5/8"(16mm)

HAN394002

5 Piece BOLT-GRIP Expansion Set
Includes sizes: 5/16"(8mm), 10mm, 13mm, 11/16", 3/4"(19mm)

PAstro

AST2185

5 Piece 4.5" Long Double Cut Carbide Burr Set

- 1/4" Shank
- Composed of Tungsten Carbide
- Should not exceed a maximum of 20,000 RPM • Set includes: SA-3: Cylindrical shape 3/8" X 3/4"
- SC-3: Cylindrical radius end 3/8" X 3/4", SD-3: Ball shape 3/8", SF-3: Tree shaped radius end 3/8" X 3/4", SL-3: Tree shaped 3/8" X 3/4"



Tap & Die Sets

HANSON



HAN3095001

- 2 Piece Adjustable Tap Socket • Jaws adjust to tightly secure taps from #6 to 1/2" taps
- 3/8" square drive compatible with common ratchets



KTI70003

51 Piece Universal Rethreading Set

- Set includes color-coded Taps and Dies: Metric and SAE
- · Highly tempered for strength and durability and are hex shaped for use with a socket or wrench
- 1 Year Warranty on Material and Workmanship


WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

IRWIN

HANSON









HAN26377

117 Piece Fractional / Metric Tap, Die and Drill Bit Deluxe Set

 Combination machine screw, fractional and metric taps and dies, screw extractors and HSS drill bits

HAN26376

76 Piece SAE/Metric Tap/Die Super Set

· Combination machine screw, fractional and metric

HAN97094

25 Piece Large

Fractional Tap & Die Set

Larger size taps and dies covering 9/16" through 1"

Professional Safety Utility Knife

· Folded length is 4.375 inches

Open length 7 inches.
Limited lifetime warranty

25 Piece Large Metric Tap & Die Set

• Larger size taps and dies covering 14mm to 24mm

WARNING: Cancer and Reproductive Harm





HAN26317

41 Piece Metric Tap and Die Set

• Sizes: 3mm to 12mm



LIS70500 8 Piece Tap Socket Set

LIS70940

3 Piece Large Tap Socket Set

• #9 socket is 5/8" (16mm), #10 is for 11/16" (18mm) and #11 is for 3/4"



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Utility Knives

KTI73103





KTI73102

Auto Loading Folding Utility Knife

- Folded length is 4.3125 inches
- Open length 6 inches.
- Limited lifetime warranty

- All Purpose Utility Shear

 All purpose utility shear for tough cutting jobs

 The angle design makes cutting more effortless

 Safe replacement blade; 1 + 5 pieces inside of storage area

 Measuring board design for cutting position

 1 Year Warranty on Material and Workmanship

Multi-Function Scissors Set

- · Multi-function scissors set includes: 5" Professional Electrician Scissors, Electrician Peeling Knife and Electrician Tool Bag
- Covered by a 1 Year Warranty



Multifunctional Professional Electrician Scissors



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KTI73113

Electrician Peeling Knife







- · Wire stripper
- Integrated gut hook





IRWIN HANSON.

HAN3073004

190

17 pc. General Purpose Hole Saw Kit

- . Bi-Metal hole saws. Includes 12 hole saws,
- 2 arbors, an extra pilot drill & soft sided case Sizes: 5/8", 3/4", 7/8", 1", 1-1/8", 1-1/4", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/2", and 3"



Drill/Tap Guides

V-Drill Guides

• Drill Straight - Every Time!

- Use on flat surfaces, round parts, and corners. V-groove along the bottom of the guide allows for perpendicular alignment with all drill sizes on round parts and corners
- · Precision ground accurate alignment
- Made from special nickel alloyed steel that is heat treated for durability.





BGRSTD1000DGNP

V-Drill Guide Standard

• 17 drill sizes, 1/8" to 3/8" - 1/64" increments



Image shows top & bottom.

BIG GATOR TOOLS

V-Tap Guides

- · This new patented tap guide design is easy to use
- · Works great on flat surfaces, round parts, and angled edges
- Tap Straight Every Time!







BGRSTD500NP

V-Tap Guide Standard

• 9 Tap hole sizes: 6", 8", 10", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8"

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Spot Weld Cutters / Breaker





SGT18000

3/8" Rotary Spot Weld Cutter

- Quickly removes spot welds holding sheet metal
- · Cuts small access holes in sheet metal. Double ended 3/8" blade and 1/4" arbor with retractable pilot

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov





12 Piece Sawzall Blades Set

- · Precision forming process creates sharper teeth for fast cutting
- 1" tall blade profile for straighter cuts
- Durable storage case adjusts to hold up to 9" blades

Hack Saws / Blades

KTI72801

12" Tubular Hacksaw

Limited lifetime warranty



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KTI72802

12" Extra Heavy Duty Hacksaw with Adjustable Blade

- Hacksaw features heavy duty frame, high leverage tensioner and handle with blade storage compartment
- Blade can be set vertically or at 45 angle
- Limited lifetime warranty

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





MANUFACTURER'S INDEX

303 PRODUCTS, INC. (TOT)	36,182,183
ACCESS TOOLS (AET)	,
ACME AUTOMOTIVE (ACM)	
ACTRON (ACT)	
AIRCAT (ACA) ALC KEYSCO (ALC)	
AME INTERNATIONAL (AMN)	
AMERICAN FORGE & FOUNDRY (INT)23,24,13	31,132,133,134,135
136,152,153	
AMERICAN IMC (IMC)	
AMERICAN POWER PULL (AMG)	
AMMCO (AMM)	
ANGLO AMERICAN (ANG)ARROW PNEUMATICS INC. (ARR)	
ASET (IWA)	
ASSENMACHER SPECIALTY (ASS)	
ASSOCIATED EQUIPMENT (ASO)	
ASTRO PNEUMATIC TOOL (AST)12,15,17,2	
20,151,160,161,164,167,170,171,172,173,17	7,179,182,184,189
ATLAS AUTOMOTIVE EQU (ATE)	
AUTEL TECH (AUL)	
BAYCO PRODUCTS INC (BAY)	
BEAR PAW HAND CLEANER (BEP)BIG GATOR TOOLS (BGR)	
BIG WIPES (BWP)	
BLACKHAWK / SHINN FU COMPANY (BHK)	
BLASTER FULFILLMENT (BLP)	
BLUEBIRD (BLB)	
BONDHUS (BND)	
BONE CREEPER (BNE)	
BOSCH (BOS)	
BOSS PRODUCTS (RFX)	
BRANICK INDUSTRIES, INC. (BRA) BRIGGS & STRATTON (BRG)	
BRUSH RESEARCH (BRM)	
BRUSKE PRODUCTS (BRS)	
CABLZ (CAB)	
CAL VAN / HORIZON TOOL (CAL)1	
CANDO INT'L (CDO)	
CARRAND (CRD)	
CENTRAL TOOLS, INC. (CEN)	99,156
CHANNELLOCK INC. (CHA)CHEMENCE INC (CMN)	۱۵,۱۱۵,۱۱۵,۱۱۵,۱۵۱ مو
CHICAGO PNEUMATIC (CPT)	
CLIPLIGHT INC. (CLP)	
COAST CUTLERY (COS)	
COJALI USA (COJ)	
COLUMBIA RIVER KNIFE & TOOL (CRK)	
CPS PRODUCTS, INC. (CPS)	
CRC INDUSTRIES (CRC)	
CTA MANUFACTURING (CTA)CUSTOMER LEATHERCRAFT (CLC)	
DENT FIX (DEN)	
DEVILBISS AUTOMOTIVE REFINISHING (DEV)	
DEWALT (DWT)	
DIRECT SOURCE INTERNATIONAL (DSI)	120
DREW TECHNOLOGIES (DRW)	
DRILL DOCTOR (DAR)	
OYNABRADE (DYB)	
E-Z RED COMPANY (EZR)29,32,69,71,77,10 157,167	11,104,105,111,114
EKLIND TOOL COMPANY (EKL)	110
ELECTRONIC SPECIALTIES, INC. (ESI)	
ENERCO GROUP INC. (HET) / (MRH)	
EQUUS PRODUCTS (EPI)	
SCO EQUIPMENT (ESC)	137,175
EVAPO-RUST (EVA)	
EXTREME TOOLS (EXT)	
FIREPOWER (FPW)	
FJC, INC. (FJC) FLIR COMCERCIAL SYSTEMS (FLC)	
-LIR COMCERCIAL SYSTEMS (FLC) -LITZ INTERNATIONAL (FTZ)	
FLUKE CORP. (FLU)	
FORM-A-FUNNEL (FAF)	
FOWLER (FOW)	
GAITHER TOOL (GAI)	
GEARWRENCH (KDT)10,11,15,75,76,77,85,9	
04,106,108,110,111,114,115,116,117,119,16	
GENERAL MANUFACTURING CO (GEN)	
GOODALL (GDL)	62

GREY PNEUMATIC (GRE)84,86,102	,113,173
GRYPMAT (GRM)	77
H & S AUTO SHOT (HSA) / (HSW)HANSEN GLOBAL, INC. (HNE)	149, 181
HANSON (HAN)5,6,113,188	189 190
HAVALON KNIVES (HVL)	44,45
HECK INDUSTRIES (HEC)	154
HELI COIL PRODUCTS (HEL)	
HERKULES (HER)	
HOPKINS MFG (HPK)HUTCHINS (HUT)	
INDUCTION INNOVATIONS (IDI)	
INGERSOLL RAND (IRT)9,79,80,81,9	0,96,178
INNOVATIVE PRODUCTS OF AMERICA (IPA)	
24,37,145,157,161,165,175,184	
INSHALLA PRODUCTS INC (THE)	
J S PRODUCTS, INC. (JSP)69,114,157,158	
JOHN DOW INDUSTRIES (DOW)	
JUSTRITE (JUS)	
K TOOL INTERNATIONAL (KTI)14,25,29,30,31,34,36,58,6	
69,70,72,73,74,77,79,84,85,89,90,97,98,100,101,102,103	
107,108,109,111,112,113,114,115,116,117,119,120,125, 33,134,135,136,137,138,141,143,144,145,146,149,151,15	
4,155,158,159,160,161,162,163,165,170,171,172,173,174	
,179,182,184,188,189,190	.,
KASTAR / LANG / A&E HAND TOOLS (KAS)14,120,124	
KEN-TOOL (KEN)171	
KERSHAW (KER)	
KEYTONE LIGHTING (KYL)	
KIMBERLY-CLARK (KIM)	
KNIPEX (KNP)16,17,111,119,120	
KNKUT (KNK)	
KOMELON (KOM)	
KUKKO QUALITY TOOLS INC (KQT)	13,169
LANSKY SHARPENERS (LAN)LARIN CORP (LAR)	155
LASER LABS (LSL)	166
LAUNCH TECH USA (LAU)	
LEGACY MANUFACTURING (LEG)8	7,89,192
LENCO (LNX)	181
LENCO (LNX)	181 ,146,147
LENCO (LNX)47,73,89,141,142,145 LINCOLN LUBRICATION (LIN)47,73,89,141,142,145 LISLE CORP (LIS)20,77,111,114,120,141,144,155,157,	181 ,146,147
LENCO (LNX)	181 ,146,147 158,159,
LENCO (LNX)47,73,89,141,142,145 LINCOLN LUBRICATION (LIN)47,73,89,141,142,145 LISLE CORP (LIS)20,77,111,114,120,141,144,155,157,	181 ,146,147 158,159, ,169,172
LENCO (LNX)	181 ,146,147 158,159, ,169,172 36 74,193
LENCO (LNX)	181 ,146,147 158,159, ,169,172 36 74,193
LENCO (LNX)	181 ,146,147 158,159, ,169,172 36 74,193 48 95,96
LENCO (LNX)	181 ,146,147 158,159, ,169,172 36 74,193 48 95,96
LENCO (LNX)	181 ,146,147 158,159, ,169,172 36 74,193 48 95,96 148
LENCO (LNX)	181 ,146,147 158,159, ,169,172 36 74,193 48 95,96 148 182
LENCO (LNX)	181 ,146,147 158,159, ,169,172 36 74,193 48 95,96 148 182 181 .137,174
LENCO (LNX)	181 ,146,147 158,159, ,169,172 36 74,193 48 95,96 182 181 137,174 151
LENCO (LNX)	181 ,146,147 158,159, ,169,172 36 74,193 48 95,96 182 181 151 56,58 ,116,117
LENCO (LNX)	181 ,146,147 158,159, ,169,172 74,193 95,96 148 95,96 181 .137,174 151 56,58 ,116,117
LENCO (LNX)	181 ,146,147 158,159, ,169,172 74,193 95,96 148 95,96 181 .137,174 151 56,58 ,116,117 78 46,186
LENCO (LNX)	181, 146,147, 158,159, 169,172,
LENCO (LNX)	181,146,147,158,159,
LENCO (LNX)	181,146,147,158,159,
LENCO (LNX)	181,146,147,158,159,169,172,
LENCO (LNX)	
LENCO (LNX)	181, 146,147 158,159,
LENCO (LNX)	181, 146,147 158,159,
LENCO (LNX)	
LENCO (LNX). LINCOLN LUBRICATION (LIN)	
LENCO (LNX)	

PELICAN PRODUCTS (PEL)	
PLASTIC DIP INC (PDI)	36
PORTASOL (PTL)	
FUNTABUL (FIL)	131
POWER PROBE INC (PPI)	159
POWER PROBE INC. (PPR)	.19.28.58.126.127.151
PRECISION INSTRUMENTS, INC. (PRE)	08.00
PRECISION VALVE CORPORATION (PVE)	177
PREVOST CORPORATION (PRV)	89
PRIVATE BRAND TOOLS (PBT)	
PROFLEX+ DISTRIBUTION (PFX)	125
PROMAXX TOOLS (PXT)	
PROTEK (PTK)	
RAYTEC CORP. (RAY)	58
REDLINE DETECTION (RDL)	
RIBERGLASS EVERCOAT (FIB)	182
ROBINAIR (ROB)	
ROCKFORD (RFD)	61
S AND G TOOL AID (SGT)	
SARGE INTERNATIONAL (SAR)	46
SAS (SAS)	186 187
SATA SPRAY EQUIPMENT (SAT)	1/6,1//
SAVE PHACE (SPC)	150
SCHLEY PRODUCTS, INC (SCH)	100 162 164 160 175
SCHUMACHER/DSR (SCU)	20,61,63,64
SEAFOAM (SEA)	
SLAI VAIVI (SLA)	
SECUIRTY EQUIPMENT (SAB)	
SEI - STOLTZ ENTERPRISES INC (SEI)	
SELLMARK CORP (SMK)	
SHARPE MANUFACTURING (SHA)	176
SHINN FU COMPANY (SCP)	
SHOP-VAC CORPORATION (SHV)	36
SKR INDUSTRIES (SKR)	1/16
SOLAR / CLORE AUTOMOTIVE (SOL)	62,63,64
SONIC TECH (SON)	185
SP AIR CORPORATION (SPJ)	
SPECTRONICS CORP / TRACER (TRA)	58 166
SPRAYWAY, INC (SPW)	34
STANT MANUFACTURING INC. (STN)	60
STAR PRODUCTS (STA)	
STARR (STR)	24,28,70
STARR (STR)STECK MANUFACTURING (STC)	24,28,70 149,170,172,179
STARR (STR)	24,28,70 149,170,172,179
STARR (STR)STECK MANUFACTURING (STC)STOCKHAUSEN INC. (STK)	24,28,70 149,170,172,179 35
STARR (STR)STECK MANUFACTURING (STC)STOCKHAUSEN INC. (STK)STREAMLIGHT, INC. (STL)	24,28,70 149,170,172,179 35 29,46,66,67,68,69,71
STARR (STR)STECK MANUFACTURING (STC)STOCKHAUSEN INC. (STK)STREAMLIGHT, INC. (STL)14,18,32	24,28,70 149,170,172,179 35 29,46,66,67,68,69,71 ,51,70,74,75,76,84,86,
STARR (STR)STECK MANUFACTURING (STC)STOCKHAUSEN INC. (STK)STREAMLIGHT, INC. (STL)14,18,32	24,28,70 149,170,172,179 35 29,46,66,67,68,69,71 ,51,70,74,75,76,84,86,
STARR (STR)	24,28,70 149,170,172,179 35 29,46,66,67,68,69,71 ,51,70,74,75,76,84,86,
STARR (STR)	24,28,70 149,170,172,179 35 29,46,66,67,68,69,71 ,51,70,74,75,76,84,86, 135,136,152,153,155
STARR (STR)	24,28,70 149,170,172,179 35 29,46,66,67,68,69,71 ,51,70,74,75,76,84,86, 135,136,152,153,155
STARR (STR)	24,28,70 149,170,172,179 35 29,46,66,67,68,69,71 ,51,70,74,75,76,84,86, 135,136,152,153,155 58,160,163
STARR (STR)	24,28,70 149,170,172,179 35 29,46,66,67,68,69,71 ,51,70,74,75,76,84,86, 135,136,152,153,155 58,160,163
STARR (STR)	24,28,70 149,170,172,179 35 29,46,66,67,68,69,71 ,51,70,74,75,76,84,86, 135,136,152,153,155 58,160,163 145
STARR (STR)	24,28,70 149,170,172,179 35 29,46,66,67,68,69,71 ,51,70,74,75,76,84,86, 135,136,152,153,155 58,160,163 145
STARR (STR)	24,28,70 149,170,172,179 35 29,46,66,67,68,69,71 .,51,70,74,75,76,84,86, .135,136,152,153,155 58,160,163 145 153
STARR (STR). STECK MANUFACTURING (STC). STOCKHAUSEN INC. (STK) STREAMLIGHT, INC. (STL). SUNEX INTERNATIONAL (SUN)14,18,32 102,108,109,111,112,113,114,131,132,134 ,165,185 SUR & R AUTO PARTS (SRR) SURE SHOT (SUR)	
STARR (STR). STECK MANUFACTURING (STC). STOCKHAUSEN INC. (STK) STREAMLIGHT, INC. (STL). SUNEX INTERNATIONAL (SUN)14,18,32 102,108,109,111,112,113,114,131,132,134 ,165,185 SUR & R AUTO PARTS (SRR) SURE SHOT (SUR)	
STARR (STR). STECK MANUFACTURING (STC). STOCKHAUSEN INC. (STK) STREAMLIGHT, INC. (STL). SUNEX INTERNATIONAL (SUN)	
STARR (STR). STECK MANUFACTURING (STC) STOCKHAUSEN INC. (STK) STREAMLIGHT, INC. (STK) SUNEX INTERNATIONAL (SUN)14,18,32 102,108,109,111,112,113,114,131,132,134 ,165,185 SUR & R AUTO PARTS (SRR) SURE SHOT (SUR) SYMTECH CORPORATION (SYM) TECH-LIFE (ANC) THE MAIN RESOURCE (TMR) THE NOCO COMPANY (NOC) THE YARD (THE)	
STARR (STR). STECK MANUFACTURING (STC). STOCKHAUSEN INC. (STK) STREAMLIGHT, INC. (STL). SUNEX INTERNATIONAL (SUN)	
STARR (STR). STECK MANUFACTURING (STC). STOCKHAUSEN INC. (STK). STREAMLIGHT, INC. (STL). SUNEX INTERNATIONAL (SUN)14,18,32 102,108,109,111,112,113,114,131,132,134 ,165,185 SUR & R AUTO PARTS (SRR). SURE SHOT (SUR). SYMTECH CORPORATION (SYM). TECH-LIFE (ANC)	
STARR (STR) STECK MANUFACTURING (STC) STOCKHAUSEN INC. (STK) STREAMLIGHT, INC. (STK) SUNEX INTERNATIONAL (SUN)14,18,32 102,108,109,111,112,113,114,131,132,134,165,185 SUR & R AUTO PARTS (SRR) SURE SHOT (SUR) SYMTECH CORPORATION (SYM) TECH-LIFE (ANC) THE MAIN RESOURCE (TMR) THE NOCO COMPANY (NOC) THE YARD (THE) THEXTON MFG CO. (THX) TIF INSTRUMENTS (TIF)	
STARR (STR) STECK MANUFACTURING (STC) STOCKHAUSEN INC. (STK) STREAMLIGHT, INC. (STL)	
STARR (STR) STECK MANUFACTURING (STC) STOCKHAUSEN INC. (STK) STREAMLIGHT, INC. (STL)	
STARR (STR). STECK MANUFACTURING (STC). STOCKHAUSEN INC. (STK)	
STARR (STR)	
STARR (STR). STECK MANUFACTURING (STC). STOCKHAUSEN INC. (STK)	
STARR (STR). STECK MANUFACTURING (STC). STOCKHAUSEN INC. (STK) STREAMLIGHT, INC. (STL) SUNEX INTERNATIONAL (SUN)14,18,32 102,108,109,111,112,113,114,131,132,134 ,165,185 SUR & R AUTO PARTS (SRR) SURE SHOT (SUR) SYMTECH CORPORATION (SYM) TECH-LIFE (ANC) THE MAIN RESOURCE (TMR) THE NOCO COMPANY (NOC) THE YARD (THE) THEXTON MFG CO. (THX). TIF INSTRUMENTS (TIF) TITAN (TIT)20,27,101,102,103,104,105 116,118,145,149,150,158,165,178,190 TRADE ASSOCIATES (TAD). TRAXION ENGINEERED PRODUCTS (TRX)	
STARR (STR). STECK MANUFACTURING (STC). STOCKHAUSEN INC. (STK). STREAMLIGHT, INC. (STL). SUNEX INTERNATIONAL (SUN)	
STARR (STR). STECK MANUFACTURING (STC). STOCKHAUSEN INC. (STK) STREAMLIGHT, INC. (STL) SUNEX INTERNATIONAL (SUN)14,18,32 102,108,109,111,112,113,114,131,132,134 ,165,185 SUR & R AUTO PARTS (SRR) SURE SHOT (SUR) SYMTECH CORPORATION (SYM) TECH-LIFE (ANC) THE MAIN RESOURCE (TMR) THE NOCO COMPANY (NOC) THE YARD (THE) THEXTON MFG CO. (THX). TIF INSTRUMENTS (TIF) TITAN (TIT)20,27,101,102,103,104,105 116,118,145,149,150,158,165,178,190 TRADE ASSOCIATES (TAD). TRAXION ENGINEERED PRODUCTS (TRX)	
STARR (STR). STECK MANUFACTURING (STC). STOCKHAUSEN INC. (STK). STREAMLIGHT, INC. (STK). SUNEX INTERNATIONAL (SUN)14,18,32 102,108,109,111,112,113,114,131,132,134 ,165,185 SUR & R AUTO PARTS (SRR) SYMTECH CORPORATION (SYM) TECH-LIFE (ANC) THE MAIN RESOURCE (TMR) THE MOCO COMPANY (NOC) THE YARD (THE). THEXTON MFG CO. (THX). TIF INSTRUMENTS (TIF). TITAN (TIT)20,27,101,102,103,104,105 116,118,145,149,150,158,165,178,190 TRADE ASSOCIATES (TAD) TRAXION ENGINEERED PRODUCTS (TRX) TUTHILL TRANSFER SYSTEMS (FIL). ULLMAN DEVICES (ULL)	
STARR (STR). STECK MANUFACTURING (STC). STOCKHAUSEN INC. (STK). STREAMLIGHT, INC. (STK). SUNEX INTERNATIONAL (SUN)14,18,32 102,108,109,111,112,113,114,131,132,134 ,165,185 SUR & R AUTO PARTS (SRR) SYMTECH CORPORATION (SYM) TECH-LIFE (ANC) THE MAIN RESOURCE (TMR) THE NAOCO COMPANY (NOC) THE YARD (THE). THEXTON MFG CO. (THX). TIF INSTRUMENTS (TIF). TITAN (TIT)20,27,101,102,103,104,105 116,118,145,149,150,158,165,178,190 TRADE ASSOCIATES (TAD) TRAXION ENGINEERED PRODUCTS (TRX) TUTHILL TRANSFER SYSTEMS (FIL). ULLMAN DEVICES (ULL).	
STARR (STR) STECK MANUFACTURING (STC) STOCKHAUSEN INC. (STK) STREAMLIGHT, INC. (STK) SUNEX INTERNATIONAL (SUN)14,18,32 102,108,109,111,112,113,114,131,132,134,165,185 SUR & R AUTO PARTS (SRR) SURE SHOT (SUR) SYMTECH CORPORATION (SYM) TECH-LIFE (ANC) THE MAIN RESOURCE (TMR) THE NOCO COMPANY (NOC) THE YARD (THE) THEXTON MFG CO. (THX). TIF INSTRUMENTS (TIF) TITAN (TIT)20,27,101,102,103,104,105 116,118,145,149,150,158,165,178,190 TRADE ASSOCIATES (TAD) TRAXION ENGINEERED PRODUCTS (TRX) TUTHILL TRANSFER SYSTEMS (FIL) ULLMAN DEVICES (ULL) UNITEC (UNI) UNITED CUTLERY (UNC)	
STARR (STR) STECK MANUFACTURING (STC) STOCKHAUSEN INC. (STK) STREAMLIGHT, INC. (STK) SUNEX INTERNATIONAL (SUN)14,18,32 102,108,109,111,112,113,114,131,132,134,165,185 SUR & R AUTO PARTS (SRR) SURE SHOT (SUR) SYMTECH CORPORATION (SYM) TECH-LIFE (ANC) THE MAIN RESOURCE (TMR) THE NOCO COMPANY (NOC) THE YARD (THE) THEXTON MFG CO. (THX). TIF INSTRUMENTS (TIF) TITAN (TIT)20,27,101,102,103,104,105 116,118,145,149,150,158,165,178,190 TRADE ASSOCIATES (TAD) TRAXION ENGINEERED PRODUCTS (TRX) TUTHILL TRANSFER SYSTEMS (FIL) ULLMAN DEVICES (ULL) UNITEC (UNI) UNITED CUTLERY (UNC)	
STARR (STR). STECK MANUFACTURING (STC). STOCKHAUSEN INC. (STK) STREAMLIGHT, INC. (STL). SUNEX INTERNATIONAL (SUN)	
STARR (STR). STECK MANUFACTURING (STC). STOCKHAUSEN INC. (STK) STREAMLIGHT, INC. (STL). SUNEX INTERNATIONAL (SUN)14,18,32 102,108,109,111,112,113,114,131,132,134 ,165,185 SUR & R AUTO PARTS (SRR) SURE SHOT (SUR) SYMTECH CORPORATION (SYM) TECH-LIFE (ANC) THE MAIN RESOURCE (TMR) THE MAIN RESOURCE (TMR). THE YARD (THE) THEYON MFG CO. (THX). TIF INSTRUMENTS (TIF) TITAN (TIT)20,27,101,102,103,104,105 116,118,145,149,150,158,165,178,190 TRADE ASSOCIATES (TAD) TRAXION ENGINEERED PRODUCTS (TRX) TUTHILL TRANSFER SYSTEMS (FIL). UNITEC (UNI) UNITED CUTLERY (UNC). URETHANE SUPPLY COMPANY (URE) UVEX SAFETY (UVX)	
STARR (STR). STECK MANUFACTURING (STC). STOCKHAUSEN INC. (STK) STREAMLIGHT, INC. (STL). SUNEX INTERNATIONAL (SUN)14,18,32 102,108,109,111,112,113,114,131,132,134 ,165,185 SUR & R AUTO PARTS (SRR) SURE SHOT (SUR) SYMTECH CORPORATION (SYM) TECH-LIFE (ANC) THE MAIN RESOURCE (TMR) THE MAIN RESOURCE (TMR). THE YARD (THE) THEYON MFG CO. (THX). TIF INSTRUMENTS (TIF) TITAN (TIT)20,27,101,102,103,104,105 116,118,145,149,150,158,165,178,190 TRADE ASSOCIATES (TAD) TRAXION ENGINEERED PRODUCTS (TRX) TUTHILL TRANSFER SYSTEMS (FIL). UNITEC (UNI) UNITED CUTLERY (UNC). URETHANE SUPPLY COMPANY (URE) UVEX SAFETY (UVX)	
STARR (STR). STECK MANUFACTURING (STC). STOCKHAUSEN INC. (STK). STREAMLIGHT, INC. (STL). SUNEX INTERNATIONAL (SUN)	
STARR (STR). STECK MANUFACTURING (STC). STOCKHAUSEN INC. (STK). STREAMLIGHT, INC. (STL). SUNEX INTERNATIONAL (SUN)	
STARR (STR). STECK MANUFACTURING (STC). STOCKHAUSEN INC. (STK). STREAMLIGHT, INC. (STL). SUNEX INTERNATIONAL (SUN)	
STARR (STR). STECK MANUFACTURING (STC). STOCKHAUSEN INC. (STK). STREAMLIGHT, INC. (STL). SUNEX INTERNATIONAL (SUN)	
STARR (STR). STECK MANUFACTURING (STC). STOCKHAUSEN INC. (STK). STREAMLIGHT, INC. (STK). SUNEX INTERNATIONAL (SUN)	
STARR (STR). STECK MANUFACTURING (STC). STOCKHAUSEN INC. (STK). STREAMLIGHT, INC. (STL). SUNEX INTERNATIONAL (SUN)	
STARR (STR). STECK MANUFACTURING (STC). STOCKHAUSEN INC. (STK)	
STARR (STR). STECK MANUFACTURING (STC). STOCKHAUSEN INC. (STK) STREAMLIGHT, INC. (STL). SUNEX INTERNATIONAL (SUN)14,18,32 102,108,109,111,112,113,114,131,132,134 ,165,185 SUR & R AUTO PARTS (SRR). SURE SHOT (SUR). SYMTECH CORPORATION (SYM) TECH-LIFE (ANC) THE MAIN RESOURCE (TMR). THE MOCO COMPANY (NOC) THE MAIN RESOURCE (TMR). THE NOCO COMPANY (NOC) THE YARD (THE) THEXTON MFG CO. (THX). TIF INSTRUMENTS (TIF) TITAN (TIT)20,27,101,102,103,104,105 116,118,145,149,150,158,165,178,190 TRADE ASSOCIATES (TAD) TUTHILL TRANSFER SYSTEMS (FIL). ULLMAN DEVICES (ULL) UNITED CUTLERY (UNC) UNITED CUTLERY (UNC) UNETHANE SUPPLY COMPANY (URE) UVEX SAFETY (UVX) UVIEW (UVU) V-8 TOOLS (V8T) VAMPIRE PROFESSIONAL TOOLS (VMP) VAUGHAN & BUSHNELL MFG. (VAU) VIN (VIM) UNIM (VIM) UNIM (VIM)	
STARR (STR). STECK MANUFACTURING (STC). STOCKHAUSEN INC. (STK) STREAMLIGHT, INC. (STL). SUNEX INTERNATIONAL (SUN)	
STARR (STR). STECK MANUFACTURING (STC). STOCKHAUSEN INC. (STK) STREAMLIGHT, INC. (STL). SUNEX INTERNATIONAL (SUN)14,18,32 102,108,109,111,112,113,114,131,132,134 ,165,185 SUR & R AUTO PARTS (SRR). SURE SHOT (SUR). SYMTECH CORPORATION (SYM) TECH-LIFE (ANC) THE MAIN RESOURCE (TMR). THE MOCO COMPANY (NOC) THE MAIN RESOURCE (TMR). THE NOCO COMPANY (NOC) THE YARD (THE) THEXTON MFG CO. (THX). TIF INSTRUMENTS (TIF) TITAN (TIT)20,27,101,102,103,104,105 116,118,145,149,150,158,165,178,190 TRADE ASSOCIATES (TAD) TUTHILL TRANSFER SYSTEMS (FIL). ULLMAN DEVICES (ULL) UNITED CUTLERY (UNC) UNITED CUTLERY (UNC) UNETHANE SUPPLY COMPANY (URE) UVEX SAFETY (UVX) UVIEW (UVU) V-8 TOOLS (V8T) VAMPIRE PROFESSIONAL TOOLS (VMP) VAUGHAN & BUSHNELL MFG. (VAU) VIN (VIM) UNIM (VIM) UNIM (VIM)	
STARR (STR). STECK MANUFACTURING (STC). STOCKHAUSEN INC. (STK). STREAMLIGHT, INC. (STL). SUNEX INTERNATIONAL (SUN)	
STARR (STR). STECK MANUFACTURING (STC). STOCKHAUSEN INC. (STK). STREAMLIGHT, INC. (STL). SUNEX INTERNATIONAL (SUN)	
STARR (STR). STECK MANUFACTURING (STC). STOCKHAUSEN INC. (STK). STREAMLIGHT, INC. (STL). SUNEX INTERNATIONAL (SUN)	
STARR (STR). STECK MANUFACTURING (STC). STOCKHAUSEN INC. (STK). STREAMLIGHT, INC. (STL). SUNEX INTERNATIONAL (SUN)	
STARR (STR). STECK MANUFACTURING (STC). STOCKHAUSEN INC. (STK). STREAMLIGHT, INC. (STL). SUNEX INTERNATIONAL (SUN)	

DESCRIPTIVE INDEX

AC Couplers58
AC Dye56, 58
AC Machines56 to 57
Actuator Motor Wrench Set167
Adhesives36
Adjustable Wrenches109
Air Belt Sanders30, 178
Air Brake Tools159
Air Compressor Drain55
Air Compressors5, 90
Air Die Grinders14, 81
Air Filter/Regulator with Gauge55
Air Hammer Drifts171
Air Hammers14, 55, 81
Air Hose Reels89
Air Hoses5, 87 to 88
Air Impact Wrenches4 to 5, 9 to 10,
12, 14, 79 to 83
Air Ratchets9 to 10, 80 to 83
Air Regulators177
Air Sanders9
Airlift Cooling System Refiller60
Alignment Bars30
Alignment Machine139
Alpha MUTT Trailer Tester24, 37, 157
Aluminum Manifold Gauge Set57
Angle Grinders93
Angle Polishers4
Antifreeze Drain and Fill / Tester60
Apparel50
Axes41
Axle Drain Pans141
Axle Jacks133 to 134
Backpacks40

Ball Joint Service Tools170 to 171
Ball Pein Hammers11, 27, 109 to 110
Barrel Pumps31, 145
Battery Chargers63
Battery Testers64 to 65
Bead Roller Kit154
Bead Seaters174
Bear Spray48
Bearing Extractors13
Bearing Race and Seal Driver Set174
Belt Sanders30, 96, 178
Bench Chargers64
Bench Grinders153
Bend-Roll-Shear-Machine154
Binoculars46
Bit Sets and Drivers6, 113 to 114
Bleeder Wrench Set159
Blow Guns31, 89
Blower60
Bluetooth Speakers185
Body Repair180 to 182
Bolt Cutters16
Bolt Extractors99
Bolt Grip Sets169, 189
Bondhus36
Bore Brush Set175
Bottle Jacks23, 133
Brake Bleeder166
Brake Gauges156
Brake Lathes & Accessories140
Brake Tools159 to 160
Brass Hammers109
Bridge Jacks25
Bugs-B-Gone34

Bumper Tree	
Burr Sets	
C-Clamps	18, 153
Cable Crimpers	158
Cable Cutters	27, 120
Caliper Spreader	
Calipers	156
Cam Gear Tools	21
Camshaft Alignment Kit	
CAN Test Box	125
Car Dollies	
Car Opening Tools	33, 172
Carbon Pile Load Testers	64
Chain Pullers	153
Chainsaw	94
Channellocks	15, 118
Chassis Ear	166
Chisels	15, 117
Chrome Sockets11,	100 to 105
Circuit Energizer	59, 157
Circuit Testers	
Clips	124
Combustion Leak Detector	175
Compression Gauge	21
Compression Test Kits	
Compressors	90
Coolers	
Cooling System Tools	60
Corded Polishers	5, 97
Cordless Angle Grinders	93
Cordless Chainsaw Kit	94
Cordless Drill6, 1	2, 91 to 96
Cordless Grease Guns4 t	o 5, 94, 97,
146 to 147	

Cordless Grinders	94
Cordless Impact Wrenches	5, 8 to 9, 12
91 to 96	
Cordless Ratchets	12, 14, 91
Cordless Saws	93
Cordless Stapler	
Cordless Tire Inflator	95
Couplers	89
Crankshaft Alignment Tool	21
Creepers	33, 155
Crimper Kit	157
Crowfoot Wrench Sets	108
Cutoff Tools	
Cutoff Wheels	183 to 184
Cutters	.16 to 17, 120
Cylinder Liner Installer	21
Dead Blow Hammers	11, 110
Dent Pullers	181
Dent Removal System	180
Dial Indicator Sets	156
Die Grinders	14
Diesel Engine Stand	138
Disconnect Sets	20
Disposable Gloves	43, 186
Door Skin Tool Kit	179
Double Ended Drill Bits	188
Double Flaring Tool Kit	58, 159
Orain Pans	141
Orain Plug Tool	162
Drawer Liners	77
Orill / Tap Guides	190
Orill Bit Sets	.5, 8 to 9, 188
Orill Bit Sharpeners	188
Orill Presses	152







FLCTG275

- FLIR TG275 Automotive

 Diagnostic Thermal Camera

 See beyond the limitations of single-spot IR
 thermometers with a 160 × 120 (19,200 pixel) true thermal imager
 • FLIR patented MSX® enhancement adds sharp
- visual detail to thermal images, making it easier to
- visual detail to thermal images, making it easier to diagnose problems
 Measure a wide range of temperatures, from -25°C to 550°C (-13°F to 1022°F)
 Multipoint Laser pointer provides a circle to clearly show the area you are measuring
 Rugged and reliable with an IP54 enclosure that protects the camera from dirt, dust, and oil


DESCRIPTIVE INDEX

Drill Pump143
Drilling Guide System167
Drills & Cutting Tools6, 12, 81
Drip Pans141, 144
Drop Lights72 to 73
Drum Dollies141
Drum Gauges156
Dual Overhead Cam Lock Tool175
Dual Wheel Separator174
Duct Tape36
Electrical Tools157 to 158
Emissions - Vacuum Testers125
Engine Cranes136
Engine Slings136
Engine Support Bars138
Engine Treatment36
Ethylene Glycol Anti-Freeze Tester59
Exhaust Tools167
External Deburrer27
Extractors189
Eye Protection187
Eyewash Station187
Fabrication Equipment154
Face Protection187
Fan Clutch Service Kit167
Fans60
Fender Covers20
Fender Repair30, 179, 181
Files10, 37, 117
Fillet Knives42
Filling Syringe143
Filter Regulator89
Filter Socket Set162
First Aid Kit187

Flaring Tool Kit58,	
Flashlights8, 28 to 29, 66 to	73 ס
Tex Hones	175
Tip Sockets	15
Floodlights28 to	29
Fluid Dispensing144 to	147
Fluid Drainage / Waste141 to	142
Fluid Evacuation	143
Foldable Engine Cranes	136
oot Pumps	138
Front End Service Set	170
Fuel Hoses	143
Fuel System Tools21, 163 to	164
uel Tank Sweeper	37
uel Transfer Pump	145
-unnels	144
use Saver Master Kit	37
Gas Caddies	142
Geared Wrenches10, 105 to	106
Glass Cleaners	34
Gloves43, 46,	186
Goggles	
Grease Guns4 to 5, 31, 94,	97,
46 to 147	
Grease Joint Rejuvenator	145
Grinder Stands	23
Grinders5, 24, 81	, 94
Grinding Wheels	184
Gun Case	39
łack Saws / Blades	190
lammers11, 27, 109 to	110
land Cleaners	
land Pumps	31
land Shears	154

Harmonic Balancer Puller / Installer	.16
Headlamps29, 69 t	0 70
Headlight Aimers	.15
Headlight Restoration	.18
Headphones	.18
Hearing Protection	.18
Heat Guns5, 94,	15
Heat Shrink Set	.15
Heat Shrink Tube Assortments	.15
Heated Jackets	5
Heatercore Back Flush with Air Assist	5
Heaters53 t	0 5
Hex Sockets15, 110 to	113
Hole Saws / Cutters	.19
Hood / Tailgate Prop	
Hooks10 to 11, 17, 116 to	11
Hose Crimper	
Hose Pinching Pliers	2
Hose Reels87 t	
Hub Drum and Rotor Puller Kit	
Hub Seal Installer Kit	
Hub Surface Cleaner	
Ignition / Timing Tools	
Ignition Tune Up	
Impact Sockets4, 15, 17	
Impact Wrenches4 to 5, 8 to 10, 12	, 14
79 to 86, 91 to 96	
Infrared Thermometers	
Injector Cup Removal/Installation Tool	
Injector Puller	
Injector Rail Assembly Remover	.16
Injector Remover	
Inner Tie Rod Tool	
Inspection Tools	16

Jack Stands	133
Jackets	50
JB Weld	36
Jump Starters6	1 to 63
Knife Sharpeners	59
Knives40 to 42, 44 to 4	6, 185
anterns29,	46, 68
awn Mower Lift	129
_eak Detector	
ift Table	
.ifts128	to 129
ight Reels7	
iquid Skin	
ithium Powered Battery Packs6	1 to 63
ocking Pliers	18
_ockout Tools3	3, 172
Machetes	
Magnetic Pick-Up Tools	
Magrails	
Manifold Gauge Sets5	
Masking Machine	
Master Bolt Grip Kit	
Master Brake Bleeder	
Master Brake Line Flaring Tool Kit	
Master Line Stopper Set	
Micro Round Files	
Micrometers	
MIG Welders22, 148	
Mirrors	
No Clamps	
Motor Treatment	
Motorcycle Lift	
Multi-Fluid Pump	
Multi-Tools40 to	41, 45







DESCRIPTIVE INDEX

Multimeters	26,	127
Nail Brushes		25
Neck Light		29
Needle Scaler		83
Nut Splitter		
Oil Change Tools161	tn.	162
Oil Injector	ιο	56
Oil Lift Drain		
Oily Waste Disposal Cans		
Orbital Sanders	••••	1/0
Oxyacetylene	••••	148
Oxygen Sensor Wrench		
Pad Spreaders		
Paint Guns176		
Paint Racks		
Pallet Jacks		
Panel Tree		179
Paracord		40
Parts Tray	.32	, 78
Parts Washers		153
Penetrating Catalyst		
Penlights		
Pepper Spray4	 .R tı	n 49
Picks10 to 11, 17, 116		
Piers		
Pilot Bearing Puller	••••	170
Pins		
Pinstripe Removal Kit		
Pinstripe Removal Kit	••••	1//
Pipe and Tube Bending Kit	·····	154
Pipe Stretchers	15,	16
Pipe Wrenches		
Piston Ring Compressors		2
Pitman Arm Puller170	to	17
Plasma Cutters		149
Pliers6, 14 to 17, 27, 117		
Pliers Racks		
Plow Terminal Cleaners		
Pneumatic Fuel Tank Sweeper		37
Pneumatic Tool Set		17
Polishers5, 9		
Polishing Pads		
Poppet Disassembly Tool		2
Portable Rams		
Portable Trailer Light Tester		
Power Steering Air Bleed Adapter Kit		
Power Steering Pump Pulley Service		160
Power Train Lift		
Presses		
Pressure Bleed System		
Pressure Washers		
Probes		
Pry Bars17 to 18, 27, 3		
Pullers13, 168		
Punches14, 18, 2		
Q-Bond		
Radiator & Can Pressure Tester Kit		60

Random Orbital Sanders178
Ratcheting Gear Pullers170
Ratchets10, 101 to 105
Rear Axle Bearing Puller Set169
Reciprocating Saws5
Recovery and Towing Ropes154
Refrigerant Charging Scale58
Refrigerant Leak Detector56
Refrigerators185
Relay Testers125, 157
Remote Starter157
Respirators
Riveters
Roll Pin Remover for Clutch Cylinders167
Roller Cabinets38, 76
Roloc Discs
Rust Remover
Safety Gloves43, 186
Sand Paper183
Sanders
Sanding Pen184
Sanding Pen
Scan Tools3, 7, 25 to 26, 121 to 124
Scrapers
Screw Extractors5 to 6, 16, 189
Screwdrivers10 to 11, 18, 115
Sea Foam
Seasoning41
Seats155
Serpentine Belt Tools167 to 168
Service Carts32, 74 to 75
Service Jacks51, 129 to 132
Service Kits34
Shaker Siphon144
Sharpeners59, 185
Shears154
Sheet Metal Thickness Gauge154
Shop Presses24, 152
Shovels52
Siphon144
Skin Care35
Slack Adjuster Wrench159
Sledge Hammers11, 109 to 110
Slide Hammer169
Smash Film33
Snap Ring Pliers120
Snow Brushes52
Socket Holders31, 77 to 78
Socket Wrench Sets30
Solar Panels40
Soldering Guns151
Soldering Iron94
Spare Tire Kit33
Spark Plug Tools
Spart MIITT 37

Speakers185

Spin On Filter	57
Spline Sockets110 to	
Spork (The Eat'N Tool)	41
Spot Weld Cutters / Breaker	
Spot Welding	180
Spotlights	68
Spray Guns176 to	
Sprayer	145
Squeegees	
Steering / Suspension171 to	172
Step Drill Bits	
Stools	155
Straightline Sanders	
Strut Spring Compressor171 to	
Stun Guns48 to	
Surface Prep81, 183 to	
Survival Hammer	
Tailpipe Expander	27
Tank Top Heaters	<i>L1</i>
Tap & Die Sets5, 189 to	
Tape Measures	
Telescopic Transmission Jacks	135
Temp Guns	
Tent	
Terminal Cleaners37,	
Terminal Crimpers	
Test Leads	100
Thermal Imagers	
Thermometers	58
Thread Repair Kits	189
Throwing Knives	
TIG Welders148 to	
Timing Tools	
Tint Meter	
Tire and Wheel Lifter	13/
Tire Buffer Kit	
Tire Changers	
Tire Demount Package	137
Tire Gauges	
Tire Inflation Cages	
Tire Inflator95,	
Tire Inflator Gauge	
Tire Irons	
Tire Tread Depth Gauge	
Tire Wheel Tools173 to	
Tomahawks	
Tool Carts32, 38, 74 to	
Torches	151
Torque Limiting Socket Sets	
Torque Wrenches15, 98 to	
Torsion Bar Unloading Tool171 to	
Torx Sets	
Torx Sockets110 to	
Towels	35
Towing and Recovery Ropes	
TPMS Tools	125

Trailer Testers37, 157, 166
Transfer Pumps145
Transmission Jacks51, 134 to 136
Transmission/Transaxle Plugs167
Truck Drains141
Truck Jacks51, 134
Truck Master Ball Joint Service Kit172
True Sun LED Light177
Tube Cutters58
Tumblers
Twist Sockets33
U-Joint Removing/Installing Tool170
Underhoist Stand51, 136
Underhood Lights
Universal Ball Joint Seperator170
Utility Carts74
Utility Knives
Vacuum Antifreeze Drain and Fill60
Vacuum Brake Bleed Kit160
Vacuum Pump56
Vacuums20, 35 to 36
Valve Core Tool175
VamPliers118
Vehicle Lifts128 to 129
Vibro Chisel Set172
Vice Stands23
Vise Grips118
Vises11, 23, 152
Voltage Circuit Testers126
Water Hoses34 to 35
Water Purifier40
Waxer97
Weatherstrip Adhesive36
Welding22 to 23, 27, 148 to 150
Wet/Dry Vacuums36
Wheel Balancers139
Wheel Bullets33
Wheel Chargers64
Wheel Chargers64 Wheel Chocks
Wheel Chocks137
Wheel Chocks
Wheel Chocks 137 Wheel Handling 136 Wheel Pan 141
Wheel Chocks 137 Wheel Handling 136 Wheel Pan 141 Wheel Separators 174
Wheel Chocks 137 Wheel Handling 136 Wheel Pan 141 Wheel Separators 174 Wheel Stands 129
Wheel Chocks 137 Wheel Handling 136 Wheel Pan 141 Wheel Separators 174 Wheel Stands 129 Wheel Weight Remover Pliers 175
Wheel Chocks 137 Wheel Handling 136 Wheel Pan 141 Wheel Separators 174 Wheel Stands 129 Wheel Weight Remover Pliers 175 Whip Hoses 87 to 88
Wheel Chocks 137 Wheel Handling 136 Wheel Pan 141 Wheel Separators 174 Wheel Stands 129 Wheel Weight Remover Pliers 175 Whip Hoses 87 to 88 Windshield Washer Tablets 34
Wheel Chocks 137 Wheel Handling 136 Wheel Pan 141 Wheel Separators 174 Wheel Stands 129 Wheel Weight Remover Pliers 175 Whip Hoses 87 to 88 Windshield Washer Tablets 34 Wire Cutters 17
Wheel Chocks 137 Wheel Handling 136 Wheel Pan 141 Wheel Separators 174 Wheel Stands 129 Wheel Weight Remover Pliers 175 Whip Hoses 87 to 88 Windshield Washer Tablets 34 Wire Cutters 17 Wire Shear Cable Cutter 157
Wheel Chocks 137 Wheel Handling 136 Wheel Pan 141 Wheel Separators 174 Wheel Stands 129 Wheel Weight Remover Pliers 175 Whip Hoses 87 to 88 Windshield Washer Tablets 34 Wire Cutters 17 Wire Shear Cable Cutter 157 Wire Strippers 14, 158
Wheel Chocks 137 Wheel Handling 136 Wheel Pan 141 Wheel Separators 174 Wheel Stands 129 Wheel Weight Remover Pliers 175 Whip Hoses 87 to 88 Windshield Washer Tablets 34 Wire Cutters 17 Wire Shear Cable Cutter 157 Wire Strippers 14, 158 Wire Terminal Tool Kit 157
Wheel Chocks 137 Wheel Handling 136 Wheel Pan 141 Wheel Separators 174 Wheel Stands 129 Wheel Weight Remover Pliers 175 Whip Hoses 87 to 88 Windshield Washer Tablets 34 Wire Cutters 17 Wire Shear Cable Cutter 157 Wire Strippers 14, 158 Wire Terminal Tool Kit 157 Work Bench 77
Wheel Chocks 137 Wheel Handling 136 Wheel Pan 141 Wheel Separators 174 Wheel Stands 129 Wheel Weight Remover Pliers 175 Whip Hoses 87 to 88 Windshield Washer Tablets 34 Wire Cutters 17 Wire Shear Cable Cutter 157 Wire Strippers 14, 158 Wire Terminal Tool Kit 157 Work Bench 77 Work Lights 19, 28, 70 to 73
Wheel Chocks 137 Wheel Handling 136 Wheel Pan 141 Wheel Separators 174 Wheel Stands 129 Wheel Weight Remover Pliers 175 Whip Hoses 87 to 88 Windshield Washer Tablets 34 Wire Cutters 17 Wire Shear Cable Cutter 157 Wire Strippers 14, 158 Wire Terminal Tool Kit 157 Work Bench 77 Work Lights 19, 28, 70 to 73 Work Stands 179
Wheel Chocks 137 Wheel Handling 136 Wheel Pan 141 Wheel Separators 174 Wheel Stands 129 Wheel Weight Remover Pliers 175 Whip Hoses 87 to 88 Windshield Washer Tablets 34 Wire Cutters 17 Wire Shear Cable Cutter 157 Wire Strippers 14, 158 Wire Terminal Tool Kit 157 Work Bench 77 Work Lights 19, 28, 70 to 73 Work Stands 179 Work Tables 32
Wheel Chocks 137 Wheel Handling 136 Wheel Pan 141 Wheel Separators 174 Wheel Stands 129 Wheel Weight Remover Pliers 175 Whip Hoses 87 to 88 Windshield Washer Tablets 34 Wire Cutters 17 Wire Shear Cable Cutter 157 Wire Strippers 14, 158 Wire Terminal Tool Kit 157 Work Bench 77 Work Lights 19, 28, 70 to 73 Work Stands 179

FREIGHT TERMS

- Freight delivery shipments must be inspected for damage and loss.
- Inspect for obvious damage and concealed damage.
- Confirm carton/pallet count.

- Refuse shipment or notate damage/loss on delivery document.
- Accepting and signing for a damaged or a short shipment releases the carrier and distributor from any claim responsibility.
- · Additional services provided by the carrier such as, lift-gate, residential delivery or special handling will incur additional freight charges.

TURN THAT 1.2 JOB INTO A 0.5

OUR TOOLS PAY YOU BACK WITH MORE TIME





OTC6980 BRAKE DRUM & ROTOR PULLER

- Pulls with up to 7 tons of force, freeing stuck, frozen and rusted brake drums and rotors
- Impact-rated for faster, stronger pulling
- Quick-adjust jaws also grip gears, flywheels and pulleys
- 5" reach and spread up to 12-3/4" for large drums and rotors



OTC6637-ST STRUT TAMER II

- · 4 locking jaws with threaded nuts secure spring for compression and strut removal
- · Articulating arms allow easy positioning of strut assembly and lock firmly for compression
- Sturdy stand with wheels stores away easily and can be brought to work area to save time
- 4,000 lbs of compression force services the heaviest strut springs available



OTC6575 HUB GRAPPLER

- Remove & install wheel bearings right on the vehicle - no alignment required
- · Quick-fit puller legs wrap around hubs and reduce setup time
- Application manual includes vehicles up to 2018 model year with detailed adapter and setup instructions



OTC7249 BALL JOINT SERVICE KIT

- The original OTC ball joint C-frame made in USA with lifetime warranty
- Starter kit includes 1 installing cup, 1 receiving cup and 1 installing adapter
- Works with hundreds of OTC ball joint adapters to repair millions of vehicles
- Larger kits available with application manual: 6530, 6529, 6539, 6559



OTC8031 LARGE C-FRAME BALL JOINT SERVICE KIT

- Use with 6730 update kit, sold separately, to use all OTC ball joint adapters
- Extended-reach C-frame for 1/2-ton, 3/4-ton and 1-ton vehicles with larger control arms
- Drop-forged C-frame and heat-treaded forcing screw for strength and long life



OTC6295 FRONT END SERVICE SET

- Saves time and frustration when servicing ball joints, tie rods, pitman arms, stabilizer links, sway bars and other suspension components
- Blow-molded case fits in standard-depth toolbox drawers for storage, organization and easy access

Need help selecting the right OTC tool for you? Visit OTCTools.com for tool selection and puller safety information.







Ingersoll Rand **FREE** (2) SEIMCCCD5200-1P Camo Magnetic Can Coolers A Retail Value of \$7.13 each While Supplies Last IRT2235TiMAX-CAMO **Limited Edition** 1/2" Drive **Mossy Oak Camo Impact Wrench** BRAND CAMO

PLEASE NOTE: All prices are subject to change at any time without notice. Due to recent Tariff changes by the U.S. Government, it may be necessary to implement a Force Majeure pricing event on certain products. This advertisement was prepared in advance, therefore, merchandise availability could be limited and is subject to the delivery schedule of the manufacturers. Advertised items may not be stocked by all locations. We are not responsible for typographical, pictorial, or pricing errors.

Products advertised within this publication may contain chemicals known to the State of California under Proposition 65 ("P65") to cause cancer, birth defects or other reproductive harm. Many products are noted with a P65 WARNING; however, the warnings may not apply to all items. Further, as this is a new regulation and all vendors may not have yet identified their products as subject to P65, all items that need a warning may not be noted. Contact the manufacturer for specific details regarding P65. We appreciate your understanding as we navigate these new requirements.

CAUTION: Always wear appropriate safety equipment and observe safety advice and proper use of equipment as instructed in warning and caution labels and operating instructions.



FLCTG275 **Automotive Diagnostic Thermal Camera**

IR thermometers with a 160×120





Texas Twister Bidirectional Air Hammer Starter Kit

- · First new air hammer since the invention of the air hammer
- Use as a hammer or use as a pneumatic puller See Page 55 for more info



KEEP WARM HIS SEASON

120V Mountain™

- Electric Space Heaters
 Tip-Over Switch, Over-Temperature Safety Cutoff, Pilot Light, and Thermostat Control
- Complete metal structure
- Front guards for added protection
- Exterior and handle stay cool when being used
 1 year warranty on material and workmanship

MTNG11F 1300/1500W

Two wattage settings

MTNG10F 600/900/1500W

• Three wattage settings



