MAINTENANCE



\$1,659.99 MLW2868-22HD M18 FUEL™ 1" D-Handle High Torque Impact Wrench with ONE-KEY™ Kit

- Up to 2,000 ft-lbs of nut-busting torque and 1,900 ft-lbs of fastening torque
 Install up to 200 1-1/4" bolts per charge
 Kit includes: M18 FUEL™ 1" D-Handle High Torque Impact Wrench w/ ONE-KEY™ (2868-20), (2) M18 REDLITHIUM™ HIGH OUTPUT™ HD12.0 Battery Pack (48-11-1812), M18™ & M12™ Rapid Charger (48-59-1808), Tool-Free Adjustable Handle, Lanyard Loop and Contractor Bag

AISU AVAIIADIE:				
MLW2868-20	1" Impact (Bare Tool)	\$1,009.99		
MLW2869-22HD	Extended Anvil Kit	\$1,639.99		
MLW2869-20	Extended Anvil (Bare Tool)	\$999.99		





\$9,095.00 ATEATTC303

Truck Tire Changer

More info on page 56

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov







Pricing good through Dec 31, 2020



End-User Promotion Valid July 1, 2020 – December 31, 2020 ("Promotion Period")

PURCHASE AND REGISTER A NEW BOS3824A ESI[TRUCK] HD DIAGNOSTIC TOOL, RECEIVE A BOSCH HDS 250 SCANNER.

To redeem, visit boschrebates.com



Optional accessory



BOS3824-080HW

ESI[truck] Off-Highway

1-Year Software License

- ▶ 12-months of off-highway diagnostic coverage, including all coverage updates
- Used to renew initial software included with Off-highway upgrade cable kit with introductory software license



BOS3824-08R

Troubleshooting and Repair Subscription

- ► Faster, more efficient heavy duty vehicle repairs
- ► 13,000+ procedures guide user through each step to troubleshoot vehicle issues
- ▶ Procedures by DTCs or by vehicle symptoms
- ► Technical Service Bulletins (TSBs) included



BOS3824CBL-UPG

Kit contents:

- ► 10 cables for machinery, construction equipment, agricultural vehicles and more
- ESI[truck] off-highway software package with full diagnostic capabilities. Introductory off-highway software expires when your ESI[truck] heavy duty truck software expires
- Software renewals can be done simultaneously, ensuring continuous HD truck and off-highway vehicle coverage



Over 100 Years of Excellence

ALEMITE®

Since 1918

Alemite Grease Guns are built to perform in demanding applications. Unique, innovative designs ensure excellent performance, and strong attention to quality production provides maximum durability. With the most outstanding range of products offered, Alemite Grease Guns and Accessories will maximize your lubrication productivity.

20 Volt Lithium-Ion Battery Powered Grease Gun Alemite cordless grease guns offer the highest grease delivery of any

Alemite cordless grease guns offer the highest grease delivery of any in the market. Our patented design featuring the motor in the handle provides excellent balance with an extremely durable glass fiber reinforced housing.

- LCD with real-time information:
 - Grease meter
 - Cartridge level
 - Battery capacity gauge
- High and low flow settings
- LED flashlight with on/off control
- Patented airflow management optimizes motor and transmission life

Professional Series Pistol Grip & Lever Grease Guns

Alemite Professional Series Grease Guns are designed to consistently deliver excellent performance, and are known for their reliability and durability.

Available in standard and high volume models.



ALM596

AIR too

1/2" and 3/4" drive impact wrenches





· Durable and high quality construction

1/2 in. HD Impact Wrench

with 2 in. Ext Anvil

Made in Japan

 ${f SUNEX}^\circ$

www.P65Warnings.ca.gov

WARNING: Cancer and Reproductive Harm

SUNSX4355 \$507.99

3/4" Drive Impact Wrench

- 1400 ft./lbs. of quiet power
 One hand forward/reverse
 Quiet Tech™ exhaust system delivers 90 dBA
- . Weighs only 7.3 lbs.
- Covered under a 2 year limited warranty



\$656.99 SPJSP-1158 3/4" Drive Heavy-Duty Impact Wrench

SPJSP-1140EXL Ask Dealer for Pricing

- . Single Dog Clutch mechanism
- Very Powerful 1,200 ft-lbs
- Durable and high quality
 Made in JAPAN
- Light weight

1" drive impact wrenches



\$785.99 **CPT7782** 1" Drive Impact Wrench, **Short Anvil**

- Powerful 1,920 ft. lbs of maximum torque in reverse
- · Durable, closed reinforced rocking dog impact mechanism
- Regulator with integrated forward/reverse with 3 position power settings in both directions Full teasing throttle



CPT7782-6 \$721.99

1" Drive Heavy Duty Impact Wrench with Extended Anvil

- 2,140 ft.lbs of maximum torque in reverse
 Regulator with integrated forward/reverse with 3-position power settings in both directions

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





\$527.40 SPJSP-1193GE-6

1 in. HD Impact Wrench

- 2,300 ft./lb. max torque, higher torque for stubborn fasteners
- Pinless hammer mechanism is durable and hard hitting using fewer parts and less down time
 • Regulator system allows mechanics to
- maintain full power in multiple directions
- Made in Japan
- Durable and high quality construction



SPJSP-1194DX-6 \$1,229.99

1 in. Impact Wrench with 6 in. Extended Anvil

- 1,800 ft./lb. Max Torque, higher torque for stubborn fasteners and lightweight aluminum housing weighing 17 lbs
- 4 speed positions control gives more control when tightening fasteners, full power reverse for easier removing of fasteners
 Twin hammer mechanism is durable and hard hitting using
- fewer parts and less down time
- Made in Japan

IR tools

1" drive impact wrenches





• 6" anvil extension: Increases accessibility in hard to reach places

\$890.99

IRT2850MAX-6

with 6" Anvil

IRT285B-6



- Maximum torque: 1,770 ft./lbs.
- New Fast-Torque feature delivers 1,000 ft./lbs. in 2 seconds
- New increased pressure rating can withstand 120 PSI for better durability
- · Improved feather-touch trigger
- Free chemical resistant protective boot helps prevent damage

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



KTI81797A \$762.84 1" Composite Heavy Duty **Air Impact Wrench**

- Bolt Capacity: 1.417 inches (36mm)
- Air consumption: 47 SCFM, Free Speed: 4500 rpm
- Working Torque: 1600 ft-lbs, Maximum Torque: 1800 ft-lbs
- Warranty is repair up to 1-Year

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

SUNEX

SUNSX4360-6 \$828.99

1" Drive Lightweight Super Duty Impact Wrench with 6" Anvil

• Weighs only 15.9 lbs with 1,600 ft-lbs of torque

- . Unique ergonomic sway back handle to reduce back fatigue
- Three positions forward
- Inlet has two options depending on operator preference
- 2 year warranty



- . Only 24.5 lbs. of weight, lightest in its class
- · Lower vibration and long last operation
- Three forward and three reverse speeds



specialty tools



KTI83275 \$56.91 **Regulated Air Hammer**

- Independent power regulators and teasing throttle
- · Hardened alloy steel barrel
- 3500 BPM; 2-5/8" stroke; 3/4" bore; 6-3/4" length; 3.5 lbs; 4 cfm
- Standard .401" shank opening


WARNING: Cancer and Reproductive Harm -www.P65Warnings.ca.gov






\$155.99 **CPT7110K Heavy Duty Air Hammer Kit**

- Shank: .401
- · Vibration isolation system for smoother operation
- Average air consumption: 3.65 cfm
- · Cushioned exhaust deflector on barrel for comfort and control
- Touch trigger for precision start ups and total control
- Kit includes: (1) quick change retainer, (4) chisels



\$86.99 CPT7111 **Standard Duty Air Hammer**

- Pistol Grip .401 Shank 3,000 BPM
- · Easy change retainer for quick accessory changing
- Powerful and Cost Effective
- 1-Year parts and labor warranty







CORDLE

Milwaukee





\$799.99 MLW2864-22 M18™ FUEL™ ONE-KEY High Torque 3/4" Impact Kit

Delivers up to 1200ft-lbs of fastening torque and 1500ft-lbs of nut-busting torque
 Redlink Plus™ intelligence
 Compact at 8.59" in length
 One-Key™ compatible: customize, track and manage tool's perference

manage tool's performance and location



MLW2767-22 \$632.99 M18™ FUEL™ High Torque 1/2" Impact Wrench with Friction Ring Kit

and 1400 ft-lbs of nut-busting torque

Industry leading 4-mode drive control with bolt removal mode
 Includes (1) 2767-20 M18 FUEL GEN II 1/2" High Torque Impact Wrench,

(2) M18 5.0 XC Batteries & (1) 48-59-1812 M18 & M12 Dual-Voltage Charger



MLW2996-22 M18™ FUEL Hammer Impact One Key Compu Kit

• M18 FUEL™ 1/2" Hammer Drill/Driver w/ ONE-KEY™: Delivers up to 1,200 in-lbs of torque and only 6.9" in length

• M18 FUELTM 1/4" Impact Driver w/ONE-KEYTM: Delivers up to 2000 in-lbs of torque

ONE-KEY™ Compatible

M18 REDLITHIUM™ XC5.0 Battery Pack

Milwaukee






- POWERSTATE™ Brushless Motor delivers up to 1,800 ft-lbs. Nut-Busting Torque
- Up to 7 lbs. Lighter Weight allowing for less user fatigue
- 4-Mode DRIVE CONTROL™ ONE-KEYTM Compatible





\$465.99 MLW2720-21 M18 FUEL™ SAWZALL® **Reciprocating Saw with**

(1) REDLITHIUMTM XC5.0 Battery Kit
• Kit includes: M18TM REDLITHIUMTM XC 5.0 Battery, M18™ and M12™ multi-voltage charger, blade and carrying case



 All-metal gears: Delivers 950 lbs of dispensing force
 CFT™Constant Flow Technology: Offers steady flow rate and even beads at all viscosity levels



M12™ Rivet Tool Kit

Pulls 3/32", 1/8", 5/32", 3/16" rivets
Aluminum, steel, stainless steel - capacity

• 450 1/8" steel rivets per charge

 0.8" stroke length 2,000 lbs. pulls force

• 5-Year Warranty on material and workmanship Kit Includes: M12[™] Rivet Tool, (2) 2.0 Batteries.

Charger & Bag

MLW2522-21XC \$244.99 M12 FUEL™ 3 in. **Compact Cut Off Tool Kit**

. 20,000 RPM for fast and accurate cutting performance

 Reversible blade rotation for ultimate cutting control



Illilwauke





\$706.99 IRTW7152-K22 20V 1/2" Drive Brushless

- High-Torque Impact Wrench w/ (2) Battery Kit

 1500 ft-lb nut-busting torque and 1000 ft-lb of MAX torque
 Robust and durable all-metal drivetrain and hammer mechanism
- · Variable-speed switch (half and full power only) with electronic brake provides maximum control of the tool and increases safety
- 4 dimmable settings on the shadowless 360° LED light ring
- Tough composite housing and patented steel-reinforced frame protects against aggressive fluids, chemicals and repeated drops

IRTW7252-K22 \$771.99 IQV20 1/2" Drive High Torque Impact Wrench with 2" Ext - (2) Battery Kit

sockets

1/2" & 3/4" drive





- Made of high quality steel (chrome-molybdenum)
 Engineered with up to date industrial specifications
 Lifetime Warranty
 Packaged in a molded case

Part #	Drive	Description	
GRE1319	1/2"	19-Piece Standard Fractional Master Set Sizes: 3/8" thru 1-1/2"	\$105.99
GRE1319D	1/2"	19-Piece DEEP Fractional Master Set Sizes: 3/8" thru 1-1/2"	\$171.99
GRE1326MD	1/2"	26-Piece DEEP Metric Master Set Sizes: 10mm thru 36mm	\$218.99
GRE8134M	3/4"	8-Piece Standard Metric Impact Set Sizes: 26mm thru 38mm	\$89.99
GRE8134MD	3/4"	8-Piece DEEP Metric Impact Set Sizes: 26mm thru 38mm	\$182.99
GRE8026M	3/4"	26-Piece Standard Metric Impact Set Sizes: 19mm thru 50mm	\$465.99
GRE8026MD	3/4"	26-Piece DEEP Metric Impact Set Sizes: 19mm thru 50mm	\$610.99
GRE8038	3/4"	14-Piece Standard Fractional Impact Set Sizes: 3/4" thru 1-5/8"	\$151.99
GRE8038D	3/4"	14-Piece DEEP Fractional Impact Set Sizes: 3/4" thru 1-5/8"	\$219.99
GRE8029	3/4"	29-Piece Standard SAE Impact Set Sizes: 3/4" thru 2-1/2"	\$647.99
GRE8029D	3/4"	29-Piece DEEP Fractional Impact Set Sizes: 3/4" thru 2-1/2"	\$919.99
GRE8196MH	3/4"	6-Piece HEX Driver Metric Impact Set Sizes: 12mm thru 24mm	\$220.99
GRE8034	3/4"	8-Piece Standard Fractional Impact Set Sizes: 1" thru 1-1/2"	\$129.99
GRE8034D	3/4"	8-Piece DEEP Fractional Impact Set Sizes: 1" thru 1-1/2"	\$155.99

SUNEX[®] TOOLS




\$153.99 SUN4405 5 Piece 3/4" and 1" Drive Adapter and Universal Joint Impact Set

 CR-MO alloy steel for long life
 Set includes: 3/4" Dr. Universal Joint; 3/4" Dr. 1/2" Reducer; 3/4" Dr. 1" Adapter; 1" Dr. 3/4" Reducer; 1" Dr. Universal Joint; 3/4" Dr. Universal Joint; 3/4" Female x 1/2" Male Socket Adapter; 3/4" Female x 1" Male Cooker Adapter; 3/4" Female x 1" Male Socket Adapter; 3/4" Female x 1" Male Socket Adapter; 3/4" Secoles 2/4" Secoles 2/4" Male Socket Adapter; 3/4" Secoles 2/4" S Socket Adapter; 1" Female x 3/4" Male Socket Adapter; 1" Dr. Universal Joint"







Manufactured from chrome-moly steel
 Heat treated for additional strength and durability
 Sockets are laser engraved for easy identification
 Lifetime Warranty
 Packaged in a molded case

Part #	Drive	Description	
KTI34100	3/4"	8-Piece SHORT Fractional Impact Set Sizes: 1" thru 1-1/2"	\$133.52
KTI34200	3/4"	8-Piece DEEP Fractional Impact Set Sizes: 1" thru 1-1/2"	\$182.34
KTI34201	3/4"	8-Piece DEEP Fractional Impact Set Sizes: 1-9/16" thru 2"	\$392.63
KTI39100	3/4"	15-Piece SHORT Metric Impact Set Sizes: 17mm thru 46mm	\$307.34

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov







- Forged from the finest chrome molybdenum alloy steel the best choice for strength and durability
 Radius corner design to extend the life of fasteners
 Lifetime Warranty
 Packaged in a molded case

Part #	Drive	Description	
SUN4680	3/4"	8-Piece Standard Fractional Impact Set Sizes: 1" thru 1-1/2"	\$87.99
SUN4681	3/4"	8-Piece DEEP Fractional Impact Set Sizes: 1" thru 1-1/2"	\$115.99
SUN4638	3/4"	14-Piece DEEP Fractional Impact Set Sizes: 3/4" thru 1"	\$202.99
SUN4686	3/4"	17-Piece DEEP Metric Impact Set Sizes: 26mm thru 44mm	\$566.99
SUN4683	3/4"	17-Piece Standard Fractional Impact Set Sizes: 1" thru 2"	\$403.99
SUN4684	3/4"	17-Piece Standard Metric Impact Set Sizes: 26mm thru 46mm	\$332.99
SUN4685	3/4"	17-Piece DEEP Fractional Impact Set Sizes: 1" thru 2"	\$566.99
SUN4506	3/4"	5-Piece HEX Fractional Impact Set Sizes: 3/4" thru 1-1/4"	\$115.99
SUN4507	3/4"	5-Piece HEX Metric Impact Set Sizes: 14mm thru 24mm	\$115.99

IMPACT

3/4" drive wheel service



\$116.99 SUN4682 11 Piece 3/4" Drive Truck Service Impact Socket Set

· Comes in an industrial strength, double latch blow molded case

Set contains: 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-1/2" standard sockets and a 13/16' square socket





GRE8370 \$573.99 7 Piece 3/4" Drive

Truck Pinion Locknut Set

- . Use caution and follow the manufacturer's recommendations when servicing these parts
- · Lifetime Warranty Set contains: 2", 2-1/8", 2-1/4", 2-3/8", 2-1/2", 2-5/8" and 2-3/4"





\$526.46 KTI34101 12 Piece 3/4" Drive 6 Point **Fractional Impact Socket Set**

- · Chrome moly steel, heat treated
- · Each piece is laser engraved for quick identification and individual purchase • Lifetime warranty
 Set includes sizes: 1-9/16" to 2-3/8"

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

1" drive







- Made of high quality steel (chrome-molybdenum)
 Made to transfer the pressure from the thinnest part of the socket wall toward the thicker section, resulting in increased strength
 Lifetime Warranty
 Packaged in a metal case

Part #	Drive	Description	
GRE9016	1"	16-Piece Standard Fractional Impact Set Sizes: 2-1/16" thru 3"	\$1,009.99
GRE9016D	1"	16-Piece DEEP Fractional Impact Set Sizes: 2-1/16" thru 3"	\$1,419.99
GRE9021	1"	21-Piece Standard SAE Impact Set Sizes: 3/4" thru 2"	\$507.99
GRE9020M	1"	20-Piece Standard Metric Impact Set Sizes: 45mm thru 75mm	\$1,019.99
GRE9026M	1"	26-Piece Standard Metric Impact Set Sizes: 19mm thru 44mm	\$654.99
GRE9096H	1"	6-Piece HEX Fractional Impact Set Sizes: 1" thru 1-3/8"	\$356.99




\$294.10 10 Piece 1" Drive 6-Point Wheel **Service Impact Socket Set**

 Includes the following sockets: 13/16" Sq, 1-1/16" thin wall deep, 1-1/8" thin wall deep, 1-1/4" thin wall deep, 1-1/2" deep with inside lip, 17mm sq with inside lip, 21mm sq with inside lip, 33mm deep, 35mm deep, 41mm deep

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov







- Cr-Mo alloy steel for long life
 Industrial strength, double latch blow molded case

Set includes: 3 standard sockets, sizes 7/8", 1" and 33mm; 3 deep thin wall sockets, sizes 1-1/16", 1-1/8" and 1-1/4"; 1 square socket size 13/16" and 1 controlled depth socket size 1-1/2".



1" drive budd wheel service



\$164.69 KTI35005

5 Piece 1" Drive Budd Wheel Service Kit

- Use with 1" square drive impact wrench
 Metric sizes for Isuzu, Hino, Mitsubishi, Fuso, White Volvo, Mack Midliner and other imports
- Fractional size for all U.S.A. made trucks
 Fits both front and rear axle wheel, single and dual
- Removes both nut and stud with just one socket Set includes 33mm, 36mm, 38mm, 41mm and 1-1/2" hex

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov







OTC1948A \$55.99

1" Drive Budd Wheel Socket 33mm

- 33 millimeter hex Budd wheel socket
- Works on import truck Budd wheels
- Usable with 1 inch square drive impact wrench
- . For Mack Midliners, White Volvo, and other import trucks with dual rear wheels
- Extra deep design lets you remove both nut & stud w/ just the one socket



DIAGNOSTIC & REPAIR TOOL chosen most by the PROS.









FAULT GUIDANCE

P/N: NRS263025-NS

P/N: NRS232125-NS

P/N: NRS212100-NS



INCLUDES: JPRO Professional Diagnostic Software (Annual Subscription), NextStep Fault Guidance (Annual Subscription), Panasonic Semi-Rugged Toughbook, DLA+ 2.0 Adapter, Vehicle Cables, USB cable & carrying case.



INCLUDES: JPRO Professional Diagnostic Software (Annual Subscription), NextStep Fault Guidance Softv (Annual Subscription), DLA+ 2.0 Adapter, Vehicle Cables, USB cable & carrying case.



INCLUDES: JPRO Professional Diagnostic Software (Annual Subscription) & NextStep Fault Guidance Software (Annual Subscription) only. Hardware NOT included.

INDUSTRY-LEADING BI-DIRECTIONAL TESTS | COMPREHENSIVE VEHICLE COVERAGE | US-BASED SUPPORT

1-Day NATIONWIDE DELIVERY — Covering 90% of the population. (2-Day Delivery to 98%)



Panasonic TOUGHBOOK

Proudly offering NEW! Panasonic Semi-Rugged Toughbooks® in JPRO® Professional Diagnostic Toolbox

wrenches





- High polish, smooth-finish, heat-treated Chrome Vanadium steel
 Tools are longer than standard combination wrenches
 Packaged in a kit bag
 Lifetime warranty

Part #	Description	
KTI41304	14-Piece Fractional High Polish Wrench Set Sizes: 3/8" thru 1-1/4"	\$214.69
KTI41305	24-Piece Fractional High Polish Wrench Set Sizes: 1/4" thru 1-5/8"	\$397.04
KTI41801	9-Piece Metric High Polish Wrench Set Sizes: 20mm thru 28mm	\$149.99
KTI41802	8-Piece Metric High Polish Wrench Set Sizes: 29mm thru 36mm	\$229.84


WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



- High density, dropped forged steel Raised panel design Lifetime warranty

Part #	Description	
SUN9604	4-Piece Fractional Wrench Set Sizes: 2-1/8" thru 2-1/2"	\$273.99
SUN9916	6-Piece JUMBO Angle Head Fractional Wrench Set Sizes: 1-3/8" thru 2"	\$154.99
SUN9926	6-Piece JUMBO Angle Head Metric Wrench Set Sizes: 20mm thru 25mm	\$56.99
SUN9927	6-Piece JUMBO Angle Head Metric Wrench Set Sizes: 26mm thru 32mm	\$98.99
SUN9937	6-Piece SUPER JUMBO Fractional Wrench Set Sizes: 1-5/16" thru 2"	\$425.99
SUN9919M	8-Piece V-GROOVE Metric Wrench Set Sizes: 25mm thru 32mm	\$121.99

GW GEARWRENCH





Part #	Description	
KDT81920	18-Piece Long Pattern Metric Wrench Set Sizes: 7mm thru 24mm	\$149.49
KDT81917	18-Piece Long Pattern Fractional Wrench Set Sizes: 1/4" thru 1-1/4"	\$141.93
KDT81922	6-Piece Long Pattern Metric Wrench Set Sizes: 25mm thru 32mm	\$121.91
KDT81921	5-Piece Long Pattern Fractional Wrench Set Sizes: 1-1/16" thru 1-1/2"	\$104.89







Part #	Description	
V8T9212	12-Piece JUMBO Fractional Service Wrench Set Sizes: 1-11/16" thru 2-5/8"	\$216.99
V8T9105	5-Piece JUMBO Metric Wrench Set Sizes: 30mm thru 36mm	\$96.99
V8T819	5-Piece JUMBO Angle Head Metric Wrench Set Sizes: 24mm thru 32mm	\$151.99
V8T9810	5-Piece JUMBO Angle Head Fractional Wrench Set Sizes: 1-5/16" thru 2"	\$406.99

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

sockets sets & accessories

TOOL INTERNATIONAL

KTI24121 \$308.81 20 Piece 3/4" Drive

- 6 Point SAE Socket SetHigh polished chrome vanadium steel
- · Packaged in blow-molded case
- Lifetime warranty

Set includes (also available individually):

KTI24124 - 3/4" KTI24128 - 7/8" KTI24130 - 15/16" KTI24132 - 1" KTI24134 - 1-1/16" KTI24136 - 1-1/8"	KTI24140 - 1-1/4" KTI24142 - 1-5/16" KTI24144 - 1-3/8" KTI24146 - 1-7/16" KTI24148 - 1-1/2" KTI24152 - 1-5/8"	KTI2 KTI2 KTI2 KTI2 KTI2
KTI24134 - 1-1/16" KTI24136 - 1-1/8" KTI24138 - 1-13/16"	KTI24148 - 1-1/2" KTI24152 - 1-5/8" KTI24156 - 1-3/4"	KTI2





KTI71701 \$30.75 12 Piece 1/2" Drive **Professional Impact Driver Set**

 Heat-treated and hardened alloy steel
 Includes: 1/2" Impact Driver, 1/2" Dr 5/16"
 Bit Holder, Phillips Bits: PH2, PH3 & PH2
 Xtra long, Slotted Bits: 8mm & 10mm,
 Bolt Removers: M3-M6, M6-M8, M8-M11, M11-M14 & M14-M19



• Set contains: 1-1/2" thru 3-1/8", 8" extension, 16" extension, 26" flex handle, 22" sliding T-handle, 26" ratchet with 24 teeth all come in a 31.10" x 11.93" x 4.37" metal box weighing 114.64lbs.

Covered by a Lifetime Warranty





SUNEX



SUN4421 \$461.99 21-Piece 3/4" Drive

Chrome Socket Set, Fractional SAE


Set includes: 15/16" thru 2", 3/4" Dr. 4" Extension, 3/4" Dr. 8" Extension, 3/4" Dr. 16" Extension, 3/4" Dr. 18" Sliding T-Bar, 3/4" Dr. 24 Tooth Ratchet

hammers



\$83.22 KTI71770 **6-Piece Hammer Set**

- · Fiberglass handle with TPR cover and carbon-steel force heat treatment head
- Set includes: 16 oz ball, 32 oz ball, 3 lb cross pein, 3 lb club/sledge, 32 oz rubber mallet and 30 oz dead blow hammers
- · Covered by a 1 year warranty



B.A.S.H Hammer Kits

- Unbreakable® Handle Technology Steel core eliminates breaking during overstrikes
- Trademark Green Head Hi-Vis, drop forged 46 HRC steel head endures the most demanding applications
- · Safety Plate Secures head to handle preventing head dislodging
- Ergonomic Handle Shaped and thickened for improved comfort and less vibration
- . No-Slip Grip Vulcanized rubber handle for secure grip while striking



\$138.99 WIL11111

3 Piece B.A.S.H Mechanics Hammer Kit

• Kit includes three of our most popular hammers - 4 Lb Head, 12" B.A.S.H® Sledge Hammer, 32 Oz Head, 14" B.A.S.H® Ball Pein Hammer and 2 Lb Head, 16" B.A.S.H® Cross Pein Hammer

GU GEARWRENCH

KDT82303 \$135.37

- **5 Piece Hammer Set** · Highest quality forged alloy heads
- Ergonomic comfort grip
- Packaged in a durable storage tray
- Lifetime warranty
- . Set includes: 16 oz. ball pein, 3 lb. drilling, 12 oz. soft face, 16 oz. dead blow, and 16 oz. rubber mallet



\$86.99 TIT63125 **5 Piece General Use Hammer Set**

 Set includes: 16 oz. and 32 oz. ball pein hammers, 32 oz. rubber mallet, 3 lb. sledge hammer, 3 lb. cross pein hammer



HANDt

prv bars


K TOOL

KTI19240 \$54.75 4-Piece Bent End Pry Bar Set with Screwdriver Handles

- Feature smooth, comfortable square handles
- · High quality, bent-end pry bars
- Angled tip creates extra leverage point
 Set includes sizes: 9", 12", 18", 24".

KTI19230 \$69.98 4 Piece Handled Pry Bar Set

- · Forged construction, chrome steel, heat treated, hardness 38-43 HRC
- · Blade is connected to the metal striking end cap
- Included sizes: 8", 12", 18" and 24'





\$196.99 OTC8203L

3 Piece Handled Pry Bar Set - Long • Heavy-duty pry bar made of tempered square steel • Black chrome striking cap allows hitting the bar

- without damage to the handle
- Dual durometer composite handle reduces hand fatigue
- · Polished tip with black oxide finish
- · Long-life finish resists rust and wear during use

☞ GEARWRENCH

\$134.92 KDT82301

3 Piece Indexable Pry Bar Set

- Indexable to 180° for greater leverage
- · 14 locking positions
- · Exceeds ANSI requirements for proven strength
- Recessed steel push button provides more clearance
- · 8" pry bar has thin profile for removal of engine and axle drive seals
- Set includes the 82208 8", 82210 10" and 82216 16"



Dominator.®

\$320.99 MAY14068 3 Piece Long HD **Pry Bar Set and Rack**

- HEAVY-DUTY RACK -Provides convenient storage and quick access for the tool
- · Hangs from a welded cabinet or attaches to a wall with proper screws (not included)

KTOOL



KTI72175 \$264.69

3/4" Drive Ratcheting-style

- Torque Wrench, 100-600 ft/lbs
 Style, 3/4" Drive, 100-600 ft/lbs, 42" Long
 Ratcheting style torque wrench "clicks" when proper torque is achieved

torque tools

- Works only in clockwise direction
 Accuracy: ±4%
- Packaged in blow molded case



KTI72145 \$338.22

3/4" Drive Micrometer-style Adjustable Torque Wrenches,100-600 ft/lb

- Achieve proper torque every time! EZ-turn torque adjustment
 Push-button release for quick socket changes
- · Manufactured for accuracy, strength and reliability
- · Works in clockwise and counter-clockwise directions



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



SUNEX

\$497.99 SUN40600 3/4" Drive, Torque Wrench (110-600 ft./lbs.) 48T

- 48 tooth ratcheting mechanism
- Accurate to ±3% clockwise and ±6% counterclockwise
- · High quality internal components for professional performance
- . Desired torque is signaled by audible click and impulse
- · Heat treated tube with knurled aluminum handle

\$923.99 ESC10010 1 in. Drive Break-Back Style Torque

- Wrench (200-750 ft/lbs.)

 Has a 57 inch long handle for easy use.

 Comes in a carrying case
- Heavy duty construction
- Torque range from 200-750 ft lbs torque
- Only weighs 30 lbs








KDT85065 3/4" Drive Micrometer Torque Wrench 100-600 Ft-lb

- Knurled anodized aluminum handle
- Mid-point on handle clearly Accurate in clockwise direction
- Pull adjustment collar
 Meets ISO 6789 specifications
- · Packaged in blow molded case for storage
- Includes instructions and calibrated certificate



torque tools



PREC4D600F36H \$576.99 3/4" Torque Wrench and Breaker Bar Combo Pack

- Combo pack includes C4D600F and Breaker Bar Handle
 Heavy duty knurl grip (always wear appropriate work gloves)
 Push button allows the user to select desired length up to 41'
- Strong enough to break free even the most stubborn fasteners

\$638.99 PREC4D400F 3/4" Drive "Split Beam" **Torque Wrench** with Detachable Head (130-400 Ft/Lbs)



- All steel construction and American craftsmanship
- · Requires only fingertip force to adjust across full scale in seconds
- No need to reset the tool to the bottom of the scale after use
- Three piece break apart designs allows tool to be stored in 29" custom case





\$628.99

PREC5D600F36H

- 1" Drive Torque Wrench and Breaker Bar Combo Pack

- Combo pack includes C5D600F and Breaker Bar Handle
 Heavy duty knurl grip (always wear appropriate work gloves)
 Push button allows the user to select desired length up to 41"
- · Strong enough to break free even the most stubborn fasteners
- Completely manufactured at Precision Instruments from American-made steel




\$577.99

PREC5D600F

- 1" Drive, 600ft./lb. Click Wrench (200-600 ft./lb.)

 Innovative torque measuring mechansim
- requires only fingertip force to adjust the reading
- · Resist industrial fluids and counters abuse
- 4% accurate clockwise and counterclockwise direction



BATTERY Se

jump starters



START•ALL.»

GDLJP-12-10000T \$882.99 Jump Pack 12V 10000 Amp

- 12 V, 10000 amps,133200 Joules
 Lithium-lon powered, Jumpstarts the toughest Class 8 engines
 Charges any USB device including cell phones
 Calid Actor to be basely user to the control of the control of
- Solid state technology control provides longer durability
 500 lumen emergency LED light



NOCO

NOCGB150 \$361.99 **Noco Genius Boost Pro 4000A** 12V Lithium Jump Starter

- 4,000 Amps (22,500 Joules3S) with spark-proof technology and reverse polarity protection
 Enjoy portable 12-volt power from anywhere for tire pumps,
- inverters, lights and more; plus rapid recharging in just over 3 hours
 An ultra-bright 500 lumen LED flashlight with 7 light modes



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Clore Automotive

JUMP n Carry.

SOLJNC1224 \$647.99 Jump-N-Carry 3400 Peak Amp 12/24 Volt Jump Starter

- 1700 Peak Amps and 425 Cranking Amps 24V
- Clore PROFORMER battery technology
 46" #2 AWG welding cable leads
 Industrial-grade Hot Jaw clamps
 12VDC outlet to power accessories

- 1 year limited warranty

SOLJNC950 \$463.99 Jump-N-Carry 2000 Peak Amp 12 Volt Jump Starter

- 700 Cranking Amps1 year limited warranty









SOLES1224 \$647.99 Truck Pac 3000 Peak Amp 12/24 Volt Jump Starter

- Automatic recharging
 Integrated voltage selection switch
- LED battery status indicator60" #2 AWG cables
- Industrial Grade Hot Jaw™ clamps
- AWS Advanced Warning System™
 DC outlet to power 12 Volt accessories
- 1 year limited warranty



genius BOOSTPRO



SCUDSR119 \$185.99 **Jump Starter, Professional**

- 280 Cranking Amps225 Cold Cranking Amps18 Ah professional grade battery
- 4 Gauge, 28 inch cables
 LED Charging Indicators



SCUDSR115 \$676.99

- Jump Starter, ProSeries Double Battery
 (2) High-output AGM battery for 12V / 24V systems
 44000 Peak Amps / 500 Cranking Amps /
- 415 Cold Cranking Amps
 2 AWG, 60" cables 2A automatic external charger
- Smart Éco Energy meets the highest industry standards for energy efficiency

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



\$2,289,99

SOLHT1224AGM **Heavy Truck Jump Starter**

- 12/24V (with AGM Batteries)
 1400 cold cranking amps in 12 Volt mode
 800 cold cranking amp in 24 Volt mode
 Automatic 7 Amp x 2 Channel Battery Charging System
- 10' Jumper Cable Leads
- Ships with (2) Group 31 AGM Batteries installed

Features installed AGM batteries to increase unit longevity and eliminate spill hazards. Specifically designed for over-the-road transportation and heavy-duty implements starting applications. 1400 cold cranking amps in 12 Volt mode and 800 cold cranking amps in 24 Volt mode.





\$820.99 SOL4001 The Smart Starter Commercial Jump Starter, 12/24 Volt

- 12/24 Volt Operation
- Accommodates 2 batteries up to Group 31 size
- Supports Flooded or AGM batteries
- LED Status display plus
- 7-segment voltmeter
 10' 1/0 output cable gauge



ERY service

start-alls



We Start Engines





\$10,729.99 GDL11-610 12 Volt, Start-All®

- 12 Volt jump starting
- 700 Amp output
- · Full voltage regulation
- · Volt and amp meter to monitor boosting output
- Single cable, single switch for easy operation

6001A

100/75

6002

ASSOCIATED

\$930.99 AS06001A **Heavy Duty Commercial** 6-12V Battery Charger

- 375 cold crank amps
 16 rates of charge 75 Amp continuous charge with 375 Amps crank assist at 12 volts
 UL and CSA listed for indoor and outdoor use, "Safe in any Weather."
 UL continuous ratings-100/75 Amp; UL continuous ratings-100/75 Amp; UL cranking position of the safe and the safe area withing and the safe area withing and the safe area.
- cranking assist rating-375 Amp
 500 amp, fully insulated, "Flexi-Spring" clamps

WARNING: Cancer and Reproductive Harm -





AS06002B \$1,089.99 6/12/18/24V Battery Charger


- Comes with our best manufacturer's boost rating of 600 AMP
- 400 cold crank amps
- . Charges 6, 12, 18, and 24 volt batteries
- Heavy-duty transformer, patented 'Sub-Sil' multidiode rectifiers, longer AC cord and DC leads are standard features for higher performance
- UL listed for indoor and outdoor use, 'Safe in any weather.'



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

\$648.99 AS06010B **Heavy Duty Commerical** Portable Battery Charger, 6/12/24 Volt

- Charges all standard & maintenance free 6/12/24 Volt batteries with 4 charging positions. Battery Voltage -6/12/24; Continuous Ratings - 60/60/30; Amp Boost Rating - 420 Amp; Crank Assist Rating - 230 Amp; Clamps - 500 Amp Rating
- 120 Minute Automatic Timer
 Vacuum impregnated heavy duty transformer





ASO6006AGM \$771.99 6/12/24 Volt Battery Charger, 70/65/30A, Agm, 280 Amp Cranking AGM Charging Capable Professional Quality built to last Indoor Outdoor Rated

- . Bumper to Bumper 2 year Warranty





HIASSOCIATED

battery chargers

AS0ESS6011 \$952.99 12/24V, 70/35A, 200A **Boost Wheel Charger/Analyzer**

- 70A Stable Power Supply Nominal 13.7V DC Output
- Electrical Stability System (ESS™) Technology turns ESS6011 into a stable power supply for extended service procedures or Re-flashes
- AGM, GEL Cell, Sealed and STD Flooded Batteries
 Dead Battery Override Control
 3 Year Limited Warranty "Safe in Any Weather"







ASO6009AGM \$727.99 6/12V Heavy Duty Commercial Fast Battery Charger, 70/60/2A, **265 Amp Cranking**• Fast charger with the highest performance

NITE LIVAYMATTIC

- Task charger with the ingress performance crank assist of any 60 Amp charger
 Vacuum impregnated heavy-duty transformer
 Multi-diode rectifiers (patented) to take
- over in case of failure
- · Fan cooling mechanism prevents overheating
- · Safety UL and CSA listed
- . 500 Amp clamps are covered with vinyl insulation; will not arc or spark

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





AS06139 \$468.99 **Plug-In Starting System Cable**

ASSOCIATED

- Stainless steel receptacle mounts onto a truck bumper and connects directly to a battery
- Reaches stalled vehicles from front, back or side
- Includes 25' tangle free starting cables, side terminal adapters, and polarized LEXAN plug
- 500 Amp clamp Made in the U.S.A



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



battery chargers

MIDTRONIC

Advancing Battery Management

MIDGR8-1200AMPKIT \$3,689.99 **Multi-Tasking Battery Diagnostic Station**

- ECM Power Supply Mode
 Advanced Electrical System
 Tests and charges AGM, GEL and Flooded Batteries
- · Multi-tasking allows for charging battery or using power supply and diagnosing a battery or electrical system in another area of the shop at the same time
- Includes integrated printer LTL shipping

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

PRO-LOGIX



SOLPL6800

12V PRO-LOGIX Fleet Charger w/100A Power Supply

- 100 Amp On-Demand Power Supply for Module Reprogramming
- . Extra long 13' replaceable cables with HD clamp
- 100A Max charge rate for fleet battery servicing
- Properly charges a variety of lead-acid battery types
- Automatic charging for easy operation

bank chargers



\$1,109,99 SCUDSR127 12/8/2 Amp Digital 8 Bank Charging Station

- Eight Charging Banks Each bank is fully automatic and microprocessor controlled
- Dual-Bank Charging For large batteries, connect two banks to the same battery to double the charging output current to 4 to 24 amps
 Start/Stop Interface Push button to begin or end the bank charging process
- Recovery Setting Use to automatically recover and charge severely discharged
- 12 V batteries
- · Safe-start, reverse polarity and short circuit protection



POWERED BY SCHUMACHER

\$477.99 SCUDSR125 10 Amp 4 Bank Automatic **Battery Charging Station**

- Four independent, fully automatic, microprocessor-controlled charging banks
- Automatically adjusts from 5 to 10A output per bank
- Charges 6V and 12V Standard, AGM, Gel, deep-cycle and LFeP04 batteries
- Four detachable 6 foot cables with 75 Amp, color-coded clamps
- Recovery mode for sulfated Standard and AGM batteries



battery testers



BOSCH

Invented for life

B0S1699200244 \$408.99 **BAT 135 Battery Tester with Integrated Printer**

- Tests 6V, 12V batteries and 12V, 24V charging systems
 Tests battery capacities from 40-2,000 CCA
 Presents State of Health and State of Charge percentage
 Integrated printer to capture test results and customer records
- Test all automotive, light-duty and commercial batteries including: AGM, Gel Cell, Flooded lead-acid, Start/Stop EFB, Commercial, SLI
- 1-year warranty on material and workmanship





- · Patented "Battery Pack" Test (up to 6 batteries in parallel)
- 15' field-replaceable cable/clamp set
- · Custom algorithms for industry-leading accuracy testing Group 31 and 4D/8D batteries
- Tests 6/12V batteries, 12/24V starting & charging systems
- Use on auto & light-truck apps too -complete fleet coverage

MIDEXP-1000-HD-AMP \$1,899.99 **Digital Battery and Electrical System Analyzer** with Inductive Amp-Clamp for Heavy Duty/Fleets

- Same tester platform required by International, Kenworth, Peterbilt, and Travel Centers of America does not provide warranty code
- Battery test routine designed for multiple-battery vehicles: pack-test up to 6 batteries in parallel without disconnecting Tests 6 and 12V batteries including conventional automotive, Group 31 and other commercial batteries, AGM and Gel. Tests
- 12 and 24V starting and charging systems WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov









Y service

booster cables

Part #	Description	Clamps	Gauge	Amp	
KTI74530	25' Professional Battery Booster Cables	Parrot Jaw	2/0-Gauge	500 Amp	\$81.52
KTI74523	20' Heavy Duty Battery Booster Cables	Mechanic	4-Gauge	500 Amp	\$68.29
KTI74524	20' Heavy Duty Battery Booster Cables	Mechanic	4-Gauge	400 Amp	\$54.60
FJC45265	25' Commercial Grade Booster Cables	Solid Brass	2/0-Gauge	800 Amp	\$291.99
FJC45255	25' Heavy Duty Battery Booster Cables	Solid Brass	1-Gauge	800 Amp	\$151.99
S0L401252	25' Heavy Duty Battery Booster Cables	Aluminum	1-Gauge	800 Amp	\$94.99
S0L422252	25' Heavy Duty Battery Booster Cables	Aluminum	2/0-Gauge	800 Amp	\$161.99











WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

battery service tools



OTC4631 \$96.99 **8 Piece Battery Terminal Service Kit**

 Includes: OTC4611 – Battery terminal puller, OTC4612 – 3-way battery post cleaner, OTC4613 - Battery pliers,

OTC4614 – Side terminal battery wrench, OTC4615 – Long-side terminal wrench, OTC4616 - Battery terminal wrench - 10mm, OTC4617 - Side terminal battery brush, OTC4622 - Battery Cable Cutter and a blow molded case.



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

OTC4639 \$74.99 7 Piece Battery Terminal Service Kit

- Heavy-duty battery terminal puller
- GM 5/16" battery terminal ratchet wrench & extra long 5/16" terminal ratchet wrench
- 4-way battery post cleaner & reamer and angled battery nut pliers
- 10 mm battery terminal ratchet wrench and side terminal battery brush

\$10.99 **Side Terminal Battery Wrench**





KTI70212 \$8.75 6-12-24 Volt Battery Tester

- Tests battery life whether hot or coldHelp extend battery life and detect overcharge
- Assists in preventing dead batteries



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



SGT18840 \$150.99 **Terminal Crimper with Rotating Die Set** for 8 - 4/0 AWG Uninsulated Terminals

- Rotating die setLong handles for increased leverage
- · Comfortable handle grips
- Sturdy 26" overall length

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



SGT18700 \$241.99

11 Piece Master Terminals Service Kit

 Includes: release tools for Deutsche Closed and Open Barrel terminal. Deutsch Closed Barrel crimpers for 12, 14, 16, 18, 20 & 22. Gage wire crimper for Open Barrel terminals, crimper for Weather Pack, Metri Pack, Molex open barrel terminals and release tool for Weather Pack terminals



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov







PLW75-030 \$16.99 **Auto Shut-Off 2 Quart Capacity Plastic Battery Filler**

- . Shuts off automatically when battery cell is at proper level; no over filling
- Double action fast flow valve tip that prevents after-drip
- Stops surface discharge caused by wet battery



KT170220 \$6.60 **Battery Terminal Brush**

- Metal brush bristles
- Cleans corrosion build up
- · Rounded top design WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



LIS11120 \$8.99 **Battery Brush**

- · Removes dirt and corrosion from
- battery terminals and cable clamps


 The external brush cleans cable clamps and internal brush cleans terminal posts

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



VIMBS1 \$6.99 10" Professional Battery Service Brush

- · Tapered stainless bristles for long life
- · Cleans all female battery terminals
- · Quickly clean the corrosion off all styles of battery terminal clamps





ENHANCED SOFTWARE NEW BI-DIRECTIONAL CONTROLS

MORE THAN 1,000 NEW DIAGNOSTIC UPDATES / OVER 20 MAKES / 80+ MODELS



EASY INTERFACE

TROUBLE CODE ASSIST

DETAILED AUTO-SCAN

MAXIMIZE TECHNICIAN RESOURCES

2019 MODELS / ADAS, TPMS & TRAILER SYSTEMS / FREIGHTLINER, KENWORTH, PETERBILT & INTERNATIONAL











scan tools and software

AUTEL MaxiSys CV

AULMS906CV \$1,619.99 **Android Diagnostic Tablet** for Commercial Vehicles

- Read/Erase Codes on Heavy Duty Vehicles
- Advanced Service Menu, Shop Manager App
- View Freeze Frame and Live Data
- Includes cables and adapters inc. Deutsch 6 - and 9-pin





BOSCH

Invented for life

\$2.839.99

BOS3824A-TBL **ESI (Truck) Heavy Duty Diagnostic Solution with HDS 1000 Tablet**

- Extensive make, model, engine, and system coverage -for North American commercial vehicles / heavy duty trucks
- Enhanced bidirectional controls, including diesel particulate filter (DPF) regeneration, cylinder cut-out, injector coding, component actuation, special tests, and more
- HDS 1000 Windows 10 touchscreen tablet designed for use in a rugged environment
- Intel Celeron N3160 Processor 64-Bit Quad Core
- · 4GB memory with 128 GB Flash Disk for permanent storage
- Front and rear cameras for repair image storing



\$8,729.99

B0S3824A

ESI [Truck] HD Diagnostic Solution with HDS 1000 Tablet

- Enhanced bidirectional controls, including diesel particulate filter (DPF) regeneration, cylinder cut-out, injector coding, component actuation, special tests, and more

- Useful technical information to aid in diagnosis, maintenance, and repair
 Intel Celeron N3160 Processor 64-Bit Quad Core
 Ultra-crisp high-resolution display for optimum viewing in all lighting conditions
- Upgrade to perform off-highway vehicle diagnostics including agricultural and construction vehicles using 3824CBL-UPG Upgrade Kit

B0S3824-08 \$1.959.99 **ESI Truck Renewal License**

- 12 Month Renewal License
- 3824-08 maintains the existing ESI Truck full features
- One renewal covers the multiple makes and systems on the 3824





BOSC

- Active 3824-08R subscription allows access to a troubleshooting and repair information database with more than 13,000 DTC fixes
- Provides step by step troubleshooting information for DTCs and symptoms
- Information is integrated into the diagnostic session No additional login or website connection is needed

.AUNCH

LAU301180411 \$2.899.99 Pad II AE

- IP65 (Protected from dust and low water pressure from any direction), drop-tested Android based scan tool tablet with a 10.1" high resolution capacitive touch screen

 • Featuring an open Android™ operating system

 • Tech To Tech Live Remote diagnostic Support capability

- Optional free based Identifix repair Hotline service with live remote access
- OE-Level access to Asian, European and Domestic applications for module coding, resets, relearns & bi-directional capabilities

 1-year warranty

LAU301180524 \$5,199.99 X-431 Pad II HD III

- Launch X-431 Pad II AE scan tool programmed to work only on Heavy Duty Trucks
- · Component Replacement, Cylinder Compression Test, Injector Cut Out Test, DPF Regeneration
- CAT, Cummins, Detroit, Freightliner,
 Fuso, Hino, International, Isuzu, KW,
 Peterbilt, Sterling, Volvo
 Communicates with ABS & Transmissions
 from, Bendix, Wabco, Eaton and Allison
 Communicates in Plusteeth or head.
- Communicates via Bluetooth or hard wired to the vehicle





\$4,589.99 **CDOHDPROTAB Android Tablet for Heavy Duty**

- . True IP65 Rated Android Tablet with Wireless Bluetooth VCI
- Class 4-8, Light-Medium Duty and Agricultural Coverage
- Change and set parameters
- Read/Clear Codes, View/Graph Live Data and full Bi-directional controls
 Perform OEM Level Resets & Regeneration



CDOHDMOBILE \$497.99 VCI & Application for Heavy Duty Class 4-8

- . Works with iOS and Android
- Class 4-8 Coverage along with OBDII
 Light-Medium Duty Coverage

 Description

 Class 4-8 Coverage

 Class 4-8 Coverage

 Coverage

- Read & Clear Codes
 DPF Resets and Regens

CDOLDMOBILE \$374.99 **VCI** and Application for Light Duty Trucks, LD Mobile

- · Full Scan Tool Coverage for GM, Ford, Chrysler, Toyota, Honda and Nissan
- Access: Engine, Transmission, ABS, SRS and Body Control modules
- Perform: Read & Clear Codes, Live Data with Graphing, DPF Reset & Regeneration and more depending on make & model!
 Covers: SAE J1850PWM & VPW, ISO 14230-4, 9141-2 and 15765-4
- and CAN Protocols

CDOHDTPMS \$540.99 **HD TPMS Tool for Bus and Trucks**

- · Activates and reads OE sensors in seconds
- · Check tire pressure to prevent under-inflation Check sensor battery levels to prevent sensor failure



scan tools and software



Diagnostic Software & Adapter Kit

- Provides bi-directional features and tests for GM, Mack, Volvo, Detroit Diesel, Cummins, International, PACCAR, Isuzu, Wabco, and Bendix.
- · Proprietary heavy-duty coverage for all makes and models
- Proprietary medium-duty coverage for Ford, GM, Sprinter, and Isuzu
 Reads, displays, and clears over 100,000 faults with 0EM-level fault descriptions
- NextStep service and repair information delivers component-based, technicianfriendly all makes, all models troubleshooting and repair. Includes Free access to NextStep NET online portal (internet access required)
- Hardware includes DLA+ 2.0 adapter, all cables



\$865.99

NRS122061

- Noregon DLA+ 2.0 Adapter Kit

 Noregon DLA+ 2.0 adapter kits have been updated to comply with the 2016 CARB and EPA mandates as well as provide 3 CAN support.

 DLA+ 2.0 adapters work with all TMC R01210 compliant heavy-duty OEM diagnostic software applications and will work with vehicles manufactured before 2017
- All DLA+ 2.0 adapters come with a 1-year warranty
- Compatible with both current & pre-existing vehicle protocols
- · Diagnostic cables for medium-duty applications: Ford, GM, Sprinter, and Isuzu



\$836.99

NRS122511

Noregon Trailer Diagnostic Adapter Kit with Power Supply Cable

Contains everything you need to diagnose, test, and initiate the repair of heavy duty trailer anti-lock braking systems



COJ29366CVKIT \$6,719.99 **Commercial Vehicle Diagnostics Kit**

- Provides end-users with state-of-the-art diagnostics for trucks, buses, and trailers, as well as access to light commercial vehicles
- Read and clear trouble codes
 View live data PIDs
- Perform functional tests and special functions such as calibrations that complete repairs
- · Includes one year of info online, the latest in repair and diagnostic procedures support, including wiring diagrams

Kit includes: COJ29366 Jaltest Link Kit, COJ29300 Software Activation for Commercial Vehicles, COJ29053 Software One-Year License of Use and COJ29428 Jaltest Info Online One-Year of Use



COJ29981MAKIT

Complete Marine Diagnostics Kit

- Provides end-users with state-of-the-art diagnostics for inboard, outboard, and jet ski engines
- Perform functional tests and special functions that complete repairs

Kit includes: COJ29981 Marine Link Kit. COJ29990 Software Activation Full Kit. COJ29982 Boat Cable Set and COJ29982 Jet Ski Cable Set



- Class 1 Bluetooth provides up to 100 feet of wireless freedom
- · Flexible configuration supports wired or wireless connectivity
- Compatible with applications that diagnose engines, transmissions, ABS, instrument panels and more
- Reduce programming times with direct USB connection
- Quick access to vehicle data for maintenance or management reports

NICS diag



\$779.99

DRWDREWLINQ **HD / Commercial** Passthru Tool

- · Industry's most capable Heavy Duty / Commercial passthru tool
- Works with today's OEM passthru diagnostic and reprogramming applications
- Supports RP1210 applications such as Pocketflet Diagnsotics and DTC Solutions
- Supports 4 simultaneous CAN channels
- · Rugged design and comes with a 2-Year warranty

code readers



BOSCH

Invented for life

B0S1699200240 \$658.99 **HDS 250 Scan Tool**

and Code Reader for Heavy Truck

- Read, diagnose and clear HD standard trouble codes
 Works on 12V and 24V systems to cover most medium
- works off 122 and 244 systems to cover most medium and heavy-duty vehicles in North America.
 Quick Test pulls Global OBD II codes for data analysis and diagnosis. Meets SAE standards for HD J1587 / J1708 and J1939 CAN and includes engine, transmission and ABS coverage.
 • Includes 16-pin J1962, 9-pin Deutsch and
- 6-pin Deutsch cables





CDOHDCODEII \$378.99 **Heavy Duty Codereader** with Caterpillar and DPF

- Class 4-8 Heavy Duty Truck Full Coverage Code Scanner
 CAT Industrial, Construction and Power Equipment Coverage
- . Now with DPF Regens for Fuso, Cummins and Detroit more to come!
- Free Internet Updates



LAUNCH

LAU301050367 \$642.99 Millennium HD PRO-Heavy Duty **Code Scanner with DPF**

- · Read DTCs, Clear DTCs and Data Stream for Heavy Duty OBD(J1780 AND J1939)
- Support DPF reset for most makes and models in the market, especially engineering vehicles like CAT
- Support 6pin, 9pin, 16pin and CAT 9 adapters
 For gasoline vehicles, supporting Read DTCs, Clear DTCs, Read Freeze Frame Data and Vehicle Information, Graphic Display
- 1-year warranty on material and workmanship



trailer testers









\$857.99 **IPA9004A**

Smart MUTT® (7 Spade Pin) Trailer Tester

- · Powers lights individually or all at once via auto scan or by remote control
- · Ground failure detection: differentiates between wire and chassis ground
- · Identifies open circuits and cross-wired circuits
- Pulses power to shorted and overloaded circuits (patented Pulsar® technology)
- Operates electric brakes by remote control

\$865.99 **IPA9007A Smart MUTT®** (7 Round Pin) Trailer Tester

ABS fault codes via Aux and brake circuit activation (i.e. Wabco/Bendix Tab-6 systems)



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov





\$6,169,99 **IPA5700A Alpha MUTT® Trailer Tester**



- · Capture detailed pass/fail inspection results • Remote and tablet-controlled light and air brake testing
- Advanced diagnostics with 5mA resolution
- Also Available: IPA5700A with ABS Plugin

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov





IPA9008-SE \$2,259.99 Super MUTT® Standard

- The Standard Equipment model includes 1 Remote, 1 Chassis Ground Cable, 1 7-way Pig tail and Glad Hand Hose attachments
- Places a load on the trailer's electrical circuits to identify wiring problems while providing remote control operation over both Air Brakes and Lights
- · Remote control allows for repetitive air brake actuation at each axle.



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



IPA9008-DL \$2,609.99

Super MUTT® Pro Edition Trailer Tester

- Kit includes the 7-way pig tail, glad hand hoses, 4 remote controls, steel face shield and rain cover
- · Places a load on the trailer's electrical circuits to identify wiring problems while providing remote control operation over both Air Brakes and Lights



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

trailer testers





\$814.99 **IPA9200 Tactical Trailer Tester Field Kit**


- Test all trailers Test all vehicle tow circuits
- Clean all truck and trailer electrical connections
 Lifetime Warrantv

- 1. #9102 Heavy Ranger MUTT®
- 2. #7900K-1 5 ft. 7 Round Cable
- 3. #7900A-5 7 Round to 7 Flat Adapter
- 4. #8000 3-Way Trailer Adapter
- 5. #8044 Master Trailer Cleaner Set
- 6. #8040 Diamond-Grip Terminal Cleaners
- 7. #7865L 7 Round Pin Tractor Trailer Circuit Tester
- 8. #7893 7 Flat (Spade) Pin Trailer Circuit Tester
- 9. #7897 6 Round Pin Tractor Trailer Circuit Tester
- 10. #7866 4/5 Pin Trailer Circuit Harness Checker
- 11. #CHR0001 500mA Battery Charger



Heavy Ranger MUTT® Trailer Tester
• Test 7—way Round pin • Short circuit protection
• Turn signal simulation and Power verification LED

- Internal battery compartment
- Water resistant • 5000m
- · Battery charger incuded



\$195.99

IPA9101 Light Duty Ranger MUTT® Trailer Tester • Tests 7-spade, 6-round and


- 4/5-flat pin type trailer harnesses
- Turn signal simulation and power verification LED
- Water resistant
 Short circuit protection
- Tests lights and electric brakes

WARNING: Cancer and Reproductive Harm ww.P65Warnings.ca.gov



IPA8044 \$119.99 **Truck and Trailer Connector Cleaner Master Set**

- For use on 4, 5, 6, 7 (spade), and 7 (round) truck and trailer male and female terminals
- Includes: (6) Terminal Cleaners, (6) 8mm Swabs, (12) 5mm Swabs and (1) tube of DeoxIT® electrical contact cleaner/enhancer
- · Replacement/individual part numbers listed inside package



\$147.99 **IPA8048 HD Fleet Technician's Electrical Terminal Maintenance Set**

- · Clean and restore male and female terminals on fleet connections
- For Deutsch, Cannon, 7-way round, bullet, weather pack, trailer light connectors and more







\$41.99 **IPA7865** 7 Round Pin Tractor **Trailer Circuit Tester**

- Troubleshoots tractor trailer circuits
- . Allows you to bypass troubled circuits while on the road
- · Comes with an extra jumper connector



- · Quickly tests light circuits; cleans and repairs truck and trailer connectors
- · Connector cleaner can be used as a pin-wear gauges



\$151.99 **IPATSTPK1 Vehicle-Side Trailer Circuit Tester Pack**

 Contains a vehicle side tester for 7 spade, 7-round, 6-Round, 4/5 Pin and the 3 way trailer adapter



\$66.99 **IPA8025 Trailer Plug and Terminal Cleaner Kit**

- Cleans 4, 5, 6 and 7 spade trailer terminals
- For Male and Female Connections
- · Maintain continuity and prevent circuit failure
- Great for use on many standard bullet and butt connectors





\$10.99 SGT18580 **Release Tool for Weather Pack Terminals**

- Use with three sizes of Weather Pack Terminals: 10-12
 AWG, 14-16 AWG and 18-22 AWG
- · Can also be used to restore the tabs to their original position
- Comfortable handle grip



SGT18910 \$33.99 **Terminal Crimper for** Weather Pack & Metri Pack

- Easily crimps 14-22 gage open barrel Weather Pack and 150 and 280 Series Metri Pack terminals and seals in two operations
- · Has three wire crimping and two seal crimping positions
- Steel construction



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

AULTRAILERPLC **\$214.99** Trailer PLC Connector to 7-Way Plug

- Allows direct connection to trailer without the tractor or connect to vehicle between the tractor and the trailer
- J560 PLC adapter connects to trailer ABS Detect ABS warning lamp messages from the trailer ECU
- 1 Year Warrantv



ONICS diag

testers



LIS27430 \$18.99

24V Heavy-Duty Circuit Tester

 Works on any circuit up to 28 volts including many heavy duty applications on large trucks and farm implements: heavy duty probe, cord and clamp




WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



\$80.99 LIS28830 **Heavy Duty Digital Circuit Tester 3-48V**

- . Operating range of 3-49 volts DC to work on most vehicle electrical systems
- 360° visibility of polarity





specialty testers

BOSCH

Invented for life

\$3.989.99

BOS1699500000 **HPT 500 High Pressure** Leak Tester

- Produce leak detection "smoke" at higher pressure than standard machines (up to 30psi) for higher pressure systems
- Produce a higher volume of smoke for larger volume systems
- Ideal for finding leaks in exhaust after-treatment systems
- Test entire system in 15 minutes





\$2,399.99

HPK 200 Accessory Kit for HD and Medium Duty Apps

- Enables testing of exhaust and cooling systems
 Adapter kit built for long shop life and compatibility with HPT 500 smoke machine
 PowerSmoke Adaptors
 Halogen inspection light
 Vapor Producing fluid
 Accessory Storage kit
 Quick start guide

Power intake adapter 3.9" (2 included), Accessory storage case, Exhaust stack retention hoop, SmokeMeister wands, Halogen Inspection Light, Vapor Producing Fluid (2), Hex Point L Key, Cooling system adapter, O2 Sensor Port Adapter, Temperature Sensor Port Adapter, Pressure Sensor Port Adapter, Block Off Coupler, 12V DC Power Cable (Detachable) and Quick Start Guide



OTC4200 \$1,489,99 **Nozlrater Diesel Injector Nozzle Tester**

- Features a rugged, lightweight reservoir that holds 7/10 of a gallon of fuel
- Large, dual-scale, high-pressure gauge is protected by a guard and includes an indicator needle to record maximum pressure reached
- Not designed for Cummins or Detroit injectors
- Replaceable 2-micron filter



PPRPPKIT04 \$421.99 **Power Probe IV Master Kit** with PPRPPECT3000

- Supplies Power and Ground for Functional Component Testing
- Fuel Injector tester for easy circuit diagnosis
- Signal Distance indicator bar
- 10 minute auto shut off
- · Large Color LCD Screen with easy to navigate User Menu



PPRPPIV \$254.99

Power Probe IV Diagnostic Circuit Tester

- Large multi-line color LCD screen Includes carrying case
 Water and dust resistant with loud indicator tones
- Measure DC, AC, and frequency (HZ) Test resistance on live and unloaded circuits
- Fuel injector tester mode
 90-day warranty on material and workmanship

PPRPPECT3000 \$186.99 **Intelligent Circuit Tracer** for Shorts and Opens

- Automatic and manual sensitivity locking
- Arrow indicates direction to short
- Signal Distance indicator bar
- 10 minute auto shut off
- · Ergonomic housing

PPRPP3EZCARBAS \$191.99 **Power Probe 3EZ with Case** & Accessories -CARB

- Test voltages and power up components on and off the vehicle
- · EZ Learning software, teaches the user how to operate the tool
- EZ Diagnostics software, teaches the user how to perform common diagnostic applications on a vehicle
- Packaged in a case with a cigarette adapter and a 20' extension cord

PPRPP3EZCAMOAS - CAMO **PPRPP3EZGRNAS - GREEN** PPRPP3EZREDAS - RED



PPIPHPT1 \$28.99 **Penetrator High Performance Tip**

- . Corrosion & Oxidation Penetrating Tip
- · Perfect use with all testers, meters and diagnostic equipment
- Provides highly stabilized readings
 Long lasting Tungsten Tip
- . Long lasting & easily visible in the dark

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

VEHICLE

oil change tools

LIS61060 \$24.99 **Diesel Filter Wrench for Paccar**

- · All metal wrench to remove and install bowls on newer Paccar Chassis Mounted Fuel Filter Assemblies
- · Half-moon design allows easier access to the fuel filter found on Kenworth, Peterbilt, and Cummins diesels
- · Laser-cut steel provides strength to loosen even the toughest bowls

LIS61090 \$26.99

Diesel Filter Wrench for 5" Davco

• 5" wrench works on any diesel engine with fuel flow rates up to 60 gph, Class 4, 5, & 6 trucks, pickup trucks, refrigeration units and some Biodiesel applications

LIS61130 \$34.99 Diesel Filter Wrench for 8" Davco

• 8" wrench works Detroit Diesel DD13, DD15 and DD16 engines found in Paccar. Daimler Trucks North America, and Volvo





Swivel Style Oil Filter Wrenches

Part #	Size	Style	
LIS53250	4-1/8" - 4-1/2"	Swivel	\$12.99
LIS54200	4-5/16" - 4-3/4"	Cummins & Detroit Diesel	\$14.99
LIS54300	5-1/4" - 5-3/4"	Caterpillar	\$15.99



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



OTC6914 \$36.99 **Davco Diesel Filter Wrench**

- Fits Davco Diesel filter models, 232-233-234
- Durable, stainless steel construction
- Opens vent cap also

OTC6915 \$35.99 **Davco Diesel Filter Wrench**

. Fits Davco Fuel filters 382 and 384

CAL291 \$45.99

Truck and Tractor Filter Pliers

Works on filters from 3-3/4" up to 7"



transmission tools





- Will remove end yokes from 600/1610-1810 series transmissions
- Works on Fuller twin-countershaft transmissions
- Lifetime limited warranty

fuel management tools



Professional Diesel

Injector-Seat Cleaning Kits

- 17-piece kit includes helix brushes, two-stage brushes, bore brushes, and SWAB-EEZ®
- SWAB-EEZ® for cleaning and polishing injector bores and cups

\$179.99 IPA8090B (Brass) IPA8090S (Stainless Steel) \$152.99



LIS57050

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



cooling system tools



OTC5039 \$439.99

- **Charged Air Cooler Tester** Features a large 2-1/2", 0-60 PSI pressure gauge, regulator and relief valve, and two safety cables
- · Also has quick disconnect air fittings that attach to a 3", 3-1/2", or 4" cooler hose



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



MITMV4534 \$158.99 **Universal Cooling System Test Kit**

 Universal cooling system adapter replaces more than 20 individual adapters for cars, vans, light and heavy-duty trucks



pullers



MLK609400-460 \$908.99 35 Piece Universal Press and Pull Sleeve Kit with XL C-Clamp with Vibro Impact Spindle

- Sleeves inner diameter from 34 72 mm
- Can also be used with 12 ton hydraulic spindle and baseframe or Impact wrench
- Includes Vibro impact spindle TR20K with ball bearing. To be used with Mueller Press and Pull Kit 609 400





\$623.99 **Differential Housing Spreader**

Works on Dana axle models 30 through 70



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



steering and suspension tools



\$2,289.99 OTC4247 **Hendrickson Suspension**



suspension bushings substantially
• Works on Hendrickson Primaax EX, Comfort Air and FCCC V-Ride (TM) Pivot and D-Pin suspension bushings

Includes a high force 25-ton cylinder for hard-to-remove bushings and OTC Stinger Series 2510A Air/Hydraulic Pump, with a Hose and Coupler



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

OTC5079 \$957.99 **Heavy Duty Power Steering Pump Analyzer**

- Troubleshoots problem components in a heavy-duty power steering system
- Flow and pressure reading meter measures both 1 to 10 gallons oil flow and up to 3,000 PSI of pressure



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





SCH14900 \$380.99 **Sheppard Steering Box Pitman Arm Popper**

- · Fits short & long sector shafts with bolt or nut arm attachment
- · Forged and heat treated alloy steel "C" frame puller
- 1-year warranty on material and workmanship



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





TIG20175 \$1,069.99 Pullers 10102, 10803 and Case • Kit includes: (1) 10102 Heavy Duty

- Universal Joint Puller; (1) 10803 Heavy Duty Yoke Puller
- Both tools have been engineered for use with up to a 1" impact wrench



TIG90150 \$1.959.99 **Heavy Duty King Pin Press**

- Three different forcing screw options are included to service Time different forcing screw options are included to service from 3/4 ton pickups to Class 8 trucks. Shortened 1-1/4" screw allows access to king pins in the tightest wheel wells
 Tie rod end removers included: 10301, 10302 and 10304
 For use on straight and tapered king pins from 7/8" to 2-5/32" suzu NPR and GMC/Chevrolet W-series trucks require a sustain addator. 00150 15. Net -expectible with 11091.
- custom adapter: 90150-15. Not compatible with FL981 axles where the tie rod is cast to the spindle.



TIG10385 \$302.99 **Sheppard M100 Pitman Arm Puller**

 Easily remove even the most stubborn pitman arms on Sheppard M100 gear boxes



brake service tools



OTC5056 \$155.99 Slack Adjuster Puller

 Works on Rockwell, Haldex, Gunite, and Bendix automatic adjusters



OTC5052 \$59.99 **Brake Slack Checker**

- · Quickly check the brake adjustment on class 7 and 8 trucks and trailers having S-cam brakes
- Works on manual or automatic slack adjusters
- Sturdy four position handle to provide the leverage you need at the proper angle



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



OTC5038 \$403.99 **Brake Anchor Pin and Bushing Service Set**

- No need to remove the bearing hub assembly to replace pins and bushings on 16-1/2" S-cam trailer and tractor "Q" brake systems
- Special tooling and C-frame press get you past the hub assembly. Quick and professional without damaging other parts
- Includes everything for removal and replacement

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov




KAS4651 \$59.99 **Automatic Slack Adjuster** Release Tool and Wrench

- Used for adjusting Rockwell Automatic Slack Adjusters The 5/16" double square offset reversible wrench
- features an E-Z grip handle
- Release the anti-reverse mechanism without prying and apply more turning power with less fatigue



- · Used for brake adjustment on heavy-duty trucks equipped with Bendix slack adjusters
- Extra deep 9/16" hex allows greater reach to recessed adjusters







- Easily connects rear drum brake return springs
 Slotted ends on tool always hold spring at correct work angle
- No need to leverage tool against a solid surface during spring installationFast, easy, and safe



VEHICLE

wheel sockets and socket sets





OTC9850 \$843.99 **Bearing Locknut Socket Display**

Contains	Description		
1901	Locknut Socket (2- 3/32")		
1902	Locknut Socket (2- 3/8")		
1904	Locknut Socket (2- 9/16")		
1906	Locknut Socket (3")		
1908	Locknut Socket (3-1/4")		
1910	Locknut Socket (3-1/2")		
1912	Locknut Socket (3-7/8")		
1914	Locknut Socket (4")		
1915	Locknut Socket (4-1/8")		
1916	Locknut Socket (4-3/8")		
1918	Locknut Socket (4-7/8")		

TRICK INVEST. SEATING BEARING SEATING
000000
90000
ê Ø e Ó

Contains	Description	
1920	Locknut Socket (2-1/4")	
1921	Locknut Socket (2-1/2")	
1922	Locknut Socket (2-5/8")	
1923	Locknut Socket (2-3/4")	
1926	Locknut Socket (3-3/4")	
1928	Locknut Socket (2-9/16")	
1932	Locknut Socket (2-7/8")	
1934	Locknut Socket (3-1/8")	
1936	Locknut Socket (2-3/8")	
1939	Locknut Socket (5-1/4")	

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

OTC9852 \$518.99 **Bearing Locknut Socket Display**

Contains	Description		
1904	Locknut Socket (2- 9/16" hex)		
1908	Locknut Socket (3-1/4" hex)		
1909	Locknut Socket (3-14" 8pt.)		
1910	Locknut Socket (3-1/2" hex)		
1913	Locknut Socket (3-7/8" 8 pt.)		
1914	Locknut Socket (4" hex)		
1915	Locknut Socket (4-1/8" hex)		
1921	Locknut Socket (2-1/2" hex)		
1922	Locknut Socket (2-5/8" hex)		
1923	Locknut Socket (2-3/4" hex)		
1928	Locknut Socket (2-9/16" hex rounded)		
1932	Locknut Socket (2-7/8" hex)		





WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov







SCH16300 \$178.99 Ford 6.7L Power Stroke Diesel **Injector Puller**

- Injector Puller fits 2011 to current 6.7L Power Stroke diesel engines
- · Lifts the injector completely out of the head
- 1-year warranty on material and workmanship





OTC5875 \$1,529.99

Cylinder Liner Remover

- Fits cylinder I.D. ranges from 5.0" to 5.75" A convenient handle can be used to lift the
- liner form the cylinder block
- Similar to J-45876



WARNING: Cancer and Reproductive Harm -



drive shaft and axle tools



OTC5085 \$183.99 **Hub Oil Seal Puller**

- · Eliminates bearing and hub damage
- Extra long 28" handle provides leverage, unique pulling head design quickly and easily removes the seal in one piece
- Built from the highest quality heat treated steel

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

\$357.99 OTC7180 **Universal Bearing Cup Installer**

- Works on axles from 11,000 to 50,000 lb. capacity
 Adjust to fit 3-5/8" to 6-1/2" 0.D. bearing cups, which adds up to as many as 30 individual drivers



wheel stud tools



\$828.99 TIG20150

- Heavy Duty U-Joint Service Kit

 Dismantle and assemble virtually any heavy duty truck U-Joint
- 10102 U-Joint Puller
- 10201 Bearing cup Installer
- 10217 Bearing Cup Installer



TIG10611 \$1,419.99

Manual Wheel Stud Service Kit

- · Provides fast and effective removal and installation of even the most seized wheel studs without the use of hydraulics
- Application: For use on inboard hubs
- Increased safety from accurate installations; eliminates risk of damage to hubs, seals, wheel bearings and wheel studs
- · For drum brakes only





EST. 1984

Since 1984, ESCO has been the brand tire technicians around the world have trusted and relied on to service all tire sizes. Our innovative line of tires service tools and equipment are designed to get the job done as safely as possible and are built to last, much like our brand over the last 36 years. We are the preferred tool and equipment manufacturer to keep your equipment moving.

55 TON SEWLY

LET THE JACK DO THE HEAVY LIFTING.

- LIGHTWEIGHT ALUMINUM constructed Hydraulic Cylinders
- Ideal for OTR, Mining, Agricultural and Construction applications
- **ESC10312:** Min. Hgt. 10.5 in. Max Hgt. 16.5 in.
- ESC10314: Min Hgt. 14.375 in. Max. Hgt. 24.375 in.
- INCLUDES Valve, Coupler, and 8" x 8" Base
- DESIGNED FOR HEAVY DUTY USE



ALUMINUM LIGHTWEIGHT



Lightweight aluminum structure is ideal for any fleet truck, service bay or shop. Upgraded Stop-Ring promotes point-loading prevention and reduces internal damage to piston.







VEHICLE

drive shaft and axle tools



OTC7077 \$55.99 Axle Stud Cone Pliers

 Now you can easily remove the tapered cone from studs used on medium- and heavy- duty truck rear axles

OTC4295 \$389.99 Wheel Stud Service Kit

- Remove and install 10 studs in only 10-15 minutes (compare to 20-30 minutes for more expensive competitive products)
- Can be powered with an impact wrench
- No need to remove hub from vehicle

Includes: large C-frame with forcing screw, one set of installation adapters, two separate adapters for removal, extension adapter for increasing the range of travel, blow-molded storage case, and power thread lubrication.



\$236.99 **OTC7490** 1/2" Drive U-Joint Remover Tool

- For use with 1/2" drive impact wrench
- · Easily removes stubborn heavy duty U-joints on Dana and Rockwell® driveshaft assemblies



\$573.99 OTC7057 **U-Joint Remover Tool Set**

- Works on 16N, 17N, 18N and 1710 series U-joints and spicer 1600-1610 to 1180 series U-joints
- Includes plastic storage box, No 1036 2-jaw puller and instructions








Updated HubShark has greater capacity to handle larger bearings

- Kit now includes a 3/4" Center Screw to accommodate smaller import axles
- . Now includes a thrust bearing to reduce friction

KEN34549 \$268.99 **Dual Wheel Separator**

- Innovative "One-piece" Pusher won't fall apart during use
- Powerful 1-1/8" diameter x 11 threads for years of reliable service
- · Includes two pullers to cover large and small dual wheel applications







TIG10102 \$323.99 **Heavy Duty U-Joint Puller**

Can be used with up to a 1" impact wrench
Fits spacer drive lines 1610, 1710, 1760, 1810, 1880, Meritor (Rockwell) 16N, 17N,18N, 1710, Spicer SPL140, 170, 250, "Lifeseries" (virtually all class 7 and 8 trucks & machinery)

TIG10803 \$713.99 Heavy Duty Yoke Puller Kit • Simplifies and expedites removal of

- heavy duty yokes on drive shafts, transmissions & rear-end differentials without damage to components

 • Works with 1/2" impact wrench
- Services Rockwell, Spicer & Meritor







\$273.99 LIS61850 5 Piece Truck Hub Seal Installer Kit

- Fits the Most Popular Size Seals for Class 7 and Class 8 Trucks
- · Includes five drivers and handle extension for extra reach
- For driving seals on hubs with deep brake drums without removing the drums
- Fits trailers and some medium duty trucks

LIS61900 \$250.99

Heavy Duty Bearing and Seal Driver Fits most class 8 over the road trucks and

- trailers and some medium duty trucks
- Driver sizes: 3-43/64", 4-7/8", 4-13/16" 5-1/2", 5-25/32", and 6"



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

spill kits




NPGKIT622 \$332.99 PIG® Truck Spill Kit in Stowaway Bag

Kit Includes: (40) 15" W x 20" PIG® Absorbent Mat Pads, (3) 3" x 48" PIG® Blue Absorbent Socks, (2) 3.25" x 1.75" PIG® Plug-N-Seal®, (5) 18" W x 30" H Polyethylene Disposal Bags, Apron, No-Freeze Patching Paste, Lightstick, 13" Showa-Best Chem Master™, Instructions Neoprene Gloves and Collapsible Container

NPGKIT626 \$218.99 PIG® Truck Spill Kit in Duffel Bag

 Kit Includes: (15) 15" W x 20" L PIG® Absorbent Mat Pads, (3) 3" x 48" L PIG® Blue Absorbent Socks, (5) 18" W x 30" H Polyethylene Disposal Bags, Collapsible Container, Economy Goggles, 3.25" x 1.75" H PIG® Plug-N-Seal®, Apron No-Freeze Patching Paste, Lightstick, 13" Showa-Best Chem Master™ and



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



tool

fluid & grease drains



\$320.99 LIS19202 **60 Quart Low Profile** Truck Drain with Lid

- For large capacity crank cases or radiator systems
 The drain holds 60 quarts and is equipped with four rollers and a handle for transport and easy positioning under trucks
- Cover and curved side design help keep oil from spilling during movement
 Convenient handles and pour spout facilitate oil evacuation
 Supersedes 19122

\$275.99 LIS17432 18 Gallon Oil Lift Drain

- Translucent jug will not warp with hot oil
 Rolls easily with (4) 2-1/2" heavy-duty wheels
- · Metal tubes extend working area from 36-1/2" to 77
- . Brass drain valve drains from the bottom
- Large 15" funnel has a built in strainer to catch drain plugs
- · Quick release and height adjustment allow for oil changes without making a mess on the floor

LIS17922 \$53.99 30 Quart, Heavy-Duty, All-Purpose Plastic Drain Tub

- For draining radiators, crankcases, transmissions, differentials, etc.
- · Designed for easy pouring and disposal
- The apron facilitates washing and sorting parts



WARNING: Cancer and Reproductive Harm -



\$727.99 DOWI25HDC

- 25 Gallon Self Evacuating Oil Drain Uses air pressure to empty tank
- . Molded tool tray on top of the tank
- · Removeable 6 ft. Quick-Disconnect discharge hose
- 16" deep drawn offset funnel w/expanded metal screen
- · Swivel base on funnel makes positioning easy

\$1,399.99 DOWJDI-AFT106 106 Gallon Carry Tank


- · Rugged linear polyethylene construction
- 12 volt transfer pump delivers fuel at 10 gallons per minute
- Integrated recesses for securing tanks with ratchet straps during transport
- Integrated forklift pockets
- · Equipped with protective and lockable cover

DOWJDI-AFT58 \$1,039.99 58-Gallon Carry Tank



- Durable and lightweight HDPE plastic with built-in drop proof spouts that help to recycle oil
- Works for most dual and super single wheels, sizes 22.5 and 24.5









\$764.99 LIN3626 **Black Polyethylene**

- Used Fluid Drain, 26-Gallon

 Durable, lightweight, corrosion resistant polyethylene

 Durable 4" swivel casters and 10" fixed-axle wheels

 Large 17" diameter offset funnel rotates to catch streaming oil and includes a removable filter screen
- Funnel height adjusts from 50 to 75 inches and a 3/4" male camlock style connector extends from the top of the tank





\$720.99 LIN3635 25 Gallon Used Fluid Drain

- 15" (380 mm) diameter drain bowl with removable filter screen and 24" (610 mm) wide-mouth funnel extension
- Welded steel tank supported by heavy-duty 4" (100 mm) swivel casters and 6" (150 mm) fixed-axle wheels
- Funnel height adjusts from 51" to 76" (130 to 195 cm)
- 7' long nylon-reinforced discharge hose with steel J-hook and tethered drip plug
- LTL Shipping Only



\$567.99 LIN3669

Low Profile Truck Drain with Electric Pump

- Includes 120v electric discharge pump for fluid evacuation • Low profile design can be easily positioned under high-clearance vehicles
- · Large 17 gallon (65 liter) capacity reservoir
- · Reservoir molded of high-impact polypropylene and four large 4" (100 mm) diameter swivel casters
- 6' (1.8 m) long discharge hose with 3/4" male camlock connector for external pump
- Collection of used fluids including motor oil, transmission fluid, and coolant from under high clearance vehicles

LIN3665 \$346.99 **Low Profile Truck Drain**

SHOP to

fluid & grease pumps



KT173993 \$59.83

Lever Action Bucket Pump 5 Gallon Pail

- Lever action bucket pump fits 5 gallon pails
 Comes complete with 12" drum cover and 4' PVC hose with steel spout
- . Designed for transferring transmission differentials and heavier oils
- Delivers 2.14 oz (60 ml) per stroke
 Lifetime Warranty

KTI72200 \$92.29 **Hand Rotary Style Barrel Pump**

- Easy to operate crank handle rotary pumps are used as a siphon
 Rotary hand pumps fit 15, 30 and 55 gallon drums
- · 2" bung adapter is perfect for drum openings
- 90 Day Warranty



KTI74923 \$129.06

Heavy Duty Drum Dolly for 55 gallon Drums

Load capacity 1200 pounds
 4 welded cast iron wheels

1-Year Warranty

KT172205 \$46.14 **Barrel Pump**

• Fits 30 to 55 gallon drums

\$126.60 KTI72204 Plastic Rotary Transfer Pump

- Glass filled, Polypropylene (PP) body with Ryton Rotor & Vanes and Viton seals
- 1 year warranty on material & workmanship

KTI72215 \$397.04 **Electric Rechargeable Drum Pump 19.2V**

- Telescopic pump tube for use with 55 gal. (205 Litre) drums as well as 275-330 gal. (1000 to 1250 Litre) IBC's
- Delivers up to 28 lpm (7.4 gpm) or up to 410 litre (110 gal.) on a single battery charge
- 1 year warranty on material & workmanship

\$107.68 KTI72210

Lever Transfer Pump 15-55 Gal. Drums

· For use with DEF, antifreeze, detergents, windshield fluids, heavy oils, etc. • 1 Year Warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



LIN9989 \$1,339.99 **Heavy Duty PMV Grease Pump** for 50:1, 25 - 50 lb.

- Twice the output of standard pumps, for longer life on the same job
- Smooth and quiet, improves the environment for the shop as well as customers
- Reduced cost of ownership for the life of the pump



LINCOLN

LIN4417 \$1,059.99 Grease Pump Assembly - #120 Drum

- 40:1 ratio professional quality pump assembly for the automotive repair shop
- Includes 7' hose, control valve, universal swivel for easy operation, drum cover
- · Flexible follower plate for positive prime
- · 4 caster band-dolly for easy mobility





LIN6917 \$1,009.99 Air-Operated Portable **Grease Pump Package**

- So:1 double acting grease pump
 High volume and pressure to handle additional hose length and/or adapt to hose reel
- · Smooth, easy to use and quiet for improved environment, ergonomics
- Standard follower wipes 120 lb. drum sides clean and keeps the drum primed
- Four-wheel dolly maneuvers easily around the shop



LIN9917 \$1,739.99 **Heavy Duty PMV Grease Pump with**

- Caster Base for 50:1 120 lb. Drums

 Twice the output of standard pumps, for longer life on the same job
- · Smooth and quiet, improves the environment for the shop as well as customers
- Volume and pressure to handle any additional practical hose length
- · Precision-machined parts which allows longer pump life

LIN1340 \$64.99 **Lever Action Barrel Pump**

- Telescoping tube fits 16 55 gallon drums
- · Delivers 14 oz. per pump
- Transfer non-corrosive automotive fluids



FILL-RITE

\$75.99 FILSD62 **Rotary Vane Hand Pump**

- 2" NPT threaded bung adapter
- 1" polymer suction pipe adjusts for 15 to 55 gallon drums
- · Smoothly pumps medium-viscosity oils, diesel fuel and non-corrosive fluids



HOP tool

fluid & grease pumps

FILL-RITE

\$225.99 FILFR1614 **DC Power Cast Iron Rotary Vane Pump**

- Includes battery cable with clips 10 GPM
- 8' of 3/4" hose Pick up tube strainer and plastic 3/4" nozzle
- · Compatible with Diesel and Antifreeze

\$193.99 **FILFR1612 DC Power Cast Iron Rotary Vane Pump**

- Includes battery cable with clips and 30 amp fuse . Self Priming
- Inlet and outlet size 3/4" NPT
- · Compatible with Diesel and Antifreeze



FILL-RITE

\$258.99 FILFR152 Piston Style Hand Pump

- · Stainless steel inner liner
- . "Easy mount" 2" tank adapter
- Pump flow can be reversed by rotating piston 180°
- Anti-siphoning device



FILN100DAU12G \$164.99 **High Flow Diesel Nozzle**

- · Gasoline, diesel, E15, biodiesel up to B20, and kerosene
- Integral hook and spout spring 3 locking flow-rate positions
- · Heavy duty aluminum body

fluid & grease accessories



KT173952 \$3.37

Professional 4 Jaw Grease Gun Coupler

- 6,000 PSI 1-Year Warranty
- · For hand operated grease guns only



KTI73957 \$3.83 **Grease Injector Needle**

- · For universal joints and sealed bearings
- Length: 1-1/2" Diameter: 18G 1-Year Warranty

KT173959 \$7.68

Right Angle Grease Gun Coupler

• 1,000 PSI • 1-Year Warranty • For use with hand grease guns only

KTI73912 \$6.14 Grease Gun Hose 12" • 12" grease gun hose • Working pressure: 3,500 PSI

- Burst pressure: 11,600 PSI
- · For hand operated grease guns only
- 1-Year Warranty

KTI73918 \$6.91 Grease Gun Hose 18"

KTI73903 \$6.45

Needle Nose Dispenser 1-1/2" Narrow

- Narrow needle nose dispenser For use with hand grease guns only
- 1-1/2" x 0.156" needle 1-Year Warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



LIN5805 \$54.99

Impact Fitting Cleaner

- · Eliminates the need to disassemble joints or replace fittings
- · Hardened piston, steel drive cylinder, spare drive seals and safety shield for hand
- · Includes optional high pressure flex hose and Lincoln's 5852 coupler



\$180.99 LIN740

Heavy Duty High Pressure Control Valve

- 7500 psi maximum operating pressure
 Precision-machined, all steel handle, body and guard bracket provides durability and longevity
 Unique, precision control inlet check valve provides
- ease of handle operation Knurled handle

\$470.99 **LIN877 Metered Control Handle for Oil and ATF**

- For oils, ATF and antifreeze
- 3-1/2" diameter
- 1/2" NPT (f) inlet/outlet
- Totalizing Includes 10" hose





IPA7862H \$55.99 Grease Joint Rejuvenator® **Professional Model**

- Opens clogged grease fittings 5" flex hose
- · Limited Lifetime Warranty
- WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



SHOP to


fluid & grease guns



KT173933 \$30.75

Heavy Duty Pistol Grip Grease Gun 14 oz

- 5.000 PSI
- · Die cast aluminum head fitted with steel block nut
- Complete with 18" flexible hose extension & coupler
- 3-way loading: 14 oz cartridge, bulk and suction fill
 1 year warranty on material & workmanship





WARNING: Cancer and Reproductive Harm -



Continuous Flow Grease Gun, Air Operated

- · Air operated continuous flow grease gun, 14 oz / minute
- 3-way loading: 14 oz cartridge, bulk and suction fill
- Develops up to 4,800 PSI Air inlet: 40 120 PSI
- Supplied complete with 6" steel extension & coupler
- 1 year warranty on material & workmanship



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KT173956 \$33.37

- Quick Locking Grease Coupler
 Quick locking grease gun coupler with 1/8" NPT
 Coupler body is heat-treated to withstand high pressures without
- deformation and is 1-1/2 times stronger than regular couplers
- Case hardened rollers hold the coupler in position at 6 points
- · Allows hands free operation, once coupler is engaged
- · Designed for quick & convenient disengagement of coupler from grease fittings under pressure
- 1-year warranty on material and workmanship



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



M18[™] Cordless 2-Speed Grease Gun Kit with 1 Battery

- Industry leading 10,000 PSI max operating pressure
- M18™ REDLITHIUM™ System
 48" flexible hose
- · Pre-set grease counter lbs
- Air Bleeder Valve: Priming mechanism for quick flow
- Kit includes: (1) M18 battery and the new multi-voltage charger, so you can charge all M12 and M18 lithium-ion batteries with one charger





\$323.99 LIN1264 12V Lithium ion

PowerLuber Kit with 2 Batteries

- · Lithium-ion battery for maximum power and run time
- . Built-in LED work light illuminates the work area
- Stable 3-point stance keeps the tool upright and within reach
- Vent valve purges trapped air for easy priming

\$256.99 LIN1262 12V Lithium ion PowerLuber Kit with Single Battery Kit



- · LCD identifies: Empty Cartridge, Loss of Prime, Grease Output and Blocked fitting

 Lithium Technology, Powerful, Efficient and Long -Lasting
- · Built-in LED light illuminates dimly lit areas
- Electronically controlled two-speed motor

\$389.99 LIN1882 20V Li-Ion PowerLuber Kit with Single Battery

\$60.99 LIN1134

Extra Heavy Duty Pistol Grip Grease Gun
• Same features as LIN1133 except with
Extra Heavy Duty Pistol Grip and 6" tube



\$31.99 LIN1142 **Heavy Duty Lever Gun**

- Rugged cast iron pump head
- Jam proof toggle mechanism
 Capacity: 16 oz. bulk or 14.5 oz cartridge



\$44.99

LIN1147 **Heavy Duty Lever Gun**

Same features as LIN1142 but with 18" whip hose

LIN1162 \$109.99 **Fully Automatic Pneumatic Grease Gun**

- 30" high-pressure hose with coupler and attachment clip
- Pump ratio: 40:1 at 150 psi
- Maximum Grease Pressure: 6,000 psi (414 bar)
 Air Pressure Range: 40- 150 psi (2.8 10.3 bar)

LINAC2440 \$317.99 120-Volt Corded Grease Gun

- 120v motor provides the highest torque values in its class
- Variable speed trigger combines with the 2-speed transmission for excellent flow control
- · High-efficiency combination valve purges trapped air
- Ergonomically designed and balanced for comfort
- Patented stroke counter for measurable grease output



OP tool

gas caddies



LIN3675 \$698.99 25 Gallon Fuel Caddy


- · Large capacity 25-gallon heavy-duty welded steel tank
- · 2-way rotary pump dispenses or extracts fuel at a rate of 1 gallon per 12 revolutions
- Easy-to-read sight gauge clearly indicates fuel volume in tank
- 7' (2.1 m) wire-reinforced fluid transfer hose with anti-spark tip and internal ground wire



DOWFC-25PFC \$502.99 25 Gallon Poly Fuel Cart

- UN/DOT and Transport Canada Approved
- 25 gallon high density polyethylene tank
- Easy-to-use molded handle
- Fills in horizontal position











30 Gallon UL Listed Steel Gas Caddy - Air Operated

- 30-Gallon capacity steel tank
- 4-way directional valve
- UL Listed and complies with OSHA guidelines
- · For use with gasoline, diesel, kerosene, bio-diesel and transmission fluid





The Pro 30 Plus is designed with the professional technician in mind. Cart-style is compact and easy-to-move. This UL Listed steel gas caddy comes complete with an internal filter system to protect vehicle fuel pumps from being contaminated. Fuel is pumped to and from the vehicle by an air operated pump. Shop air is connected to the air throttle control on the top of the tank resulting in quick and quiet service.



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

oil filter crushers



OTC1877 \$5,259.99 25 Ton Capacity Heavy Duty Oil Filter Crusher

- Handles the big filters (up to 6" diameter and 12-1/2" long) found in trucks, construction equipment, farm implements
- Crushes filters to 1/4 of original size, removing up to 95 percent of filter's oil capacity
- Automatic cycle feature: load the filter, push a button, and walk away
- Air/hydraulic pump works on standard shop air (requires 9 CFM at 100 psi)
 Built-in floor stand (completely assembled)

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov











\$8,309.99 OTC1896 25 Ton Capacity Air/Hydraulic **Automotive Oil Filter Crusher**

- Crushes automotive and heavy-duty filters up to 15-1/4" long and 6" diameter

- Filters are reduced to 20 percent of original size, with 95 percent of residual oil removed
 Automatic cycle feature lets you load the filter, push a button, and walk away
 Powered by 2 hp electric/hydraulic pump, 230 volt, 20 amp, 60 cycle, single phage, 2,450 rem single phase, 3,450 rpm
- · Has 2-gallon reservoir











\$2,899.99 DOWHDC150

- Heavy-Duty Truck Filter Crusher

 Heavy-duty aluminum frame cabinet surrounds the high pressure hydraulic hose for added safety and shields components from damage
- . Handles filters 13" in height; 6" in diameter
- · Unitized construction allows for easy maintenance
- · Specially designed door channel prevents drips and leakage, keeping oil in the chamber and not on the floor







SHOP to

shop presses

SUNEX

SUN5750 \$3,789.99 50 Ton Manual **Hydraulic Shop Press**

- Proudly made in the USA
 Includes shock-absorbant glycerin gauge Sliding head allows for offset pressing providing more room on one side if needed when pressing irregular objects
- Includes bed plates and bearing shield
 Capacity (tons) 50 Overall Height (in.)74 Base Width (in.)35 Vertical Throat Opening (in.)1.5 to 34 Throat Width (in.)35 Ram Stroke (in.)6.75 Ram Dia. (in.)2 Cylinder Bore (in.)3.5

SUN5750AH \$4,109.99 50 Ton Air/Hydraulic Shop Press

- Proudly made in the USA
- · Convenient air motor eliminates need for manual pumping
- · Sliding head allows for offset pressing providing more room on one side if needed when pressing irregular objects
- Capacity (tons) 50 @ 100 PSI; Overall Height (in.)74; Base Width (in.)35; Vertical Throat Opening (in.)1.5 to 34; Throat Width (in.)35; Ram Stroke (in.)6.75; Ram Dia. (in.)2; Cylinder Bore (in.)3.5





\$7,669.99 OTC1851 55 Ton Capacity Economy Shop Press with Air/Hydraulic Pump

- · Hand-operated winch and cable mechanism adjusts lower press bolster
- Includes hydraulic ram with 6-1/4" stroke. gauge, hose, and pump mounting bracket

 • Durable steel frame resists buckling
- and bending



WARNING: Cancer and Reproductive Harm vw.P65Warnings.ca.gov









\$3,329.99 INT854ASD

- 50 Ton Super Duty Shop Press Seven position bed height configuration for ultimate operator flexibility
 Lateral head adjusters provide smooth
- side-to-side movement

 Large liquid filled glycerin gauge accurately shows pressing force
- Heavy duty cable winch system for effortless bed adjustment
- Air pressure 110-120 PSI



drill presses





\$1,709.99 JET354402 JET J-2550 20" Floor Model Drill Press

- Cast Iron head
 Large quill
 Head casting features a permanently lubricated ball bearing spindle assembly, using four heavy duty ball bearings in an enclosed quill for longer life
- Massive T-slotted production work table (Model J-2550 only)
- Table tilts 45 degrees



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov





bench grinders





JET577102 \$344.99 JET JBG-8A 8"

Industrial Bench Grinder

- Sharpens, shapes, deburrs and removes material fast
 Totally enclosed, pre-lubricated ball bearings
 Heavy-duty guarded toggle switch on 8"
 One-piece quick adjusting spark guards
 Cost iron whole guards and dust waste.

- Cast iron wheel guards and dust vents

SUNEX 0 0 L S

SUN5002A \$230.99

8" Bench Grinder with Light

- · Bright, flexible work light

- Cast iron base for durability
 Cast iron base for durability
 Has two 8" grit wheels: coarse 36 and medium 60
 Each wheel has protective spark guard and adjustable eye shield
 Mounting holes and rubber feet make grinder easy to mount on a stand or use on an approved worktable or workbench



\$197.99

- Powerful 3/4 HP induction motor provides

- Provertial 3/4 HP induction muon provides superior power for industrial grinding applications
 Rugged cast iron base and motor housing provide durability and prolong life
 Motor runs at 3,600 RPM for high speed material removal
 Precision-machined aluminum tool rests allow the user to accurately position work
- Rear exhaust ports in wheel guards for smoother operation





vises





- Rugged all-steel vise is stronger than its cast iron counterpart
 Vise features swivel base and large anvil space for hammering
- . 10-year limited warranty

Part #	Vise Size	Jaw Opening	Weight	
KTI64105	5" Vise	5-1/4 Usable Opening	27 lbs	\$183.81
KTI64106	6" Vise	6-1/2 Usable Opening	35 lbs	\$220.57
KTI64108	8" Vise	8-1/2 Usable Opening	50 lbs	\$298.51

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



WIL28807 \$763.99 Wilton Tradesman 1765 Vise,


- 6-1/2" Jaw Width
 Keeps lubrication in and contaminants out for a lifetime of smooth operation
- · Redesigned spindle assembly
- Precision slide bar
- Machined reversible steel serrated jaws with phosphate coating


WIL28808 \$1,079.99 Wilton Tradesman 1780A Vise, 8" Jaw Width

Mechanic's Vises

- Swivel base rotates 360° and has double lockdowns ensuring maximum stability
- Replaceable hardened steel top and pipe jaws
- Powder coat paint resists scratches and provides a tough durable finish

WIL745 - 5" Vise \$374.99









AMG3400-1 \$93.99 600 lb. Capacity Hand Truck

- 10" ball bearing wheels
- · Vertical or horizontal loading
- · Easy storage, standing up or hung from handle

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



welding / heating





HSW6420-03 \$1.909.99 **H&S Autoshot 200 AMP**

Multi-Weld 3-in-1 (MIG, STICK, TIG)

- Professional multimig synergic inverter welder provides 200 amps of power for MIG, TIG and Stick applications on either a 115 or 230 volt line
- Input Power: 115-230VAC @ 20 Amps | Output Power: 200 Amps @ 35%
- Features voltage, wire speed, amperage and full Synergic scroll-down settings for steel, aluminum and silicone bronze, on LCD display
- Spool gun selection switch, euro-connect flange for torch & spool gun and lift-arc start foot pedal connector are standard
- Includes synergic inverter power supply, HSL15 torch 10', 200A earth clamp 10', HSM17 TIG torch 12.5', 200A electrode holder 10', foot pedal control 12.5', gas regulator with hose, steel welding wire, AK-2 kit and operator manual





LEWK1297 \$810.99 AC/DC 225/125 60HZ Arc Welder

- AC/DC 223/123 60n2 Arc welder

 AC welding output range of 40-225 amps and a DC welding output range of 30-125 amps

 Easy to install. Comes with attached input power cable and plug.

 Easy to operate with front mounted AC/DC polarity switch and full range amperage selector switch for accurate and dependable procedure setting.

 Traditional design provides long-life and low cost operation.
- Compact size allows for easy storage and handling



IDIIM-IND2011 \$1,719.99 **Inductor Max HD Kit**

- · ncludes upgraded U series attachments
- · Portable case with storage for attachments
- Audible and visual power indicators UL/CSA Listed GFI protection for safety
- Operates on convenient 120V/20A/2200W output





\$199.99 KTI70046 Auto Darkening Welding Goggles Kit Adjustable shade 5-13 for grinding to TIG welding Time and sensitivity fully adjustable Hood includes bump cap for safety Lightweight and ideal for working in confined spaces Kit contains: fire retardant hood and bump cap, auto

- darkening welding goggles, protective shield and carrying bag



SHOP to

creepers & seats



Adjustable 30" Work Table

- . Total weight capacity of 200 pounds
- Work table dimensions: 29.3" x 20.2" x 34.5"; Tray size: 28.9" x 19.8" x 1.0"; Drawer size: 15" x 18.5" x 2.5"
- Four 2" x 1.25" swivel casters for easy moving
- 16 gauge steel tray,
- 22 gauge steel drawer and 13 gauge steel adjustable tube
- 1 Year Warranty on
- Material and Workmanship
- KTI79700 Red
- KTI79701 Green
- KTI79702 Black

Your Choice \$130.75





KTI74982 \$140.14

Creeper Seat Storage Under Seat

- Padded creeper seat (14" x 10") with storage under the seat; two side drawers, storage compartment and screwdriver bracket on front side and 1" spacing pegboard on back side
- (2) Drawer size: 6.496" (165mm) x 10.039" (255mm) x 3.661" (93mm) - one on each side of seat
- Ball-bearing slider drawers
 Four 2-1/2" casters
- Creeper dimensions: 14.1" x 19.291" x 18.898"
- Weight capacity: 300 lbs.
 Covered by a 1-Year Warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



OME92450 \$188.99 450 Lbs. Creeper Seat Tool Box

- 450 lbs rated capacity
- 4 full bearing 3" casters with polyurethane wheels
 (3) 12-3/4" x 7-1/2" x 2 -1/4" drawers

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





STC20350 \$193.99 The Pro Step

- Heavy Duty (500 lb. cap.)
 Platform (32" x16")
 Foam bumpers protect vehicle finish
- · Spring loaded retractable wheels,
- you can push it with your foot

 Extra-wide (23") base rails for stability

 Height adjustable from 6-1/2" to 22-1/2"
- Made of heavy duty construction.
 Weight-45 lbs.



TRAXION engineered products TRX3-700 \$580.99 **ProGear TopSide Creeper** Easy 15 minute assembly New and improved design, safe and productive engine access for 3/4 ton, 1 ton and up trucks Takes up 54% less space than the original design Fully padded ergonomic sling deck, forms to your body 17% higher reach, 18% wider steps, I frame design give 20% more access under the hood TRX3-100 \$334.99 Foldable TopSide Creeper Adjustable from 48" to 64" Slip resistant steps Durable powder coated steel



\$158.99 TRX1-100 **ProGear Wide Body Creeper**

 Wide Body Deck for increased comfort and productivity • Low profile, with 5" rubber casters that roll over most common shop items

· Contoured deck provides extra padding and lumbar support



ESC60203 \$110.99 **Tire Step**

- Heavy duty portable safety step
- Easy way to service truck engine compartments
- Holds up to 400 lbs.
- Folds for compact storage (less than 4")
- Use on standard size truck tire
- Simply hangs onto the top of the truck tire allowing the technician to work under the hood without bulky stepladders or stools



HOP tool

air compressors



\$3,629.99

IRTC2475F13GH **Two-Stage Gas**

Powered Air Compressor Precisioned engineered components for over 15,000 hours of trouble free use

• Tank (Gal.): 30

• Max PSI: 175





\$3,119.99

IRT2475F14G 14 HP Gas Drive Air **Compressor - Kohler Engine**

- Horse Power: 14
- Tank (Gal.): 30
- Max PSI: 175
- ACFM@100/175 PSI: 25

2 Stage Vertical Air Compressors

Part Number	HP	CFM	Voltage	Tank	Start-Up Kit	
Value Packages						
IRTC2340L5	5	14.7	230/1/60	60	32305880	\$1,879.99
IRTC2475N7.5	7.5	24	230/1/60	80	32305880	\$3,149.99



\$960.99

IRTCSS3L3 Single-Stage Vertical **Electric Compressor**

- Horse Power: 3
- Pump: Single Stage Cast-iron
 Motor Volt/Phase: 230-1
- Tank (Gal.): 60
- Max PSI: 135
- ACFM@100/175 PSI: 11.3/10.3 (90/135 PSIG)

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



NOTE ON ALL AIR COMPRESSORS

FOR FREIGHT TERMS SEE BACK OF BOOK

Ask your Sales Associate about attractive Lease Options.





IMC216V \$1,619.99 Single-Stage Vertical **Electric Compressor**

- Horse Power: 5Pump: T29SMotor Volt/Phase: 208-230/1
- Tank (Gal.): 60 CFM Disp: 18.6
- ACFM@100/175 PSI: 15.33 Max PSI: 165

\$1,829.99 IMC218V **Two-Stage Vertical Electric Compressor**

- Horse Power: 5
- Pump: T29S
- Motor Volt/Phase: 208-230/1
- Tank (Gal.): 80 CFM Disp: 18.59 ACFM@100/175 PSI: 15.33/13.75
 Max PSI: 175

\$2,799.99 IMC318VL

Two-Stage Vertical Electric Compressor

- Horse Power: 7.5
 Pump: T39
 Motor Volt/Phase: 208-230/1
 Max PSI: 175
- Tank (Gal.): 80
 CFM Disp: 32.52
- ACFM@100/175 PSI: 25.25/22.28

\$3,259.99 IMC3G3HHL 13 HP 30 Gallon Honda Two-Stage **Engine Powered Compressor**

- 12 volt electric and recoil start
- . Unique E-Z pull tank drain
- 12 volt charging system
- Two year warranty





\$4,749.99

LECFXS10V080V1 **Air Compressor 10HP** 80 Gallon 1 Phase, Vertical

- Flexzilla Pro Air Quiet Vertical Air Compressor
- 10 Horse Power
- 2 Stage







\$5,579.99 LECFXS10V120V1 Air Compressor 10HP 120 Gallon 1 Phase, Vertical · Flexzilla Pro Air Quiet

- Vertical Air Compressor
- 10 Horse Power
- 2 Stage

SHOP t


couplers





LEGA53458FZ \$73.99 14 Piece Flexzilla Pro High Flow Coupler and Plug Kit - 1/4" NPT

Kit includes: (2) FNPT Coupler, (2) MNPT Coupler, (4) FNPT Plug and (6) MNPT Plug











Part Number	Style / Type	Thread Type	NPT Size	Basic Size	Pkg.	
MILS715	"M Style" Plug	Female	1/4"	1/4"	1/Pk	\$6.99
MILS716	"M Style" Plug	Male	1/4"	1/4"	1/Pk	\$6.99
MILS727	"M Style" Plug	Male	1/4"	1/4"	2/Pk	\$2.99
MILS728	"M Style" Plug	Female	1/4"	1/4"	2/Pk	\$2.99

Part Number	Style / Type	Thread Type	NPT Size	Basic Size	Pkg.	
MILS1803	"P Style" Coupler	Female	1/4"	3/8"	1/Pk	\$13.99
MILS1805	"P Style" Coupler	Female	3/8"	3/8"	1/Pk	\$12.99
MILS1809	"P Style" Plug	Male	1/4"	3/8"	2/Pk	\$5.99
MILS785	"T Style" Coupler	Female	1/4"	1/4"	1/Pk	\$7.99
MILS783	"T Style" Plug	Male	1/4"	1/4"	2/Pk	\$2.99
MILS1815	"G Style" Coupler	Female	1/2"	1/2"	1/Pk	\$17.99
MILS1816	"G Style" Coupler	Male	1/2"	1/2"	1/Pk	\$16.99
MILS1817	"G Style" Plug	Male	1/2"	1/2"	1/Pk	\$4.99
MILS1818	"G Style" Plug	Female	1/2"	1/2"	1/Pk	\$4.99
MILS1835	"H Style" Coupler	Female	3/8"	3/8"	1/Pk	\$13.99



MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

air compressors kits









BLBBB1425KIT \$45.22

13 Piece BluBird 1/4" x 25' Air Compressor Kit

- Hose: 40% lighter than traditional rubber hoses, resists kinks and extreme weather, 4 finger grip bend restrictors, 300 PSI 1200 PSI, flexible in -50°F
- Heavy duty industrial type couplers & plugs in brass
- Perfect for DIY & contractors
- Kit Includes: 1/4" x 25' BluBird® air hose, safety blow gun (1), tire gauge(1), air chuck (1), male plugs industrial style 1/4" NPT (3), female plugs industrial style 1/4" NPT (2), male coupler industrial style 1/4" NPT (1), female coupler industrial style 1/4" NPT (1), Teflon tape (1), storage bag (1)

BLBBB3825KIT \$48.91

13 Piece BluBird 3/8" x 25' Air Compressor Kit

Kit Includes: 3/8" x 25' BluBird® air hose, safety blow gun (1). tire gauge(1), air chuck (1), male plugs Industrial style 1/4" NPT (3), female plugs

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

blow guns





Blackstar 020 Fixed Bent Blow Guns

- . Maximum working pressure of 232 psi
- Available in different tube styles and lengths

VAC72-020-1050 - 4" \$22.99 VAC72-020-1260 - 20" \$44.99

VAC72-020-1050

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov


air hoses

Blu3ird[®]

BluBird Rubber Air Hoses

- Ultra-light & Super-strong rubber • 4 Finger Grip Bend Restrictors
- Flexibility in extreme conditions from -50° F to 190° F • 10 year warranty

Part #	Size	NPT	
BLBBB1225	1/2" x 25'	1/2" to 3/8" NPT Reducer	\$42.14
BLBBB1250	1/2" x 50'	1/2" to 3/8" NPT Reducer	\$55.98
BLBBB12100	1/2" x 100'	1/2" to 3/8" NPT Reducer	\$139.22






Avagard® Professional Rubber Air Hoses

- 80% the weight of traditional rubber hoses
- Max. working pressure: 300 PSI Safety factor: 4:1

Part #	Size	NPT	
BLBAVG1250	1/2" x 50'	1/2"	\$74.29









Oil Shield Air Hose

- · Ultra lightweight, extreme durability resists abrasion and ultra high strength
- Stays flexible in extreme conditions from -30 To 190° F
- Oil Reistance Core Tube and Cover Meets RMA Class A Oil Resistance
- Four Finger Grip Bend Resrictor for easy use and better durability

Part #	Size	NPT	
BLB0S1250	1/2" x 50'	1/2"	\$83.37
BLB0S12100	1/2" x 100'	1/2"	\$185.28



MARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

HOP tools

Blu3ird°







on Hoses on Hose Reels

BLBBBRHD1250 \$273.51 BluBird Air Hose on 18 Gauge Heavy Duty Reel 1/2" x 50'

- Retractable Hose Reel
- · Powder Coated Steel Corrosion Resistant
- 12 Point Ratchet for locking at shorter intervals
 Includes 3' Whip Hose & 1/2" to 3/8" NPT connector
- 4-way Roller Guides

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



FLEXZILLA

air hose reels

THE MONSTER HOSE

Levelwind™ Retractable Air Hose Reel with Flexzilla Hose Included

- Levelwind™ Technology
 Seven position locking bracket
- Adjustable hose stopper
- Durable construction

LEGL8335FZ \$350.99 1/2" I.D. x 50' Flexzilla Hose

LEGL8306FZ \$338.99 3/8" I.D. x 75' Flexzilla Hose





BLBAVGR3850 \$185.28 **AVAGARD® Black Steel Hose Reel** with 3/8" x 50' Rubber Air Hose

- · All steel constructed black reel with 300 PSI red Avagard 50' rubber hose
- Slotted mounting base for easy installation
- Automatic spring powered recoil
 Remains genuinely usable and flexible from -40F to 180F 12 position ratchet gear
- 3/8" NPT inlet and 1/4" outlet

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





Levelwind™ Retractable Air Hose Reel

LEGL8305 \$261.99

• 3/8"ID x 50' Hose Reel

LEGL8310 \$299.99

• 3/8"ID x 100' Hose Reel

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov





BLBOSRHD1250 \$263.22 Oil Shield® Air Hose on 18 Gauge Heavy Duty Reel 1/2" x 50'

- 12 Point Ratchet for locking at shorter intervals
 3' Whip Hose included & 1/2" to 3/8" NPT connector

BLBOSRHD1265 \$455.87 Oil Shield® Air Hose on 18 Gauge Heavy Duty Reel 1/2" x 65'

\$238.22 BLBOSR1250 Oil Shield® Air Hose Reel with 1/2" x 50' Rubber Air Hose

- · Retractable air hose reel with BluBird® Oil Shield® air hose
- · Powder coated steel corrosion resistant,
- Powder coated steel corrosion resistant, heavy duty 18 gauge steel
 12 point ratchet for locking at shorter intervals
 4-way roller guides
 Covered by a 2 year warranty on reel with 3-Year warranty on the included yellow Oil Shield® hose

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Air Reel Rubber Hoses

- Spring powered automatic recoil
- 8 position ratchet system5 position adjustable outlet arm

LIN83753 (50' x 3/8" Hose) LIN83754 (50' x 1/2" Hose)

\$216.99



EKTON

GYM4685 \$60.99 50' Manual Air Hose Reel

- 1/4" NPT air inlet 300 PSI max working pressure
- 50' air hose capacity (hose NOT included)
- · Heavy gauge all steel construction with corrosionresistant powder coat finish



SHOP to

shop cleaning

RG LITE

AG Lite® All-Rubber Farm & Ranch Water Hose

- · Lightweight & ultra durable
- Ozone resistant cover provides protection from extreme weather, abrasions & kinks
- Constructed with high strength polyester braided reinforcement
- Flexibility in extreme conditions from -50°F to 190°F
- Handles hot water up to 212°F
- All hoses have 3/4" GHT brass fittings
- . Minimum burst pressure: 500 PSI

		The state of the s
Part #	Description	
BLBBSAL5825	AG-Lite 5/8" x 25' Rubber Water Hose	\$41.83
BLBBSAL5850	AG-Lite 5/8" x 50' Rubber Water Hose	\$71.37
BLBBSAL5875	AG-Lite 5/8" x 75' Rubber Water Hose	\$88.29
BLBBSAL58100	AG-Lite 5/8" x 100' Rubber Water Hose	\$134.45



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



BLBBSWR5850 \$266.16 BluSeal Water Hose Reel 5/8" x 50'

- 18 gauge heavy-duty powder coated steel reel
- · Comes with lightest, strongest, most flexible rubber water hose
- Includes 6' lead-in hose for easy installation
- 3/4" GHT inlet and outlet
 Wall, ceiling, floor mountable
 Adjustable guide arm
- Water hose reel 5/8" x 50'
- Retractable hose reel with Ag-Lite water hose and nine mode spray gun
- Class leading 12 point ratchet for locking at shorter intervals
- 4-way roller guides

· Covered by a 2 year warranty on hose reel and 10 year warranty on attached hose to any manufacturing defects



BLBBSWR1250HRS **BluSeal Water Hose Reel** Retractable 1/2" x 50'


- · Retractable Hose Reel with Bluseal 1/2" X 50' water hose
- · Powder Coated Steel Corrosion Resistant, Heavy Duty 20 Gauge Steel
- 4-way Roller Guides
- . 12 Point Ratchet for locking at shorter intervals
- 3' Whip Hose + Swivel Mount included
- · 2 year warranty on hose reel and 10 year warranty on attached hose to any manufacturing defects

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





IPA8052 \$48.99



- Flush 90° air flow
 5x the air volume
- Accesses hard-to-reach areas
 Extends filter life
- · Great for all air filters, radiators, and condensers



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



IPA8053 \$54.99

48" Air Comb® Filter & Radiator Cleaner WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



CRD63050 \$30.99 **Truckers Air Seat Blow Gun Kit**

- Nylon 12 ft hose, coiled, burst pressure up to 120 PSI
- Zinc alloy blow gun, includes 2 replacement nozzle/ heads with brass fittings • SAE approved
 • 1/4" NTA air line tee • Meets DOT Standards



DPF








OTC5281 \$16,719.99 **DPF Thermal Processing Unit**

- Thermally regenerate a DPF unit at a controlled, pre-programmed rate
- Pre-programmed thermal profile controls temperature 'ramp up' and 'cool down' to protect DPF from thermal shock, reducing the risk of DPF cracking
- Holds temperature constant for two hours to ensure complete regeneration of filter
- · Built-in safety door lock and electronic door switch prevent unauthorized opening of the door when temperatures exceed 200° F
- Includes both standard cycle and "pre heat" cycle for oil-soaked filters
 Internal chamber dimension: 24" (L) x 24" (W) x 26" (H)

OTC5280 \$27,339.99 (DPF) Cleaner

- OE tested and Dealer recommended by many major diesel engine manufacturers
- Robust design for long shop life

- Robust design for long shop life
 High Pressure cleaning process for thorough cleaning of ash from DPF
 Initial Burst Quick check To identify filters too plugged for proper cleaning
 Computer Controlled Process Based on OE Requirements for "Start to End" cleaning without constant technician monitoring
 Containment of bazardous ash For easy disp.
- Containment of hazardous ash For easy disposal
- Operates on standard 115V outlet





DEF

tentral Took, Inc.

\$92.99 **CEN3R401**

Refractometer for Coolant Battery and DEF

- · Easily check status of coolant, battery and DEF
- No power needed, uses ambient light
- Combines 2 tools in one by combining coolant and DEF scales
- 1-year warranty on material and workmanship



PLW55-155 \$186.99 **DEF Rotary Barrel Pump**

- Fits all 5-55 gallon pails/ drums with standard bung
 Ryton® construction Teflon® and Viton® Seals
- Delivers 7 gallons per 100 revolutions



OTC5025 **OTC UREA DEF Refractometer**





IPA9070A \$1,659.99 120V AC DEF Transfer System with Automatic Shut-Off Nozzle

- A professional and complete turnkey solution, powered by an innovative and durable 9 GPM 120V AC pump
- · Conveniently mounts to DEF tote containers
- 3 year warranty






\$2,169.99 **DOWDEF-1A Diesel Emission Fluid** (DEF) 55 Gallon Drum

Dispensing System

• The Fuel Chief System is one of the industry's first "all inclusive" service systems for refilling a vehicle's onboard Úrea system tank



• 120 Volts, 60 Hz, 2 full load amps





DEF-unique calibrated scale with 32.5% • 15-40% variance on scale Complete kit provides operators everything they need to calibrate and use DEF Refractometer

The Wait is Over. Introducing the **HOP**



Introducing the HD Pro III our latest all-in-one, do-it-all scan tool, covering class 4-8 commercial vehicles and off-highway machinery, such as mining and farming equipment. The HD Pro III is a wired Android tablet, perfect for those in a budget, looking to perform bi-directional controls and change & set parameters, diagnose hydraulic systems, brake systems, and perform VGT calibrations and DPF resets/ regeneration. What's even better is that it now comes with repair information database accessible from within the ID Pro III. Two years of software updates and all cables and connectors are included.

2 Years Motor FleetCross | 2 Years Software Updates | Class 4-8 HD & Agri-Industrial

Full Engine/ Brakes/ Transmission/ BCM Coverage with Bi-Directional Controls, Adaptations and Special Functions



WATCH NOW

INTERNATIONAL, INC.

www.candointl.com • 909-Cando-11(226-3611)

CanDr

LIFTING hyd

post lifts





ALL ATLAS EQUIPMENT REQUIRES FREIGHT DELIVERY. FREIGHT PREPAID PRODUCTS (-FPD) MUST SHIP TO A COMMERCIAL ADDRESS AND THE CUSTOMER IS 100% RESPONSIBLE FOR UNLOADING.

\$3,495.00

ATEAP-PVL10-FPD 10,000 Lb. Capacity Atlas Platinum \ **ALI Certified 2 Post Overhead Lift (Freight Prepaid)**

- Double "S Bends" Column Design
- Professional Grade Arm Lock Restraint System
- Revolutionary Designed Single-Point Lock Release
- AP-PVL10-2/3 (Manufacturer Part #)
- 5 year structural and 2 year power unit warranties

The Atlas Platinum AP-PVL10 features three (3) stage telescoping front arms, double screw rubber/metal adapters with truck height extensions, protective rubber pads mounted to the carriage and rubber column guards.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





ATEAP-PVL12-FPD Atlas Platinum 12,000 lb. Capacity **ALI Certified 2 Post Overhead Lift** (Freight Prepaid)

- Padded Automatic Shut-Off Bar
- 4 1/2 minimum pad height
- 3-Stage Front & Rear Arms
- . Adjustable overall height 13' 9 or 14' 9
- Dual Direct Drive Hydraulic Cylinders
- AP-PVL12-3 (Manufacturer Part #)

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





Atlas Platinum ALI Certified

ATEAP-PVL15-FPD

15,000 Lb. Capacity

\$6,245.00

· Professional grade arm lock restraint system

- Dual Direct Hydraulic Cylinders
- Heavy Duty 3/8" Equalization Cables
- AP-PVL15-2 (Manufacturer Part #)
- 5 year structural and 2 year power unit warranties

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





\$5,245.00

ATEAP-PVL14-FPD 14,000 Capactiv Atlas Platinum **ALI Certified 4-Post Lift** (Freight Prepaid)

- Higher quality powder coat finish
- · Single point lock release
- · Adjustable Lock ladder design
- · Double lock safety system
- AP-PVL14 (Manufacturer Part #)
- 5 year structural and 2 year power unit warranties



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov



\$1,555.00

ATEAP-RJ7000-FPD 7,000 lb. Rolling Jack (Freight Prepaid)

- Double Screw-Up Adapter Pads Included
- · Compact Size with Low Profile
- High Quality Nylon Rollers Ensure Smooth Movement
- Superior Strength Scissor mechanism allows for level lifting
- AP-RJ7000 (Manufacturer Part #)





voraulics

jack stands



OTC1779B \$473.99 12 Ton High Jack Stand

- · Spun steel base won't dig or sink into asphalt or sand
- Stand support height range is 33-3/4 to 44-1/4

OTC1778B \$367.99 12 Ton Low Jack Stand

- Support height range is 19 to 29-1/2
- · Recommeded use in pairs





AMERICAN FORGE&FOUNDRY INC.

INT3310A \$264.99 10 Ton Pin Type Truck Stand

- Heavy duty, pin-type post adjusts to ten height positions from 28 to 47
- Large 3-1/8 x 5-7/8 support saddle and stable 16 x 16 base
- · Sold individually















Supplier	Part Number	Capacity	Min. Height	Max. Height	Style	Qty.	
American Forge and Foundry	INT3309A	10 Ton	18-1/2	30	Pin Style	Individual	\$180.99
Hein Werner	OMEHW93512 🛕 🔜 🗒	10 Ton	19-1/2	31-1/2	Pin Style	Pair	\$839.99
Hein Werner	OMEHW93511 🛕 🔜 👺	10 Ton	30	52	Pin Style	Pair	\$1,049.99
Omega	OME32107 <u>↑</u>	10 Ton	28	47	Pin Style	Pair	\$583.99
Sunex	SUN1410 🔛	10 Ton	28.1	46.5	Pin Style	Pair	\$348.99
K Tool XD	KTI61211 🛕 🔜	12 Ton	17-1/2	27-1/2	Ratchet	Pair	\$217.63
OTC	OTC1779B	12 Ton	33-3/4	44-1/4	Pin Style	Individual	\$473.99
OTC	OTC1783	20 Ton	15-1/4	24	Pin Style	Individual	\$771.99
AME	AMN14400 🔜	22 Ton	9.5	19.9	Pin Style	Pair	\$293.99
Bosch	0TCS022	22 Ton	13-7/8	19-7/8	Pin Style	Pair	\$305.99
K Tool HD	KTI61222A 🔜	22 Ton	11-7/8	19-3/4	Pin Style	Pair	\$220.57
Omega	OME32225 <u>A</u>	22 Ton	12-1/2	19.875	Pin Style	Pair	\$296.99
Hein Werner	OMEHW93526F	25 Ton	12-3/8	20-3/8	Pin Style	Pair	\$952.99
Mahle	MSS4858000600	20 Ton	20	32	Pin Style	Pair	\$1,039.99

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

air lifts







AMERICAN FORGE&FOUNDRY, INC.





\$2,609.99

OTC1591B

10 Ton Combination Air Lift & Stand

- 10-Ton load capacity air-powered hydraulic lift system
- Angle-adjustable 40 removable handle and 8' air hose
- Minimum height (unpinned): 18-1/4
- Maximum height (extension pinned): 51-1/4
- · OTC Lifetime Warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

INT3400A \$1,139.99 10 Ton Capacity Air Lift Jack

- 10 ton capacity achieved at 200 PSI air supply
- Heavy duty air valve offers accurate lift control
- Removable T handle for easy storage
- Extension tubes offer multiple lifting and locking positions



LIFTING hyd

end lifts & transmission jacks



\$4,439,99 **OMEHW93690** 10 Ton Air Operated End Lift

- Three-way heavy duty brass air valve provides fine control when lifting or lowering a vehicle
 Safety latch design provides six different automatic safety
- lock positions to prevent unintentional lowering of load
- . Heavy duty wide base for stability and strength
- Two 6 front swivel caster wheels and two 12 diameter semi-pneumatic rear tires provide easy maneuvering
- Adjustable lifting arm can be extended to desired position













\$5,209.99 OTC1590 10 Ton Air Lift for Trucks and Trailers

- Adjustable lifting saddles and an extra wide stance for extra stability
 10 ton lifting capacity at 200 PSI air supply
 Lifting range is 13 to 52 with a 14 reach
- · An automatic mechanical safety catch engages in five height positions, it must be manually released to lower the load
- · Two large swivel casters and pneumatic tires make it easy to maneuver, even on loose gravel





FORGE&FOUNDRY"

\$3,929.99 INT3598 10 Ton Air End Lift

- 10 ton capacity achieved at 200 PSI air supply
 4 x 6 steel saddles adjust from 36 to 50
- widths to accomodate a wide variety of vehicle applications
- · Saddle arms reversible for low height loads
- · Rugged three-way air valve for fine lifting and lowering control
- · Automatic mechanical safety lock engages at five lift heights from 17.5 to 50








OMEHW93718

1 Ton Floor Style Transmission Jack

- Wishbone design allows unit more mobility
 Tubular steel frame 360° swivel casters
 Load restraint chain For heavy duty transmissions
- Minimum height of 10, Maximum height of 44







\$2,189.99

INT3180A

Transmission Jack 4400 lb.

- Fully adjustable saddle with maximum tilt for easier alignment
- Adjustable corner brackets
- · Convenient side trays for small tools and parts
- Safety overload bypass system
- 32 handle pivots 360° around pump along with rugged industrial-grade 4 casters
- . High height of 34; Low height of 8.5









\$3,229.99

Air Assisted 2,000 lb. Capacity High Lift Transmission Jack for Trucks and Buses

- Low height of 41-1/2 allows transmission to be rolled out from under
- Metered, foot-operated air pump
- A dedicated adapter that fits the popular Allison 500 and 600 series automatic transmissions in included

 Covered by OTC Lifetime Marathon Warranty®



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

\$2,739.99

OTC5019A 2,200 lb. Capacity Low-Lift Transmission Jack

The 8-1/4 low height is perfect for aerodynamic trucks with low ground clearance
Special mounting adapter (No. 540231) fits popular Eaton® Fuller® RoadRanger® transmissions used on nearly all Class 7 and 8 heavy-duty trucks



6 hydraulics

transmission jacks & service jacks



SUN7798 \$1,359.99 1 Ton Heavy Duty **Telescopic Transmission Jack**

- · Extendable and reversable fingers of different lengths ideal for supporting various transmissions and transaxles
- Full 2 stage air operation travels full height of ram with convenient hand trigger
- · 2 methods of lowering the load including foot pedal and hand release knob
- 2 non-marring, tension straps, replacing cumbersome ratchet straps and chain, make work holding and positioning adjustments safer, faster and easier

. Minimum height: 36.8; Maximum height: 76

SUN7752C \$1,489.99 1.5 Ton Truck **Transmission Jack**

- Universal adjustable saddle with four brackets that can be lined up with transmission pan configurations
- · Two safety chains and adjustment hardware secure the transmission to the jack's saddle
- Pump handle rotates 360 degrees for operation from any direction
- · Controlled lowering of load by a conveniently located release valve knob
- · Integrated chassis trays hold tools and hardware



SUN6620

20 Ton Long Chassis Jack • Large frontal quad-casters

- Powerful internal air motor lifts 20 tons with ease
- Heavy gauge steel frame resist twisting under pressure
- Manual foot pump option bypasses air motor for portable applications

PAstro



ASTAJ22FE2A \$990.99

22 Ton Capacity Air Over Jack with Quick Springs

- 22 Ion Capacity Air Over Jack With Quick Sprif

 Large 8 (203mm) diameter hard rubber tires

 Includes quick springs for fast ram retraction eliminates manual lowering of jack, comes with
 extended height saddle adapters

 Jack release valve is top mounted at T handle
 and allows jack operation at any handle position
 while the handle locking lever secures handle
 in either vertical or horizontal position in either vertical or horizontal position
- Meets ANSI standard for performance and safety

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





SUN6622 \$634.99 22 Ton Air/Hydraulic Jack

- Narrow chassis design fits easily between tandem wheels
- · Release knob on top of handle operates independently of handle locking lever
- · Chassis base is contoured so wheels make contact with ground when jack is not under load and raises them off the ground when under load to prevent damage

 Four adapters (1.875 and 2.625 diameter saddles, 2 and 4 extension adapters) with handle mounted saddle holder included

SUN6623 \$632.99 20 Ton Air/Hydraulic Truck Jack

- Narrow chassis design for easy fit between tandem wheels
 5 Composite wheels for easy maneuverability
- . Two 4 extension adapters for added height
- Solid steel skid protects debris from beneath the bottle jack
- Overload and bypass safety valves prevents overload



OTCHDJ20 \$4,199.99 20 Ton Service Jack

- Lifting range: 7-1/2" to 23.8"
 Reinforced Chassis, Caster Wings and Power Unit housing for true heavy duty lifting jobs
 By-Pass Valves prevent overload and ram over-extension
 Enhanced release valve action for controlled lowering

- · Front wheel configuration provides maximum load stability
- Large 6-1/2" saddle diameter aides easier contact with vehicle lift point




LIFTING hyc















OTCHDJ10 \$1,399.99 10 Ton Service Jack

- Lifting range: 6.3" to 22
- · Heavy duty hydraulic performance for garages, equipment dealers, commercial service and more
- · Welded hydraulic pump and cylinder construction provides increased strength and leak prevention
- Chrome plated ram for additional rust resistance
- Wiper seals protect hydraulic system from contaminants

OTCHDJ10P \$2,259.99 10 Ton Air / Hydraulic Service Jack

OTCHDJ5 \$1.089.99 5 Ton Service Jack

. Lifting range: 6" to 22

OTCHDJ5P \$1,209.99 5 Ton Air / Hydraulic Service Jack

• Lifting range: 5-7/8" to 22

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



\$5,009.99

INT3225

20 Ton Air/Hydraulic Long Chassis Jack

Uses 225 cubic ft/min of compressed air at 100 PSI

- · Heavy duty pumps, rams, and cylinders
- Automatic overload safety valves
- · Foot operated pump
- Three position control handle



INT400SS \$458.99

- 4 Ton Heavy Duty Floor Jack
 Padded handle bumper protects vehicle finish
 Convenient parts tray for small components
- Rear mounted swivel casters for easy mobility
- Meets ASME 2014
- Two piece handle for easy storage



vdraulics

service jacks







- 3.33 Ton Low Profile Service Jack (XD)

 Low Profile with lifting range 3-3/4 to 21-3/4

 Quick start double pump technology for fast operation to contact point

 Heavy-duty steel construction provides stability and endurance
- · Covered by a 2 year warranty

axle jacks

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

5 Ton Service Jack (HD)• Lifting range 6-3/10 to 22

- Heavy-duty steel construction provides stability and endurance
- Swivel rear casters provide smooth maneuvering and positioning
- · Built-in valve protects against jack over-loading
- Quick start double pump technology for fast operation to contact point
- · Covered by a 2 year warranty



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



SUN66037 \$319.99 3.5 Ton Service Jack with Quick Lift System

- RapidRise hydraulic power unit includes dual pump pistons
- Strong chassis with upper and lower frame flanges to withstand twisting
- Angular positioned pump pistons provide maximum effective pump stroke when jack is completely under vehicle

 Wide front wheels and ball bearing mounted rear caster wheels
- Pump piston dust shields and wiper seals prevent contaminants from entering

OIC

\$926.99 OTCUA22

22 Ton Under Axle Jack

- · Welded hydraulic pump and cylinder construction
- Chrome plated ram
- · Wiper seals protect hydraulic system from contaminants
- 3 Position handle Reach: 69.87"
- Lifting range: 8.27" to 20-2/3" using longest saddle
 Saddle: 3" dia., round with center notch
- Includes 3 saddle lengths





AMERICAN FORGE&FOUNDRY INC.

INT565E \$975.99 22 Ton Air/Hydraulic Axle Jack with 3 Piece Extension Kit

- Heat treated cylinder wall and chromed piston
- Automatic in-line oiler to lubricate air motor

The 22 ton air/hydraulic axle jack includes the 3 piece RAM extension kit. This extension kit includes 3/4, 2-3/4 and 4 extensions.







KTI63194A \$588.22

22 Ton Air Hydraulic Truck Jack KTool HD

- Lift range from 9 to 18
 Load-limiting and bypass valves which prevent use beyond rated capacity and overextension of ram with spring activated self retracting ram
- Release knob at the top of the T handle works at any handle position and narrow width fits between tandem wheels
- Meets ASME PACE/2014 safety standards
- · 2 year warranty on material and workmanship

WARNING: Cancer and Reproductive Harm -



LIFTING hyd

axle & truck hydraulic jacks





\$2,729.99

INT545SD

30/15 Ton 2 Stage Air/Hydraulic Axle Jack

- 2 Stages and lifting capacities of 30 and 15 Ton make this a very versatile jack
 Extra long removable handle and rugged rear wheels
 Air assisted lowering speeds up ram retraction

- Air assisted lowering species by rain retraction.
 Comes with 2 extensions (75mm/3 + 45 mm/1.75) and saddle adapter
 Units are tested to -13F(-25C) and +113F(+45C) as well as off center loading to ensure a long life under the harshest conditions
 Ram Lift: 2.91 / 5.59 Low Height: 5.92 / 5.92 High Height: 8.82 / 11.5



OTC5292 \$2,759.99

- 27.5 Ton Under Axle Jack · Robust design with completely sealed piston
- New lever design and pneumatic release valve allows for more precise release control, does not require separate valve operation step
- Spring return piston

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





\$3,779.99 SCPTJ12SL 12 Ton Low Profile Service Jack for Heavy Trucks

- Available with a built in locking system
 Lifts over 19 with a built in 2 store section.
- in 3 stage safety lock

 Two points of contact lifts the
- whole front or rear end in one go low profile design
- Telescoping handle extends from 5' to 9
- · 7.5 collapsed height to go under the lowest axles
- Air/hydraulic design, no pumping required, runs on shop air

SCPTJ12S \$3,799.99

12 Ton Floor Service Jack for Heavy Trucks

\$4,499.99

14 Ton Floor Service Jack for Heavy Trucks

TJ14 can be used as an Axle Jack, a Bumper Jack, or a Trailer Jack, simply purchase the adapter you need to handle

clutch jacks





- and pivots side to side for efficient clutch/engine alignment
- Two splined alignment shafts (2 diameter x 1.18 and 1.75 diameter x 0.983 pilot)
- · Clutch assemblies can easily be built on the vertical shaft and then positioned easily under the truck

specialty lifts



OTC2510A \$432.99

- Stinger Air/Hydraulic Pump
- Internal relief valve
 98 cu. in. of usable oil
 Two stage release mechanism
- Pump, hold, or release load with pedal control
- Ideal all-around power source develops 10,000 PSI at 100 PSI air






\$414.99 SUN4998 10,000 PSI Air Over Hydraulic Foot Pump

- 90 PSI air pressure
- · Designed to be used with single acting cylinders only
- For use with single acting cylinders up to 50 ton capacity



SCPTJ14



THE HEAT WITHOUT THE FLAME

Switch to Induction Heat

Mini-Ductor® VENOM® HP

The Mini-Ductor Venom HP is the highest powered Mini-Ductor available. Generating Invisible Heat® to release metals from corrosion and thread lock compounds without the dangers of an open flame and up to 90% faster than conventional methods.



INCLUDES:

- > Carry Case
- > 7/8" Pre-Formed Coil
- > U-Form Coil
- > Bearing Buddy Coil

FEATURES:

- > Highest Powered Available
- > Coil Twist Lock
- > LED Usage Indicator
- > Fan Operation Enhancements
- > Two-Year Warranty

APPLICATIONS:

- > Struts
- > Calipers
- > Lugnuts
- > Vinyl Graphics
- > and 100's more!



Tag us in your photos: #InductionInnovations











LIFTING hy



\$713.99 SUN5222

2 Ton Folding Engine Crane w/ Dual Pump Pistons

- Dual pump pistons rapidly reach max height in half the pumps • 4 Boom lengths adjust for optimal reach based on required capacity
- Low profile 4.7 legs designed to fit under wide range of vehicles
- · Heavy duty drop forged hook swivels 360 degrees
- · Chainless design eliminates sway during lifting
- Folds to conveniently store away in small footprint





\$5,449.99

OTC1819 2200 Lb. Capacity **Heavy Duty Floor Crane**

- Crane folds into a compact package for storage
- · For close-in work, leg spread adjusts to clear vehicle's wheels, telescoping boom extension gives additional reach
- · Roller bearing mounted wheels and steering dolly
- A two-speed hydraulic hand pump provides fast boom travel; descent of boom is under precise control of operator
- Includes 16-7/8 lifting chain








underhoist stands



\$138.45 KTI61002 2 Ton Tripod Underhoist Stand

- 2 ton under hoist stand designed to help stabilize a vehicle suspended by an above-ground lift
- · Support range from 68 to 76Acme threaded screw for 8 of fine adjustment
- Bearing mounted spin handle for easy raising and lowering of screw
- 24 triangle shaped base and 3.25 square saddle provide additional stability
- · 2 Year warranty on material and workmanship
- Complies with ASME PASE/2014 Safety Standards







KTI61077 \$153.83 3/4 Ton Utility **Underhoist Stand with Pedal**

- Support range from 53 to 79Acme threaded screw for self-locking positioning
- · Bearing mounted spin handle for easy raising and lowering of screw12 diameter base with 1.63 x 5.5 saddle provide additional support
- · 2 Year Warranty on material and workmanship
- Complies with ASME PASE/2014 Safety Standards

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



AMERICAN FORGE&FOUNDRY INC.

INT3315A \$176.99 2 Ton Underhoist Stand

- · Built with all-steel construction
- · Designed to stabilize vehicle system components (such as exhausts and suspensions) in under-hoist applications
 • Adjusts from 55 to 85-1/2 inches
- Ideal for exhaust and suspension work
- Bearing included for smooth operation
- Easily disassembles for storage 24 x 24 x 24 inch base



ydraulics

engine stands











OTC1750A 6,000 Lb. Capacity Revolver®

Diesel Engine Stand with Adapter Assembly

96:1 ratio worm and gear set rotates components a full 360 degrees

Crank handle can be locked in any position

Integral 12 ton jack raises the work to provide the swing radius needed clearance

- Includes universal engine adapter assembly
 Two front wheels and two rear casters provide mobility
 Universal adapter assembly permits use with a wide variety of mounting plates for Caterpillar, Cummins, Mack, IH, and Detroit in-line or V series diesel engines, as well as Mison temporarienies. well as Allison transmissions.

WARNING: Cancer and Reproductive Harm -www.P65Warnings.ca.gov





\$6,409.99

OTC1750

- 6,000 Lb. Revolver Diesel Engine Stand
 The crank handle can be locked into any position
 Integral 12-ton jack raises the work to provide the swing radius needed for clearance
 Covered by OTC Lifetime Marathon Warranty
- Universal éngine adapter assembly availablé



WARNING: Cancer and Reproductive Harm -www.P65Warnings.ca.gov







\$1.739.99 OTC1735B **Heavy-Duty Motor-Rotor®** Repair Stand, 2000 Lb. Capacity

- Hepair Staind, 2000 Lb. Capacity
 Handles a wide variety of engines, transmissions, torque converters, rear axles from trucks, tractors, and construction machinery
 The 50:1 ratio gearbox allows full rotation of mounted unit with just a turn of the crank and locks in position. Easily maneuvered when loaded
 Twin-post design, featuring laterally adjustable, 3-position outboard support
 Covered by OTC Lifetime Marathon Warranty®

brake & drum dollies



OMEHW93766 \$1,529.99 3/4 Ton Wheel Dolly

- For handling of dual wheels and large single wheels
 Handles up to 52 diameter tires and wheels
 2 swivel ball bearing casters for easy positioning
 Wide frame and lifting carriage
 Carriage arm rollers with self-lubricating bearings

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



OTC5017A \$662.99 **Brake Drum Dolly**

- Works on 15 and 16-1/2 drums found on most Class 7 and 8 tractor and trailer brake systems
- Heavy-gauge steel construction, 10 pneumatic tires, and adjustable handle
 Covered by OTC Lifetime
 Marathon Warranty®





OIC

OTC5090 \$3,219.99 Back Buddy™ II

- 14 vertical lift
- Tilting mechanism to achieve exact angle necessary for precise reassembly
- · Pneumatic rear tires smoothly roll
- · Onboard lube tray and toolbox





LIFTING





- dual wheel and tire assemblies without strain or struggle
- Swivel casters, 3-1/2 front and 3 rear, provide easy maneuverability
- No. 1769 hydraulic jack provides over 6-1/2 of lift and tilts wheel assembly 7 degrees to prevent damage to wheel seal
- Includes a 6' support chain to hold load in place
- Floor space is 43 x 42



ATEATTC-AEZWL \$625.00 **Pneumatic Portable Wheel Lift**

- 180 lb. capacity3 Poly casters
- Operates on 120 PSI air pressure
- 1 year parts warranty; parts only material and workmanship.



WARNING: Cancer and Reproductive Harm -www.P65Warnings.ca.gov





truck ramps



\$1,049.99 OTC5269

- 20 Ton Wide Truck Ramps (Pair)

 Application: Wider Front Wheels (cement, dump, garbage trucks)
- Long, 33 retractable T-handle enhances mobility.
- Non-skid rubber matting prevents slippage during use.
- · Durable, heavy-duty rubber wheels.
- Capacity per pair: 20 tons; overall length: 51; tread width: 16
 Covered by OTC Lifetime Marathon Warranty®.





\$797.99 OTC5268

- 20 Ton Truck Ramps (Pair)
- Long, 33 retractable T-handle enhances mobility.
 Non-skid rubber matting prevents slippage during use.
 Durable, heavy-duty rubber wheels.
- Capacity per pair: 20 tons; overall length: 51; tread width: 10
 Covered by OTC Lifetime Marathon Warranty®.





SUNEX® 0 0 L S \$966.99 SUN1520 20 Ton Truck Ramps

- Retractable telescopic T-Handle for easy maneuverability and storage
 Accepts up to 16 tire widths

- Perforated holes in ramp for tire traction
 Rubber surface base prevents slippage when loading/unloading of vehicle
 Total weight capacity of 20 tons per pair

OMEGA!



OME93200 \$930.99 20 Ton Truck Ramps (Pair)

- Designed specifically for heavy-duty tasksLarge wheel designs for extra durability
- · Non-skid rubber matting enhances operation safety
- Long retractable T-handle for easy positioning
- Sold and to be used in pairs



WARNING: Cancer and Reproductive Harm -



OME93201 \$871.99 20 Ton Wide Truck Ramps (Pair)

- · Designed specifically for heavy-duty tasks
- Large wheel designs for extra durability
- · Non-skid rubber matting enhances operation safety
- Long retractable T-Handle for easy positioning
- · Extra wide treads for bigger trucks



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

hydraulics







KTI63709A \$435.28 10 Ton Portable Ram Kit (XD)

- Output pressure of 9,100 PSI
 Ram minimum 12-11/16; Stroke: 5-1/4
- Oil capacity: 17.5 oz
- Covered by a 2 year warranty



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KTI63703A \$308.81 4 Ton Portable Ram Kit (XD)

- Output pressure of 8,200 PSI
- Ram minimum 10-1/2; Stroke: 4-3/4 (133mm)
- Oil capacity: 10.5oz
- · Packaged in durable blow molded case







OTC1515B \$482.99

Stinger 10 Ton Collision Repair Set

- Industry standard couplers are interchangeable with leading manufacturer's units
 Snap together design of extension tubes allows for easy assembly
 Sturdy extension tubes hold up in even the toughest situations
 Automatic overload system on pump protects against damage to equipment
 10 be between the toughest situations

- 1/2-ton hydraulic spreader tool has 2 jaws that spread from 5/8 to 3-3/8



OTC1513B \$314.99 Stinger 4 Ton Collision Repair Set

- Industry standard couplers are interchangeable with leading manufacturer's units
 Automatic overload system on pump protects against damage to equipment
 1/2-ton hydraulic spreader tool has 2 jaws that spread from 5/8 to 3-3/8

- Includes a sturdy plastic case
 Two year warranty



portable hydraulic sets





BHKB65115 \$516.99 10 Ton Porto-Power Kit

- Automatic pump overload system protects against damage to rams and equipment
 Heavy walled extension tubes stand up in tough situations
- Flex head features permanently molded rubber pad-interlocked to prevent separation
- 1/2 ton capacity hydraulic spreader features 2 jaws and spreads from 5/8 to 3-3/4
- Ram extended height: 19-3/4; Closed height: 13-5/8

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

BHKB65114 \$322.99 4 Ton Porto-Power Kit

- · Snap lock design for quick and easy assembly
- Automatic pump overload system protects against damage to rams and equipment
- Heavy walled extension tubes stand up in tough situations
- Total weight: 46 pounds
- 1 Year Limited Warranty

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





SUN4910A \$423.99 10 Ton Port-A-Jack Kit

- Complete starter set · Spreader ram standard
- . Blow mold case with wheels
- Assorted extension tubes
- Serrated Saddle

SUN4940A \$319.99 4 Ton Port-A-Jack Kit

- Slip fit design provides easy and guick
- changing of attachments

 Quick disconnect hydraulic fittings on hose and rams
- Attachments are interchangeable with many other popular brand kit components
- Thread protector on cylinder

Set includes: hand pump hose, cylinder ram, spreader ram, rubber head, ram toe, plunger toe, 90° V-Base, serrated saddle, male thread adapter, rubber faced flat base, wedge head 1/2 ton, assorted extension tubes.



bottle jacks

















◮	WARNING: Cancer and Reproductive	Harm - www.P65Warnings.ca.gov

Supplier	Part Number	Capacity	Minimum Height	Maximum Height	Air Assist	
K Tool XD	KTI63214A 🔥	12 Ton	6.18	10.9	N	\$68.75
Bosch	OTC4313C	12 Ton	9.5	18.375	Υ	\$273.99
Sunex	SUN4412S	12 Ton	7.5	14.4	N	\$78.99
American Forge	INT3520	20 Ton	9.625	18.25	N	\$143.99
American Forge	INT5520B	20 Ton	10.5	20	Υ	\$463.99
Astro Pneumatic	AST5304A	20 Ton	7	12.75	Υ	\$212.99
Bosch	OTC4321C	20 Ton	9.4375	17.6875	Υ	\$357.99
Esco	ESC10446	20 Ton	9-5/8	18-3/4	Υ	\$326.99
Omega	OME18204C	20 Ton	9.75	18.75	Υ	\$366.99
Sunex	SUN4420AH	20 Ton	9.5	18	Υ	\$343.99
Sunex	SUN4420 🌉	20 Ton	9.5	17.9	N	\$124.99
Esco	ESC10450 🗒	22 Ton	9-5/8	18.75	Υ	\$228.99
OTC	OTC9330 🔥	30 Ton	11	17-5/8	N	\$205.99
Blackhawk Automotive	ВНКВН2308	30 Ton	11	18.125	Υ	\$801.99
Omega	OME18302	30 Ton	11	18	Υ	\$807.99
Sunex	SUN4430	30 Ton	10.8	17.3	N	\$276.99
OTC	OTC9350 🔥	50 Ton	11-3/4	18-15/16	N	\$623.99
Sunex	SUN4450 🗒 🔜	50 Ton	10.4	10.4	N	\$446.99





INT5612SD \$311.99 12 Ton Super Duty Air/Hydraulic Bottle Jack • 1-1/8 thick base – provides stable lifting platform • Shielded release screw helps prevent accidental lowering or damage



\$499.99 INT5620SD 20 Ton Super Duty Air/Hydraulic Bottle Jack

- 1-1/8 thick base provides stable lifting platform
 Internal release screw heavy duty internal
- release screw is protected by base design to avoid accidental release/damage



ASME 2009 compliant



INT5621SD \$438.99 20 Ton Low Profile Air/Hydraulic Bottle Jack

- 7 low height works in the most extreme space constraints
- Thick base design offers the most stable lifting platform
- Dual return springs provide controlled and easy descent with or without shop air

Part Number	Capacity	Low Height	High Height	Lift	Air Pressure	Air Fitting	Weight (Lbs)
INT5612SD	12 Ton	9.92	18.98	5.91	110-120 PSI	1/4 NPT	35
INT5620SD	20 Ton	10.37	20.63	6.38	110-120 PSI	1/4 NPT	45
INT5621SD	20 Ton (Low Profile)	7.01	12.76	3.35	110-120 PSI	1/4 NPT	36
INT5630SD	30 Ton	10.94	20.59	5.91	110-120 PSI	1/4 NPT	65

Unclutter your shop and cut your expenses with



- ✓ All Protocols and Norms supported RP1210, OBD-II, ISO15765 (UDS), SAE J1708, SAE J1939, SAE J2534
- Compatible with all OEM software

 Allison, Bendix, Caterpillar, Cummins,
 Detroit Diesel, Eaton, Freightliner,
 International, Kenworth, Mack, Meritor
 Wabco, Paccar, Peterbilt, Volvo, Western Star, and more.
- **⊘** Bluetooth enabled
- **⊘** Generic Truck Diagnostics software for All-Makes included

⊘ Cables are included:



COJJDC107.9 USB Cable



COJJDC213.9
OBD diagnostics
cable





COJJDC217.9 Deutsch 9 pin type 2 green diagnostics cable



Visit our website or contact us to learn more.

www.cojaliusa.com 800-875-1865 info@cojaliusa.com









TIRE & Wh









ATEATWBT-210 **Heavy Duty Truck Tire Balancer**

- Rim sizes: 10-32Max. tire diameter: 47Max. wheel weight: 440 lb.220 V/1-phase
- · Display in standard or metric units



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



\$6,395.00

ATEATTC301 **Truck Tire Changer**

- Handles rims from 3 3/8 to 27 and tire diameters in excess of 63
- Changes tires with a maximum width of up to 30 1/25 different rim locking positions
- Portable control unit220 Volt motor

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



balancers & changers





ATEATTC303

Truck Tire Changer

- Handles rims from 14 to 56 and tire diameters in excess of over 90
- Accommodates tires with a maximum width of up to 42
- Bead Breaker
 Mount/Demount Head
- · 2 Speed (3 phase) power unit

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



UP TO 56 RIMS!

Truck Tire Changer, 14 - 46

- Working tool with automatic rotation system
- Easily accommodates tires with a maximum width of up to 53

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



AMMCHD-9551 \$40,139.99 Coats® Heavy-Duty Tire Changer

- Remote-controlled rotating tool head/arm for the fastest, easiest tool changes in the business
 Handles rims from 14 to 46 (up to 56 with clamp
- extensions) and tires up to 95 in diameter and 51 wide
- Operation: 4 Jaw Chuck
- Weight (lbs): 2596.0000
- Wheel Handled: Budd & Dayton, Tube & Tubeless
- Mount / Demount: Hook & Roller on Reversible Mount
- Tool Head Offset: Automatic Permanent Mounted
- Table Shape: Moving Table (Side-Mounted)
 Wheel Clamping Method: 4 Jaw Chuck
- Wheel Lift: Clamp Arm Lifting
- Frame Structure: Full Frame





- Max Tire Diameter: 95 (2413mm)
- Max Tire Width: 51 (1295mm)
- Max Wheel Weight (lbs.): 3960 • Min / Max Rim Diameter: 14-46 (47-56 with clamping extensions)
- Max Tire Diameter: 95 (2413mm)
 Max Tire Width: 51 (1295mm)
- Max Wheel Weight (lbs.): 3960



inflation cages



MRIMIC-2 \$278.99 2 Bar Portable **Tire Inflation Cage**

- · Exceed the requirements of OSHA Standard 29 CFR 1910.177 in the U.S.

- Portable perfect for road service vehicles
 Max tire size: 48" OD x 13" W
 Dimensions: (L x W x H) 21-1/2" x 16-3/4" x 51-3/32"







MRIMIC-4 \$542.99 4 Bar Tire Inflation Cage

- Exceed the requirements of OSHA Standard 29 CFR 1910.177 in the U.S
- The steel tubing size and powder-coated paint are superior to our competitors

 Also can be buy in a Kit with an automatic inflator and the bracket, with a roller as well





MRIMIC-3 \$458.99 3 Bar Tire Inflation Cage

- Manufactured in our Canadian plant using steel that meets the toughest
- standards in North America
 Exceed the requirements of OSHA Standard 29 CFR 1910.177 in the U.S.
 The steel tubing size and powder-coated paint are superior to our competitors' product
 • Max. tire size 54" OD X 20" W
- · Orange Color





MRIMIC-4-KIT \$1,169.99

4 Bar Tire Inflation Cage

- Equipped with an automatic tire inflator, a stand for automatic tire
- inflator and a roller kit

 Allows you to inflate your tires safely and efficiently
- Exceed the requirements of OSHA Standard 29 CFR 1910.177 in the U.S
 The reading accuracy is only 2 PSI/ 0,
- 1 BAR on the automatic tire inflator
- Measure the air pressure with 3 types of unit of measurement that are PSI, BAR and kPA.











KEN34555 \$467.99 Shark Fin Dual Wheel Separation Bag

- The first wheel separation solution for steel, aluminum and chrome wheels
- . Shark Fin inflates to separate stuck or frozen dual wheels without damaging the wheel
- Works on 15 to 24.5 dual and single wheels and tires on trucks and trailers
- · Portable, durable, and fast. Full inflation only takes a matter of seconds





KTI70385 \$147.83 **Dual Wheel Separator**

- Dual whited Separator
 Drop forged body for years of reliable service
 Quickly and easily removes stuck or frozen dual steel wheels
 This knowative one-piece pusher won't fall apart during use and is ball bearing-driven for near-zero turning resistance
- Forcing screw and pullers have powerful 1-1/8 diameter x 11 threads





WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

TIRES

tire inflation



KTI89001 \$100.45 **Digital Air Inflator**

- Range of 2 to 150 psi with 0.1 psi resolution
- Boasts a dual head chuck and is accurate to within ±1% + • 0.5psi at 100psi and ±2% + 0.5psi at 150psi
- Programmed to work with various units of measurement (psi/bar/kpa/kg/cm2)

 • Works on TPMS equipped wheels
- 1 Year Warranty



KTI89002 \$53.83 **Tire Inflator Gauge with Dual-Head Chuck**

- 10 to 120 lbs. pressure
- 15 air hose with 1/4 female NPT
- 6 chrome-plated dual-head chuck
- 3/8 24 thread air inlet
- Heavy-duty to withstand everyday use and abuse
- 1 Year Warranty

KTI89006 \$20.91 **Tire Inflator with 2 Gauge**

- 1/4 (6.4mm) Male NPT
- Inflation gun, chuck, and gauge are all combined in one easy-to-use unit
- · Clip design enables hands-free check use



WARNING: Cancer and Reproductive Harm -www.P65Warnings.ca.gov





AMN24867 \$89.99 **Digital Tire Inflator**

- 6Hose Maximum Pressure: 174psi
 3-in-1 function: inflate, deflate, measure tire pressure
 Backlight LCD with 90 second auto off
- Units of measurement: PSI, BAR, kPA
- · Die cast aluminium unit with rubber sleeve
- · Ideal for tire fitters



INDUSTRIES, INC.

MILS-576D \$114.99 **Digital Inflator Gauge** with Dual Head Chuck

 6 DUAL FOOT CHUCK with 360 degree swivel and 15 hose easily reaches into duallys



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





TMR17-1045BC \$14.65

Tire Gauge

Premium dual foot tire gauge
 10 -150psi

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Blu\ightarrow ird*









\$50.75 **BLBBBFLT3850 BB Tire Inflator Fleet Edition Kit**

- Featuring the lightest, strongest, most flexible all-weather BluBird® air hose 3/8 x 50' with 1/4 MNPT
- Includes Phillips heavy duty aluminum universal glad hand
- Includes a 1/4 to 1/2 adapter for fitting to Phillips glad hand (made in USA) Teflon™ tape and a carry bag for easy storage after use
- Dual foot chuck inflator
- Flexibility in extreme conditions from -50°F to 190°F
- Covered by a 10 year warranty on hose and a 2 year warranty on accessories

▲ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



STAY ON THE ROAD!



tire bead tools











\$871.99 ESC10821

Yellow Jackit Economy Bead Breaker Kit

- Works on single, two, and three piece wheel truck tires and rims
- Works on some the newly styled wheels
- Most popular tool for breaking beads on agricultural wheels
 Can be used with any 10,000 psi air hydraulic pump
- 3.75 stroke

WARNING: Cancer and Reproductive Harm

ESC70160 \$202.99 **Manual Bead Breaker**

- Works on tire without removing the wheel from the tractor
 Handles 38 and 42 14 ply farm tractor and backhoe tires
 Use also on small ATV and lawnmower tires

- . Do NOT use with Air Impact Wrench





GAIGBB6L \$332.99 6L RAR Bead Bazooka® **Tommy Gun**

- Light weight reduces stress on the technician
- · Smaller tank allows for easier handling in show and service truck
- Most powerful automatic release system available in any bead-seating device
- Slotted Double Barrel directs the air for best overall lift
- · Easiest to handle for seating purposes







\$334.99 **GAIGB-5ZA 5 Gallon Automatic**

Bead Booster

- Automatic valve releases air 20% faster than manual valves, therefore requiring less pressure and making it safer to use
- Push-button trigger allows user to keep both hands on the tank, therefore maintaining control during use



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



\$275.99 KEN31445

Bead Seater for Tires up-to 24.5 Diameter

- CE Certified 5 Gallon Aluminum Tank
 Digital Air Pressure Gauge And Safety Release Valve


- Push Button Release For Ease of Use
 Designed for use on tires up to 24.5 Diameter
 Plastic Nose Protects Chrome And Alloy Wheels



\$261.99 **KEN35926**

Heavy Duty Impact Bead Breaker The wedge foot is forced between the bead and rim flange

Breaker is designed for shop or road use



TIRESWI

hammers

Ken-Tool



KEN35429 \$139.99 32 Duck-Billed Bead Breaking Wedge with Fiberglass Handle

- · Handled bead-breaking wedges for use on passenger,
- truck, bus, farm, tractor, and aircraft tires Use with soft- face hammers
- · Breaks beads quickly and easily
- Handle serves as lever to push bead away from rim
- 32 (81.3 cm) 8-1/2 lbs (3.9 kg)



KEN35323 \$109.99 **T35 Heavy Duty Tire Hammer**

- · Used for mounting and demounting tires
- Makes tire changing faster and easier for passenger car, truck, bus, farm tractor, and aircraft tires
- . Non-marring rubber end can be used for driving on lock rings
- Wood handle
 16-1/2 length

Ken-Tool

KEN35425 \$145.99

- **TG36 Heavy Duty Tire Hammer**
- · Used for mounting and demounting tires Non-marring rubber end can be used for driving on lock rings
- Fiberglass handle 18 length

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





OTC5789ID-1032 \$205.99

10 lb., 32 Tire Service Hammer, Indestructible Handle

- Outlasts wood and fiberglass handle hammers by well over 30,000 overstrikes
- Ergonomic rubber grip handle reinforced with steel bars resists breaking while absorbing impact and vibration
- Lifetime Marathon Warranty you break it (good luck!), we replace it, no question

mounting & demounting



GAIG12100 \$476.99 Demount Tool for 17.5 - 24.5

- Demounts tire sizes 17.5-24.5
- Only a single tool needed to demount tires
- Unique design protects valuable tire casings for retreading









\$812.99 TSITNT100-1 **Demount Tire Tool**

Super Singles size 315

• 55 L x 11' W x 11' H

TSITNT-100 \$877.99

Tubeless Truck Tire Demounting

the tire and rim to remove bottom tire bead

without removing the wheel from the vehicle • Quickly demount tires 17.5 to 24.5 · Can be used on tubeless truck tires including


• TNT demount tools are ideal for Dayton type (center less) and Budd type disc wheels

TNT-100-1 demount tool eliminates the need to lift

and Mounting Tire Tool Set

- . Tool will not damage tire beads saving valuable casings for retreading
- TNT-100-1 demount tool eliminates the need to lift the tire and rim to remove bottom tire bead
- Quickly demount tires 17.5 to 24.5





Pneu-Tek Universal Impact-Driven Tire Demounter

- Hand held Impact Driven Demount Tool
- Do a wide rande of tires from a 12 golf cart to a 24 roadgrader tire
- Portable, runs off 90-120 lbs air pressure air tool, or electric impact gun



OTC5735-35 \$91.99

35 Double End Curved and Flat Tip Curved Tire Spoon

- Unique Convex Slip Head curved design allows the spoon to slide easily into the tire bead while the spoon bump limits the depth for quick-and-easy operation
- Handle knob enables easier spoon pick up

mounting & demounting





KEN35440 \$434.99

Blue Cobra™ Truck Tire Demount Tool

- · Quickly demount nearly any 20, 22.5 and 24.5 tube-type and tubeless truck tire, up to a 13 wide wheel
- · Ergonomic shaped steel handle with no-slip grip for optimum leverage while reducing back injuries
- Allows tire demounting without lifting the wheel assembly
- Made of durable high-quality steel
- Comes with 31810 Leather Rim Protector

WARNING: Cancer and Reproductive Harm



\$49.99 **KEN32114** 2 Piece Small Tire Iron Set

- T5 (KEN32115) Ideal for demounting small tires
 T8 (KEN32118) Ideal for mounting small tires
 Sturdy, comfortable plastic handles

- Rounded ends will not pinch tube
- Length: 16; Stock: 7/16; Weight .8 lbs

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



ESCO

ESC90518-100-1 \$344.99 Tire Demount Tool

- Demounts tire sizes 17.5 up to 24.5
- Only lift tire once
- . Does not damage beads
- Demounts tire in less than 30 seconds
- · Rubber coated handle for support

KEN35444 \$647.99 Deluxe 10 Piece Blue Cobra™ Truck Tire Service Set

 Contains all of the tools you need to change most 22.5and 24.5 tubeless truck tires quickly and easily

Set Contains:

- Blue Cobra™ Truck Tire Demount Tool
- T45A 37 Tubeless Tire Iron
- 30 Double-End Tire Spoon
- 8# Bucket Euro Paste Lube
- 1 Euro-Style Lube Applicator Brush 2 Aluminum C-Lok™ Bead Holder
- 1 Leather Rim Protector
- T11ES Bead Breaking Wedge with Safety Handle
- 1 T35 H.D. Tire Hammer

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov







KEN34747 \$75.99

36 Straight Tubeless Mount/Demount Tool

Lenath: 36

Stock: 3/4

Weight: 4-1/2 lbs

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KEN34645 \$75.99

37 Truck Mount/Demount Tire Iron

- Patented design offers one piece construction, and assures long life for many tire changing applications

 • Easy to mount and demount tires without changing tool • Rounded tip ends insert easily

KEN34648 \$78.99 37 Heavy Duty Lock Ring Tool

- Removes continuous side rings on two piece truck rims
- Use for multi-piece wheels, especially hub type

KEN34644 \$94.99 37 Mount / Dismount Tire Tool

- 3/4 diameter bar special tip on one end for grabbing the rim
- Design allows for less effort, provides excellent wheel/rim surface contact area for less side to side movement

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov





TR5A 30 Long Truck Wrench Handle • Eight inches longer than standard TR5 (32318) Truck Wrench Handle

KEN34647 \$98.99

41 Heavy Duty Truck Tubeless Tire Iron

- Patented one-piece design and heat treating assure durability
- Rounded tip ends insert easily and will not cut or rip bead or sidewall

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KEN34847 \$175.99

52 Straight Mount / Demount Tire Iron

Patented one-piece design & heat treated to assure durability

MARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KEN34649 \$119.99

52 T45AS Super Duty Tubeless Truck Tire Iron

- Precision forged ends, slip-free grip on the rim and bead
- · Mount end has unique, trademarked curved design to always grab the bead
- 7/8 shaft for strength and durability

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

TIRE & w

mounting & demounting





AMN67300 \$152.99 **Nut Buddy**

- Busts loose the most stubborn wheel nuts Use on commercial or agricultural wheels
- Gear ratio: 58:1
- Rated output torque: 2950 ft lbs
- Two sockets included:
- 1-1/2 (38mm) and 1-5/16 (33mm)
- Comes with black carrying case







\$348.99 **KEN35453**

4 Piece Serpent™ Tire Changing Set • KEN35449 Demount Tool: demounts both beads,

- no more lifting the tire/wheel assembly off the ground
 KEN35450 Mount Bar: wing shape is designed to stop against the rim, won't slip into wheel well; small end of tool easily gets under the stretched bead for that last pull
- KEN31710 Bead Holding Device: Holds the bead in place against the wheel while mounting a tire
- KEN31810 Wheel Protector: Protects wheel rims from damage

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



ESC40125 \$10.99 **Skirt Nut**

- Stops wheel/hub vibrations . No more loose wheels
- Prevents wheel 'clocking' on hub piloted wheels
- Meets and exceeds standards of SAEJ1965 for torque tension
 Eliminates wasted fuel caused by rolling resistance 'drag







\$238.99 OTC5693

- Dual/Single Wheel Separator

 Outer drive hook includes a handle that allows for fast and easy alignment as well as a flat side, both to eliminate turning during use

 The pusher end has two grooves, one for 16-17, and the other for 19.5-24.5 wheels
- Pressure is applied to the wheel rim and not the wheel lip to eliminate bending wheel
- Includes four adapters: dual wheel outer, dual wheel inner (long cupped), single wheel (short cupped), and flat
- Lifetime warranty does not cover abuse

alignment



EZREZLINE \$742.99 **Wheel Laser Alignment Tool**

- All measurements can be taken in under 10 minutes
- E-Z precise axle and wheel alignment

- For heavy trucks, all types of trailers
 Compact design, easy transport and toolbox storage
 Multipurpose measurement capabilities
 Includes: 4 magnetic self-centering lasers, measuring tape, 2 magnetic 5th wheel pin adapters and a durable storage/travel case

\$2.859.99 **EZREZLINEB1SW**

Complete Alignment Tool Package with Software

Includes everything shown above, plus software, hub and bar adapters



INDEX

DESCRIPTIVE INDEX

Air Compressor Kits	38
Air Compressors	37
Air Hose Reels	1, 39
Air Hoses	38
Air Impact Wrenches	1, 4, 5
Air Lifts	43
Air Tools	1, 4, 5
Alignment	62
Axle Jacks	47, 48, 64
Bank Chargers	16
Battery Chargers	
Battery Service 1, 14	1 , 15, 16, 17
Battery Service Tools	17
Battery Testers	16
Bench Grinders	34
Blow Guns	38
Booster Cables	17
Bottle Jacks	54
Brake and Drum Dollies	51
Brake Service Tools	25
Budd Wheel Service	8
Clutch Jacks	48
Code Readers	21

Cooling System Tools				24
Cordless Impact Wrenches			6,	64
Cordless Tools				
Couplers				
Creepers and Seats				36
DEF				
DPF				
Drill Presses				
Drive Shaft and Axle Tools				
Electronics and Diagnostics.	19, :	20, 2	21, 2	22.
23	,	,	,	
End Lifts				44
Engine Stands				51
Engine Tools				
Fluid and Grease Accessories				31
Fluid and Grease Drains			28,	29
Fluid and Grease Guns				32
Fluid and Grease Pumps			30,	31
Fuel Management Tools				
Gas Caddies				
Hammers				
Hammers				
Hand Tools				
	-,	,	,	

Impact Sockets
Jack Stands43
Jump Starters
Lifting and Hydraulics 42, 43, 44, 45, 46,
Material Handling35
Mounting and Demounting 60, 61, 62
Oil Change Tools24
Oil Filter Crushers 33
Portable Hydraulic Sets53
Post Lifts
Pry Bars12
Pullers 24, 25
Scan Tools
Service Jacks
Shop Cleaning40
Shop Cranes50
Shop Presses34
Shop Tools 28, 29, 30, 31, 32, 33, 34, 35,
36, 37, 38, 39, 40, 41
Socket Sets and Accessories 11
Specialty Lifts
Specialty Testers
opolary 1000010

Start-Alls	15
Steering and Suspension Tools	25
Fire and Wheel 56, 57, 58, 59, 60, 61,	62
Fire Balancers	56
Fire Bead Tools	59
Fire Changers1,	56
Fire Inflation Cages	57
Fire Inflators	
Forque Tools12,	
Frailer Testers21, 22,	
Fransmission Jacks	45
Fransmission Tools	
Fruck Hydraulic Jacks	48
Fruck Ramps	52
Jnderhoist Stands	50
/ehicle Specialty24, 25,	26
/ises	35
Welding and Heating	35
Wheel Dollies	
Wheel Lift	52
Wheel Sockets	26
Wheel Stud Tools	26
Vrenches	10

- · Freight delivery shipments must be inspected for damage and loss.
- Inspect for obvious damage and concealed damage.
- Confirm carton/pallet count.

NEXIQ Pocket HD™

- Refuse shipment or notate damage/loss on delivery document.
- · Accepting and signing for a damaged or a short shipment releases the carrier and distributor from any claim responsibility.
- Additional services provided by the carrier such as, lift-gate, residential delivery or special handling will incur additional freight charges.

EXPERIENCE, INGENUITY, AND KNOW-HOW





Industry's Leading VCI







NEXIQ Blue-Link™ Mini WINNER: 2017 PTEN Innovation Award



Mobile Diagnostic App The First-Link™ App Is Available on the App Store and on Google Play



Delivering Industry-Leading Vehicle Diagnostic Solutions for More Than 30 Years



For more information, contact NEXIQ Technologies at 800-639-6774 or www.nexiq.com.

Fall 2020



- All sockets are laser engraved for quick identification
- · Packaged in a convenient blow-molded case
- Lifetime warranty

Set includes:

34", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-7/16", 1-1/2", 1-5/8", 1-11/16", 1-13/16", 1-7/8", 2", 7" Extension, 13" Extension, 0-rings 1.75"/45mm, 0-rings 2"/51mm, Pins 1.75"/45mm, Pins 2"/51mm

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

\$5,245.00

ATEAP-PVL14-FPD 14,000 Capactiy Atlas Platinum **ALI Certified 4-Post Lift (Freight Prepaid)**

• More info on page 42

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov





HEAVY DUTY MAINTENANCE

SPECIAL EDITION

PLEASE NOTE: All prices are subject to change at any time without notice. Due to recent Tariff changes by the U.S. Government, it may be necessary to implement a Force Majeure pricing event on certain products. This advertisement was prepared in advance, therefore, merchandise availability could be limited and is subject to the delivery schedule of the manufacturers. Advertised items may not be stocked by all locations. We are not responsible for typographical, pictorial, or pricing errors.

Products advertised within this publication may contain chemicals known to the State of California under Proposition 65 (P65) to cause cancer, birth defects or other reproductive harm. Many products are noted with a P65 WARNING; however, the warnings may not apply to all items. Further, as this is a new regulation and all vendors may not have yet identified their products as subject to P65, all items that need a warning may not be noted. Contact the manufacturer for specific details regarding P65. We appreciate your understanding as we navigate these new requirements.

CAUTION: Always wear appropriate safety equipment and observe safety advice and proper use of equipment as instructed in warning and caution labels and operating instructions.

AUTEL MaxiSys CV

\$1,619.99

AULMS906CV Android Diagnostic Tablet for Commercial Vehicles

More info on page 19





\$926.99

OTCUA22

22 Ton Under Axle Jack

More info on page 47

